2012

Floor Plans



84" Wide Retro Travel Trailers
96" Wide Joey Select Travel Trailers
90" & 96" Wide Alumabond Fifth Wheels
96" Wide Park Trailers
102" Wide Destination Travel Trailers



Your local **Nomad** dealer is:



Effective 2011

Dare to Compare

Other Brand SKYLINE 3-2-1 Warranty Individually Weighed — Certified — Posted on Exterior Rain Tunnel Tested Simulated Road Tested (Shake Simulator) Stile & Rail Cabinet Construction on Upper & Lower Cabinets Seamless One-Piece EPDM Roof with Manufacturer's 12 Year Limited Warranty (Excludes 84" Wide Travel Trailers) Seamless Aluminum Roof (84" Wide Travel Trailers Only) Radius Clamp-Ring Windows Radius Sealed Outside Compartment Doors 5/8" Tongue & Groove Floor (Except 90" Alumabond Fifth Wheels) Cambered Chassis R-7 Insulation Larger-Capacity Holding Tanks **Upgraded Name Brand Appliances**



60 Years in Business

ince 1951, we've been building products that measure up to the expectations of our customers. From the very beginning, we've understood that our customers come first. You're the reason we're in business and every member of the Skyline team is committed to bring you nothing less than the best.

This commitment has earned Skyline its nationwide reputation for leadership and uncompromising integrity. Our designers, engineers, and production people work as a team to build RVs that meet your needs. The best RVs at the best prices. Each backed by a straightforward one-year full warranty and a nationwide customer service program that is short on red tape and long on results.

Skyline is a solid corporate citizen having no corporate debt and a strong cash position. For our customers, this means that Skyline has the financial muscle to stand in back of its products and you can count on the fact that Skyline will be around if you ever need us.

For us at Skyline, "Bringing America Home. Bringing America Fun." is more than a slogan. It is a statement of our responsibility to a country that has been good to us. It is a pledge to extend our record of leadership, to continue the long tradition of superior service, and to strengthen the trust placed in us by the customers we are privileged to serve. It is our determination to serve America and its people with quality, affordable recreational vehicles for many years to come.

*Limited Production Product. Subject to Dealer's Available Inventory.

Interior

Cabinets

- High Pressure Laminate Counter Tops
- Maple Cabinet Color Choices

Decor

- Color-Coordinated Designer Interiors
- Embossed Vinyl Flooring
- Padded Dinette Seat Cushions
- Mini Blinds at All Windows Except Bunks

Kitchen & Living Room

- 3 cu. ft. Dometic® Gas / Electric Refrigerator
- Wedgewood® 2 Burner Range Top
- 0.7 cu. ft. Dometic®
 Microwave Oven w/Turntable &
 Clock
- Acrylic Kitchen Sink w/Faucet
- 12 Volt Demand Water Pump
- 16,000 Btu Furnace
- 5 MBtu Air Conditioner
- 35 amp 12 Volt Power Convertor w/120 Volt Load Center
- Six Gallon Gas Water Heater
- TV Antenna w/Living Area Jack

Bath

- ABS Tub w/Tub Faucet, Shower Hose & Head
- Shower Curtain
- Hand Flush Thetford Toilet
- Towel Ring & Toilet Paper Holder

Exterior

Roof Construction

- Seamless One-Piece Aluminum Roof
- Awning Drip Rail & Down Spouts

Wall Construction

- Wall Studs on 16" Centers (Maximum)
- Steel Strap Reinforcement on Walls for Superior Durability
- R-7 Settle-Resistant Insulation
- Twist Locks on All Storage Doors
- Clamp Ring Radius Corner / Dark Tint Safety Glass Windows
- Patio Convenience Light
- Radius Entry Door w/Screen
- Assist Handle at Entry Door

Chassis Construction

- Cambered Tubular Steel Chassis w/Steel Outriggers
- Battery Rack
- Chassis-Mounted Entry Step
- Electric Brakes at All Wheels
- Spare Tire & Carrier
- Safety Chains & Breakaway Safety Switch
- Two Stabilizer Jacks
- Sidewinder Tongue Jack w/ Foot

Floor Construction

- 5/8" Tongue & Groove Floor Decking
- Tightly Sealed Woven Polyethylene Underbelly

Features

- Single 20 lb. LP Propane Tank
- Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- 10' A&E® Sunchaser Side Awning


Security & Safety

- Smoke Detector
- Propane Leak Detectors
- Carbon Monoxide Alarm
- Flush Door Latch w/Integral Dead Bolt Lock
- Fire Extinguisher

- AM/FM/DVD Stereo w/USB & iPod Connections
- (2) Inside Speakers & (2) Outside Speakers



12012 Retro Travel Trailers



Specifications

Model		140	173	183	186
Weights	Unloaded Vehicle Weight (see Note 2)	2,025	2,625	2,725	2,725
	Dry Hitch Weight	325	375	325	325
	Dry Axle Weight	1,700	2,250	2,400	2,400
	GVWR (Total Capacity of Trailer)	2,850	3,850	3,850	3,850
	Carrying Capacity (see Note 2)	750	1,125	1,000	1,025
Accommodations	Sleeping (standard / optional)	3	4	3	5
	Bed Size	N/A	54" x 80"	60" x 74"	54" x 80"
	Second Bed Size	N/A	N/A	N/A	(2) 28" x 75"
	Dinette Size	52" x 80"	52" x 80"	30" x 76"	30" x 75"
	Sofa	22" x 59"	N/A	N/A	N/A
Measurements	Exterior Length (see Note 3)	15'-10"	20'-1"	20'-4"	20'-6"
	Exterior Width (see Note 3)	84"	84"	84"	84"
	Exterior Height (see Note 3)	8'-2"	8'-4"	8'-4"	8'-4"
	Interior Height	73"	73"	73"	73"
Capacities	Fresh Water System (gallons)	17	17	27	27
	Gray Water Tank (gallons)	15	15	15	15
	Black Water Tank (gallons)	9	9	9	9
	Air Conditioner Size (Btu)	5,000	5,000	5,000	5,000
	Awning Size	10'	10'	10'	10'
	Convertor Size (amps)	35	35	35	35
	Furnace Rating (Btu)	16,000	16,000	16,000	16,000
	Propane Gas Capacity (pounds)	20	20	20	20
	Tires	ST185/80R13-C	ST205/75R14-C	ST205/75R14-C	ST205/75R14-C
	Water Heater (gallons)	6	6	6	6

Notes

(1) All weights, dimensions, and capacities shown are approximate values.

(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.

(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

Standard Features

2012 JOEY Select Travel Trailers

Interior

Cabinets

- Hardwood Frame Cabinet Doors
- Full Extension Ball Bearing Drawer Guides
- High Pressure Laminate Counter Tops
- Maple Cabinets

Decor

- Color-Coordinated Designer Interiors
- Embossed Vinyl Flooring
- Carpet & Pad as Shown on Floor Plans
- Extra Padded Dinette Seat Cushions w/Bolsters in Accent Fabric
- Mini Blinds at All Windows Except Bunks
- Decorative Glass Insert Cabinet Doors in Select Areas

Kitchen & Living Area

- Dometic® Double Door Refrigerator
- Wedgewood® 3 Burner Range w/ Oven & Piezo
- Radius Counter Tops
- Power Range Hood w/Light
- Large Carousel Dometic® Microwave Oven w/Clock
- Acrylic Kitchen Sink w/High Rise Faucet
- Decorative Wall Border in Kitchen & Living Area
- Systems Monitor Panel
- 25,000 Btu Ducted Furnace
- 13.5 MBtu Roof Ducted Air Conditioner w/Wall Thermostat
- 120 V to 12 V Power Convertor
- TV Antenna w/Booster
- Park Cable Hookup for TV
- 12V AM/FM/DVD/MP3 Stereo w/iPod Connection, Interior & Exterior Speakers
- Six Gallon Gas/DSI Water Heater

Bedroom & Bath

- Color-Coordinated Quilted Bedspread
- Deluxe Headboard
- Lift-Up Bed Storage w/Gas Piston Struts
- Evergreen® Mattress
- ABS Tub w/ABS Wall Surround
- China Foot Flush Toilet
- Deluxe Medicine Cabinet w/Mirror
- Towel Ring & Toilet Paper Holder
- Skylight Over Tub
- Power Bath Vent

Exterior

Roof Construction

- Tapered Roof Construction to Promote Water Runoff
- Seamless One-Piece Roof w/ Manufacturer's 12-Year Warranty
- Awning Drip Rail w/Extra Long Down Spouts

Wall Construction

- Wall Studs on 16" Centers (Maximum)
- Steel Strap Reinforcement on Walls for Superior Durability
- R-7 Settle-Resistant Insulation
- Twist Locks on All Storage Doors
- Clamp Ring Dark Tint Safety Glass Radius Corner Windows
- Patio Convenience Light
- Radius Entry Door w/Screen
- Assist Handle at Entry Door

Chassis Construction

- Cambered I-Beam Steel Chassis w/Steel Outriggers
- Battery Rack
- Electric Brakes at All Wheels
- Black Rotocast Wheel Wells (Most Models)

- Safety Chains & Breakaway Safety Switch
- Super Lube Hubs on Axles
- Four Stabilizer Jacks

Floor Construction

- 5/8" Tongue & Groove Floor Decking
- Tightly Sealed Woven Polyethylene Underbelly

Features

- Two 30 lb. LP Propane Tanks w/ Auto Changeover
- Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- · Water Heater Bypass


Security & Safety


- Smoke Detector
- Propane Leak Detectors
- Carbon Monoxide Alarm
- Flush Door Latch w/Integral Dead Bolt Lock
- Fire Extinguisher

- Power Side Awning
- Aluminum Wheels
- Camp Kitchen (Select Models)
- Fireplace (Select Models)
- Night Shades
- Outside Shower
- 26" Vizio® LCD TV
- Gas/Electric/DSI Water Heater
- Laminated Sidewalls, Including:
 - Welded Aluminum Frame Sidewalls w/Block Foam Insulation, Steel Cabinet Backers, Lauan Exterior Panel Under Fiberglass Exterior, and Lauan Interior Panel All bonded Together.
 - Fiberglass Exterior On Front & Rear Walls




2012 JOEY Select Travel Trailers











Model 249





OUTSIDE STORAGE
WARD

SHIRT
WARD

DOUBLE BED

WARD

JIFT-JP
QUEEN BED

WARD

OUTSIDE STORAGE

WARD

OUTSIDE STORAGE

WARD

OUTSIDE STORAGE

OUTSIDE STORAGE


WARD


OUTSIDE STORAGE


OUTSIDE STORAGE

MODE


14' AWNING










2012 **JOEY** Select Travel Trailers










Option Camp Kitchen Model 312










(Model 377)


Option Camp Kitchen Model 377

TRUNDLE BED

BUNK BED (ABOVE)

2012 JOEY Select Travel Trailers





Model		196	204	207	249	258	260	268
Weights	Unloaded Vehicle Weight (see Note 2)	3,775	4,050	4,375	3,950	5,875	4,725	4,625
	Dry Hitch Weight	425	400	500	475	625	600	500
	Dry Axle Weight	3,350	3,650	3,875	3,475	5,250	4,125	4,125
	GVWR (Total Capacity of Trailer)	5,600	5,600	6,200	6,200	7,750	6,200	6,200
	Carrying Capacity (see Note 2)	1,650	1,350	1,625	2,050	1,625	1,275	1,375
Accommodations	Sleeping (standard / optional)	4	4	6	6	6	6	8
	Bed Size (standard)	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"
	Second Bed Size	N/A	N/A	N/A	(2) 32" x 90" (1) 28" x 76"	N/A	N/A	48" x 74" 28" x 76"
	Dinette Size	40" x 71"	N/A	40" x 71"	40" x 71"	48" x 79"	40" x 71"	40" x 71"
	Sofa	N/A	42" x 64"	42" x 64"	N/A	44" x 74"	42" x 64"	42" x 64"
Measurements	Exterior Length (see Note 3)	22'-10"	23'-4"	27'-0"	26'-4"	29'-8"	27'-8"	29'-7"
	Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"	96"
	Exterior Height (see Note 3)	10'-1"	10'-1"	10'-1"	10'-1"	11'-0"	10'-1"	10'-1"
	Interior Height	78"	78"	78"	78"	78"	78"	78"
Capacities	Fresh Water System (gallons)	36	36	36	36	36	36	36
	Gray Water Tank (gallons)	31	31	31	31	40	62	31
	Black Water Tank (gallons)	31	31	31	32	40	31	31
	Air Conditioner Size	13,500	13,500	13,500	13,500	13,500	13,500	13,500
	Awning Size	12'	12'	14'	14'	14'	14'	14'
	Convertor Size (amps)	55	55	55	55	55	55	55
	Furnace Rating (Btu)	25,000	25,000	25,000	25,000	25,000	25,000	25,000
	Propane Gas Capacity (pounds)	60	60	60	60	60	60	60
	Tires	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R15-C	ST205/ 75R14-C	ST205/ 75R14-C
	Water Heater (gallons)	6	6	6	6	6	6	6

Notes

(1) All weights, dimensions, and capacities shown are approximate values.

(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located in inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.

(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

Model		279	285	298	307	312	376	377	383
Weights	Unloaded Vehicle Weight (see Note 2)	5,625	6,050	6,575	7,250	7,250	7,600	8,425	8,450
	Dry Hitch Weight	750	700	875	725	800	1,150	1,000	1,000
	Dry Axle Weight	4,875	5,350	5,700	6,525	6,450	6,450	7,425	7,450
	GVWR (Total Capacity of Trailer)	7,750	7,750	11,200	11,200	11,200	11,200	11,200	11,200
	Carrying Capacity (see Note 2)	1,900	1,450	4,350	3,675	3,675	3,300	2,450	2,425
Accommodations	Sleeping (standard / optional)	8	9	9/10	6	9/10	10	8	8
	Bed Size (standard)	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	74" x 74"
	Second Bed Size	48" x 74" 28" x 76"	48" x 74" 28" x 76"	(2) 28" x 76" (2) 38" x 74"	N/A	(2) 28" x 76" (2) 38" x 74"	(2) 28" x 76"	(2) 28" x 76" (2) 38" x 74"	
	Dinette Size	40" x 71"	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79" 40" x 71"	48" x 79"	48" x 79"
	Sofa	42" x 64"	44" x 74"	44" x 74"	44" x 74"	44" x 74"	44" x 74"	44" x 74"	44" x 74"
Measurements	Exterior Length (see Note 3)	33'-2"	32'-0"	33'-10"	34'-2"	36'-7"	40'-4"	40'-9"	40'-9"
	Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"	96"	96"
	Exterior Height (see Note 3)	10'-3"	11'-0"	11'-0"	11'-0"	11'-2"	11'-2"	11'-4"	11'-4"
	Interior Height	78"	78"	78"	78"	78"	78"	78"	78"
Capacities	Fresh Water System (gallons)	36	36	36	36	36	36	36	36
	Gray Water Tank (gallons)	50	40	40	40	40	40	40	40
	Black Water Tank (gallons)	40	40	40	40	40	40	40	40
	Air Conditioner Size	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500
	Awning Size	18'	14'	18'	14'	18'	18'	21'	18'
	Convertor Size (amps)	55	55	55	55	55	55	55	55
	Furnace Rating (Btu)	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000
	Propane Gas Capacity (pounds)	60	60	60	60	60	60	60	60
	Tires	ST205/ 75R15-C	ST205/ 75R15-C	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D
	Water Heater (gallons)	6	6	6	6	6	6	6	6

Notes

(1) All weights, dimensions, and capacities shown are approximate values.

(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.

(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if

2012 Alumabond

90" & 96" Fifth Wheels

Interior

Cabinets

- · All Wood Drawers w/Full Extension Ball Bearing Guides
- High Pressure Laminate Countertops
- Maple Cabinets
- · Hardwood Frame Cabinet Doors

Decor

- · Color-Coordinated Designer Interiors
- Color-Coordinated Wall Border
- Deluxe Box Valance on All Living Area Windows w/Lambrequin Legs on Most Windows
- Mini Blinds (90" Wide Models)
- Night Shades (96" Wide Models)
- **Embossed Vinyl Flooring**
- Decorative Glass Doors in Select Overhead Cabinets
- Decorative 12 V Light Above Dinette in Slide-Out Room Only
- Decorative 12 V Wall Light(s) at Sofa in Slide-Out Room Only (96" Wide Models)
- Hide-A-Bed Sofa (96" Wide Models)

Kitchen & Living Area

- Acrylic Kitchen Sink w/Deep Basin
- High Rise Kitchen Faucet
- Lighted Range Hood w/Fan
- Park Cable for TV Hookup
- 120 V to 12 V Power Convertor (55 amps)
- System Monitor Panel (Fresh Water, Battery & Holding Tank Levels w/Water Heater Switches)
- Raised Panel Refrigerator Door Insert (96" Wide Models)
- Large Double Door Dometic® Refrigerator
- 3-Burner Range w/17" Oven & Piezo
- Microwave Oven w/Carousel
- AM/FM/DVD Stereo w/USB & iPod inputs, 4 Interior Speakers & 2 Exterior Speakers
- 6 Gallon Gas/Electric/DSI Water Heater
- 13.5 MBtu Ducted Air Conditioner

Bedroom / Bath

- TV Hookup (Where Applicable)
- · Color-Coordinated Quilted Bedspread
- · Deluxe Headboard
- · Evergreen® Mattress

· Power Bath Exhaust Fan

- **Towel Ring**
- Bath Skylight Over Tub / Shower
- ABS Tub/Shower
- Bath Tub/Shower Surround
- Deluxe Medicine Cabinet

Exterior

Roof Construction

- Tapered Trusses on 16" Centers to Promote Water Runoff
- Seamless One-Piece Roof w/ Manufacturer's 12-Year Limited Warranty
- Wide Rain Gutter Rails w/Extra Long Drip Spouts
- R-7 Insulation

Wall Construction

- · Fiberglass Exterior w/Custom Styled Exterior Graphics
- Welded Aluminum Frame Sidewalls & Endwalls
- Laminated Sidewall Construction w/Block Foam Insulation, Steel Cabinet Backers, Lauan Exterior Panel Under Fiberglass Exterior
- · Radius Dark Tint Safety Glass Clamp-Ring Windows
- Radius Entry Door w/Screen Kick Panel
- Flush-Mount Heavy Duty Exterior Trunk Doors w/Continuous Hinge
- Patio Convenience Light w/Amber Lens
- A&E® Side Awning

Chassis Construction

- · Steel Frame I-Beam Chassis w/Steel Outriggers
- Super Lube Hubs on Axles
- 10" Electric Brakes at All Wheels (90" Wide Models)
- 12" Electric Brakes at All Wheels (96" Wide Models)
- **Enclosed Underbelly Containing All Tanks** (Drain Valves Not Enclosed)
- Rear Bumper
- Breakaway Safety Switch
- Spare Tire w/Carrier & Cover
- Stabilizer Jacks
- Power Front Jacks w/Spring Pins
- Triple Entry Step

Floor Construction

- 2 x 3 Floor Framing w/R-7 Insulation & 5/8" Tongue & Groove Floor Decking (96" Wide Models)
- Tightly Sealed Woven Polyethylene Underbelly
- Floor-Ducted Heating to Increase Storage in Lower Cabinets (96" Wide Models)
- Laminated Floor Construction w/Welded Aluminum Frame, Block Foam Insulation & Lauan Plywood Decking (90" Wide Models)

Features

- 30 lb. LP Tanks w/Auto Changeover (Single 40 lb. Bottle on Model 195)
- Rotocast Holding Tanks w/Drain Outlet
- Under-Floor Water Tank to Maximize Interior Storage
- Water Heater Bypass
- · Exterior Hitch Light
- · Exterior Assist Handle at Each Entry Door
- Exterior Patio Receptacle
- Molded Fender Skirt
- 30 amp Power Shore Line
- TV Antenna
- · Exterior Speakers
- · Swing-Away Exterior Assist Handle


Security & Safety


- · LP Gas Leak/Carbon Monoxide Detector
- Smoke Detector
- Fire Extinguisher
- · Flush Door Latch w/Integral Dead Bolt


- · Outside Grill
- · Free Standing Dinette
- Fireplace (96" Wide Models)
- A&E® 12 Volt Power Awning Replacing Standard
- 26" Vizio® LCD TV
- Outside Shower
- · Aluminum Wheels




2012 Alumabond 90" Fifth Wheels









2012 Alumabond 96" Fifth Wheels







2012 Alumabond

90" & 96" Fifth Wheels

Model		195	213	214	2456	2556	2756
Weights	Unloaded Vehicle Weight (see Note 2)	4,100	4,625	4,800	6,775	6,675	6,775
	Dry Hitch Weight	775	975	1,100	1,575	1,450	1,625
	Dry Axle Weight	3,325	3,650	3,700	5,200	5,225	5,150
	GVWR (Total Capacity of Trailer)	6,700	6,700	6,700	9,600	9,600	9,600
	Carrying Capacity (see Note 2)	2,425	1,875	1,700	2,550	2,675	2,550
Accommodations	Sleeping (standard / optional)	6	5	6	8	6	6
	Bed Size (standard)	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"
	Second Bed Size	N/A	N/A	N/A	(2) 28" x 76"	N/A	N/A
	Dinette Size	39" x 70"	33" x 66"	39" x 70"	39" x 70"	39" x 70"	39" x 70"
	Sofa	42" x 64"	42" x 64"	42" x 64"	42" x 64"	42" x 64"	42" x 64"
Measurements	Exterior Length (see Note 3)	21'-8"	23'-5"	24'-2"	28'-3"	28'-3"	29'-11"
	Exterior Width (see Note 3)	90"	90"	90"	96"	96"	96"
	Exterior Height (see Note 3)	10'-1"	10'-1"	10'-1"	12'-1"	12'-1"	12'-1"
	Interior Height	76"	76"	76"	84"	84"	84"
Capacities	Fresh Water System (gallons)	32	32	32	46	46	46
	Gray Water Tank (gallons)	28	28	28	71	71	71
	Black Water Tank (gallons)	28	28	28	40	40	40
	Air Conditioner Size	13,500	13,500	13,500	13,500	13,500	13,500
	Awning Size	14'	12'	14'	18'	18'	21'
	Convertor Size (amps)	55	55	55	55	55	55
	Furnace Rating (Btu)	18,000	18,000	18,000	25,000	25,000	25,000
	Propane Gas Capacity (pounds)	40	60	60	60	60	60
	Tires	205/ 75R14-C	205/ 75R14-C	205/ 75R14-C	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D
	Water Heater (gallons)	6	6	6	6	6	6

Notes

(1) All weights, dimensions, and capacities shown are approximate values.

(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.

(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the fenders and tires, which may extend up to 5° on each side of the body.

96" Wide

Interior

Cabinets

- · Maple Cabinets
- Drawers w/Full Extension Ball Bearing Guides
- Hardwood Frame Cabinet Doors
- High Pressure Laminate Counter Tops

Decor

- Color-Coordinated Designer Interior
- Embossed Vinyl Flooring
- Extra Padded Dinette & Sofa Seat Cushions
- Decorative Glass Doors in Select Overhead Cabinets
- · Hide-A-Bed Sofa
- Upgrade Window Treatment
- · Pleated Night Shades
- Living Room Wall Border
- Decorative 12 Volt Light Above Dinette in Slideout
- Decorative 12 Volt Wall Light(s) at Sofa in Slideout

Kitchen & Living Area

- 16 cu. ft. Whirlpool® Residential Frost-Free Refrigerator
- Power Range Hood w/Light
- 120 V to 12 V Power Convertor
- TV Antenna
- · Living Room TV Jack
- Park Cable for TV Hookup
- · Acrylic Kitchen Sink
- Patio Door
- AM/FM/DVD Stereo w/USB & iPod Inputs, 4 Interior Speakers & 2 Exterior Speakers
- 31.000 Btu Furnace
- · Monitor Panel
- 10 Gallon Gas/Electric/DSI Water Heater
- · Water Heater Bypass
- Microwave
- 15,000 Btu Ducted Air Conditioner w/ Down-Draft Grill
- Overhead Cabinet in Living Room Slideout
- 21" Wedgewood® 3-Burner Range w/ Oven & Piezo Ignition

Bedroom

- · Color-Coordinated Quilted Bedspread
- Lift-up Bed Storage w/Piston Struts
- Evergreen® Mattress
- Bedroom Carpet
- · Deluxe Headboard
- Bedroom Overhead Cabinet

Bath

- ABS Tub
- Towel Ring
- Shower Surround
- Glass Shower Enclosure
- Deluxe Medicine Cabinet
- · Power Bath Vent
- · Skylight in Bath
- · Porcelain Foot Flush Toilet

Exterior

Roof Construction

- Tapered Roof Construction to Promote Water Runoff
- Seamless One-Piece Roof w/12 Year Manufacturer's Limited Warranty
- Pre-Wired & Framed for Roof Air Conditioner
- Awning Drip Rail w/Extra Long Drip Spouts

Wall Construction

- Double Wrapped & Sealed Corners
- Wall Studs on 16" Centers (Maximum)
- Steel-Strap Reinforcement on Walls for Superior Durability
- R-7 Settle-Resistant Insulation
- Twist Locks on All Storage Doors
- Radius Tinted Safety Glass Clamp-Ring Windows
- Patio Convenience Light
- Entry Screen Door
- Entry Door Assist Handle
- 84" Ceiling Height
- Slider Windows in Slideout Room End Walls

Chassis Construction

- Cambered Steel Frame Chassis w/ Steel Outriggers
- Battery Rack
- · Super Lube Hubs on Axles

- · Electric Brakes at All Wheels
- Safety Chains & Breakaway Safety Switch
- Stabilizer Jacks

Floor Construction

- 5/8" Tongue & Groove Floor Decking
- Tightly Sealed Woven Polyethylene Underbelly

Features


- · Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- Color-Coordinated A&E® Side Awning
- Outside Shower
- Upgrade Exterior Graphics
- Two 30 lb. Propane Tanks
- · Propane Tank Cover
- · Swing-Away Exterior Assist Handle


Security & Safety


- LP Gas Leak Detector
- Smoke Detector
- · Carbon Monoxide Detector
- · Fire Extinguisher
- Flush Door Latch w/Integral Dead Bolt Lock


- 50 amp Service
- A&E® 12 Volt Power Awning Replacing Standard Awning
- Detachable Hitch
- Electric Fireplace
- Outside Grill
- 26" Vizio® LCD TV



































96" Wide

Model		326	371	372	378	380	386	398	406
Weights	Unloaded Vehicle Weight (see Note 2)	7,800	7,100	7,350	8,175	8,150	8,325	8,300	9,200
	Dry Hitch Weight	1,000	950	850	1,000	1,075	975	1,075	1,450
	Dry Axle Weight	6,800	6,150	6,475	7,175	7,075	7,350	7,225	7,750
	GVWR (Total Capacity of Trailer)	11,200	11,200	11,200	11,200	11,200	11,200	11,200	11,200
	Carrying Capacity (see Note 2)	3,100	3,825	3,550	2,700	2,725	2,550	2,575	1,650
Accommodations	Sleeping (standard / optional)	6	10/8	8/10	8	9/7	6	6	10
	Bed Size (standard)	74" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 80"	74" x 74"	60" x 80"	74" x 74"
	Second Bed Size	N/A	(2) 28" x 76"	60" x 80"	(2) 28" x 76" (2) 38" x 74"	(3) 28" x 76"	N/A	N/A	(1) 48" x 74" (2) 38" x 74"
	Dinette Size	40" x 71"	40" x 71"	40" x 71"	48" x 79"	40" x 71"	40" x 71"	40" x 71"	48" x 79"
	Sofa Size	48" x 74"	48" x 74"	48" x 74"	44" x 74"	48" x 74"	48" x 74"	48" x 74"	44" x 74"
Measurements	Exterior Length (see Note 3)	36'-0"	38'-10"	38'-10"	40'-5"	40'-5"	40'-1"	40'-0"	41'-0"
	Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"	96"	96"
	Exterior Height (see Note 3)	11'-8"	11'-8"	11'-8"	11'-10"	11'-8"	11'-10"	11'-10"	11'-10"
	Interior Height	84"	84"	84"	84"	84"	84"	84"	84"
Capacities	Fresh Water System (gallons)	50	50	50	50	50	50	50	50
	Gray Water Tank (gallons)	50	40	40	40	65	50	40	80
	Black Water Tank (gallons)	40	40	40	40	40	40	40	40
	Air Conditioner Size	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000
	Awning Size	21'	18'	18'	21'	21'	18'	21'	18'
	Convertor Size (amps)	55	55	55	55	55	55	55	55
	Furnace Rating (Btu)	31,000	31,000	31,000	31,000	31,000	31,000	31,000	31,000
	LP Gas Capacity (pounds)	60	60	60	60	60	60	60	60
	Tires	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D
	Water Heater (gallons)	10	10	10	10	10	10	10	10

Notes

(1) All weights, dimensions, and capacities shown are approximate values.

(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into cargo carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the kitchen cabinet door for specific unloaded vehicle weight and carrying capacity.

(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

Interior

Cabinets

- Maple Cabinets
- Hardwood Frame Cabinet Doors
- Designer Glass Insert Doors
- Drawers w/Full Extension Ball Bearing Guides
- 40" Tall Kitchen Overhead w/2 Shelves

Decor

- Color-Coordinated Designer Interior
- Decorative Box Valances at Most Windows
- Night Shades & Lambrequin Legs in Living Area
- Drape Panels in Bedroom
- Vertical Blind at Patio Door
- Embossed Vinyl Flooring
- Extra Padded Dinette & Sofa Seat Cushions
- Wall Paper Border in Kitchen & Bath
- Decorative Lighting in Select Areas

Kitchen & Living Area

- 16 cu. ft. Whirlpool® Residential Frost-Free Refrigerator
- Residential-Style 4-Burner Range w/Oven
- 40,000 Btu Furnace w/110 Volt Fan Motor & In-Floor Ducting
- Residential-Style Stainless Steel Sink w/Single Lever Faucet
- Living Room TV Jack
- Park Cable for TV Hookup
- 10 Gallon Gas/Electric/DSI Water Heater
- Patio Door
- Eye-Level Microwave Range w/ Integral Range Hood Built In Above Range
- Large U-Shaped Dinette
- Sofa Hide-A-Bed
- Decorative Swivel Rocker (See Floor Plan for Quantity)
- 15,000 Btu Duotherm Roof-Top A/C w/In-Ceiling Ducting & Down-Draft Grille
- Panel Ceiling Fan
- AM/FM/DVD Stereo w/USB & iPod Inputs

Bedroom

- Color-Coordinated Quilted Bedspread
- Free-Standing Bed w/Frame, Box Springs & Mattress in Master Bedroom

Bath

- ABS Tub & Surround
- Deluxe Medicine Cabinet w/Mirror
- Towel Ring
- Skylight Over Tub
- Residential-Style Porcelain Toilet
- Ceiling Exhaust Fan
- Large Oval Sink Bowl w/Single Lever Faucet
- Residential-Style Single Lever Tub Faucet & Shower Head

Exterior

Roof Construction

- Tapered Roof Construction to Promote Water Runoff
- Seamless One-Piece Roof w/12 Year Manufacturer's Limited Warranty
- Awning Drip Rail

Wall Construction

- Double Wrapped & Sealed Corners
- 2 x 3 Sidewall Studs on 16" Centers (Maximum)
- Steel-Strap Reinforcement on Walls for Superior Durability
- R-7 Settle-Resistant Insulation
- Residential-Style Double-Hung Windows
- Patio Convenience Light
- Entry Screen Door
- Entry Door Assist Handle
- 96" Ceiling Height

Chassis Construction

- Cambered Steel Frame Chassis w/Steel Outriggers
- Detachable Hitch
- Electric Brakes at All Wheels
- Safety Chains & Breakaway Safety Switch
- Stabilizer Jacks
- Triple Entry Steps at Each Entry

Floor Construction

- 5/8" Tongue & Groove Floor Decking
- 2 x 4 Floor Construction, 16" O.C. w/Double 2 x 4 Under Sidewalls
- Tightly Sealed Woven Polyethylene Underbelly


Features


- Electric Slide-Out Rooms for Easy Setup or Storage
- Sliding Glass Patio Door
- 76" Entry Door Heights
- 6-Panel Interior Passage Doors
- 50 amp Service
- Water Heater Bypass
- Carpet Throughout (Except Kitchen & Bath)
- Vinyl Floor Tile Area at Each Entry Door
- Outside Shower


Security & Safety


- LP Gas Leak Detector
- Smoke Detector
- Carbon Monoxide Detector
- Fire Extinguisher
- Flush Door Latch w/Integral Dead Bolt Lock


- 21' or 25' A&E® Side Awning
- Fireplace (N/A All Models)
- 19" or 26" LCD TV
- Free-Standing Dinette w/ Panoramic Window
- Marine Toilet w/Holding Tank(s)
- Washer/Dryer Ready (N/A All Models)























102" Wide

Model		431	432	451	452	453	454	458
Accommodations	Sleeping (standard / optional)	6	6	9	8	6	8	6
	Bed Size (standard)	60" x 74"	72" x 80"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"
	Second Bed Size	N/A	N/A	60" x 74" / 28" x 74"	N/A	N/A	(2) 28" x 74"	N/A
	Dinette Size	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79"
	Sofa Size	48" x 72"	48" x 72"	48" x 72"	48" x 72"	48" x 72"	48" x 72"	48" x 72"
Measurements	Exterior Length (see Note 2)	35'-0"	40'-3"	40'-11"	40'-9"	41'-11"	41'-3"	41'-6"
	Exterior Width (see Note 2)	102"	102"	102"	102"	102"	102"	102"
	Exterior Height (see Note 2)	12'-1"	12'-1"	12'-1"	12'-1"	12'-1"	12'-1"	12'-1"
	Interior Height	96"	96"	96"	96"	96"	96"	96"
Capacities	Opt. Gray Water Tank (gallons)	50	50	50	50	50	50	50
	Opt. Black Water Tank (gallons)	40	40	40	40	40	40	40

Notes
(1) All weights, dimensions, and capacities shown are approximate values.
(2) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.



Skyline Customer Satisfaction

Skyline Customer Satisfaction is more than just a promise. We believe you deserve quality in every aspect of ownership. To ensure your continued satisfaction, we're dedicated to providing you with a quality product along with the very best service available in our industry. Skyline's "Commitment of Excellence" will be a source of pride and satisfaction for you.

Contact your Skyline dealer for details.



NO-NONSENSE WARRANTY

Manufacturing defects reported to Skyline within one year after original retail delivery of your new Travel Trailer or Fifth Wheel by an authorized dealer will be corrected without charge and within reasonable times. Excluded are misuse (including lack of reasonable maintenance), minor imperfections, alterations, and dealer or owner improper transportation, installation, or hookup.

This warranty gives you specific legal rights. You may have other rights which vary from state to state.

Skyline's suppliers often provide additional warranties on their components beyond the Skyline factory bumper-to-bumper warranty. For example — the range, water heater, furnace, convertor, air conditioner, refrigerator, microwave and awning carry two-year supplier warranties. The one-piece roof carries a 12-year warranty. Ask your dealer for full details.

Manufacturer's Notice: All specifications, equipment, and prices are subject to change without prior notice. Production of all models subject to seasonal scheduling. Skyline Corporation reserves the right to improve a model without incorporating these changes in similar models produced at an earlier date.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.

Your Retailer, an independent contractor, who is not an agent of Skyline Corporation, is the party responsible for your purchase contract and any additions, deletions, alterations, or attachments made to or in your recreational vehicle.





For the name of your nearest Skyline-built RV dealer, call:
Hemet, CA 1-888-442-0997
Mansfield, TX 1-800-962-7773
Elkhart, IN 1-800-736-2573

