



2012 NISSAN FRONTIER®

INNOVATION TO GET IT DONE. INNOVATION FOR ALL. Forge your way with an efficient mid-size body hugging a fully boxed ladder frame. 261 hp and 281 lb-ft of power as your guide. Single-minded ruggedness married to innovative technology. An available spray-on bedliner when the catch of the day is a 400-lb. boulder – tied down with Utili-track[®] to make sure the rock doesn't roll. 6,500-lb. towing capacity to handle the toys.¹ Bluetooth[®] to handle the calls.² Now crank up your favorite tunes through the Rockford Fosgate and you'll get there.



SHIFT_the way you move

¹ See Nissan Towing Guide and Owner's Manual for proper use. ² Availability of specific features is dependent upon the phone's Bluetooth® support. Please refer to your phone owner's manual for details. Cell phone not included. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Nissan is under license.

SEVEN RUGGED MODELS TO CHOOSE FROM.



S: KING CAB AND CREW CAB



SV: KING CAB AND CREW CAB

FEATURES		4x2 4x4	4-CYI 4x2	. 4x2 4x4	4x4	4x2 4x4
۲	Automatic on/off headlights					
EXTERIOR	Fog lights			SA		
	Roof rack with crossbars				LP	
	Step rails					
ш	Front tow hook (4x4 only)	1				
	Splash guards (all 4x4 models)	1				
	Body side graphics			SA		
	Upper body-color/lower argent front bumper and chrome rear bumper					
	Chrome front and rear bumpers					
	Body-color front and rear bumpers			SA		
	Chrome grille					
	Dark Hyper Silver finish grille			SA		
	Black door handles and outside mirrors					
	Body-color door handles and outside mirrors					
	Chrome door handles and outside mirrors					
	Dual power outside mirrors					
	Heated outside mirrors				LP	
	Body-color side moldings					
	Long Bed					
	Utili-track [®] channel system with four tie-down cleats			PU		
	Factory-applied spray-on bedliner			PU		
	Bed rail caps					
	Locking tailgate and cargo bed light					
	Power sliding glass moonroof with one-touch open/close				LP	M
	Sliding rear window (not available on S) and rear privacy glass			2	2	
0	AM/FM/CD audio system (standard on S Crew Cab)	Р				
ą	AM/FM/in-dash 6-CD audio system			SA PU	2	
AL	Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer				_1	
	Steering-wheel-mounted audio controls			SAPU		
	MP3/WMA CD playback capability and auxiliary audio input jack ³			SAPU		
	4 speakers	2		2		
	•	1	-		2	
	6 speakers (standard on SV V6 Crew Cab)			SA PU	1	
	10 speakers, including subwoofers XM® Satellite Radio ^{4,5}	_				
				PU		
۲	Bluetooth [®] Hands-free Phone System			SAPU		
ERIOR	Air conditioning (standard on S Crew Cab)	Р				
E E E	Power door locks and windows with driver's window one-touch auto-down					





SV SV V6 PRO-4X SL

PRO-4X: KING CAB AND CREW CAB

SL: CREW CAB

		S 4x2 4x4	SV 4-CYL 4x2	SV V6 4x2 4x4	PRO-4X	SL 4x2 4x4
(0	8-way manual driver's seat with adjustable lumbar support	444	475	SA	444	444
SEATING/APPOINTMENTS	8-way power adjustable driver's seat with adjustable lumbar support				LP	
	4-way power adjustable front-passenger's seat				LP	
	Fold-flat front-passenger's seat (not available with leather)					_
	Heated front seats				LP	
	Forward-facing rear flip-up seats	2	2	2	2	
	60/40 Split flip-up rear bench seat			1	1	
G	Rear fold-down center armrest				LP	
É	Cloth seat trim					
EA	Sport cloth seat trim with embroidered Frontier logo			SA		
S	Leather-appointed seats				LP	
	PRO-4X cloth seat trim					
	PRO-4X embroidered leather-appointed seats				LP	
	White-faced gauges			SA		
	Leather-wrapped steering wheel					
	Second-row under-seat storage					
	Eight beverage holders and front and rear door storage pockets					
	Overhead console with sunglasses storage			SA PU		
~	Nissan Advanced Air Bag System with dual-stage supplemental					
Ē	front air bags with seat belt and occupant-classification sensors					
L L L	Driver and front-passenger seat-mounted side-impact supplemental air bags					
Ö	Roof-mounted curtain supplemental air bags for side-impact and rollover					
SAFETY/SECURITY	head protection for outboard occupants					. 1
È	Vehicle Dynamic Control (VDC) ⁶					
Щ	3-point ALR/ELR passenger seat belt system (ELR for driver)					
SA	Front-seat Active Head Restraints					
	Front seat belts with pretensioners and load limiters					
	LATCH System (Lower Anchors and Tethers for CHildren)					
	Energy-absorbing steering column					
	Zone Body construction with front and rear crumple zones					
	Hood-buckling creases and energy-absorbing steering column					
	Pipe-style steel side-door guard beams					
	Tire Pressure Monitoring System (TPMS)					
	Vehicle Security System			PU		
	Nissan Vehicle Immobilizer System					

Standard	
Optional	

Part of S Preferred Package

SA Part of SV V6 Sport Appearance Package M Part of SL Moonroof Package PU Part of SV V6 Premium Utility Package Part of PRO-4X Luxury Package

¹ Crew Cab only. ² King Cab only. ³ Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving. 4 XM Satellite Radio requires subscription sold separately after trial period. Governed by XM Customer Agreement at xmradio.com. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. ©2011 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries.⁵ Satellite radio not available on manual transmission PRO-4X King Cab models. ⁶ VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

Bluetooth [®] Hands-free Phone System		SAPU	
Air conditioning (standard on S Crew Cab)	Р		
Power door locks and windows with driver's window one-touch auto-down			
Remote keyless entry			
Cruise control			
HomeLink Universal Transceiver			
Auto-dimming rearview mirror, digital compass and outside temperature display		PU	
Front map lights			
Voltage and oil pressure gauges	1		
Multi-functional trip computer		SA	
Dual sun visors with extenders and dual visor vanity mirrors	1		
Tilt steering wheel column	1		
First-aid kit			

SPECIFICATIONS

OFF-ROAD CAPABILITIES	KING CAB					
Minimum running ground clearance at rear differential	8.7"-10.1").8"-10.1"			
Angle of approach: V6 models – 4x2 (4x4)	<u>30.5° (31.5°)¹</u>		30.5° (31.5°) ¹			
Angle of departure: V6 models – 4x2 (4x4)	22.1° (22.6°) ²		2.1° (22.6°) ²			
Ramp over angle: V6 models	19.8°-20.6°	1	9.8°-20.6°			
MAXIMUM TOWING CAPABILITIES (LBS.) ³	KING CAB	C	CREW CAB			
4-cylinder	3,500		_			
V6 – 4x2 (4x4)	6,500 (6,300)		6,300 (6,100)			
MAXIMUM PAYLOAD (LBS.)	S	SV 4-CYL.	SV V6	PRO-4X	SL	
King Cab – 4x2 (4x4)						
Manual transmission	971 (N/A)	931 (N/A)	1,524 (1,355)	N/A (1,235)	_	
Automatic transmission	932	913 (N/A)	1,447 (1,379)	N/A (1,215)	_	
Crew Cab – 4x2 (4x4)						
Manual transmission	1,457 (1,251)	_	1,422 (1,255)	N/A (1,098)	_	
Automatic transmission	1,481 (1,385)	_	1,486 (1,390)	N/A (1,078)	1,350 (1,251)	
Long Bed manual transmission	_	_	_	_	_	
Long Bed automatic transmission	_	_	1,388 (1,260)	_	1,252 (1,120)	
DIMENSIONS (INCHES)	KING CAB	c	CREW CAB			
Wheelbase	125.9	1	25.9 (139.9 with Long B	ed)		
Overall length	205.5	2	205.5 (219.4 with Long Bed)			
Overall width	72.8 (without mir		72.8 (without mirrors)			
Overall height	68.7-69.7	7	70.1 (without roof rack; 73.9 with roof rack)			
Track width (front/rear)	61.8/61.8		61.8/61.8			
Cargo bed length	73.3	5	59.5 (73.3 with Long Bed)			
Cargo bed width			61.4			
Cargo bed height	18.0		8.0			
Head room (front/rear)	39.7/38.3	4	0.0/38.7 (without moon	roof)		
Leg room (front/rear)	42.4/25.4	4	2.4/33.6			
Hip room (front/rear)	55.8/55.0	5	5.6/58.0			
Shoulder room (front/rear)	58.3/54.9		8.3/58.3			
CAPACITIES	KING CAB	C	CREW CAB			
Interior passenger volume (cu. ft.)	87.7	1	101.1			
Fuel tank (gals.)	21.1	2	21.1			

ENGINE

QR25DE – 2.5-liter DOHC 16-valve 4-cylinder engine Horsepower – 152 hp @ 5,200 rpm Torque – 171 lb-ft @ 4,400 rpm Emissions – Tier 2, Bin 5 (Fed); LEV2-ULEV (CA) Continuously Variable Valve Timing Control System (CVTCS) Nissan Direct Ignition System with platinum-tipped spark plugs Electronic drive-by-wire throttle Variable Intake System VQ40DE – 4.0-liter DOHC 24-valve V6 engine Horsepower – 261 hp @ 5,600 rpm Torque – 281 lb-ft @ 4,000 rpm Emissions – Tier 2, Bin 5 (Fed); LEV2-ULEV (CA) Continuously Variable Valve Timing Control System (CVTCS) Nissan Direct Ignition System with platinum-tipped spark plugs Electronic drive-by-wire throttle Variable Intake System

DRIVETRAIN

5-speed manual transmission (S 4-cyl., SV 4-cyl.)6-speed manual transmission (standard on S V6, SV V6 and PRO-4X)

5-speed automatic transmission (standard on SL; optional on S 4-cyl., S V6, SV 4-cyl., SV V6 and PRO-4X) Optional: Switch-operated 2-speed transfer case

(4x4 models only; not available on S 4-cyl., SV 4-cyl.) Electronic locking rear differential (PRO-4X)

2-wheel Active Brake Limited Slip – ABLS – standard 4-wheel Active Brake Limited Slip – ABLS – (S V6 , SV V6, PRO-4X, SL)

Clutch start/cancel (PRO-4X manual transmission only) Hill descent control and hill start assist (S V6, SV V6, PRO-4X, SL 4x4 automatic transmission models only)

SKID PLATES

Oil pan (PRO-4X) Fuel tank (PRO-4X) Transfer case (PRO-4X)

WHEELS AND TIRES

15" x 7.0" 6-spoke steel wheels (S) 16" x 7.0" 6-spoke steel wheels (S V6) 16" x 7.0" 5-spoke aluminum-alloy wheels (SV 4-cyl., SV V6) 16" x 7.0" 6-spoke aluminum-alloy wheels (PRO-4X) 18" x 7.5" 12-spoke Dark Hyper Silver finish aluminum-alloy wheels (Part of a) 18" x 7.5" 12-spoke aluminum-alloy wheels (SL) P235/75/15 General Grabber™ all-season tires (S) P265/70R16 BFGoodrich® Radial Long Trail T/A® tires (PRO-4X) P265/60R18 BFGoodrich® Radial Long Trail T/A® tires (Part of a, SL)

Full-size spare tire

BRAKES

Front vented disc brakes/rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD)

SUSPENSION AND STEERING

Front: Independent double-wishbone with front stabilizer bar Rear: Overslung multi-leaf with solid axle Bilstein[®] off-road performance shock absorbers (PRO-4X) Engine-speed-sensitive power steering

2012 EPA FUEL CONSUMPTION ESTIMATES (CITY/HWY)

	4-CYLINDER	V6
M/T – 4x2 (4x4)	19/23 (N/A)	16/20 (15/20)
A/T – 4x2 (4x4)	17/22 (N/A)	15/20 (14/19)
Actual mileage may vary with	driving conditions -	use for

comparison only.

[™] General Grabber is a trademark of General Tire & Rubber Company.

® BFGoodrich is a registered trademark of Goodrich Corporation.
 ® Rugged Trail T/A and Long Trail T/A are registered trademarks of Uniroyal

® Bilstein is a registered trademark of ThyssenKrupp Bilstein GmbH.

N/A = Not applicable. 1 32.6° on PRO-4X. 2 23.3° on PRO-4X. 3 7-pin connector trailer wire harness and tow hitch receiver required. See Nissan Towing Guide and Owner's Manual for proper use.

PACKAGES

Package requirements and availability may vary. Please see your Nissan dealer for details. S PREFERRED PACKAGE (S KING CAB ONLY) AM/FM/CD audio system Air conditioning XM[®] Satellite Radio¹ **SA SV V6 SPORT APPEARANCE PACKAGE** 18" 12-spoke Dark Hyper Silver finish aluminum-alloy wheels P265/60R18 BFGoodrich® Radial Long Trail T/A® tires Fog lights Dark Hyper Silver finish grille Body-color front and rear bumpers Body side graphics In-cabin microfilter Bluetooth® Hands-free Phone System AM/FM/in-dash 6-CD audio system Steering-wheel-mounted audio controls MP3/WMA CD playback capability Auxiliary audio input jack 6 Speakers (King Cab) Multi-functional trip computer Overhead console with sunglasses storage 8-way manual driver's seat Sport cloth seat trim with embroidered Frontier logo White-faced gauges Driver's seatback pocket (King Cab) Not available on Long Bed models.

PU SV V6 PREMIUM UTILITY PACKAGE

AM/FM/In-dash 6-CD audio system with auxiliary audio input jack
MP3/WMA CD playback capability
6 Speakers (King Cab only)
Steering-wheel-mounted audio controls
Bluetooth[®] Hands-free Phone System
XM[®] Satellite Radio¹
Auto-dimming rearview mirror, digital compass and outside temperature display
Factory-applied spray-on bedliner
Utili-track[®] channel system with 4 tie-down cleats
Overhead console with sunglasses storage
Vehicle Security System
In-cabin microfilter

PRO-4X LUXURY PACKAGE (CREW CAB ONLY)

Roof rack with crossbars Power sliding glass moonroof PRO-4X embroidered leather-appointed seats 8-way power adjustable driver's seat 4-way power adjustable front-passenger's seat Heated front seats and outside mirrors Rear fold-down center armrest Fold-flat front-passenger's seat is deleted with this package.

A large, adaptable interior opens

One of the most innovative and a flexible truck beds, featuring

Nissan's exclusive Utili-track®

channel system.

up a world of opportunities for you, your crew and your gear.

SL MOONROOF PACKAGE

Power sliding glass moonroof

WARRANTY

Every 2012 Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

Frontier features a strong, > fully boxed frame boasting increased structural rigidity for improved dynamic performance.





and hardware available.

¹ XM Satellite Radio requires subscription sold separately after trial period. Governed by XM Customer Agreement at xmradio.com. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. ©2011 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

All illustrations, photographs, and specifications are based on the latest product information available. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc., reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models, and to discontinue models or equipment. Specifications, options, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North America subsidiaries. Trea Lightly!® Please. Always wear your seat belt, and please don't drink and drive. © 2011 Nissan North America, Inc.



AUTOCENTERS NISSAN 1825 E. EDWARDSVILLE RD. WOOD RIVER, IL 62095 618-251-3000