

2017 TLX V-6 Competitive Comparison

	2017 Acura	2017 BMW	2017 Infiniti	2017 Lexus
Standard (S), Optional (O), Not Available (-)	TLX V-6	330i	Q50 3.0t	ES 350
ENGINE/MOTOR				
Engine type	SOHC V-6	DOHC 4-cylinder turbocharged	DOHC V-6 turbocharged	DOHC V-6
Engine displacement (I)	3.5	2.0	3.0	3.5
Power (hp @ rpm) (SAE net)	290 @ 6200	248 @ 5200	300 @ 6400; 400 @ 6400	268 @ 6200
Torque (lb-ft @ rpm) (SAE net)	267 @ 4500	258 @ 1450–4800	295 @ 1600–5200; 350 @ 1600–5200	248 @ 4700
Direct fuel injection	S	S	S	-
Variable valve timing	S (i-VTEC®)	S (Double-VANOS and Valvetronic)	S (CVTCS)	S (VVT-i)
Aluminum-alloy cylinder head and block	(I-V TEO-) S	S	(CV1C3)	S S
Idle Stop	S (AWD)	S	-	-
DRIVETRAIN	(2)			
2-wheel drive	S (Front-wheel)	S (Rear-wheel)	S (Rear-wheel)	S (Front-wheel)
All-wheel drive	O (Super Handling All-Wheel Drive™ [SH-AWD®])	O (xDrive)	O (Intelligent All-Wheel Drive)	-
Torque-vectoring AWD	O (Super Handling All-Wheel Drive™ [SH-AWD®])	_	-	-
Automatic transmission	S (9-speed)	O (8-speed)	S (7-speed)	S (6-speed)
Selectable drive modes	S (Integrated Dynamics System)	S	S	-
Paddle shifters	S	0	0	-
SUSPENSION AND STEERING				
Front suspension	Independent MacPherson strut	Independent double-pivot	Independent double-wishbone	Independent MacPherson strut
Rear suspension	Independent multi-link	Independent multi-link	Independent multi-link	Independent multi-link
Amplitude-reactive dampers	S	_	S	_
Agile Handling Assist®1	S	-	S	-
Steering type	Motion-Adaptive Electric Power- Assisted Rack-and-Pinion Steering (EPS)	Electric-assist rack-and-pinion	Electric-assist rack-and-pinion	Electric-assist rack-and-pinion
Rear-wheel steering	S (P-AWS® [Precision All-Wheel Steer®])	-	-	-
Turning circle diameter – curb-to-curb (feet)	38.8 (P-AWS®); 39.5 (SH-AWD®)	37.1	36.7 (RWD); 37.4 (AWD)	37.4
BRAKING				
4-wheel disc brakes	S	S	S	S
Electric parking brake	S	-	-	-
WHEELS AND TIRES				
Standard wheel size Standard tire size	18 x 7.5 P225/50 R18	17 X 7.5	17 x 7.5 P225/55 R17	17 x 7.5 P215/55 R17
Spare tire kit	P225/30 R16	P225/50 R17	0	P219/99 R17
EXTERIOR		(Run-flat tires)	<u> </u>	
LED headlights	S	0	S	S
Jewel Eye® headlights	S		<u> </u>	
Heated outside mirrors	S		 S	
Power moonroof	S	0	0	
INTERIOR		<u>.</u>	•	
Power driver's seat	S (10-way)	S (10-way)	S (8-way)	S (10-way)
Power front passenger's seat	S (4-way)	S (10-way)	S (8-way)	S (10-way)
Heated front seats	S	0	0	0
Heated and ventilated front seats	0	_	-	0
Folding rear seatbacks	S (60/40)	S (40/20/40)	O (60/40)	_ (Pass-thru only)
Leather-appointed seating	O	0	0	(Fass-tild offly)



2017 TLX V-6 Competitive Comparison

Standard (S), Optional (O), Not Available (-)	2017 Acura TLX V-6	2017 BMW 330i	2017 Infiniti Q50 3.0t	2017 Lexus ES 350
COMFORT AND CONVENIENCE				
Dual-zone, dual-mode automatic climate control with air-quality sensor and air filtration	S	S	S	S
GPS-linked ² climate control	0	-	-	=
Tilt/telescopic steering column	S	S	S	S
Remote-operated windows and moonroof-open function	S	S	S	S
Keyless Access System with smart entry, bushbutton ignition	S	S	S	S
Remote engine start	O (Long range)	_	0	O (Dealer-installed)
Adaptive Cruise Control with low-speed follow ³	(Long range)	0	0	0
lomeLink ^{®4}	S	S	S	(w/o low-speed follow)
Automatic dimming rearview mirror	S	S	S	\$
Active Sound Control	S		_	
Hill start assist	S		_	
Blind spot information (BSI) system ⁵	S	0	S	0
Capless fuel fill	S	(Single-view)	(Single-view)	(Single-view)
AFETY/DRIVER ASSIST				
Advanced Compatibility Engineering™ (ACE™) body structure	S	-	-	-
ront seat belt e-pretensioner system	0	_	0	0
/ehicle Stability Assist™ (VSA®) with traction control and motion-adaptive steering	S	S (w/o MAS)	S	S (w/o MAS)
Parking sensors	O (Front & rear)	O (Front & rear)	O (Front & rear)	O (Front & rear)
Blind spot information (BSI) system ⁶	(Front & rear)	(FIOIIL & Teal)	(Front & rear)	(Front & rear)
orward Collision Warning (FCW) system ⁷	0	0	0	0
ane Departure Warning (LDW) system ⁸	0	0	0	0
ane Keeping Assist System (LKAS)9	0	_	0	
Rear Cross Traffic Monitor ⁵	0		0	0
Road Departure Mitigation system10	0		_	
Collision Mitigation Braking System™ (CMBS™)¹¹	0	0	0	
ire Pressure Monitoring System12 with Tire Fill Assist	S	S (w/o tire fill)	S	S (w/o tire fill)
Fire Sealant and Inflator Kit	S	(W/O tile IIII)	_	(w/o tile iiii) —
AUDIO SYSTEMS				
Premium audio system	O (Acura/ELS Studio® Premium Audio	O (Harman Kardon® Surround Sound	O (Bose® Surround Sound	(Mark Levinson Surround Sound
Streaming audio via <i>Bluetooth</i> ®14	System ¹³ with 10 speakers)	with 16 speakers) O	with 14 speakers) S	with 15 speakers) O
HD Radio®	0	S	S	0
Pandora® compatibility¹5				
	<u> </u>	0	S	0
Song By Voice®	0		_	0
Na™ compatibility¹6	S		-	
JSB port ¹⁷	S	S	S	S
MEDIA AND CONNECTIVITY FEATURES	^	2	^	^
lard-drive-based navigation system ²	0	0	0	0
Real-Time Traffic TM18	0	0	0	0
Traffic Rerouting™18	0		0	0
Bluetooth® Hands-Free Phone System ¹⁴	<u> </u>	\$	S	S
On Demand Multi-Use Display™ (ODMD™) Siri® Eyes Free ¹⁹		 0		
SMS text message ²⁰	S	<u> </u>	 S	0
EXTERIOR DIMENSIONS (IN.)	٥	-	ა	U
Vheelbase	400.3	110.0	440.0	444.0
	109.3	110.6	112.2	111.0
rack width (front/rear)	62.8/63.1	60.3/61.9	60.8/61.6	62.6/62.0
Overall width	190.3	182.8	188.3–189.1	193.3
Overall width	73.0	71.3	71.8	71.1
Overall height NTERIOR DIMENSIONS (in.)	57.0	56.3	56.8–57.2	57.1
Headroom (front/rear) (with sunroof)	37.2/36.7	40.3/37.7	39.5/36.8	37.5/37.5
Shoulder room (front/rear)	57.5/55.4	55.1/55.1	56.7/56.1	57.6/55.0
Hiproom (front/rear)				
	55.3/54.9	57.1/57.4	53.2/52.5	54.8/53.8
Legroom (front/rear)	42.6/34.5	42.0/35.1	44.5/35.1	41.9/40.0



2017 TLX V-6 Competitive Comparison

Standard (S), Optional (O), Not Available (-)	2017 Acura TLX V-6	2017 BMW 330i	2017 Infiniti Q50 3.0t	2017 Lexus ES 350
CAPACITIES				
Interior passenger volume (with sunroof) (cu. ft.)	93.3	Not listed	100.0	Not listed
Cargo volume (cu. ft.)	13.2; 14.3 (Advance Package)	13.0	13.5	15.2
Fuel tank capacity (gal.)	17.2	15.8	20.0	17.2
EPA FUEL ECONOMY RATINGS ²¹ (MPG)				
2WD				
City	21	21 (MT); 23 (AT)	20	21
Highway	34	32 (MT); 34 (AT)	29	30
Combined	25	25 (MT); 27 (AT)	23	24
AWD				
City	21	23	19	_
Highway	31	23	27	_
Combined	25	26	22	_
WARRANTY COVERAGE (LIMITED)				
Basic (years/miles)	4/50,000	4/50,000	4/50,000	4/50,000
Powertrain (years/miles)	6/70,000	4/50,000	6/70,000	6/70,000
Corrosion (years/miles)	5/unlimited	12/unlimited	6/unlimited	6/unlimited

DISCLAIMERS

- 1 The Agile Handling Assist system cannot enhance stability in all driving situations. You still need to drive and corner at speeds appropriate for the conditions and always leave a sufficient margin of safety.
- 2 Acura navigation system and related features available only in the United States, Puerto Rico and parts of Canada. See your local Acura dealer for information regarding navigation system area coverage.
- 3 Adaptive Cruise Control (ACC) with low-speed follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. The driver remains responsible for avoiding a collision.
- 4 HomeLink® and the HomeLink® house are registered trademarks of Johnson Controls®.
- 5 Always visually confirm that it is safe to drive before backing up, as the rearview camera and Rear Cross Traffic Monitor (if present) may not provide complete information about conditions at the rear of your vehicle.
- 6 The system is not a substitute for your own visual assessment before changing lanes; system accuracy will vary based on weather, size of object and speed.
- 7 FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 8 LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 9 LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 10 Road Departure Mitigation may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road conditions. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 11 CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. System designed to mitigate crash forces. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 12 For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see the Owner's Manual for details.
- 13 ELS Surround® and ELS Studio® are registered trademarks of Panasonic Corporation of North America. All rights reserved.
- 14 The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks is under license.
- 15 Compatible with select smartphones. Your wireless carrier's rate plans apply.
- 16 Compatible smartphone required. All Aha™ platform feeds are audible, not visual in nature. Vehicle does not provide any feeds. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. Launch smartphone applications only when the vehicle is safely parked. Aha™ is a trademark of HARMAN International Industries, Inc. Your wireless carrier's rates may apply.
- 17 The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB devices with security software and digital rights-protected files may not work. Please see the Owner's Manual for details on compatibility.
- 18 AcuraLink Real-Time Traffic is operable only in select markets within the 48 contiguous United States, as well as Vancouver, Toronto and Montreal. The service is available at no cost for three years after purchase whereupon it will continue to be available on a subscription basis.
- 19 Always remain attentive when driving. Certain functions are disabled or inoperable while the vehicle is in motion. Only operate the system when conditions permit you to safely do so. Avoid focusing on the device display or manually operating the system controls while driving. State or local laws may prohibit the operation of handheld electronic devices while operating a vehicle. iPhone® and Siri® are trademarks of Apple Inc.
- 20 Compatible with select phones with Bluetooth® only. Your wireless carrier's rate plans apply. State or local laws may limit use of texting feature. Only use texting feature when conditions allow you to do so safely. Drive responsibly. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. For safety reasons, always launch your audio application or perform any other operation on your phone or audio device only when the vehicle is safely parked.
- 21 Based on 2017 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary depending on how you drive and maintain your vehicle, driving conditions and other factors.