

Standard (S), Optional (O), Not Available (-)

2017 Acura RLX Sport Hybrid SH-AWD

2017 Audi A6 3.0 TFSI quattro®

2016 BMW ActiveHybrid 5

2017 Lexus GS 450

ENGINE/MOTOR	2017 Acura RLX Sport Hybrid SH-AWD	2017 Audi A6 3.0 TFSI quattro®	2016 BMW ActiveHybrid 5	2017 Lexus GS 450
ENGINE/MOTOR				
Engine type	SOHC V-6	DOHC V-6 supercharged	DOHC 6-cylinder turbocharged	DOHC V-6
Engine displacement (l)	3.5	3.0	3.0	3.5
Power (hp @ rpm)	310 @ 6500	333 @ 5500-6500	300 @ 5800-6400	286 @ 6000
Torque (lb-ft @ rpm)	273 @ 4700	325 @ 2900-5300	300 @ 1300-5000	257 @ 4500
Direct fuel injection	S	S	S	S (Direct and port injection)
Variable valve timing	S (i-VTEC®)	S	S (VANOS)	S (VVT-i)
Idle Stop	S	-	S	S
Aluminum-alloy cylinder head and block	S	S	S	S
Motor type	Permanent Magnet	-	Permanent Magnet	Permanent Magnet
Battery type	Lithium-Ion (Li-Ion)	-	Lithium-Ion (Li-Ion)	Nickel Metal Hydride (Ni-MH)
System combined power (hp)	377 ¹	-	335	338
System combined torque (lb-ft)	341	-	Not listed	Not listed
DRIVETRAIN				
2-wheel drive	-	-	S (Rear-wheel)	S (Rear-wheel)
All-wheel drive	S (Super Handling All-Wheel Drive™ [SH-AWD [®]])	S (quattro®)	-	-
Automatic transmission	S (Motor-integrated 7-Speed Dual Clutch Transmission (DCT))	S (8-speed)	S (8-speed)	S (CVT)
Paddle shifters	S	S	S	S
SUSPENSION AND STEERING				
Front suspension	Independent double-wishbone	Independent multi-link	Independent double-wishbone	Independent double-wishbone
Rear suspension	Independent multi-link	Independent multi-link	Independent multi-link	Independent multi-link
Amplitude-reactive dampers	S	-	-	-
Agile Handling Assist ²	S	-	-	-
Steering type	Electric-assist rack-and-pinion	Electric-assist rack-and-pinion	Electric-assist rack-and-pinion	Electric-assist rack-and-pinion
Turning circle diameter- curb-to-curb (feet)	40.5	39.0	39.7	36.8
BRAKING				
4-wheel disc brakes	S	S	S	S
Electric parking brake	S	S	S	S
WHEELS AND TIRES				
Standard wheel size	19 x 8.0	18 X 8.0	18 x 8.0	18 x 8.0
Standard tire size	P245/40 R19	P245/45 R18	P245/45 R18	P235/45 R18
Noise-reducing wheels	S	-	-	-
EXTERIOR				
LED headlights	S	O	O	S
Jewel Eye® headlights	S	-	-	-
Heated outside mirrors	S	S	S	S
Power moonroof	S	S	S	S
INTERIOR				
Power driver's seat	S (12-way)	S (8-way); O (12-way)	S (14-way)	S (10-way)
Power front passenger's seat	S (12-way)	S (8-way); O (12-way)	S (14-way)	S (10-way)
Heated front seats	S	S	O	-
Heated and ventilated front seats	O	O	O	S
Heated rear seats	O	O	O	O
Leather-appointed seating	S	S	S	S
COMFORT AND CONVENIENCE				
Tri-zone, automatic climate control with air-quality sensor and air filtration	S	S (4-zone)	S (Dual-zone)	O; S (Dual-zone)
GPS-linked ³ climate control	S	-	-	-
Tilt/telescopic steering column	S (Power)	S (Power)	S	S (Power)
Heated steering wheel	O	O	O	O
Keyless Access System with smart entry, pushbutton ignition	S	S	O; (S - pushbutton start)	S
Remote engine start	O (Long Range)	-	-	-

Standard (S), Optional (O), Not Available (-)

	2017 Acura RLX Sport Hybrid SH-AWD	2017 Audi A6 3.0 TFSI quattro®	2016 BMW ActiveHybrid 5	2017 Lexus GS 450
COMFORT AND CONVENIENCE				
Remote-operated windows and moonroof-open function	S	-	S	S
Adaptive Cruise Control with low-speed follow ³	S	O	O	O
Adaptive Cruise Control with low-speed follow ⁴	S	O	S	O
HomeLink ⁵	S	S	S	S
Automatic dimming rearview mirror	S	S	S	S
Active Sound Control	S	-	-	-
Hill start assist	S	S	S	S
Multi-view rear camera ⁶ with dynamic guidelines	S	S (Single-view)	O (Single-view)	S (Single-view)
Surround View Camera system ⁶	O	O	O	-
SAFETY/DRIVER ASSIST				
Next-generation Advanced Compatibility Engineering™ (ACE™) body structure	S	-	-	-
Front seat belt e-pretensioner system	S	O	-	O
Driver's knee airbag	S	S (Driver and front passenger)	-	S (Driver and front passenger)
Vehicle Stability Assist™ ⁷ (VSA [®]) with traction control and motion-adaptive steering	S	S (w/o MAS)	S (w/o MAS)	S (w/o MAS)
Blind spot information (BSI) system ⁸	S	O	O	S
Forward Collision Warning (FCW) system ⁹	S	O	O	O
Lane Departure Warning (LDW) system ¹⁰	S	O	-	O
Lane Keeping Assist System (LKAS) ¹¹	S	O	-	O
Road Departure Mitigation system ¹²	S	-	-	-
Collision Mitigation Braking System™ (CMBS™) ¹³	S	-	O	O
Tire Sealant and Inflator Kit	S	-	-	-
AUDIO SYSTEMS				
Premium audio system	S (Acura/ELS Studio [®] Premium Audio System ¹⁴ with 14 speakers); O (Krell [®] Premium Audio System with 14 speakers)	S (Bose [®] Surround Sound with 14 speakers); O (Bang & Olufsen with 15 speakers)	O (Harman Kardon with 16 speakers); O (Bang & Olufsen with 16 speakers)	O (Mark Levinson [®] Surround Sound with 17 speakers)
Streaming audio via Bluetooth ^{®15}	S	S	S	S
HD Radio [®]	S	S	S	S
Pandora [®] compatibility ¹⁶	S	O	O	S
Song By Voice [®]	S	-	-	-
Aha™ compatibility ¹⁷	S	-	-	-
USB port ¹⁸	S	S	S	S
MEDIA AND CONNECTIVITY FEATURES				
Hard-drive-based Navigation System ³	S	S	S	S (SD card)
Real-Time Traffic™ ¹⁹	S	S	S	S
Traffic Rerouting™ ¹⁹	S	-	-	S
Bluetooth [®] Hands-free Phone System ¹⁵	S	S	S	S
On Demand Multi-Use Display™ (ODMD™)	S	-	-	-
SMS text message capability ²⁰	S	-	S	S
EXTERIOR DIMENSIONS (in.)				
Wheelbase	112.2	114.6	116.9	112.2
Track width (front/rear)	64.3/64.2	64.1/63.7	63.0/64.1	62.0/62.6
Overall length	196.1	194.2	193.4	192.1
Overall width	74.4	73.8	73.2	72.4
Overall height	57.7	57.8	57.6	57.3
INTERIOR DIMENSIONS (in.)				
Headroom (front/rear) (with sunroof)	37.6/36.9	37.2/37.8	40.5/38.3	38.0/37.8
Shoulder room (front/rear)	59.6/57.0	57.5/56.3	58.3/56.2	57.3/55.7
Hiproom (front/rear)	55.9/54.5	Not listed	Not listed	54.5/54.1
Legroom (front/rear)	42.3/38.8	41.3/37.4	41.4/35.3	42.3/36.8
CAPACITIES				
Interior passenger volume (with sunroof) (cu. ft.)	102.1	Not listed	Not listed	99.0
Cargo volume (cu. ft.)	11.6	14.1	13.2	15.9
Fuel tank capacity (gal.)	15.1	19.8	17.7	17.4
EPA FUEL ECONOMY RATINGS²¹ MPG				
City	29	21	23	29
Highway	30	29	30	34
Combined	29	24	26	31

Standard (S), Optional (O), Not Available (-)

**2017 Acura
RLX Sport Hybrid SH-AWD**

**2017 Audi
A6 3.0 TFSI quattro®**

**2016 BMW
ActiveHybrid 5**

**2017 Lexus
GS 450**

WARRANTY COVERAGE (LIMITED)

	2017 Acura RLX Sport Hybrid SH-AWD	2017 Audi A6 3.0 TFSI quattro®	2016 BMW ActiveHybrid 5	2017 Lexus GS 450
Basic (years/miles)	4/50,000	4/50,000	4/50,000	4/50,000
Powertrain (years/miles)	6/70,000	4/50,000	4/50,000	6/70,000
Corrosion (years/miles)	5/unlimited	12/unlimited	12/unlimited	6/unlimited

DISCLAIMERS

- 1 Horsepower includes the maximum power of the engine and all motors combined that can be produced at any one time. Not SAE net.
- 2 The Agile Handling Assist system cannot enhance stability in all driving situations. You still need to drive and corner at speeds appropriate for the conditions and always leave a sufficient margin of safety.
- 3 Navigation system available in the 48 contiguous United States and Hawaii. See your local Acura dealer for current navigation system area coverage.
- 4 Adaptive Cruise Control (ACC) with low-speed follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. The driver remains responsible for avoiding a collision.
- 5 Homelink and the Homelink house are registered trademarks of Johnson Controls®.
- 6 Always visually confirm that it is safe to drive before backing up, as the rearview camera may not provide complete information about conditions at the rear of your vehicle.
- 7 VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
- 8 The system is not a substitute for your own visual assessment before changing lanes; system accuracy will vary based on weather, size of object and speed.
- 9 FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 10 LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 11 LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 12 Road Departure Mitigation may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road conditions. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 13 CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. System designed to mitigate crash forces. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 14 ELS Studio® is a registered trademark of Panasonic Corporation of North America. All rights reserved.
- 15 The *Bluetooth*® word mark and logos are owned by the *Bluetooth* SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license. Visit handsfreelink.com for a list of compatible phones and available features.
- 16 Compatible with select smartphones. Your wireless carrier's rate plans apply.
- 17 Compatible smartphone required. All Aha platform feeds are audible, not visual in nature. Vehicle does not provide any feeds. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. Launch smartphone applications only when the vehicle is safely parked. Aha is a trademark of HARMAN International Industries, Inc. Your wireless carrier's rates may apply.
- 18 The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB devices with security software and digital rights-protected files may not work. Please see the *Owner's Manual* for details on compatibility.
- 19 Acuralink Real-Time Traffic™ are operable only in select markets within the 48 contiguous United States. Acuralink Real-Time Traffic™ is also operable in Vancouver, Toronto and Montreal. Acuralink Real-Time Traffic™ is available by separate XM NavTraffic® subscriptions. Acuralink® Satellite Communication System does not require a subscription.
- 20 Compatible with select phones with *Bluetooth*®. Your wireless carrier's rate plans apply. State or local laws may limit use of texting feature. Only use texting feature when conditions allow you to do so safely.
- 21 Based on 2016/2017 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary depending on how you drive and maintain your vehicle, driving conditions, battery pack age/condition (hybrid only) and other factors.