TECHNICAL SPECIFICATIONS

POWER UNIT

Sport Hybrid SH-AWD Power Unit Front wheels: mechanically independent from rear power

unit components, two electric motors (Twin Motor Unit); Rear wheels: Twin-turbocharged V-6 gasoline engine with

one Direct Drive Motor and 9-speed DCT

Maximum Total System Power 573 hp

Maximum Total System Torque 476 lb-.ft

Approx. Top Speed 191 mph

ENGINE

Type Twin-turbocharged DOHC V6

Layout Longitudinally mid-mounted

Displacement 3493 cc

Horsepower – SAE Net 500 hp @ 6500 – 7500 rpm

Torque (Nm) 406 lb.-ft. (550) @ 2000 – 6000 rpm

Maximum Engine Speed 7500 rpm

Power Output Per Liter 143 hp/liter

Bore and Stroke 3.6 in. x 3.5 in.

Compression ratio 10.0:1

Valve Train 24 Valve, IN/EX VTC, chain-driven camshafts

Intake Valve Construction Forged steel

Exhaust Valve Construction Forged steel, sodium-filled

Valve Angle 30 degrees

Cylinder Block and Head Material Aluminum alloy

Cylinder Bore Lining Plasma transferred wire arc thermal spray

Cylinder Bank Angle 75 degrees

Crankshaft Construction Forged steel

Piston Construction Cast aluminum with integrated cooling channel

Connecting Rod Construction Forged steel, dowel pin

Fuel Injection Direct and port

Throttle Control Drive-by-WireTM throttle system

Fuel Requirement Premium unleaded

Lubrication Dry sump system with 6-rotor scavenge pump

Oil Type Synthetic 0W-40

Cooling system Liquid and oil cooling

Exhaust System Layout Dual catalytic converter, dual path per bank

TWIN TURBOCHARGERS

Turbocharger Type Single scroll

Maximum Boost Pressure 105 kPa (1.05 bar) (15.23 psi)

Turbine Construction Inconel

Wastegate Control Electrical

Recirculation Valves Air bypass type

Intercooler Dimensions Width: 232.2 mm

Height: 382 mm Thickness: 64 mm

DIRECT DRIVE MOTOR

Type Water-cooled motor/generator

Layout Direct drive situated between engine & transmission;

Crankshaft output shaft-attached permanent magnet rotor

& in-engine body-copper windings

Horsepower @ rpm 47 @ 3000

Torque @ **rpm** 109 lb.-ft. @ 500 – 2000

TRANSMISSION & REAR AXLE

Туре	9-Speed Dual Clutch Transmission (9DCT)
1st Gear ratio	3.838
2nd	2.433
3rd	1.778
4th	1.428
5th	1.211
6th	1.038
7th	0.881
8th	0.747
9th	0.634
Reverse	2.395
Rear Axle Ratio	3.583
Limited Slip Differential – Wet Multi Plate	Torque bias ratio: Drive 2.0, Coast 2.6, 30N-m Pre load

FRONT TWIN MOTOR UNIT (TMU)

Type Water cooled motor/generator

Layout Independent, twin motors packaged back-to-back with a

single clutch, gear-linked system

Horsepower @ **rpm** 36 + 36 @ 4000

Torque @ **rpm** 54 + 54 lb.-ft. @ 0 – 2000

ADDITIONAL POWER UNIT CONTROLS

Integrated Dynamics System Four-mode system:

Quiet Sport Sport Plus Track

Hill Start Assist

Idle-Stop System

BODY / SUSPENSION / CHASSIS

Chassis Type Aluminum-intensive, Multi Material

Body/Frame ConstructionMulti-material (primarily aluminum) space frame with

aluminum and low-density SMC outer panels, and cast

aluminum suspension mounting points

Ablation Cast Aluminum NodeComplex high performance aluminum castings for crush

zones; World's first automotive application

Corrosion Pre-Treatment Zirconium pre-treat material; Environmentally friendly

A-Pillar Structure 3-D Bent and Quenched ultra-high-strength steel (1500)

Mpa); World's first application

Floor Panel Carbon fiber core

Front Suspension Type Double-wishbone, double joint lower control arm;

aluminum construction

Front Dampers Active Gen III magnetorheological coilovers assemblies

Front Stabilizer Bar Hollow steel, 1.04 in. diameter x 0.13 in. wall thickness

Rear Suspension TypeMulti-link; aluminum construction

Rear Dampers Active Gen III magnetorheological coilovers

Rear Stabilizer Bar Hollow steel; 0.98 in. diameter x 0.12 in. wall thickness

Front Brake Calipers

Brembo® 6-piston Aluminum mono block

Front Brake Rotor Type

Base: 2-Pc Floating Iron Disks w/ Aluminum center

Option: 2-Pc Floating Carbon Ceramic Disks w/ Aluminum center

Front Brake Rotor Size Iron: 14.5 in. diameter x 1.3 in. thick Carbon ceramic: 15

in. diameter x 1.3 in. thick

Rear Brake Calipers

Brembo® 4-piston Aluminum mono block

Rear Brake Rotor Type Base: 2-Pc Floating Iron Disks w/ Aluminum center

Option: 2-Pc Floating Carbon Ceramic Disks w/

Aluminum center

Rear Brake Rotor Size 14.2 in. dia. X 1.3 in. thick (both iron and carbon ceramic)

Steering Type Variable ratio rack & pinion; Dual-pinion EPS

Steering Wheel Turns, Lock-to-Lock 1.91

Steering Ratio Variable progressive; Range: 12.9:1 (on center) to 11.07:1

Turning diameter, Curb-to-Curb 39.7 ft.

Front Wheels 19x8.5J Forged Aluminum

Front Tires 245/35ZR19 93Y high-performance summer tires

Option: ultimate handling performance tires

Rear Wheels 20x11J Forged Aluminum

Rear Tires 305/30ZR20 103Y high-performance summer tires

Option: ultimate handling performance tires

Spare Tire Tire Repair Kit

Fuel Tank Layout Twin fuel tanks mounted between the engine and IPU

EXTERIOR DIMENSIONS

Wheelbase 103.5 in.

Length 176 in.

Height 47.8 in.

Width 87.3 in.

Track (front/rear) 65.2 in. / 63.7 in.

Ground Clearance 3.7 in.

Approach/Departure Angles 9.2° / 12.9°

CAPACITIES AND WEIGHTS

Fuel Tank Capacity 15.6 gal

Curb Weight (without options) 3,803 lb.

Weight Distribution (front / rear without options) 42% / 58%

INTERIOR DIMENSIONS

Seating Capacity 2

Headroom 38.3 in.

Legroom 42.8 in.

Shoulder Room 57.6 in.

Hip Room 54.5 in.

Cargo Volume (behind rear engine compartment) 4.4 cu.ft.

Passenger Volume 44.0 cu.ft.

EPA MILEAGE RATINGS FUEL

EPA Fuel Economy Ratings 21 city / 22 hwy. / 21 comb.

Fuel Type Premium unleaded (93 octane recmmended; 91 required)

ACTIVE SAFETY FEATURES

Vehicle Stability AssistTM (VSA®) with Traction Control

Anti-Lock Braking System (ABS)

Electronic Brake Distribution (EBD)

Multi-Angle Rearview Camera with Dynamic Guidelines

Tire Pressure Monitoring System (TPMS) with Location and Pressure Indicators	
Brake Assist	
LED Daytime Running Lights (DRL)	
PASSIVE SAFE	ETY FEATURES
Single-Stage Driver, Dual-Stage Passenger, Multiple- Threshold Front Airbags (SRS)	
Front Side Airbags	
One-Row Side Curtain Airbags with Rollover Sensor	
3-Point Seat Belts with Automatic Tensioning System	
Upper Tether for Child Seat on Passenger-Side	
Driver's and Passenger's Seat-Belt Reminder	
DRIVER ASSIST	ΓIVE FEATURES
Cruise Control	
Corner and Backup Sensors	Available as part of Technology Package
EXTERIOR	R FEATURES
Flush-mounted automatic power pop-out door handles	Auto pop out upon approach with keyless entry fob
Capless Fuel Filler	
Radio Antenna	Integrated front windshield type
Acoustic Windshield	
Acoustic Glass Rear Cabin Window	
LED Brake Lights	
Variable Intermittent Wipers	

Remote keyless Smart Entry system

Side Mirrors Body-colored power heated with reverse auto tilt-down and

integrated LED turn indicators; Optional memory feature

Security System

Headlamps Acura Jewel Eye® LED type with Auto-On/Off

Body Panels Composite

Roof Panel Aluminum or optional exposed-weave carbon fiber

INTERIOR & COMFORT / CONVENIENCE

Beverage Holder Two-cup holder unit that slides into a slot in the center

console on passenger side

Automatic Air Conditioning with air filtration system

Push Button Start

Active Sound Control (ASC)

Power Windows with Auto-Up/Down

Power Door Locks

Cruise Control

Tilt and Telescopic Steering Column (manual)

Center Console Storage Multi-functional storage system

Lockable Glove Compartment

12-Volt Power Outlet

Power Remote Fuel Filler Door Release

Rear Engine Compartment Window Defroster w/

Timer

Cargo Area Light

Cargo Area Tie-Down Anchors (4 Total)

Optional accessory cargo net

Illuminated Steering Wheel-Mounted ControlsCruise / Audio / Phone / Display Audio / MID info

Dual-Zone Automatic Climate Control System with Humidity Control and Air Filtration

HomeLink® Remote System

Frameless Automatic-Dimming Rearview Mirror

Leather-Wrapped Steering Wheel Available carbon fiber trim

LED Interior Ambient Lighting

Leather-Trimmed Instrument Panel

Leather-Trimmed Door Panels

Alcantara® Roof Lining Optional

SEATS

Seats Perforated leather and Alcantara®-trimmed with manual

adjusters; Optional 4-way power adjusters with 4-way

power lumbar and 2-position memory

Seat Leather Milano leather standard; Semi-aniline leather option

Heated Seats Available with power seats

AUDIO & TECHNOLOGY

7-Inch Display Audio with High-Resolution WVGA (800x480) Electrostatic Touch-Screen and Customizable Feature Settings

Audio System Standard Audio system: 8 speakers, including subwoofer

Option: ELS Studio® Premium Audio system: 9 speakers,

including subwoofer

Bluetooth® HandsFreeLink

Bluetooth® Streaming Audio

MP3/Auxiliary Input Jack MP3/Auxiliary Input Jack

USB Audio Interface 2 USB ports in car (In glove box) 1.0 Amp charge

capability & USB connection without Apple CarPlayTM & Android AutoTM connectivity (In console box) 1.5 Amp charge capability & USB connection with Apple CarPlay

& Android Auto connectivity

AcuraLink® Next Generation Option

SMS Text Message Function

SiriusXM® Radio Option

Pandora® Compatibility

Acura Satellite-Linked Navigation SystemTM with Voice Option Recognition and Honda HD Digital Traffic

HD RadioTM

Siri Eyes Free

Android AutoTM

Apple CarPlayTM

INSTRUMENTATION

Digital Speedometer TFT Screen

Tachometer TFT Screen

Coolant Temperature Indicator Analog gauge

Fuel Level Indicator Analog gauge

DYNAMIC TFT GAUGE CLUSTER

4.2-Inch Color TFT Screen 8-Inch Color TFT Screen

Integrated Dynamics System-linked Dynamic Meters Meter Graphics Color:

Quiet: Blue Sport: White

Sport+ and Track: Red

Average Fuel Economy Indicator

Gear Position Indicator

Instant Fuel Economy Indicator

Miles-to-Empty Indicator

Odometer and Trip Meters (2)
Tire Pressure Monitoring System (TPMS) with Tire Fill Assist and Location and Pressure Indicators
Exterior Temperature Indicator
Compass
Turn-By-Turn Directions
EXTERIOR COLORS
Curva Red
Berlina Black
130R White
Source Silver Metallic
Casino White Pearl
Nord Gray Metallic
Valencia Red Pearl
Nouvella Blue Pearl
INTERIOR COLORS (All exterior colors are available with all interior colors)
Ebony
Orchid
Saddle
Red
FACTORY OPTIONS

Carbon fiber front spoiler, side sills, rear diffuser; Dark

Carbon Fiber Exterior Sport Package

chrome exhaust finisher

Carbon Fiber Engine Cover

Carbon Fiber Roof

Carbon Ceramic Brake Rotors

Includes choice of black, red or silver brake calipers

Carbon Fiber Rear Spoiler

Exclusive Interwoven Aluminum Alloy WheelsChoice of machined, painted or polished finish

Technology Package – ELS Studio® Audio System Includes 9 speakers, Navigation, AcuraLink, front and rear

parking sensors

Technology Package – ELS Studio® Audio with

SiriusXM Satellite Radio

Same as above and adds XM Satellite radio

Interior Carbon Fiber Sport Package Includes carbon fiber meter visor and steering wheel

garnish, aluminum foot rest and sport pedals

Alcantara® Headliner Black

^{*}Specifications are not final. All information subject to change without notification.