







4x4 Double Cab interior shown in Graphite with available TRD Sport Package and Display Audio with Navigation, Entune  $^{\text{TM3}}$  and JBL. $^{\text{©}}$ 

With an aggressive new front end, the 2012 Toyota Tacoma is clearly looking to start something. Like an off-roading trip. Tacoma is forged on massive one-piece frame rails. It's got a Sheet-Molded Composite (SMC) bed that provides better impact strength than steel. And an available V6 engine with Variable Valve Timing with intelligence (VVT-i). It's also got available Hill Start Assist Control (HAC), Downhill Assist Control (DAC) and an electronically controlled locking rear differential. So stay on Tacoma's good side. Get behind the wheel. The 2012 Toyota Tacoma. Moving Forward.

#### TOP STANDARD FEATURES<sup>6</sup>

- Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments, rail caps and removable tailgate, and Deck Rail System with four adjustable tie-down cleats
- Automatic Limited-Slip Differential (Auto LSD)
- Star Safety System™ includes Vehicle Stability Control (VSC), Traction Control (TRAC), Anti-lock Brake System (ABS), Electronic Brake-force Distribution (EBD), Brake Assist (BA)<sup>8</sup> and Smart Stop Technology (SST)<sup>9</sup>
- A total of six airbags<sup>10</sup> including: driver and front passenger Advanced Airbag System, driver and front passenger seat-mounted side airbags, and front and rear side curtain airbags
- Driver and front passenger seat active headrests<sup>11,12</sup> and Tire Pressure Monitor System (TPMS)<sup>13</sup>
- · Available 18-in. chrome-clad alloy wheels
- Available Display Audio with Navigation,<sup>2</sup> Entune™ and JBL®
- Available Trailer-Sway Control (TSC)14



#### **REGULAR CAB**



### ACCESS CAB



#### DOUBLE CAB



#### WHEELS



15-in. STYLED STEEL WHEEL with P215/70R15 tires (Standard on 4x2 Regular Cab, 4x2 Access Cab and 4x2 Double Cab)



16-in. ALLOY WHEEL with P245/75R16 and P265/70R16 tires (Available as part of package<sup>1</sup> on Access Cab/Double Cab PreRunner/4x4 models only)



18-in. ALLOY WHEEL with P255/45R18 Bridgestone Potenza REO5OA tires² (Available on Access Cab X-Runner models only)



16-in. STYLED STEEL WHEEL with P245/75R16 tires (Standard on PreRunner/ 4x4 models only)



17-in. ALLOY WHEEL with P265/65R17 tires (Available as part of package<sup>3</sup> on Access Cab/Double Cab PreRunner/4x4 models only)



18-in. CHROME-CLAD ALLOY WHEEL with P265/60R18 Bridgestone Potenza RE050A tires³ (Available as part of package⁴ on V6 automatic transmission Double Cab PreRunner/ 4x4 models only)

# **PACKAGES**

**V6 Tow Package:**¹ Class-IV towing receiver hitch, transmission and supplemental oil coolers (transmission cooler not available on manual transmission models), 130-amp alternator, heavy-duty battery, 7-pin connector with converter and Trailer-Sway Control (TSC)²

**Convenience Package:** Sliding rear window with privacy glass, cruise control, steering wheel audio controls and remote keyless entry system

**SR5 Package:** Fog lamps (V6 models only), chrome grille surround and rear bumper, color-keyed front bumper and overfenders, auto-dimming rearview mirror with integrated backup camera<sup>3</sup> display, outside temperature gauge and HomeLink<sup>®4</sup> universal transceiver; variable intermittent windshield wipers, power outside mirrors (Access Cab models only), sliding rear window with privacy glass, 4-way adjustable driver's seat with lumbar support, SR5 fabric-trimmed seating surfaces, cruise control, leather-trimmed steering wheel, leather-trimmed shift lever (automatic transmission models only), metallic-toned instrument panel trim, dual sun visors with sliding extensions and vanity mirrors, compass and remote keyless entry system

**TRD Off-Road Package:** Off-road-tuned suspension with Bilstein® shocks, electronically controlled locking rear differential, 16-in. alloy wheels with P265/70R16 BFGoodrich® tires, Active Traction Control (A-TRAC) (4x4 models only), Hill Start Assist Control (HAC)⁵ and Downhill Assist Control (DAC)⁶ (4x4 automatic transmission models only), fog lamps, chrome grille surround and rear bumper, color-keyed front bumper and overfenders, TRD Off-Road graphics, auto-dimming rearview mirror with integrated backup camera³ display, outside temperature gauge and HomeLink®⁴ universal transceiver; variable intermittent windshield wipers, power outside mirrors (Access Cab models only), sliding rear window with privacy glass, engine skid plate, front tow hook, Sport fabric-trimmed front seats with driver's lumbar support (passenger-side fold-flat feature delete), cruise control, leather-trimmed steering wheel with audio controls, leather-trimmed shift lever (automatic transmission models only), metallic-toned instrument panel trim, dual sun visors with sliding extensions and vanity mirrors, overhead console with maplamps and sunglasses storage, 115V/400W deck-mounted AC power outlet, compass and remote keyless entry system

**TRD Sport Package:** Fog lamps, Sport suspension with Bilstein® shocks, 17-in. alloy wheels with P265/65R17 tires, hood scoop; color-keyed grille surround, bumpers, power outside mirrors (Access Cab models only), door handles, overfenders; TRD Sport graphics, auto-dimming rearview mirror with integrated backup camera³ display, outside temperature gauge and HomeLink®⁴ universal transceiver; variable intermittent windshield wipers, sliding rear window with privacy glass, Sport fabric-trimmed front seats with driver's lumbar support (passenger-side fold-flat feature delete), cruise control, leather-trimmed steering wheel with audio controls, leather-trimmed shift lever (automatic transmission models only), metallictoned instrument panel trim, dual sun visors with sliding extensions and vanity mirrors, overhead console with maplamps and sunglasses storage, 115V/400W deck-mounted AC power outlet, compass and remote keyless entry system

**TRD Sport Upgrade Package:** Fog lamps, Sport suspension with Bilstein® shocks, 18-in. chrome-clad alloy wheels with P265/60R18 tires, hood scoop; color-keyed grille surround, bumpers, door handles, overfenders; TRD Sport graphics, auto-dimming rearview mirror with integrated backup camera³ display, outside temperature gauge and HomeLink®⁴ universal transceiver; variable intermittent windshield wipers, sliding rear window with privacy glass, Sport fabric-trimmed front seats with driver's lumbar support (passenger-side fold-flat feature delete), cruise control, leather-trimmed steering wheel with audio controls, leather-trimmed shift lever (automatic transmission models only), metallic-toned instrument panel trim, dual sun visors with sliding extensions and vanity mirrors, overhead console with maplamps and sunglasses storage, 115V/400W deck-mounted AC power outlet, compass and remote keyless entry system



**Convenience Package** 



SR5 Package



**TRD Off-Road Package** 



**TRD Sport Package** 



**TRD Sport Upgrade Package** 

| FEATURES <sup>1</sup> EXTERIOR  |     | REGULAR CAB     |     | ACCESS CAB        |                 |     | DOUBLE CAB        |  |
|---|-----|-----------------|-----|-------------------|-----------------|-----|-------------------|--|
|   |     | 4x4             | 4x2 | PRERUNNER/<br>4x4 |                 | 4x2 | PRERUNNER/<br>4x4 |  |
|   | S   | l S             | S   | S                 | S               | S   |                   |  |
| Multi-reflector halogen headlamps   | _   | -               | -   | P                 | S               | _   | P                 |  |
| Fog lamps   |     |                 |     |                   | -               |     |                   |  |
| Black grille insert and argent surround, black door handles, mirrors and front and rear bumpers   | S   | S               | S   | S                 |                 | S   | S                 |  |
| Black overfenders   | -   | S               |     | S                 | _               | S   | S                 |  |
| Color-keyed front bumper, overfenders and chrome rear bumper  | -   | -               | Р   | P                 |                 | Р   | P                 |  |
| Color-keyed bumpers, overfenders, grille surround and door handles  | -   | -               | -   | Р                 | -               | -   | Р                 |  |
| Color-keyed bumpers, overfenders, grille insert, grille surround, door handles, power outside mirrors and body kit  |     | -               | _   | -                 | s               | _   | -                 |  |
| Color-keyed hood scoop  | -   | -               | Р   | Р                 | S               | Р   | P                 |  |
| Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments, rail caps and removable tailgate   | s   | s               | s   | s                 | s               | s   | s                 |  |
| Deck Rail System with four adjustable tie-down cleats   | S   | S               | S   | S                 | S               | s   | s                 |  |
| 115V/400W deck-mounted AC power outlet  | -   | -               | -   | Р                 | S               | -   | P                 |  |
| Four fixed cargo bed tie-down points  | S   | S               | S   | S                 | S               | S   | S                 |  |
| Power outside mirrors   | -   | -               | Р   | Р                 | S               | S   | s                 |  |
| Dual rear-hinged access doors   | -   | -               | s   | s                 | S               | _   | -                 |  |
| 15-in. styled steel wheels with P215/70R15 tires  | s   | _               | S   | _                 | _               | s   | _                 |  |
| 16-in. styled steel wheels with P245/75R16 tires  | _   | s               | _   | s                 | _               | _   | s                 |  |
| 16-in. alloy wheels with P245/75R16 tires   | _   | _               | _   | 0                 | _               | _   | 0                 |  |
| 16-in. alloy wheels with P265/70R16 tires   | _   | _               | _   | P                 | _               | _   | P                 |  |
| 17-in. alloy wheels with P265/65R17 tires   | _   | _               | _   | P                 | _               | _   | P                 |  |
| •   | -   |                 |     |                   |                 | -   | P                 |  |
| 18-in. alloy wheels with P255/45R18 tires   | -   | -               | -   |                   | S               |     |                   |  |
| 18-in. chrome-clad alloy wheels with P265/60R18 tires   | -   | -               | -   | -                 | -               |     | Р                 |  |
| Two-speed windshield wipers   | S   | S               | S   | S                 | S               | S   | S                 |  |
| Variable intermittent windshield wipers   | -   | -               | Р   | Р                 | S               | Р   | P                 |  |
| Rear mudguards  | S   | -               | S   | -                 | -               | S   | -                 |  |
| Front and rear mudguards  | -   | S               | -   | S                 | -               | -   | S                 |  |
| Skid plates: on engine/front suspension   | -/- | -/S             | -/- | P <sup>2</sup> /S | -/-             | -/- | P <sup>2</sup> /S |  |
| INTERIOR  |     |                 |     |                   |                 |     |                   |  |
| Air conditioning  | S   | S               | S   | S                 | S               | S   | S                 |  |
| AM/FM CD player with MP3/WMA playback capability, six speakers (four on Regular Cab) and auxiliary audio jack   | s   | s               | s   | s                 | _               | _   | _                 |  |
| AM/FM CD player with MP3/WMA playback capability, six speakers, SiriusXM Satellite Radio <sup>3</sup> capability (includes three-month trial subscription to XM Select Package), auxiliary audio jack, USB <sup>4</sup> port with iPod <sup>®5</sup> connectivity, hands-free phone capability and music streaming via  |     |                 |     |                   |                 |     |                   |  |
| Bluetooth <sup>®6</sup> wireless technology  AM/FM CD player with MP3/WMA playback capability, seven speakers including subwoofer, SiriusXM Satellite Radio <sup>3</sup> capability (includes three-month trial subscription to XM Select   | -   | _               | 0   | 0                 | _               | S   | S                 |  |
| Package), auxiliary audio jack, USB <sup>4</sup> port with iPod <sup>®5</sup> connectivity, hands-free phone capability and music streaming via <i>Bluetooth</i> <sup>®6</sup> wireless technology  | _   | _               | _   | _                 | S               | _   | -                 |  |
| Display Audio with Navigation, Entune™® and JBL® — includes 6.1-in. touch-screen with integrated backup camera® display, AM/FM CD player with MP3/WMA playback capability, seven JBL® speakers including subwoofer, SiriusXM Satellite Radio³ capability (includes three-month trial subscription to XM Select Package), HD Radio™io with iTunes® Tagging¹¹ auxiliary audio jack, USB⁴ port with iPod®5 connectivity and control, vehicle information, hands-free phone capability, phone book access, advanced voice recognition and music streaming via Bluetooth®6 wireless technology (V6 only) | _   | -               | -   | -                 | -               | -   | 0                 |  |
| Entune <sup>™8</sup> – includes Bing <sup>™</sup> and Pandora <sup>®</sup> ; real-time info including traffic, weather, fuel prices, sports and stocks. Apps available spring 2012 at no charge include iHeartRadio, MovieTickets.com and OpenTable. <sup>®</sup> Access to Entune <sup>™8</sup> services is complimentary for three years. See toyota.com/entune for details.  | _   | _               | _   | _                 | _               | _   | o                 |  |
| Fabric-trimmed tilt-forward 4-way adjustable front bench seat   | S   | S               | -   | -                 | -               | -   | -                 |  |
| Fabric-trimmed front seats; 4-way adjustable driver's seat; 4-way adjustable fold-flat front passenger seat   | _   | S <sup>12</sup> | s   | s                 | _               | _   | _                 |  |
| Sport fabric-trimmed front seats; 4-way adjustable driver's seat with lumbar support; 4-way adjustable front passenger seat (with fold-flat capability on Double Cab)   | _   | _               | _   | Р                 | s               | s   | s                 |  |
| 60/40 split rear seat with adjustable headrests and under-seat storage  | -   | -               | S   | S                 | S               | -   | -                 |  |
| Cruise control  | -   | -               | P   | P                 | S               | P   | P                 |  |
| Tilt/telescopic steering wheel  | S - | S               | S   | S                 | S               | S   | S                 |  |
| Leather-trimmed tilt/telescopic steering wheel with audio controls  Analog instrumentation with speedometer, tachometer, fuel and coolant temperature gauges;   |     | <del>-</del>    | O/P | O/P               | S               | S   | S                 |  |
| LCD display with tripmeters and clock   | S   | S               | S   | S                 | S               | S   | S                 |  |
| Leather-trimmed shift lever   | -   | -               | Р   | P                 | S               | P   | Р                 |  |
| Remote keyless entry system   | -   | -               | Р   | Р                 | S               | Р   | Р                 |  |
| Power windows and door locks  | -   | -               | S   | S                 | S               | S   | S                 |  |
| Sliding rear window   | 0   | 0               | -   | -                 | -               | -   | -                 |  |
| Sliding rear window with privacy glass  Auto-dimming rearview mirror with integrated backup camera <sup>9</sup> display, compass,   | -   | -               | Р   | Р                 | S               | Р   | Р                 |  |
| outside temperature gauge and HomeLink <sup>®13</sup> universal transceiver   | _   | -               | P   | P                 | S <sup>14</sup> | P   | P                 |  |
| Overhead console with maplamps and sunglasses storage   | -   | -               | S   | S                 | S               | S   | S                 |  |

| FEATURES   | REGUL | AR CAB |     | ACCESS CAB        |          |     | DOUBLE CAB        |  |  |
|--|-------|--------|-----|-------------------|----------|-----|-------------------|--|--|
| INTERIOR (continued)   | 4x2   | 4x4    | 4x2 | PRERUNNER/<br>4x4 | X-RUNNER | 4x2 | PRERUNNER/<br>4x4 |  |  |
| Center console with covered armrest and storage compartment  | ı -   | l S    | l S | S                 | S        | S   | l S               |  |  |
| Rear bulkhead storage  | _     | _      | _   | _                 | _        | S   | S                 |  |  |
| Two 12V auxiliary power outlets  | s     | s      | s   | s                 | S        | S   | s                 |  |  |
| Dual sun visors with front passenger vanity mirror   | s     | s      | S   | S                 | _        | S   | s                 |  |  |
| Dual sun visors with sliding extensions and vanity mirrors   | _     | _      | P   | P                 | S        | P   | P                 |  |  |
| Five cup and bottle holders  | _     | s      | S   | S                 | S        | S   | S                 |  |  |
| Two cup holders (manual transmission only)   | s     | s      | _   | _                 | _        | _   | _                 |  |  |
| SAFETY AND CONVENIENCE   |       |        |     |                   |          |     |                   |  |  |
| Star Safety System <sup>TM</sup> – includes Vehicle Stability Control (VSC), <sup>15</sup> Traction Control (TRAC), Anti-lock Brake System (ABS), Electronic Brake-force Distribution (EBD), Brake Assist (BA) <sup>16</sup> and Smart Stop Technology (SST) <sup>17</sup> | s     | s      | s   | s                 | s        | s   | s                 |  |  |
| Driver and front passenger Advanced Airbag System <sup>18</sup>  | s     | s      | s   | S                 | s        | s   | S                 |  |  |
| Front passenger airbag cutoff switch <sup>19</sup>   | -     | -      | s   | S                 | s        | s   | S                 |  |  |
| Driver and front passenger seat-mounted side airbags, front and rear side curtain airbags <sup>18</sup>  | S     | S      | S   | S                 | S        | S   | S                 |  |  |
| Driver and front passenger active headrests <sup>20</sup>  | S     | S      | S   | S                 | S        | S   | S                 |  |  |
| 3-point seatbelts for all seating positions  |       | S      | S   | S                 | S        | S   | S                 |  |  |
| Driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger belts   | s     | s      | s   | s                 | s        | s   | s                 |  |  |
| LATCH (Lower Anchors and Tethers for CHildren) includes top tether anchor for passenger and center front seat on Regular Cab with bench seat, front passenger seat on Regular Cab 4x4 automatic and all rear seating positions on Double Cab and Access Cab                | s     | s      | s   | s                 | s        | S   | s                 |  |  |
| Child-protector rear door locks  | -     | -      | -   | -                 | -        | S   | S                 |  |  |
| Side-impact door beams   | S     | s      | S   | S                 | S        | S   | S                 |  |  |
| Tire Pressure Monitor System (TPMS) <sup>21</sup>  | S     | s      | S   | S                 | S        | S   | S                 |  |  |
| Daytime Running Lights (DRL)   | 0     | 0      | 0   | 0                 | 0        | 0   | 0                 |  |  |
| Hill Start Assist Control (HAC) <sup>22</sup> (4x4, automatic transmission only)   | -     | -      | -   | Р                 | -        | -   | Р                 |  |  |
| Downhill Assist Control (DAC) <sup>23</sup> (4x4, automatic transmission only)   | -     | -      | -   | Р                 | -        | -   | Р                 |  |  |
| Engine immobilizer <sup>24</sup> (V6 only)   | _     | _      | _   | S                 | S        | -   | S                 |  |  |

# **SPECIFICATIONS**

## MECHANICAL/PERFORMANCE

| ENGINE 2.7-Liter 4-Cylinder DOHC 16-Valve with VVT-i; 159 hp @ 5200 rpm, 180 lbft. @ 3800 rpm 4.0-Liter V6 DOHC 24-Valve with VVT-i; 236 hp @ 5200 rpm, 266 lbft. @ 4000 rpm   | s<br>- | s<br>- | s<br>- | 0 0  | _<br>s | s<br>- | s<br>s |
|--|--------|--------|--------|------|--------|--------|--------|
| EMISSION RATING<br>Low Emission Vehicle II (LEV-II)  | S      | S      | S      | s    | s      | s      | s      |
| TRANSMISSION 5-speed manual transmission   | s      | S      | S      | s    | _      | _      | _      |
| 6-speed manual transmission  | -      | -      | -      | 0    | S      | -      | 0      |
| 4-speed Electronically Controlled automatic Transmission with intelligence (ECT-i)   | 0      | 0      | 0      | 0    | -      | S      | s      |
| 5-speed Electronically Controlled automatic Transmission with intelligence (ECT-i)   | -      | -      | -      | 0    | -      | -      | 0      |
| Clutch start-cancel switch (manual transmission only)  | -      | S      | -      | S    | -      | -      | s      |
| DRIVETRAIN Rear-Wheel Drive with Automatic Limited-Slip Differential (Auto LSD)  | s      | s      | s      | s    | s      | s      | s      |
| 4WDemand part-time 4WD with electronically controlled transfer case (4x4 only) with Automatic Limited-Slip Differential (Auto LSD)   | _      | s      | _      | s    | _      | _      | s      |
| Active Traction Control (A-TRAC)   | s      | s      | s      | S    | S      | S      | s      |
| BODY CONSTRUCTION One-piece frame rails with eight cross members and fully boxed front sub-frame   | s      | s      | s      | s    | s      | s      | s      |
| SUSPENSION Front coil-spring double-wishbone suspension and stabilizer bar; rear leaf spring suspension with staggered outboard-mounted gas shock absorbers and stabilizer bar | s      | s      | s      | s    | s      | s      | s      |
| X-brace-tuned suspension with gas-filled Bilstein® shock absorbers and rear stabilizer bar   | -      | -      | -      | -    | S      | -      | _      |
| STEERING<br>Variable-assist power rack-and-pinion steering   | S      | S      | S      | S    | S      | S      | s      |
| Turning circle diameter, curb-to-curb (ft.)  | 36.7   | 36.1   | 42.3   | 40.7 | 42.0   | 40.7   | 44.0   |
| BRAKES Power-assisted ventilated front disc brakes; rear drum brakes with tandem booster and Star Safety System™   | s      | s      | s      | s    | s      | s      | s      |

| SPECIFICATIONS (continued)   | DECILI AD CAD  |                |                | ACCESS CAR                        | <u> </u>         | DOUBLE CAB     |                                  |                       |  |
|--|----------------|----------------|----------------|-----------------------------------|------------------|----------------|----------------------------------|-----------------------|--|
|  | REGULAR CAB    |                |                | ACCESS CAB                        |                  |                |                                  |                       |  |
|  | 4x2            | 4x4            | 4x2            | PRERUNNER/<br>4x4                 | X-RUNNER         | 4x2            | PRERUNNER/<br>4x4                | PRERUNNER/<br>4x4     |  |
| EVERIOR DIMENSIONS (**)  |                |                |                |                                   |                  |                | SHORT BED                        | LONG BED              |  |
| EXTERIOR DIMENSIONS (in.)  |                |                |                |                                   |                  |                |                                  | -                     |  |
| Overall height   | 65.7           | 69.9           | 66.1           | 70.3                              | 65.6             | 66.1           | 70.1                             | 70.1                  |  |
| Overall width  | 72.2           | 74.6           | 72.2           | 74.6                              | 74.0             | 74.6           | 74.6                             | 74.6                  |  |
| Overall length  Wheelbase  | 190.4<br>109.6 | 190.4<br>109.6 | 208.1<br>127.4 | 208.1<br>127.4                    | 208.1<br>127.4   | 208.1<br>127.4 | 208.1<br>127.4                   | 221.3<br>140.6        |  |
| Bed length   | 73.5           | 73.5           | 73.5           | 73.5                              | 73.5             | 60.3           | 60.3                             | 73.5                  |  |
| Bed height   | 18.0           | 18.0           | 18.0           | 18.0                              | 18.0             | 18.0           | 18.0                             | 18.0                  |  |
| Bed width (total/between wheelwells)   | 56.7/41.5      | 56.7/41.5      | 56.7/41.5      | 56.7/41.5                         | 56.7/41.5        | 56.7/41.5      | 56.7/41.5                        | 56.7/41.5             |  |
| Track (front/rear)   | 61.0/61.0      | 61.0/61.0      | 61.0/61.0      | 63.0/63.4                         | 62.2/62.2        | 61.0/61.0      | 63.0/63.4                        | 63.0/63.4             |  |
| INTERIOR DIMENSIONS (in.) (front/rear seat)  |                |                |                |                                   |                  |                |                                  |                       |  |
|  | 40.0           | 40.0           | 40.0/34.9      | 40.0/34.9                         | 40.0/34.9        | 40.2/38.4      | 40.2/38.4                        | 40.2/38.4             |  |
| Head room Hip room   | 53.6           | 53.6           | 53.5/53.7      | 53.5/53.7                         | 53.5/53.7        | 53.5/54.6      | 53.5/54.6                        | 53.5/54.6             |  |
| Leg room   | 41.7           | 41.7           | 41.7/24.7      | 41.7/24.7                         | 41.7/24.7        | 41.7/32.7      | 41.7/32.7                        | 41.7/32.7             |  |
| Shoulder room  | 58.1           | 58.1           | 57.7/55.7      | 57.7/55.7                         | 57.7/55.7        | 57.7/58.7      | 57.7/58.7                        | 57.7/58.7             |  |
|  |                |                |                |                                   |                  |                |                                  |                       |  |
| OFF-HIGHWAY  |                |                |                |                                   |                  |                |                                  |                       |  |
| Approach/departure/breakover angle (degrees)   | 27/20/21       | 35/26/27       | 27/20/20       | 35/26/24                          | 19/19/15         | 27/20/20       | 35/26/21                         | 35/25/20              |  |
| Ground clearance (in.)  Electronically controlled locking rear differential (V6 only)  | 7.9            | 9.1            | 7.9            | 9.1<br><b>P</b>                   | 7.3              | 7.9            | 9.1<br><b>P</b>                  | 9.1<br><b>P</b>       |  |
| Electronically controlled locking rear differential (volonly)  | _              | <del>-</del>   | -              | P                                 |                  | -              | P -                              | P                     |  |
| RATIOS   |                |                |                |                                   |                  |                |                                  |                       |  |
| 4x4 transfer case (high/low)   | -              | 1.00/2.57      | -              | 1.00/2.57                         | -                | -              | 1.00/2.57                        | 1.00/2.57             |  |
| Axle (manual transmission) (4-cylinder)  | 3.31           | 4.10           | 3.31           | -/4.10                            | -                | -              | -/-                              | -/-                   |  |
| Axle (automatic transmission) (4-cylinder)   | 3.58           | 4.10           | 3.58           | 3.58/4.10                         | -                | 3.58           | 3.58/-                           | 3.58/-                |  |
| Axle (manual transmission) (V6)  | -              | -              | -              | -/3.73                            | 3.15             | -              | <b>-</b> /3.73                   | -/3.73                |  |
| Axle (automatic transmission) (V6)   | -              | -              | -              | 3.73/3.73                         | -                | -              | 3.73/3.73                        | 3.73/3.73             |  |
| WEIGHTS AND CAPACITIES   |                |                |                |                                   |                  |                |                                  |                       |  |
| Curb weight (4-cylinder) (lb.)   |                |                |                |                                   |                  |                |                                  |                       |  |
| Manual transmission Automatic transmission   | 3315<br>3335   | 3700<br>3755   | 3605<br>3625   | -/4000<br>3785/4020               | Ξ                | -/-<br>3705    | -/-<br>3865/-                    | -/-<br>-/-            |  |
| Curb weight (V6) (lb.)   | 3333           | 3733           | 3023           | 3/83/4020                         |                  | 3703           | 3803/-                           | -/-                   |  |
| Manual transmission  | -              | -              | -              | -/4075                            | 3835             | -              | -/4160                           | -/-                   |  |
| Automatic transmission   | -              | -              | -              | 3865/4100                         | -                | -              | 3950/4185                        | 4005/4220             |  |
| Gross Vehicle Weight Rating (GVWR) (4-cylinder) (lb.)<br>Manual transmission   | 4650           | 5100           | 4900           | -/5350                            | _                | _              | -/-                              | -/-                   |  |
| Automatic transmission   | 4650           | 5100           | 4900           | 5250/5350                         | -                | 4900           | 5250/-                           | -/-                   |  |
| Gross Vehicle Weight Rating (GVWR) (V6) (lb.) Manual transmission  | _              | _              | _              | <b>-</b> /5500                    | 4700             | _              | <b>-</b> /5500                   | -/-                   |  |
| Automatic transmission   | -              | _              | -              | 5400/5500                         | -                | -              | 5400/5500                        | 5400/5500             |  |
| Gross Combined Weight Rating (GCWR) (4-cylinder) (lb.) Manual transmission   | 7150           | 7530           | 7440           | <b>-</b> /7850                    |                  |                | _/_                              | _/_                   |  |
| Automatic transmission   | 7170           | 7580           | 7470           | 7630/7870                         | _                | 7550           | 7710/-                           | _/_<br>_/_            |  |
| Gross Combined Weight Rating (GCWR) (V6) (lb.)   | 7500           |                |                |                                   | 7000             |                |                                  |                       |  |
| Manual transmission (V6 with Tow Package <sup>25</sup> )  Automatic transmission (V6 with Tow Package <sup>25</sup> )                  | 7530<br>7580   | _              | -              | -/7920 (11,200)<br>7720 (11,100)/ | 7660<br><b>–</b> | -              | -/8010 (11,200<br>7800 (11,100)/ | -/-<br>7890 (11,100)/ |  |
| Automatic transmission (vo with low Fackage)   | /500           | _              | _              | 7960 (11,200)                     | _                | _              | 8040 (11,100)/                   | 8100 (11,100)/        |  |
| Payload <sup>26</sup> (4-cylinder) (lb.)   |                |                |                |                                   |                  |                |                                  |                       |  |
| Manual transmission Automatic transmission   | 1335<br>1315   | 1400<br>1345   | 1295<br>1275   | -/1275<br>1385/1250               | -                | -<br>1195      | -/-<br>1385/-                    | -/-<br>-/-            |  |
| Payload <sup>26</sup> (V6) (lb.)   |                |                |                |                                   |                  |                |                                  |                       |  |
| Manual transmission Automatic transmission   | _              | _              | _              | -/1425<br>1535/1400               | 865              | _              | -/1340<br>1450/1315              | -/-<br>1395/1280      |  |
| Fuel tank (gal.)   | 21.1           | 21.1           | 21.1           | 21.1                              | 21.1             | 21.1           | 21.1                             | 21.1                  |  |
| Passenger volume (cu. ft.) (behind front/rear seat)  | 56.1           | 56.1           | 55.6/33.1      | 55.6/33.1                         | 55.6/33.1        | 55.8/43.1      | 55.8/43.1                        | 55.8/43.1             |  |
| Seating capacity   | 3              | 2/312          | 4              | 4                                 | 4                | 5              | 5                                | 5                     |  |
| TOWING <sup>25</sup>   |                |                |                |                                   |                  |                |                                  |                       |  |
|  |                |                |                |                                   |                  |                |                                  |                       |  |
| Class-IV towing receiver hitch, transmission and supplemental oil coolers (transmission cooler not available on manual transmission    |                |                |                |                                   |                  |                |                                  |                       |  |
| models), 130-amp alternator, heavy-duty battery, 7-pin connector with converter and Trailer-Sway Control (TSC) <sup>27</sup> (V6 only) | _              |                | _              | 0                                 |                  |                | 0                                | 0                     |  |
| Tongue load (4-cylinder/V6) (lb.)  | 350            | 350            | 350            | 350                               |                  | 340            | 350                              | 350                   |  |
| Tongue load (V6 with V6 Tow Package) (lb.)   | 350            | -              | -              | 650                               | 330              | 340            | 650                              | 640                   |  |
| Towing capacity (4-cylinder/V6) (lb.)  | 3500           | 3500           | 3500           | 3500                              | 3300             | 3400           | 3500                             | 3500                  |  |
| Towing capacity (V6 with V6 Tow Package) (Ib.)   | _              | _              | _              | 6500                              | _                | _              | 6500                             | 6400                  |  |
|  |                |                |                | 3300                              |                  |                | 0000                             | 3-100                 |  |
| TIRES  | _              | _              | _              | _                                 |                  | _              | _                                | _                     |  |
| Spare — Full-size  | S              | S              | S              | S                                 | S                | S              | S                                | S                     |  |
| MILEAGE ESTIMATES (mpg city/highway) <sup>28</sup>   |                |                |                |                                   |                  |                |                                  |                       |  |
| 4-cylinder manual transmission   | 21/25          | 18/20          | 21/25          | -<br>(AvA: 10 /20)                | -                | -              | -                                | -                     |  |
| 4-cylinder automatic transmission  | 19/24          | 18/21          | 19/24          | (4x4: 18/20)<br>19/24             | _                | 19/24          | 19/24                            | _                     |  |
| . Symmetria de de de la  | 137.24         | 10, 21         | 13, 24         | (4x4: 18/21)                      |                  | 13/ 24         | (4x4: -)                         | _                     |  |
| V6 manual transmission   | -              | -              | -              | 16/21<br>(4x4: 15/19)             | 16/21            | -              | -<br>(4x4: 15/19)                | _<br>_                |  |
| V6 automatic transmission  | _              | _              | _              | 17/21                             | _                | _              | 17/21                            | 17/21                 |  |
|  |                |                |                |                                   | _                |                | 1// 41                           | 1// 4                 |  |

#### **SEAT FABRICS**

#### REGULAR CAB BENCH SEAT



Base Grade fabric in Graphite

**BUCKET SEAT** 

Base Grade fabric in Graphite

# BUCKET SEAT

SR5 fabric in Sand Beige or Graphite



Sport fabric in Graphite

### **COLORS**



**BLACK** 



**MAGNETIC GRAY METALLIC** 



**PYRITE MICA** 



**SILVER STREAK MICA** 



**BARCELONA RED METALLIC** 



**SPRUCE MICA** 



**SUPER WHITE** 



**NAUTICAL BLUE METALLIC** (available with Graphite interior only)

#### **WARRANTIES**

Every Toyota Car, Truck and SUV is built to exceptional standards. And that's not idle boasting. We back it up with these Limited Warranty Coverages:

Basic: 36 months/36,000 miles (all components other than normal wear and maintenance items).

Powertrain: 60 months/60,000 miles (engine, transmission/transaxle, drive system, seatbelts and airbags).

Rust-Through: 60 months/unlimited miles (corrosion perforation of sheet metal).

Emissions: Coverages vary under Federal and California regulations. Refer to applicable Warranty and Maintenance Guide for details.

Accessories: For Genuine Toyota Accessories purchased at the time of the new vehicle purchase, the Toyota Accessory Warranty coverage is in effect for 36 months/36,000 miles from the vehicle's in-service date, which is the same coverage as the Toyota New Vehicle Limited Warranty. For Genuine Toyota Accessories purchased after the new vehicle purchase the coverage is 12 months, regardless of mileage, from the date the accessory was installed on the vehicle, or the remainder of any applicable new vehicle warranty, whichever provides greater coverage, with the exception of car covers. Car covers are warranted for 12 months from the date of purchase and do not assume any coverage under the Toyota New Vehicle Limited Warranty.

You may be eligible for transportation assistance if it's necessary that your vehicle be kept overnight for repairs covered under warranty. Please see your authorized Toyota dealership for further details.

For complete details about Toyota's warranties, please visit www.toyota.com, refer to the applicable Warranty and Maintenance Guide or see your Toyota dealer.

#### **DISCLAIMERS**

1. Toyota strives to build vehicles to match customer interest and thus they typically are built with popular options and option packages. Not all options/packages are available separately and some may not be available in all regions of the country. See toyota.com for information about options/packages commonly available in your area. If you would prefer a vehicle without any or with different options, contact your dealer to check for current availability or the possibility of placing a special order. 2. V6 only. 3. XM services require a subscription after trial period, and are sold separately or as a package. Subscriptions governed by SiriusXM Customer Agreement; see www.siriusxm.com. If you decide to continue your XM service at the end of your complimentary trial, the plan you choose will automatically renew and bill at then-current rates until you call 1-866-635-2349 to cancel. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. 4. May not be compatible with all mobile phones, MP3/WMA players and like models. 5. iPod® is a registered trademark of Apple, Inc. All rights reserved. 6. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Toyota is under license. Other trademarks and trade names are those of their respective owners. The Bluetooth® wireless technology phones listed on toyota.com have been tested for compatibility with Toyota vehicles. Performance will vary based on phone software version, coverage and your wireless carrier. Phones are warranted by their manufacturer, not Toyota. 7. Availability and accuracy of the information provided by the navigation system or any XM services mentioned (if installed) are dependent upon many factors. Use common sense when relying on information provided. Services not available in every city or roadway. Periodic navigation updates available at additional cost. See your Navigation System Owner's Manual or contact XM for details. 8. Be sure to obey traffic regulations and maintain awareness of road and traffic conditions. Select Entune™ apps use a large amount of data and you are responsible for all data charges. Apps and services vary by phone and carrier. Not all apps and data services are available initially. Apps identified by "TM" or "®" are trademarks or registered trademarks of their respective companies and cannot be used without permission. See toyota.com/entune for the latest information regarding apps and services. 9. The backup camera does not provide a comprehensive view of the rear area of the vehicle. You should also look around outside your vehicle and use your mirrors to confirm rearward clearance. Cold weather will limit effectiveness and view may become cloudy. 10. HD Radio Technology manufactured under license from iBiquity Digital Corporation U.S. and Foreign Patents. HD Radio Mand the HD, HD Radio, and "Arc" logos are proprietary trademarks of iBiquity Digital Corp. 11. iTunes Tagging is a registered trademark of Apple, Inc. All rights reserved. 12. With automatic transmission only. 13. HomeLink is a registered trademark of Johnson Controls, Inc. 14. HomeLink not included on X-Runner. 15. Vehicle Stability Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your Owner's Manual for further details. 16. Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions. 17. Smart Stop Technology operates only in the event of certain simultaneous brake and gas pedal applications. When engaged, the system will reduce engine power to help the brakes bring the vehicle to a stop. Factors including speed, road conditions and driver input can all impact stopping distance. Smart Stop Technology is not a substitute for safe and attentive driving and does not guarantee instant stopping. Please see your Owner's Manual for further details. 18. All the airbag (AB) systems are Supplemental Restraint Systems. All ABs (if installed) are designed to inflate only under certain conditions and in certain types of severe collisions: frontal and knee ABs typically inflate in frontal collisions; side and side curtain ABs in side collisions; Roll-Sensing Curtain ABs at a severe tilt degree, roll or lateral G-force. In all other accidents, the ABs will not inflate. To decrease the risk of injury from an inflating AB, always wear seatbelts, sit upright in the middle of the seat as far back as possible and do not lean against the door. Do not put objects in front of an AB or around the seatback. Do not use a rearward-facing child seat in any front passenger seat. The force of an inflating AB may cause serious injury or death. See your *Owner's Manual* for further information/warnings. 19. Do not use rearward-facing child seats in any front passenger seat without switching off the passenger-side airbag. Please see your Owner's Manual for details. 20. Active front headrests can help reduce the extent of whiplash in certain types of rear-end collisions. 21. The Toyota Tire Pressure Monitor alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See your Owner's Manual for details. 22. Hill Start Assist Control (HAC) is designed to help minimize backward rolling on steep ascents. It is not a substitute for safe driving judgment and practices. Factors including grade, surface conditions and driver input can all affect whether HAC will be effective in preventing a loss of control. Please see your *Owner's Manual* for further details. **23.** Downhill Assist Control (DAC) is designed to help the driver maintain vehicle control and speed on steep, downhill descents. It is not a substitute for safe driving judgment and practices. Factors including speed, grade, surface conditions and driver input can all affect whether DAC will be effective in preventing a loss of control. Please see your *Owner's Manual* for further details. **24.** The engine immobilizer is a state-of-the-art anti-theft system. When you insert your key into the ignition switch, the key transmits an electronic code to the vehicle. The engine will only start if the code in the transponder chip inside the key matches the code in the vehicle is immobilizer. Because the transponder chip is embedded in the key, it can be costly to replace. If you lose a key, your Toyota dealer can help, or you can find a qualified independent locksmith to replace your key or perform high-security key services at www.aloa.org 25. Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on the total weight of any cargo, occupants and available equipment. Calculated with new SAE J2807 method. 26. Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb. 27. Trailer Sway Control (TSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether TSC will be effective in preventing a loss of control. Please see your Owner's Manual for further details. 28. 2012 EPA-estimated mileage. Actual mileage will vary.

#### **TOYOTA FINANCIAL SERVICES**



Toyota helps you get more out of every dollar you spend. By rewarding you for every purchase you make, the Toyota Rewards Visa® adds even more value to doing the things you love.

Turn everything you buy into points to redeem toward parts, accessories or an eligible vehicle purchase or lease at your Toyota dealer. Earn 5 points for every \$1 spent at participating Toyota dealers and 1 point for every \$1 spent everywhere else Visa is accepted.\*

Visit www.toyotarewardsvisa.com for complete details.

Toyota Financial Services (TFS) $^\dagger$  is a leading provider of automotive financial services, offering an extensive line of financing plans along with a variety of vehicle and payment protection products to Toyota customers and dealers in the U.S. For more information on TFS products and services, visit www.toyotafinancial.com

\*On approved credit. You must have a valid permanent home address in the 50 United States or the Orappioded units and make a permanent memoral and sent and the Toyota Rewards Visa Cardmember Agreement and the Toyota Rewards Visa Cardmember Agreement and the Toyota Rewards Program Terms and Conditions received with your card. Points earned are based on net purchases. Points-earning maximums apply and points will expire as described in the Rewards Terms and Conditions. Redemption only available at participating Toyota dealerships in the continental U.S. and Alaska. Points cannot be redeemed for cash. Please contact your participating Toyota dealer for information regarding restrictions your dealer may impose on the use of credit cards related to vehicle purchases or leases. The creditor and issuer of the Toyota Rewards Visa is Toyota Financial Savings Bank. Toyota Financial Services is a service mark used by Toyota Financial Savings Bank

Toyota Financial Services is a service mark for Toyota Motor Credit Corporation and Toyota Motor Insurance Services. Inc.

Toyota Tacoma is designed to meet most off-road driving requirements. Abusive use may result in bodily harm or damage. Toyota encourages responsible operation to protect you, your vehicle and the environment. Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. Towing receiver hitch/ball mount kits are not intended to provide crash protection For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle

All information presented herein is based on data available at the time of posting, is subject to change without notice and pertains specifically to mainland U.S.A. vehicles only. Prototypes shown. Actual production vehicles may vary.





# TOYOTA DEALERS IN YOUR AREA:

# **Brunswick Toyota**

Distance: 2.13 miles 3041 Center Road Brunswick OH, 44212 Phone: (330) 273-3300