

The Power to Surprise



FORTE MADE FOR [THE DIGITAL WORLD]

Ready for action? The 2018 Kia Forte springs you from the mundane to a sporty compact car with sleek lines, bold accents and a distinct personality. Once on the road, Forte brings you the latest in technology to keep you in touch with what's around you. This includes such available innovations as autonomous emergency braking¹, lane-keep assist¹ and a blind-spot detection system¹, in addition to available Apple Carplay^{© 2.6} and Android Auto^{TM 2.7} smartphone integration. The car that's made for you – the 2018 Kia Forte.

DIGITALLY ADVANCED An available 7-inch Display Audio entertainment, communication and information system gives you hands-free control over the audio system, music selection and your Bluetooth® 4-enabled cell phone. PUSH-BUTTON START Start or stop the engine at the push of a button with the available Smart Key with push-button ignition, even with the key fob in your pocket or bag.

AUTC EMEF This h and r ahea inter it det helpin mitig if opp

AUTONOMOUS EMERGENCY BRAKING¹

This intelligent system detects and monitors vehicles traveling ahead of you. It automatically intervenes, applying the brakes if it determines a crash is imminent, helping to avoid a collision or mitigate the effects of a collision if one cannot be avoided. Available on Forte SX sedan.



FORTE 5 MADE FOR [FUN IN FUNCTIONAL]

You bring everything you have to your driving. Forte5 responds. Get behind the wheel and tap into the turbocharged boost of the available 201 horsepower 1.6 litre GDI engine. Plus, never compromise on passenger or cargo space with standard split-folding rear seats. Your life. Your car. The 2018 Kia Forte 5.

MAZEI

51.6.0

FURIE 5

ROOM TO GO

60/40 split-folding rear seats provide passenger and cargo loading flexibility that adapts to every aspect of your life with ease – and in style.

PERFORMANCE MINDED

The Forte5 SX shows off its performance side with 18-inch alloy wheels, a sport-tuned suspension and a 201-horsepower, 1.6-litre twin-scroll turbocharged GDI engine.



ANTICIPATION IS EVERYTHING.

Have you already jumped ahead to what it actually feels like to be behind the wheel of a Forte? Imagine yourself firmly planted in the cockpit while the rubber is firmly planted on the asphalt as you twist through a tight corner. But let's not get ahead of ourselves, there are a few bona fides that you should know first – like how the long wheelbase configuration maximizes interior space, and how the split-folding rear seats increase versatility. At the same time, let's not lose sight of the way the interior trim adds yet another dimension of refinement. Even more for you to anticipate with the Forte and Forte5.

......



POWER SUNROOF

The available power tilt and sliding sunroof brings natural light and fresh air inside at a moment's notice.





FOLDING REAR SEATS 60/40 split-folding rear seats provide passenger and cargo loading flexibility on all Forte models.



AUTOMATIC COMFORT Forte's available dual-zone automatic climate control lets the driver and front passenger choose separate temperature settings for precise, personalized comfort year-round. HEATED AND COOLED SEATS Available heated front seats take the sting out of winter, while available heated rear seats extend that comfort to those seated in the second row. In addition, available air-cooled front seats keep you in your comfort zone even on

the hottest days.





HAND WARMER

Take the sting out of the cold with a heated steering wheel. It's just one of the many premium features available on Forte and Forte5.

JUST BETWEEN YOU AND ME.

(KIA)

You spend enough time and energy sharing with those around you. Now you're ready to stake out a little me time – behind the wheel of a Forte. Easily focus your attention on the driver-oriented controls – a task made that much more intuitive by the design of the instrument panel, which is angled toward the driver. Take it to the next level with the available 7-inch multimedia interface with available integrated navigation³ that keeps you in the know at a glance. But be forewarned, you may find competition for the driver's seat.

1. PUSH BUTTON START There's no need to search for the ignition key with the convenience of Forte's available Smart Key with push-button start. Forte sedan models also include an available Smart release trunk.


2. PADDLE SHIFTERS

1246

The sporty paddle shifters on the steering column allow you to change gears without taking a hand off the steering wheel. Available on Forte SX models.

3. DRIVE MODE SELECT

Standard on all Forte automatic transmission models, Drive Mode Select adjusts power delivery, transmission shift pattern and steering feedback to suit the road and weather conditions – and your personal driving style. Normal mode is for regular driving, while Eco emphasizes fuel efficiency and Sport delivers more aggressive, performance– oriented responsiveness.



4. SMARTPHONE INTEGRATION

You never go anywhere without your smartphone – or your tunes. Forte offers true smartphone integration through Apple CarPlay^{® 2,6} and Android Auto^{TM 2,7} systems that are available on LX+, EX and SX models. They also open a world of other apps that help you get the most out of your music, your phone – and your Forte.

SAFETY IS ADVANCED.

Technological innovations continue to redefine automotive safety. You can take advantage of a host of the latest safety technologies incorporated into the 2018 Forte and Forte5. Some use sensor-based technology to maintain control and stability – such as Vehicle Stability Management (VSM), Traction Control (TCS) and ABS. Other available features like the Lane-Keep Assist system and Blind Spot Detection (BSD) use radar-based technology to help make you more aware of your surroundings.¹ There's also a rearview camera¹ that is available on LX+ models and higher. See how advanced technology advances safety in the 2018 Forte and Forte5.





ULTRA-HIGH STRENGTH

Forte features a uniquely engineered body that combines various high-strength steel alloys. The body structure not only helps provide excellent crash protection – it also contributes to better driving dynamics and a remarkably quiet ride.

VEHICLE STABILITY MANAGEMENT Vehicle Stability Management (VSM) monitors Forte's response to your throttle, braking and steering inputs in tight corners and during evasive-driving manoeuvres. If your steering input and the vehicle's response are out of sync, VSM intervenes to help restore stability through precise braking, electric steering and engine control adjustments.

TRACTION CONTROL

Forte's standard Traction Control System (TCS) senses wheel spin during acceleration and uses engine-torque reduction and pulsed braking to slow the spinning wheel or wheels, transferring torque to the wheels with the most traction.

ANTI-LOCK BRAKING SYSTEM ABS provides the foundation for Forte's active safety systems. It helps provide greater vehicle control when stopping in difficult conditions, such as wet, slippery or snowcovered roads – and in severe braking situations.

SIX STANDARD AIRBAGS

with advanced dual-front, side-impact and curtain airbags with finely tuned sensors to optimize protection. Together in combination, they help protect against head and chest injuries in moderate to severe impacts.



AUTONOMOUS EMERGENCY BRAKING SYSTEM¹

An additional layer of defence is provided by the available autonomous emergency braking system. This intelligent system detects and monitors vehicles traveling ahead of you. It automatically intervenes, applying the brakes if it determines a crash is imminent, helping to avoid a collision or mitigate the effects of a collision if it cannot be avoided. Available on Forte SX sedan.



LANE-KEEP ASSIST SYSTEM¹ Drift outside your lane without signalling and the available Lane-Keep Assist system will provide you with visual and audible alerts. If there's no correction made, the system will help keep you in your lane.



BLIND SPOT DETECTION (BSD)¹

These available sensors monitor the side and rear for vehicles in your blind spots. Visual alerts are provided on the outside mirrors and instrument cluster and an audio alert is sounded when necessary.



Forte protects you and your passengers



FEATURES

		Forte			Forte5	
Exterior	LX	EX	SX	LX+	EX	SX
15" steel wheels with covers	•	-	-	-	-	-
16" alloy wheels	+	•	-	•	٠	-
17" machined-finish alloy wheels	-	+	•	-	LUX	-
18" machined-finish alloy wheels	-	_	-	-	-	•
195/65 R15 tires	•	-	-	-	-	-
205/55 R16 tires	+	٠	-	•	٠	-
215/45 R17 tires	-	+	٠	-	LUX	-
225/40 R18 tires	-	-	-	-	-	•
Electronic power steering	•	•	٠	•	•	•
Tire mobility kit	•	•	-	•	٠	-
Compact spare tire	-	-	٠	-	-	٠
Automatic headlights	+	•	٠	•	٠	٠
Projection headlights	•	•	-	•	٠	-
Xenon high-intensity discharge (HID) headlights	—	-	•	-	-	•
LED positioning lights	-	•	٠	-	•	٠
Dynamic bending lights	-	-	•	-	-	-
Headlight escort function	•	•	•	•	•	•
Fog lights	+	•	•	•	•	•
LED light bar taillights	-	-	•	_	-	•
Power sideview mirrors	٠	•	٠	•	•	٠
Heated sideview mirrors	٠	•	٠	•	٠	٠
LED sideview mirror signal repeaters	_	•	•	-	•	•
Body coloured sideview mirrors	•	•	•	•	•	-
Piano black sideview mirrors	-	-	-	-	-	٠
Body coloured door handles	•	-	-	•	-	-
Chrome door handles	-	•	•	-	•	-
Piano black door handles	-	-	-	-	-	•
Chrome trim	-	•	•	-	•	•
Power sunroof	-	+	•	-	LUX	•
Windshield wiper de-icer	+	•	•	•	•	•
Solar glass	•	•	•	•	•	•
Power folding sideview mirrors	-	•	•	-	•	•
Rear spoiler	-	-	•	-	-	•
Stainless steel exhaust tip (single)	-	•	•	-	•	-
Dual stainless steel exhaust tips	_	-	-	-	-	•
Splash guards	•	•	•	•	•	•
Seating & Trim Cloth seats	•		_	•		_
Premium cloth seats	_	•	_		•	_
Leather seats	_	LUX	•	_	LUX	•
Heated front seats	+	•	•	•	•	•
Heated rear seats		LUX			LUX	
		LUX	•	-		•
Air-cooled front seats		-	•		-	•
Heated steering wheel	-	•	•	-	LUX	•
Height adjustable driver seat	•	•	•	•	•	•
10-way adjustable driver's seat	-	LUX	•	-	LUX	•
Driver's seat memory function	-	LUX	•	-	LUX	•
60:40 folding rear seats	٠	•	٠	•	٠	٠
Soft-touch door panels	-	•	•	-	•	•
Leather-wrapped steering wheel	-	•	•	-	•	٠
Leather-wrapped gear shift knob	-	•	٠	-	•	•

	Forte			Forte5		
Comfort & Convenience	LX	EX	SX	LX+	EX	SX
Air conditioning	AT	•	•	•	•	٠
Dual-zone automatic climate control	-	•	•	-	•	•
AM/FM/MP3/satellite radio ⁵	•	•	•	•	٠	•
Bluetooth [®] hands-free cell phone connectivity ^{2,4}	•	•	•	•	•	•
4-speakers	•	-	-	-	-	-
6-speakers	+	•	•	•	•	٠
7-inch Display Audio	+	•	-	•	•	-
Integrated navigation ³	-	-	•	-	-	•
Apple Carplay [®] and Android Auto™ smartphone integration ^{2,6,7}	+	•	•	•	•	•
LCD instrument cluster	+	•	-	•	•	-
Supervision instrument cluster	-	LUX	•	-	LUX	•
Trip computer	•	•	•	•	•	•
Tilt and telescopic steering column	•	•	•	•	•	•
Steering wheel-mounted cruise control	+	•	•	•	•	•
Steering wheel-mounted audio controls	•	•	•	•	•	•
Steering wheel-mounted paddle shifters	-	-	٠	-	—	٠
Power windows	•	•	•	•	٠	•
Express down driver window	•	-	-	-	-	-
Express up/down front windows	+	•	٠	•	٠	٠
Obstacle-detecting front windows	+	•	•	•	•	•
Power door locks	•	•	•	•	•	•
Two-turn driver side unlock	•	•	•	•	•	•
Central door lock	•	•	•	•	•	•
Remote keyless entry with panic function	AT	-	-	•	-	-
Smart Key with push-button start	-	•	•	-	•	•
Smart release trunk	-	•	•	-	-	-
AUX and USB input ports	•	•	•	•	•	٠
Sliding centre armrest	-	•	٠	-	•	٠
Rear centre armrest	•	•	•	•	•	•
Auto-dimming rearview mirror	-	•	•	-	•	•
Illuminated vanity mirrors	+	•	•	•	•	•
Glove box illumination	+	•	•	•	•	•
Drive Mode Select (Eco/Sport/Normal)	AT	•	•	AT	•	•
Safety Dual advanced front airbags	•	•	•	•	•	•
Dual front side-mounted			-	-		
impact airbags	•	•	•	-	•	•
Dual side curtain airbags	•	•	•	•	•	•
4-wheel anti-lock braking system (ABS)	•	•	•	•	•	•
Electronic stability control (ESC)	٠	٠	٠	•	٠	•
Vehicle stability management (VSM)	٠	٠	٠	•	٠	٠
Hill-assist control (HAC)	٠	٠	•	•	٠	٠
Rearview camera ¹	+	•	•	•	•	•
Blind spot detection ¹	-	LUX	•	-	LUX	٠
Lane-keep assist system ¹	-	_	•	_	-	•
Autonomous emergency	_	_	•	_	_	_
braking system ¹						

• = Standard - = Not Available

+ = Plus package LUX = Luxury package AT = Automatic transmission

SPECIFICATIONS

	F	Forte	For	rte5
Engine	LX	EX & SX	LX+ & EX	SX
Туре	2.0L, MPI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	1.6L, Turbocharged-GDI, Inline 4 cylinder, all aluminum
Valve train	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)
Horsepower	147 hp @ 6,200 rpm	164 hp @ 6,200 rpm	164 hp @ 6,200 rpm	201 hp @ 6,000 rpm
Torque	132 lbft. @ 4,500 rpm	151 lbft. @ 4,000 rpm	151 lbft. @ 4,000 rpm	195 lbft. @ 1,500 - 4,500 rpm
Compression ratio	12.5:1	11.5:1	11.5:1	9.5:1
ntake	Variable Intake System (VIS)	Variable Intake System (VIS)	Variable Intake System (VIS)	Variable Intake System (VIS)
- uel management	Multi-port Injection (MPI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)
Recommended fuel	Regular unleaded	Regular unleaded	Regular unleaded	Regular unleaded
Transmission	6-speed manual; available 6-speed Sportmatic automatic	6-speed Sportmatic automatic	6-speed manual; available 6-speed Sportmatic automatic	7-speed dual-clutch, Sportmatic automatic
Dimensions, mm (in.)				
Wheelbase	2,700 (106.3)		2,700 (106.3)	
Length	4,560 (179.5)		4,350 (171.3)	
Width	1,780 (70.1)		1,780 (70.1)	
Height	1,430 (56.5)		1,450 (57.1)	
Ground clearance	135 (5.3)		140 (5.5)	
Head room - (front/rear)	992 / 948 (39.1 / 37.3)		1,000 / 983 (39.3 / 38.7)	
Shoulder room - (front/rear)	1,424 / 1,395 (56.1 / 54.9)		1,424 / 1,395 (56.1 / 54.9)	
Leg room - (front/rear)	1,073 / 913 (42.2 / 35.9)		1,073 / 913 (42.2 / 35.9)	
Hip room - (front/rear)	1,366 / 1,348 (53.8 / 53.1)		1,366 / 1,348 (53.8 / 53.1)	
	Front engine, front wheel drive Unibody MacPherson struts, coil springs and gas shock absorber			
Layout Body type Front susponsion	Unibody	ad ass shock absorbor	Front engine, front wheel drive Unibody MacDhorson struts, coil springs a	nd ass shock absorbor
Body type Front suspension	Unibody MacPherson struts, coil springs ar	-	Unibody MacPherson struts, coil springs a	
Body type Front suspension Rear suspension	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga	-	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g	
Body type Front suspension Rear suspension	Unibody MacPherson struts, coil springs ar	-	Unibody MacPherson struts, coil springs a	
Body type Front suspension Rear suspension Steering	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga	-	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g	
Body type Front suspension Rear suspension Steering Brakes	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga	-	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering	as shock absorber
Body type Front suspension Rear suspension Steering Brakes Type	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering	-	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX	as shock absorber
Body type Front suspension Rear suspension Steering Brakes Type ABS	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc	-	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc	as shock absorber SX 4-wheel disc
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.)	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel	-	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel	sx 4-wheel disc 4-sensor, 4-channel
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.)	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs	as shock absorber	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (ib.)	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX	EX & SX	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.)	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs	as shock absorber	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (ib.) Maximum curb weight	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 – 1,350 (2,928 – 2,976)	EX & SX 1,374 (3,029)	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058)	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.)	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880)	EX & SX 1,374 (3,029)	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968)	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96)	EX & SX 1,374 (3,029)	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98)	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume Interior volume with sunroof	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96) 2,691 (95)	EX & SX 1,374 (3,029)	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98) 2,740 (97)	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume Interior volume with sunroof Cargo capacity (seats upright)	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96) 2,691 (95) 421 (14.9)	EX & SX 1,374 (3,029)	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98) 2,740 (97) 657 (23.2)	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (ib.) Maximum curb weight	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96) 2,691 (95)	EX & SX 1,374 (3,029)	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98) 2,740 (97)	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Rear, mm (in.) Curb Weight, kg (ib.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume Interior volume Interior volume with sunroof Cargo capacity (seats upright) Fuel tank capacity, L Fuel Economy,	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96) 2,691 (95) 421 (14.9) 50	EX & SX 1,374 (3,029) 1,770 (3,902)	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98) 2,740 (97) 657 (23.2) 50	ss shock absorber sx 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs sx 1,412 (3,113) 1,840 (4,057)
Body type Front suspension Rear suspension Steering Brakes Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume Interior volume with sunroof Cargo capacity (seats upright)	Unibody MacPherson struts, coil springs ar Coupled torsion beam axle with ga Electric power steering 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96) 2,691 (95) 421 (14.9)	EX & SX 1,374 (3,029)	Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g Electric power steering LX+ & EX 4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98) 2,740 (97) 657 (23.2)	SX 4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)

Forte		forte	Forte5		
Engine	LX	EX & SX	LX+ & EX	SX	
Туре	2.0L, MPI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	1.6L, Turbocharged-GDI, Inline 4 cylinder, all aluminum	
Valve train	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	
Horsepower	147 hp @ 6,200 rpm	164 hp @ 6,200 rpm	164 hp @ 6,200 rpm	201 hp @ 6,000 rpm	
Torque	132 lbft. @ 4,500 rpm	151 lbft. @ 4,000 rpm	151 lbft. @ 4,000 rpm	195 lbft. @ 1,500 - 4,500 rpm	
Compression ratio	12.5:1	11.5:1	11.5:1	9.5:1	
Intake	Variable Intake System (VIS)	Variable Intake System (VIS)	Variable Intake System (VIS)	Variable Intake System (VIS)	
Fuel management	Multi-port Injection (MPI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	
Recommended fuel	Regular unleaded	Regular unleaded	Regular unleaded	Regular unleaded	
Transmission	6-speed manual; available 6-speed Sportmatic automatic	6-speed Sportmatic automatic	6-speed manual; available 6-speed Sportmatic automatic	7-speed dual-clutch, Sportmatic automatic	
Dimensions, mm (in.)					
Wheelbase	2,700 (106.3)		2,700 (106.3)		
Length	4,560 (179.5)		4,350 (171.3)		
Width	1,780 (70.1)		1,780 (70.1)		
Height	1,430 (56.5)		1,450 (57.1)		
Ground clearance	135 (5.3)		140 (5.5)		
Head room - (front/rear)	992 / 948 (39.1 / 37.3)		1,000 / 983 (39.3 / 38.7)		
Shoulder room - (front/rear)	1,424 / 1,395 (56.1 / 54.9)		1,424 / 1,395 (56.1 / 54.9)		
Leg room - (front/rear)	1.073 / 913 (42.2 / 35.9)		1.073 / 913 (42.2 / 35.9)		
Hip room - (front/rear)	1,366 / 1,348 (53.8 / 53.1)		1,366 / 1,348 (53.8 / 53.1)		
Body & Chassis					
Layout	Front engine, front wheel drive		Front engine, front wheel drive		
Body type	Unibody		Unibody		
Front suspension	MacPherson struts, coil springs ar	-	MacPherson struts, coil springs a		
Rear suspension	Coupled torsion beam axle with g	as shock absorber	Coupled torsion beam axle with g	as shock absorber	
Steering	Electric power steering		Electric power steering		
Brakes			LX+ & EX	C)/	
				SX	
Туре	4-wheel disc		4-wheel disc	4-wheel disc	
	4-wheel disc 4-sensor, 4-channel				
ABS			4-wheel disc	4-wheel disc	
ABS Front, mm (in.)	4-sensor, 4-channel		4-wheel disc 4-sensor, 4-channel	4-wheel disc 4-sensor, 4-channel	
ABS Front, mm (in.) Rear, mm (in.)	4-sensor, 4-channel 280 (11.0) vented discs	EX & SX	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs	
ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (ib.)	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs	EX & SX 1,374 (3,029)	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs	
Type ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX		4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX	
ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.)	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880)	1,374 (3,029)	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968)	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)	
ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.)	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976)	1,374 (3,029)	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058)	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)	
ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880)	1,374 (3,029)	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968)	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)	
ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume Interior volume with sunroof	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96)	1,374 (3,029)	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98)	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)	
ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96) 2,691 (95)	1,374 (3,029)	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98) 2,740 (97)	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)	
ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume Interior volume with sunroof Cargo capacity (seats upright) Fuel tank capacity, L Fuel Economy,	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96) 2,691 (95) 421 (14.9) 50	1,374 (3,029) 1,770 (3,902)	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98) 2,780 (98) 2,740 (97) 657 (23.2) 50	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113) 1,840 (4,057)	
ABS Front, mm (in.) Rear, mm (in.) Curb Weight, kg (lb.) Maximum curb weight Gross vehicle weight Capacities, L (cu. ft.) Interior volume Interior volume with sunroof Cargo capacity (seats upright) Fuel tank capacity, L	4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX 1,328 - 1,350 (2,928 - 2,976) 1,740 - 1,760 (3,836 - 3,880) 2,723 (96) 2,691 (95) 421 (14.9)	1,374 (3,029)	4-wheel disc 4-sensor, 4-channel 280 (11.0) vented discs 262 (10.3) solid discs LX+ & EX 1,367-1,387 (3,014 - 3,058) 1,780-1,800 (3,924 - 3,968) 2,780 (98) 2,780 (97) 657 (23.2)	4-wheel disc 4-sensor, 4-channel 300 (11.8) vented discs 262 (10.3) solid discs SX 1,412 (3,113)	

Expine IX EX BS UP 4 BC SV Tape 200, GD, Hine 4 caljuder, al during and al during and all states training L-QVT) 200, GD, Hine 4 caljuder, al during and the training L-QVT) Response traini		Forte		Forte5		
UNM all aumnum all aumnum <th>Engine</th> <th>LX</th> <th>EX & SX</th> <th>LX+ & EX</th> <th>SX</th>	Engine	LX	EX & SX	LX+ & EX	SX	
Name variable value transing GL-CV/T1 Variable value transinse GL-CV/T1	Туре					
Targae 132 b fl. g. 4.200 rpm 151 b fl. g. 4.000 rpm 155 b fl. g. 4.100 rpm Compression ratio 12.51 11.51 11.51 11.51 9.51 Compression ratio 12.51 11.51 11.51 9.51 9.51 Compression ratio 12.51 11.51 11.51 9.51 9.51 Compression ratio 12.51 Variable intake System (VIS) Variable intake System (VIS) Variable intake System (VIS) Recommended UN Regular uncleaded 7-speed dual-cleft ingcton (ED) Unressister, mm (n.) 1.200 (70.1) 1	Valve train			DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)		
Compression ratio 12.51 11.51 9.51 Intale Variable Intale System (VIS) Variable Intale System (VIS) Variable Intale System (VIS) Canadas Intale System (VIS) Variable Intale System (VIS) Canadas Intale System (VIS) Variable Intale System (VIS) Canadas Intale System (VIS) Canadas Intale System (VIS) Variable Intale System (VIS) Canadas Intale System (VIS) Canadasystem Intale System (VIS) Canadasystem Intale S	Horsepower	147 hp @ 6,200 rpm	164 hp @ 6,200 rpm	164 hp @ 6,200 rpm	201 hp @ 6,000 rpm	
India Variable India System (VIS) Variable India Syste	Torque	132 lbft. @ 4,500 rpm	151 lbft. @ 4,000 rpm	151 lbft. @ 4,000 rpm	195 lbft. @ 1,500 - 4,500 rpm	
Field management Multi-yout injection (MPI) Gasoline direct injection (GDI) Recommended food Regular unkaded Speed foor familit, available G-speed Sportmatic automatic Speed familit, available G-speed Gos (T1) Speed familit, available G-speed Sportmatic automatic Speed familit, available G-speed Sportmatic automatic Speed familit, available G-speed Sportmatic automatic Speed familit, available G-speed Speed famil	Compression ratio	12.5:1	11.5:1	11.5:1	9.5:1	
Paccommended fuel Regular unleaded Regular unleaded Regular unleaded Regular unleaded Trinsmission 6 speed sportmatic automatic 6 speed sportmatic automatic 5 speed sportmatic automatic 5 speed sportmatic automatic 5 speed sportmatic automatic 5 speed sportmatic automatic Dimensions, mm (n.) 4 550 (179.5) 4 350 (171.3) 4 4550 (171.3) Witch 1, 280 (70.1) 1, 280 (70.1) 1, 280 (70.1) Height 1.630 (55.5) 1440 (55.9) 1450 (57.1) Ground Germinuk 1000 (983 (39.3) 28.7) 500 (71.1) 1000 (983 (39.3) 28.7) Soudar room - (front/rear) 102.7 (913 (42.2) 25.9) 1047 (19.3 (56.1) 54.9) 1047 (19.3 (56.1) 54.9) Leg room - (front/rear) 103.6 (1.346 (53.8 / 53.1) 1.366 (1.346 (53.8 / 53.1) 1.366 (1.346 (53.8 / 53.1) Laguet Front engine, front wheel drive Dimbody Unitody Unitody Rear uspeersion MucPherson struts, col springs and gas shock absorber Souder room - (front/rear) 2.6 (10.3 sould decs Rear uspeersion MucPherson struts, col springs and gas shock absorber Souger struts, col springs and gas shock absorber	Intake	Variable Intake System (VIS)	Variable Intake System (VIS)	Variable Intake System (VIS)	Variable Intake System (VIS)	
Transmission G-speed manual, malabile G-speed Sportmatic automatic G-speed Sportmatic automatic G-speed manual, malabile G-speed sportmatic automatic The speed sportmatic automatic Sportmati	Fuel management	Multi-port Injection (MPI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	
Iffel Bindlin 6-speed Sportmatic automatic 6-speed Sportmatic automatic Sportmatic automatic Dimensions, nm (in) 2,700 (106.3) 2,700 (106.3) Uther Biase 2,700 (106.3) 4,300 (171.3) Uther Biase 2,700 (106.3) 4,300 (171.3) Uther Biase 1,780 (70.1) 1,780 (70.1) 1,780 (70.1) Heat room - (front/rear) 902 / 984 (39.1 / 37.3) 1,000 / 983 (39.3 / 38.7) - Soudier room - (front/rear) 1,073 / 1913 (42.2 / 35.9) 1,027 / 1913 (42.2 / 35.9) - Body & Chassis E E E Body & Unbody Unbody E E E Body & Unbody Unbody Unbody State discreter Brances E E E Brances E E E E E Brances E E E	Recommended fuel	Regular unleaded	Regular unleaded	Regular unleaded	Regular unleaded	
Wheelbase 2,700 (106.3) 2,700 (106.3) Length 4,500 (17),3) 4,300 (17).3) With 1,780 (70.1) 1,780 (70.1) Height 1,430 (55.5) 1,450 (73.1) Ground clear arcs 135 (5.3) 1000 / 983 (39.3 / 38.7) Should corroom - (front/rear) 1024 / 1393 (55.1 / 54.9) 1,027 / 913 (42.2 / 35.9) Lagroom - (front/rear) 1,366 / 1,348 (53.8 / 53.1) 1,366 / 1,348 (53.8 / 53.1) Body & Chassis 1,366 / 1,348 (53.8 / 53.1) 1,366 / 1,348 (53.8 / 53.1) Body type Unibody Front engine, front wheel drive Front engine, strutts, coil springs and gas shock absorber MacPherson struts, coil springs and gas shock absorber Coupled torsion beam aske with gas shock absorber Coupled torsion beam aske with gas shock absorber Rear suspension Coupled torsion beam aske with gas shock absorber Coupled torsion beam aske with gas shock absorber Type 4-wheel disc 4-wheel disc 4-wheel disc Arestory A-channel 4-sensor, 4-channel 4-sensor, 4-channel Front might 1,222 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367 - 1,387 (3,014 - 3,058) 1,412 (3,113)	Transmission		6-speed Sportmatic automatic			
Lingth 4,560 (179.5) 4,350 (171.3) Width 1,780 (70.1) 1,720 (70.1) Height 1,430 (55.5) 1,450 (57.1) Ground clearance 135 (5.3) 140 (55.5) Heat room - (front/near) 992 / 948 (39.1 / 37.3) 1,000 / 983 (39.2 / 38.7) Snudler room - (front/near) 1,027 / 913 (42.2 / 35.9) 1,073 / 913 (42.2 / 35.9) Hig room - (front/near) 1,036 / 1,344 (53.8 / 53.1) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Isigutt Front engine, front wheel drive Unibody Rear suppersion MacPherson struts, coil springs and gas shock abso	Dimensions, mm (in.)					
Lingth 4,560 (179.5) 4,350 (171.3) Width 1,780 (70.1) 1,720 (70.1) Height 1,430 (55.5) 1,450 (57.1) Ground clearance 135 (5.3) 140 (55.5) Heat room - (front/near) 992 / 948 (39.1 / 37.3) 1,000 / 983 (39.2 / 38.7) Snudler room - (front/near) 1,027 / 913 (42.2 / 35.9) 1,073 / 913 (42.2 / 35.9) Hig room - (front/near) 1,036 / 1,344 (53.8 / 53.1) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Body & Chassis Improvem - (front/near) 1,366 / 1,344 (53.8 / 53.1) Isigutt Front engine, front wheel drive Unibody Rear suppersion MacPherson struts, coil springs and gas shock abso		2,700 (106.3)		2,700 (106.3)		
With 1,780 (70.1) 1,780 (70.1) Height 1,430 (55.) 1,450 (57.1) Ground (derivance 135 (5.3) 140 (5.5) Snoulder room - (front/rear) 992 /948 (39.1 / 37.3) 1,000 / 938 (39.3 / 38.7) Snoulder room - (front/rear) 1,424 / 1,395 (56.1 / 54.9) 1,424 / 1,395 (56.1 / 54.9) Lagroom - (front/rear) 1,424 / 1,395 (56.1 / 54.9) 1,073 / 91 3 (42.7 (35.9) Hip room - (front/rear) 1,366 / 1,348 (53.8 / 53.1) 1,366 / 1,348 (53.8 / 53.1) Brody & Chassis Layout Front engine, front wheel drive Pront engine, front wheel drive Body & Chassis Unibody Unibody Unibody Front suppension MacPherson struts, coll springs and gas shock absorber MacPherson struts, coll springs and gas shock absorber Rear suppension Gougled torsion beam axle with gas shock absorber Coupled torsion beam axle with gas shock absorber Brakes LX+& EX SX Tupe 4-wheel disc 4-wheel disc Assers, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mm (in) 280 (11.0) vented discs 280 (11.0) vented discs 300 (11.8) vented discs						
Height 1,430 (56.5) 1,450 (57.1) Ground clearance 135 (5.3) 140 (5.5) Head room - (front/rear) 92 / 948 (39 / 137.3) 1,000 / 993 (39 / 38.7) Shoulder room - (front/rear) 1,021 / 1395 (56.1 / 54.9) 1,424 / 1,395 (56.1 / 54.9) Leg room - (front/rear) 1,073 / 913 (42.2 / 35.9) 1,073 / 913 (42.2 / 35.9) Hip room - (front/rear) 1,066 / 1,348 (53.8 / 53.1) 1,366 / 1,348 (53.8 / 53.1) Body & Chassis						
Ground clearance 135 (5.3) 140 (5.5) Head room - (front/rear) 992 (948 (39.1 / 37.3) 1.000 (98.33 3 / 38.7) Shoulder room - (front/rear) 1.2424 (1.395 (56.1 / 54.9) 1.424 (1.395 (56.1 / 54.9) Leg room - (front/rear) 1.073 / 913 (42.2 / 35.9) 1.073 / 913 (42.2 / 35.9) Hip room - (front/rear) 1.366 / 1.348 (53.8 / 53.1) 1.366 / 1.348 (53.8 / 53.1) Body & Chassis Layout Front engine, front wheel drive Front engine, front wheel drive Body type Unibody Unibody Unibody Unibody Front engine, front wheel drive Ectric power steering Ectric power steering SX Brakes LX+ & EX SX IX+ & EX SX Type 4-wheel disc 4-wheel disc 4-wheel disc A-wheel disc Rear suspension 280 (11.0) vented discs 280 (11.0) vented discs 280 (11.0) vented discs Rear suspension 280 (11.0) vented discs 282 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b.) LX EX & SX LX+ & EX SX Tupe 4-wheel disc				1.450 (57.1)		
Headroom - (front/rear) 992 / 948 (39. / / 37.3) 1.000 / 983 (39. / / 38.7) Shoulder room - (front/rear) 1.027 / 913 (422 / 35.9) 1.027 / 913 (422 / 35.9) Hip room - (front/rear) 1.037 / 913 (422 / 35.9) 1.036 / 1.348 (53.8 / 53.1) Body & Chassis 1.366 / 1.348 (53.8 / 53.1) 1.366 / 1.348 (53.8 / 53.1) Body & Chassis Luguot Front engine, front wheel drive Front engine, front wheel drive Body type Unibody Unibody Unibody Front suppension MacPherson struts, coll springs and gas shock absorber Coupled torsion beam ade with gas shock absorber Steering Electric power steering Electric power steering Electric power steering Brakes LX+ & EX SX Type 4-wheel disc 4-wheel disc 4-wheel disc Assis 280 (10.1) vented discs 280 (10.1) vented discs 280 (10.3) solid discs Front, mm (in) 280 (10.2) solid discs 282 (10.3) solid discs 262 (10.3) solid discs Corb Weight, Vg (b.) LX EX & SX LX+ & EX SX Maximum curb weight 1.328 - 1.350 (2.928 - 2.976) 1.374 (3.029) 1.367-1.387 (3.014 - 3.058) 1.412 (3.113)		/ (/				
Shoulder room - (front/rear) 1,424 / 1,395 (56.1 / 54.9) 1,424 / 1,395 (56.1 / 54.9) Lagroom - (front/rear) 1,073 / 913 (42.2 / 35.9) 1,073 / 913 (42.2 / 35.9) Hip room - (front/rear) 1,366 / 1,348 (53.8 / 53.1) 1,366 / 1,348 (53.8 / 53.1) Body & Chassis - - Body & Chassis - - Body type Unibody - Front engine, front wheel drive - Front engine, front wheel drive Body type Unibody - Front supersion MacPherson struts, coll springs and gas shock absorber Coupled torsion beam awle with gas shock absorber Steering Electric power steering - Electric power steering Brakes - - - - Type - - - - - Brake - - - - - - - Type - - - - - - - - Grake S - - - - - <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>						
Leg room - (front/rear) 1,073 / 913 (42.2 / 35.9) 1,073 / 913 (42.2 / 35.9) Hip room - (front/rear) 1,366 / 1,348 (53.8 / 53.1) 1,366 / 1,348 (53.8 / 53.1) Body & Chassis Front engine, front wheel drive Front engine, front wheel drive Front engine, front wheel drive Body & Chassis Layout Front engine, front wheel drive Unbody Unbody Front suspension MacPherson struts, coil springs and gas shock absorber MacPherson struts, coil springs and gas shock absorber Coupled torsion beam axle with gas shock absorber Rear suspension Coupled torsion beam axle with gas shock absorber Coupled torsion beam axle with gas shock absorber Coupled torsion beam axle with gas shock absorber Type 4-wheel disc 4-wheel disc 4-wheel disc 4-wheel disc Ass 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mn(n) 260 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Cub Weight, kg (b) LX EX & SX LX+ & EX SX Marum urub weight 1,274 0.1760 (3,836 - 3,880) 1,770 (3,902) 1,780 - 1,800 (3,924 - 3						
Hip room - (front/hear) 1,366 / 1,348 (53.8 / 53.1) 1,366 / 1,348 (53.8 / 53.1) Body & Chassis Front engine, front wheel drive Front engine, front wheel drive Body & Chassis Hinbody Unibody Front engine, front wheel drive Bront engine, front wheel drive Bront wheel drive Body tupe Unibody Unibody Unibody Front suppension MacPherson struts, coil springs and gas shock absorber MacPherson struts, coil springs and gas shock absorber Steering Electric power steering Electric power steering Electric power steering Brakes LX+& EX SX Tupe 4-wheel disc 4-wheel disc 4-wheel disc Ass 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b.) LX EX & SX LX+& EX SX Maximum curb weight 1,328 - 1,350 (2.928 - 2.976) 1,374 (3,029) 1,367-1,387 (3.014 - 3.058) 1,412 (3,113) Gross whicle weight 1,240 - 1,760 (3.836 - 3.880) 1,770 (3,902) 1,780 - 1,800 (3.924 - 3.968) 1,840 (4.057)						
Body & Chassis Front engine, front wheel drive Front engine, front wheel drive Body & Chassis Front engine, front wheel drive Front engine, front wheel drive Body type Unibody Unibody Front suspension MacPherson struts, coil springs and gas shock absorber Coupled torsion beam axle with gas shock absorber Brakes Electric power steering Electric power steering Brakes Layout disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel Front, mn (n.) 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b) LX EX & SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367 - 1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780 - 1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (a. ft.) Interior volume 2,723 (96) 2,740 (97) 2,740 (97) Capacities, L (a. ft.) 50 50 50 50 Fuel Ecoromy, CirpyHighway, L100km LX EX SX LX+				,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,		
Layout Front engine, front wheel drive Front engine, front wheel drive Body type Unibody Unibody Front suspension MadPherson struts, coil springs and gas shock absorber MadPherson struts, coil springs and gas shock absorber Rear suspension Coupled torsion beam axle with gas shock absorber Coupled torsion beam axle with gas shock absorber Steering Electric power steering Electric power steering Brakes LX+ & EX SX Type 4-wheel disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel Front, mn (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b.) LX EX & SX LX+ & EX SX Maximum curb weight 1,326 - 1,350 (2.928 - 2.976) 1,374 (3.029) 1,367 - 1,387 (3.014 - 3.058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3.836 - 3.880) 1,770 (3.902) 1,780 - 1,800 (3.924 - 3.968) 1,840 (4.057) Carpactiles, L (cu, ft.) Interior volume 2,723 (96) 2,740 (97) 50 Fuel tank capacity, L 50 <t< td=""><td>1</td><td></td><td></td><td></td><td></td></t<>	1					
Body type Unibody Unibody Front suspension MacPherson struts, coil springs and gas shock absorber MacPherson struts, coil springs and gas shock absorber Rear suspension Coupled torsion beam axle with gas shock absorber Coupled torsion beam axle with gas shock absorber Steering Electric power steering Electric power steering Electric power steering Brakes LX* & EX SX Type 4-wheel disc 4-wheel disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mn (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (lb.) LX EX & SX LX* & EX SX Maximum curb weight 1.328 - 1.350 (2.928 - 2.976) 1.374 (3.029) 1.367-1.387 (3.014 - 3.058) 1.412 (3.113) Gross vehicle weight 1.760 (3.836 - 3.880) 1.770 (3.902) 1.780 - 1.800 (3.924 - 3.968) 1.840 (4.057) Cargo capacity (seats upright) 421 (14.9) 50 50 50 Fuel Economy, Grup Vighty, Max (J00km LX EX SX <td< td=""><td>Body & Chassis</td><td></td><td></td><td></td><td></td></td<>	Body & Chassis					
Front suspension MacPherson struts, coil springs and gas shock absorber MacPherson struts, coil springs and gas shock absorber Rear suspension Coupled torsion beam axle with gas shock absorber Coupled torsion beam axle with gas shock absorber Steering Electric power steering Electric power steering Brakes LX* & EX SX Type 4-wheel disc 4-wheel disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mm (in.) 280 (11.0) vented discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b.) LX EX & SX LX* & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367 -1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780 -1,380 (3,924 - 3,968) 1,840 (4,057) Carpa Carpa Capacity, L (cu. ft.) EX & SX LX* & EX SX Interior volume 2,723 (96) 2,780 (98) 1,840 (4,057) Fuel Economy, CityHighway, L/100km LX EX SX	Layout	Front engine, front wheel drive		Front engine, front wheel drive		
Rear suspension Coupled torsion beam axle with gas shock absorber Coupled torsion beam axle with gas shock absorber Steering Electric power steering Electric power steering Brakes LX+ & EX SX Type 4-wheel disc 4-wheel disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mm (in.) 280 (11.0) vented discs 280 (11.0) vented discs 300 (11.8) vented discs Rear, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b.) LX EX & SX LX+ & EX SX Maximum curb weight 1.328 - 1.350 (2.928 - 2.976) 1.374 (3.029) 1.367 - 1.387 (3.014 - 3.058) 1.412 (3.113) Gross vehicle weight 1.740 - 1.760 (3.836 - 3.880) 1.770 (3.902) 1.780 - 1.880 (3.924 - 3.968) 1.840 (4.057) Cargo capacity (seats winght) 2.691 (95) 2.740 (97) 2.740 (97) 2.740 (97) Cargo capacity (seats winght) 4.21 (14.9) 657 (23.2) 50 50 Fuel Economy, FX SX SX	Body type	Unibody		Unibody		
Steering Electric power steering Electric power steering Brakes LX+ & EX SX Type 4-wheel disc 4-wheel disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mm (in.) 280 (11.0) vented discs 280 (11.0) vented discs 300 (11.8) vented discs Rear, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b.) LX EX & SX LX+ & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,780 (98) 1 1 Interior volume with sunroof 2,691 (95) 2,740 (97) 2 2 2 Gargo capacity (seats upright) 421 (14.9) 657 (23.2) 50 50 50 Fuel Economy, CityHeig	Front suspension	MacPherson struts, coil springs a	nd gas shock absorber	MacPherson struts, coil springs a	nd gas shock absorber	
Brakes LX+ & EX SX Type 4-wheel disc 4-wheel disc 4-wheel disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, rmm (in.) 280 (11.0) vented discs 280 (11.0) vented discs 300 (11.8) vented discs Rear, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b.) LX EX & SX LX+ & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (au, ft.) Interior volume 2,723 (96) 2,740 (97) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) 50 Fuel tank capacity, L 50 50 50 Fuel Economy, CityHelghway, L/100km LX EX SX LX+ EX SX Manual transmission 9	Rear suspension	Coupled torsion beam axle with g	as shock absorber	Coupled torsion beam axle with g	as shock absorber	
Type 4-wheel disc 4-wheel disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mm (in.) 280 (11.0) vented discs 280 (11.0) vented discs 300 (11.8) vented discs Rear, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (lb.) LX EX & SX LX+ & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,740 (97) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) 50 Fuel Economy, 50 50 50 Fuel Economy, LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Steering	Electric power steering		Electric power steering		
Type 4-wheel disc 4-wheel disc 4-wheel disc ABS 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mm (in.) 280 (11.0) vented discs 280 (11.0) vented discs 300 (11.8) vented discs Rear, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (lb.) LX EX & SX LX+ & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,740 (97) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) 50 Fuel Economy, 50 50 50 Fuel Economy, LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -						
ABS 4-sensor, 4-channel 4-sensor, 4-channel 4-sensor, 4-channel Front, mm (in.) 280 (11.0) vented discs 280 (11.0) vented discs 300 (11.8) vented discs Rear, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (lb.) LX EX & SX LX+ & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367 - 1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780 - 1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,740 (97) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) 50 Fuel tank capacity, L 50 50 50 Fuel Economy, City/Highwag, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Brakes			LX+ & EX	SX	
Front, mm (in.) 280 (11.0) vented discs 280 (11.0) vented discs 300 (11.8) vented discs Rear, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (b.) LX EX & SX LX+ & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780 - 1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,780 (98) 1 1 Interior volume with sunroof 2,691 (95) 2,740 (97) 2,740 (97) 2 2 Cargo capacity (seats upright) 421 (14.9) 50 50 50 50 Fuel Economy, (ity/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -		4-wheel disc		4-wheel disc	4-wheel disc	
Rear, mm (in.) 262 (10.3) solid discs 262 (10.3) solid discs 262 (10.3) solid discs Curb Weight, kg (lb.) LX EX & SX LX+ & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,773 (96) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 50 50 50 Fuel Economy, City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	ABS	4-sensor, 4-channel		4-sensor, 4-channel	4-sensor, 4-channel	
Curb Weight, kg (lb.) LX EX & SX LX+ & EX SX Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) L Z,723 (96) 2,780 (98) 1.412 (3,113) Interior volume 2,691 (95) 2,740 (97) 2,740 (97) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) 50 50 Fuel Economy, City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - - 9.8/7.3 - -	Front, mm (in.)	280 (11.0) vented discs		280 (11.0) vented discs	300 (11.8) vented discs	
Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,780 (98) Interior volume with sunroof 2,691 (95) 2,740 (97) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) 50 Fuel Economy, City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Rear, mm (in.)	262 (10.3) solid discs		262 (10.3) solid discs	262 (10.3) solid discs	
Maximum curb weight 1,328 - 1,350 (2,928 - 2,976) 1,374 (3,029) 1,367-1,387 (3,014 - 3,058) 1,412 (3,113) Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,780 (98) Interior volume with sunroof 2,691 (95) 2,740 (97) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) 50 Fuel Economy, City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Curb Weight kg (lb)	IX	FX & SX	1 X+ & FX	SX	
Gross vehicle weight 1,740 - 1,760 (3,836 - 3,880) 1,770 (3,902) 1,780-1,800 (3,924 - 3,968) 1,840 (4,057) Capacities, L (cu. ft.) Interior volume 2,723 (96) 2,780 (98) Interior volume with sunroof 2,691 (95) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) Fuel tank capacity, L 50 50 LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -						
Capacities, L (cu. ft.) 2,723 (96) 2,780 (98) Interior volume 2,691 (95) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) Fuel tank capacity, L 50 50 Fuel Economy, City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -						
Interior volume 2,723 (96) 2,780 (98) Interior volume with sunroof 2,691 (95) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) Fuel tank capacity, L 50 50 Fuel Economy, Gity/Highway, L/100km LX EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -				1,700 1,000 (3,52 1 3,500)		
Interior volume with sunroof 2,691 (95) 2,740 (97) Cargo capacity (seats upright) 421 (14.9) 657 (23.2) Fuel tank capacity, L 50 50 Fuel Economy, Gity/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Capacities, L (cu. ft.)					
Cargo capacity (seats upright) 421 (14.9) 657 (23.2) Fuel tank capacity, L 50 50 Fuel Economy, City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Interior volume	2,723 (96)		2,780 (98)		
Fuel tank capacity, L 50 50 Fuel Economy, City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Interior volume with sunroof	2,691 (95)		2,740 (97)		
Fuel Economy, City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Cargo capacity (seats upright)	421 (14.9)		657 (23.2)		
City/Highway, L/100km LX EX SX LX+ EX SX Manual transmission 9.4/6.8 - - 9.8/7.3 - -	Fuel tank capacity, L	50		50		
Manual transmission 9.4/6.8 – – 9.8/7.3 – –	Fuel Economy,					
	City/Highway, L/100km	LX EX	SX	LX+ EX	SX	
Automatic transmission 8.0/6.1 9.4/7.0 9.4/7.0 9.4/7.0 9.4/7.0 9.4/7.9	Manual transmission	9.4/6.8 –	-	9.8/7.3 –		
	Automatic transmission	8.0/6.1 9.4/7.0	9.4/7.0	9.4/7.0 9.4/7.0	9.4/7.9	

	Forte		Forte5		
Engine	LX	EX & SX	LX+ & EX	SX	
Туре	2.0L, MPI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	1.6L, Turbocharged-GDI, Inline 4 cylinder, all aluminum	
Valve train	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)				
Horsepower	147 hp @ 6,200 rpm	164 hp @ 6,200 rpm	164 hp @ 6,200 rpm	201 hp @ 6,000 rpm	
Torque	132 lbft. @ 4,500 rpm	151 lbft. @ 4,000 rpm	151 lbft. @ 4,000 rpm	195 lbft. @ 1,500 - 4,500 rpm	
Compression ratio	12.5:1	11.5:1	11.5:1	9.5:1	
Intake	Variable Intake System (VIS)				
Fuel management	Multi-port Injection (MPI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	
Recommended fuel	Regular unleaded	Regular unleaded	Regular unleaded	Regular unleaded	
Transmission	6-speed manual; available 6-speed Sportmatic automatic	6-speed Sportmatic automatic	6-speed manual; available 6-speed Sportmatic automatic	7-speed dual-clutch, Sportmatic automatic	
Dimensions, mm (in.)					
Wheelbase	2,700 (106.3)		2,700 (106.3)		
Length	4,560 (179.5)		4,350 (171.3)		
Width	1,780 (70.1)		1,780 (70.1)		
Height	1,430 (56.5)		1,450 (57.1)		
Ground clearance	135 (5.3)		140 (5.5)		
Head room - (front/rear)	992 / 948 (39.1 / 37.3)		1,000 / 983 (39.3 / 38.7)		
Shoulder room - (front/rear)	1,424 / 1,395 (56.1 / 54.9)		1,424 / 1,395 (56.1 / 54.9)		
Leg room - (front/rear)	1,073 / 913 (42.2 / 35.9)		1,073 / 913 (42.2 / 35.9)		
Hip room - (front/rear)	1,366 / 1,348 (53.8 / 53.1)		1,366 / 1,348 (53.8 / 53.1)		
Body & Chassis					
Layout	Front engine, front wheel drive		Front engine, front wheel drive		
Body type	Unibody		Unibody		
Front suspension	MacPherson struts, coil springs a		MacPherson struts, coil springs a	•	
Rear suspension	Coupled torsion beam axle with g	as shock absorber	Coupled torsion beam axle with g	as shock absorber	
Steering	Electric power steering		Electric power steering		
Brakes			LX+ & EX	SX	
Туре	4-wheel disc		4-wheel disc	4-wheel disc	
ABS	4-sensor, 4-channel		4-sensor, 4-channel	4-sensor, 4-channel	
Front, mm (in.)	280 (11.0) vented discs		280 (11.0) vented discs	300 (11.8) vented discs	
Rear, mm (in.)	262 (10.3) solid discs		262 (10.3) solid discs	262 (10.3) solid discs	
Curb Weight, kg (lb.)	LX	EX & SX	LX+ & EX	SX	
Maximum curb weight	1,328 - 1,350 (2,928 - 2,976)	1,374 (3,029)	1,367-1,387 (3,014 - 3,058)	1,412 (3,113)	
Gross vehicle weight	1,740 - 1,760 (3,836 - 3,880)	1,770 (3,902)	1,780-1,800 (3,924 - 3,968)	1,840 (4,057)	
Capacities, L (cu. ft.)					
Interior volume	2,723 (96)		2,780 (98)		
Interior volume with sunroof	2,691 (95)		2,740 (97)		
Cargo capacity (seats upright)	421 (14.9)		657 (23.2)		
Fuel tank capacity, L	50		50		
Fuel Francisco					
Fuel Economy, City/Highway, L/100km	LX EX	SX	LX+ EX	SX	
Manual transmission	9.4/6.8 –	_	9.8/7.3 –	_	
Automatic transmission	8.0/6.1 9.4/7.0	9.4/7.0	9.4/7.0 9.4/7.0	9.4/7.9	
	5.5, 5.1 5.4/7.0	5.77.0	5.4/7.0	ב. ו וד. כ	

Forte		Forte	Forte5		
Engine	LX	EX & SX	LX+ & EX	SX	
Туре	2.0L, MPI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	1.6L, Turbocharged-GDI, Inline 4 cylinder, all aluminum	
Valve train	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)	
Horsepower	147 hp @ 6,200 rpm	164 hp @ 6,200 rpm	164 hp @ 6,200 rpm	201 hp @ 6,000 rpm	
Torque	132 lbft. @ 4,500 rpm	151 lbft. @ 4,000 rpm	151 lbft. @ 4,000 rpm	195 lbft. @ 1,500 - 4,500 rpm	
Compression ratio	12.5:1	11.5:1	11.5:1	9.5:1	
Intake	Variable Intake System (VIS)	Variable Intake System (VIS)	Variable Intake System (VIS)	Variable Intake System (VIS)	
Fuel management	Multi-port Injection (MPI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	
Recommended fuel	Regular unleaded	Regular unleaded	Regular unleaded	Regular unleaded	
Transmission	6-speed manual; available 6-speed Sportmatic automatic	6-speed Sportmatic automatic	6-speed manual; available 6-speed Sportmatic automatic	7-speed dual-clutch, Sportmatic automatic	
Dimensions, mm (in.)					
Wheelbase	2,700 (106.3)		2,700 (106.3)		
Length	4,560 (179.5)		4,350 (171.3)		
Width	1,780 (70.1)		1,780 (70.1)		
Height	1,430 (56.5)		1,450 (57.1)		
Ground clearance	135 (5.3)		140 (5.5)		
Head room - (front/rear)	992 / 948 (39.1 / 37.3)		1,000 / 983 (39.3 / 38.7)		
Shoulder room - (front/rear)	1,424 / 1,395 (56.1 / 54.9)		1,424 / 1,395 (56.1 / 54.9)		
Leg room - (front/rear)	1,073 / 913 (42.2 / 35.9)		1.073 / 913 (42.2 / 35.9)		
Hip room - (front/rear)	1,366 / 1,348 (53.8 / 53.1)		1,366 / 1,348 (53.8 / 53.1)		
Layout Body type Front suspension Rear suspension	Front engine, front wheel drive Unibody MacPherson struts, coil springs a Coupled torsion beam axle with g		Front engine, front wheel drive Unibody MacPherson struts, coil springs and gas shock absorber Coupled torsion beam axle with gas shock absorber		
Steering	Electric power steering		Electric power steering		
Brakes			LX+ & EX	SX	
Туре	4-wheel disc		4-wheel disc	4-wheel disc	
ABS	4-sensor, 4-channel		4-sensor, 4-channel	4-sensor, 4-channel	
Front, mm (in.)	280 (11.0) vented discs		280 (11.0) vented discs	300 (11.8) vented discs	
Rear, mm (in.)	262 (10.3) solid discs		262 (10.3) solid discs	262 (10.3) solid discs	
Curb Weight, kg (lb.)	LX	EX & SX	LX+ & EX	SX	
Maximum curb weight	1,328 - 1,350 (2,928 - 2,976)	1,374 (3,029)	1,367-1,387 (3,014 - 3,058)	1,412 (3,113)	
Gross vehicle weight	1,740 - 1,760 (3,836 - 3,880)	1,770 (3,902)	1,780-1,800 (3,924 - 3,968)	1,840 (4,057)	
Capacities, L (cu. ft.)					
Interior volume	2,723 (96)		2,780 (98)		
Interior volume with sunroof	2,691 (95)		2,740 (97)		
Cargo capacity (seats upright)	421 (14.9)		657 (23.2)		
Fuel tank capacity, L	50		50		
Fuel Economy,		CY.	LX+ EX	CV.	
City/Highway, L/100km Manual transmission	LX EX	SX		SX	
	51 17 010		3.0(7.5		
Automatic transmission	8.0/6.1 9.4/7.0	9.4/7.0	9.4/7.0 9.4/7.0	9.4/7.9	

Forte		Forte5		
Engine	LX	EX & SX	LX+ & EX	SX
Туре	2.0L, MPI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	1.6L, Turbocharged-GDI, Inline 4 cylinder, all aluminum
Valve train	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)			
Horsepower	147 hp @ 6,200 rpm	164 hp @ 6,200 rpm	164 hp @ 6,200 rpm	201 hp @ 6,000 rpm
Torque	132 lbft. @ 4,500 rpm	151 lbft. @ 4,000 rpm	151 lbft. @ 4,000 rpm	195 lbft. @ 1,500 - 4,500 rpn
Compression ratio	12.5:1	11.5:1	11.5:1	9.5:1
Intake	Variable Intake System (VIS)			
Fuel management	Multi-port Injection (MPI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)
Recommended fuel	Regular unleaded	Regular unleaded	Regular unleaded	Regular unleaded
Transmission	6-speed manual; available 6-speed Sportmatic automatic	6-speed Sportmatic automatic	6-speed manual; available 6-speed Sportmatic automatic	7-speed dual-clutch, Sportmatic automatic
Dimensions, mm (in.)				
Wheelbase	2,700 (106.3)		2,700 (106.3)	
Length	4,560 (179.5)		4,350 (171.3)	
Width	1,780 (70.1)		1,780 (70.1)	
Height	1,430 (56.5)		1,450 (57.1)	
Ground clearance	135 (5.3)		140 (5.5)	
Head room - (front/rear)	992 / 948 (39.1 / 37.3)		1,000 / 983 (39.3 / 38.7)	
Shoulder room - (front/rear)	1,424 / 1,395 (56.1 / 54.9)		1,424 / 1,395 (56.1 / 54.9)	
Leg room - (front/rear)	1,073 / 913 (42.2 / 35.9)		1,073 / 913 (42.2 / 35.9)	
Hip room - (front/rear)	1,366 / 1,348 (53.8 / 53.1)		1,366 / 1,348 (53.8 / 53.1)	
Body & Chassis				
Layout	Front engine, front wheel drive		Front engine, front wheel drive	
Body type	Unibody		Unibody	
Front suspension	MacPherson struts, coil springs a	nd gas shock absorber	MacPherson struts, coil springs a	nd gas shock absorber
Rear suspension	Coupled torsion beam axle with g	as shock absorber	Coupled torsion beam axle with g	jas shock absorber
Steering	Electric power steering		Electric power steering	
Brakes			LX+ & EX	SX
Туре	4-wheel disc		4-wheel disc	4-wheel disc
ABS	4-sensor, 4-channel		4-sensor, 4-channel	4-sensor, 4-channel
Front, mm (in.)	280 (11.0) vented discs		280 (11.0) vented discs	300 (11.8) vented discs
Rear, mm (in.)	262 (10.3) solid discs		262 (10.3) solid discs	262 (10.3) solid discs
Curb Weight, kg (lb.)	LX	EX & SX	LX+ & EX	SX
Maximum curb weight	1,328 - 1,350 (2,928 - 2,976)	1,374 (3,029)	1,367-1,387 (3,014 - 3,058)	1,412 (3,113)
Gross vehicle weight	1,740 - 1,760 (3,836 - 3,880)	1,770 (3,902)	1,780-1,800 (3,924 - 3,968)	1,840 (4,057)
Capacities, L (cu. ft.)				
Interior volume	2,723 (96)		2,780 (98)	
Interior volume with sunroof	2,691 (95)		2,740 (97)	
Cargo capacity (seats upright)	421 (14.9)		657 (23.2)	
Fuel tank capacity, L	50		50	
Fuel Economy,		C /		~
City/Highway, L/100km	LX EX	SX	LX+ EX	SX
Manual transmission	9.4/6.8 –	-	9.8/7.3 –	-
Automatic transmission	8.0/6.1 9.4/7.0	9.4/7.0	9.4/7.0 9.4/7.0	9.4/7.9

	I	Forte	Forte5		
Engine	LX	EX & SX	LX+ & EX	SX	
Туре	2.0L, MPI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	2.0L, GDI, Inline 4 cylinder, all aluminum	1.6L, Turbocharged-GDI, Inline 4 cylinder, all aluminum	
Valve train	DOHC, 16 valve, Dual-cam variable valve timing (D-CVVT)				
Horsepower	147 hp @ 6,200 rpm	164 hp @ 6,200 rpm	164 hp @ 6,200 rpm	201 hp @ 6,000 rpm	
Torque	132 lbft. @ 4,500 rpm	151 lbft. @ 4,000 rpm	151 lbft. @ 4,000 rpm	195 lbft. @ 1,500 - 4,500 rpm	
Compression ratio	12.5:1	11.5:1	11.5:1	9.5:1	
ntake	Variable Intake System (VIS)				
uel management	Multi-port Injection (MPI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	Gasoline direct injection (GDI)	
Recommended fuel	Regular unleaded	Regular unleaded	Regular unleaded	Regular unleaded	
Transmission	6-speed manual; available 6-speed Sportmatic automatic	6-speed Sportmatic automatic	6-speed manual; available 6-speed Sportmatic automatic	7-speed dual-clutch, Sportmatic automatic	
Dimensions, mm (in.)					
Wheelbase	2,700 (106.3)		2,700 (106.3)		
Length	4,560 (179.5)		4,350 (171.3)		
Vidth	1,780 (70.1)		1,780 (70.1)		
leight	1,430 (56.5)		1,450 (57.1)		
Ground clearance	135 (5.3)		140 (5.5)		
Head room - (front/rear)	992 / 948 (39.1 / 37.3)		1,000 / 983 (39.3 / 38.7)		
Shoulder room - (front/rear)	1,424 / 1,395 (56.1 / 54.9)		1,424 / 1,395 (56.1 / 54.9)		
.eg room - (front/rear)	1,073 / 913 (42.2 / 35.9)		1,073 / 913 (42.2 / 35.9)		
lip room - (front/rear)	1,366 / 1,348 (53.8 / 53.1)		1,366 / 1,348 (53.8 / 53.1)		
Body & Chassis Layout Body type	Front engine, front wheel drive Unibody		Front engine, front wheel drive Unibody		
Front suspension	MacPherson struts, coil springs a	nd gas shock absorber	MacPherson struts, coil springs	and gas shock absorber	
Rear suspension	Coupled torsion beam axle with g	as shock absorber	Coupled torsion beam axle with	gas shock absorber	
Steering	Electric power steering		Electric power steering		
Brakes			LX+ & EX	SX	
Туре	4-wheel disc		4-wheel disc	4-wheel disc	
ABS	4-sensor, 4-channel		4-sensor, 4-channel	4-sensor, 4-channel	
Front, mm (in.)	280 (11.0) vented discs		280 (11.0) vented discs	300 (11.8) vented discs	
Rear, mm (in.)	262 (10.3) solid discs		262 (10.3) solid discs	262 (10.3) solid discs	
Curb Weight, kg (lb.)	LX	EX & SX	LX+ & EX	SX	
Maximum curb weight	1,328 - 1,350 (2,928 - 2,976)	1,374 (3,029)	1,367-1,387 (3,014 - 3,058)	1,412 (3,113)	
Gross vehicle weight	1,740 - 1,760 (3,836 - 3,880)	1,770 (3,902)	1,780-1,800 (3,924 - 3,968)	1,840 (4,057)	
Capacities, L (cu. ft.)					
nterior volume	2,723 (96)		2,780 (98)		
nterior volume with sunroof	2,691 (95)		2,740 (97)		
Cargo capacity (seats upright)	421 (14.9)		657 (23.2)		
Fuel tank capacity, L	50		50		
Fuel Economu					
	LX EX	SX	LX+ EX	SX	
Fuel Economy, City/Highway, L/100km Manual transmission	LX EX 9.4/6.8 –	SX _	LX+ EX 9.8/7.3 –	SX _	

1. Please note that your vehicle may not be equipped with all features described. This also applies to safety-related systems and functions. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving and are not a substitute for safe driving practices. Some features may have technological limitations. For additional information regarding the various features, including their limitations and restrictions, please refer to your vehicle's Owner's Manual. 2. Compatible smartphone required. Data rates may apply, please check with your wireless service provider. 3. When equipped with the navigation system, French voice commands may be limited. 4. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. A compatible Bluetooth wireless technology. 5. SiriusXM® satellite radio service includes 3 month trial and is available in the 10 provinces and three territories of Canada, and the 48 contiguous states of the U.S. Monthly subscription sold separately after three trial months. 6. Apple, the Apple logo, CarPlay and iPhone are trademarks of Apple Inc., registered in the US and other countries. App Store is a service mark of Apple Inc. 7. Google, Google Play, Google Maps, and Android Auto are trademarks of Google Inc. 8. The Kia 5-year/100,000-km warranty includes various warranties and roadside assistance. Some restrictions apply. For more information call us at 1-877-542-2886 or visit to kia.ca.


EXTERIOR COLOURS



M = Metallic, P = Pearl

The exterior and interior colours in this brochure are as close to the actual vehicle production colours as the printing process allows.

INTERIOR COLOURS



17" machined-finish

WHEELS

15" steel wheel cover





16" alloy wheel





18" machined-finish

alloy wheel (Forte5)

ΈΙ/

Genuine Parts & Accessories

Kia Accessories are built to the same high standards of quality as your vehicle. That means they fit right, work right, and look great. Talk to your Dealer today or visit kia.ca to explore accessory options for your Kia.

Accessory wheels



All-weather floor mats





Cargo tray



* Available accessories may vary. See Dealer for details. Images shown for illustration purposes only.





Kia is committed to producing exceptional vehicles with superb quality and reliability to suit your driving needs. From compact to crossover, every Kia delivers an extraordinary combination of precision engineering, outstanding performance, innovative features, and advanced safety systems.

STUNNING DESIGN

Under the direction of renowned President and Chief Design Officer Peter Schreyer - Kia vehicles have captured worldwide attention for their interior and exterior styling, which represents the collaborative work of designers who have created a look that makes every Kia recognizable at first sight. Today, the lineup consists of vehicles that fill owners, as well as Kia's designers, with pride.

EXTENSIVE RESEARCH AND DEVELOPMENT

Kia's R&D procedures are rigorous and exhaustive. At proving grounds around the world, vehicles undergo unrelenting tests. A world-class wind tunnel provides testing in winds up to 200 km/h. Utilizing heavy-rain-and-snowfall testing chambers and a road simulator, Kia puts its vehicles through punishing tests as part of a commitment to develop exceptionally durable and safe vehicles.

Get the points.



Kia Member Rewards is an exclusive rewards program for Kia customers.

As a Kia Rewards Member, you'll earn points with every dollar you spend on maintenance service, parts and accessories at your servicing Kia dealer. Those Reward Points can be redeemed for discounts on future purchases – including the purchase of a new Kia. Plus earn Bonus Points on select items and services to collect rewards even faster.

Kia Member Rewards No-Charge Benefits

- Fuel fill-up with the delivery of your new Kia vehicle
- Local shuttle service





Provo concept

• Multi-point vehicle inspection with every service visit • Windshield washer fill-up with every paid service

- Windshield wiper installation with wiper purchase
- Preferential rates on car rentals, nationwide
- 24/7 Roadside Assistance for your vehicle under Kia's 5-year/unlimited km warranty or Certified Pre-Owned warranty
- Email notification of exclusive Kia specials and events – a great way to earn Reward Points and save on future purchases

Become a Kia Premium Rewards Member:

Ask your Kia Dealer how you can enjoy even more benefits.

Enroll Today:

Becoming a Kia Rewards Member is easy. See your Kia Dealer today to join. Visit rewards.kia.ca for full terms and conditions.

We've got you **covered.**



Kia engineers are passionate about producing vehicles that are exceptionally well-designed and reliable. Their dedication to quality and attention to detail give Kia the confidence to back every model with an outstanding warranty program.

Our outstanding warranty coverage includes:

5-year/100,000 km - Worry-free comprehensive warranty covering virtually the entire vehicle⁸

5-year/100,000 km - Powertrain Warranty covering the engine, transmission, axles, differentials and driveshafts⁸

5-year/unlimited km - Roadside Assistance covers you in case of mechanical breakdown anywhere in North America⁸

.

1-year/20,000 km - First-year adjustments covering consumable items such as bulbs, wiper blades, fuses, brake pads, etc.⁸

8-year/130,000 km – Major Emission Components that guarantee that the car will conform with government emission regulations⁸

For more information visit kia.ca or call 1-877-542-2886





As the official automotive partner of Special Olympics Canada, Kia Canada is proud to be taking a hands-on role in helping to spread the message of acceptance and inclusion – as well as providing funds and transportation needs to support the daily and competitive sport programs that serve more than 42,000 children, youth and adults with an intellectual disability in communities all across Canada. Please visit **SpecialOlympics.ca** to learn more about this inspiring movement and how you can volunteer and/or donate to this very special cause.

facebook.com/kiacanada

- 4

E twitt

twitter.com/kiacanada

youtube.com/kiacanada

All information contained herein was accurate and correct at the time of printing. Kia Canada Inc. reserves the right to make changes at any time without notice, and without any obligations as to colours, materials, specifications, features, accessories, packages, models and any applicable programs. Some vehicles shown may include optional equipment or may not be exactly as shown. Kia Canada Inc., by the publication and dissemination of this material, does not create any warranties, either expressed or implied, to any Kia products. See your Kia dealer or website for further details. Reproduction of the contents of this material without the expressed written approval of Kia Canada Inc. is prohibited. © Copyright 2017 Kia Canada Inc. Printed in Canada, September 2017.

FSC LOGO