# Innovation that excites

# NV° CARGO and NV° PASSENGER

#### **NV® CARGO AND NV® PASSENGER**

Isn't it time you were passionate about the vehicle you drive? Welcome to the NV® Cargo and NV® Passenger.®

And follow Nissan Canada on:









Innovation that excites

#### visit ncv.nissan.ca

All NV\* Cargo and NV\* Passenger vehicles include standard splash guards. Some images are shown without the standard splash guards.

Facebook\* is a registered trademark of Facebook, Inc. Twitter\* is a registered trademark of Twitter, Inc. YouTube\* is a registered trademark of Google Inc.

All illustrations, photographs and specifications in this brochure are based on the latest product information. See actual vehicle for complete accuracy. Nissan Canada Inc. reserves the right to make changes at any time, without notice, in prices, colours, materials, equipment, specifications and models, and to discontinue models or equipment. For information on additional options and accessories, contact your Nissan Dealership. Registered trademarks are property of their respective owners.

At nissan.ca, you'll find a way to "build your own Nissan," a dealer locator, and more information about key Nissan support services. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licenced to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Always wear your seat belt, and please don't drink and drive. Printed in October 2015. Catalogue number: 99999-NV16EN © 2015 Nissan Canada Inc. All rights reserved.



### **5-YEAR/160,000 KILOMETRES**<sup>1</sup>

Going above and beyond is the Nissan way. After passing all of the brutal quality and durability testing we can think of, we're sure you'll have a van you can count on. To prove our confidence and our commitment, we are pleased to offer Canada's Best Commercial Van Limited Warranty. A full bumper-to-bumper limited warranty for 5 years or 160,000 kilometres, whichever comes first. And that means we've got your back, so you can keep moving forward. For more details of the warranty, please go to **ncv.nissan.ca** or ask your Nissan Commercial Vehicles Dealer.<sup>1</sup>

¹Nissan's New Vehicle Limited Warranty basic coverage excludes tires, corrosion coverage and emission performance and defect coverage (applicable coverage is provided under other separate warranties). Other general exclusions and terms and conditions also apply. For complete information concerning coverage, conditions and exclusions, see your Nissan dealer and read the actual New Vehicle Limited Warranty booklet.











# OVER 100000 KILOMETRES AND 7,000 QUALITY AND DURABILITY TESTS.

ONE UNSHAKEABLE COMMITMENT. Fanatical? Maybe. But when it comes to making the toughest commercial vans you can buy, we go the extra distance for you. And for Nissan Commercial Vehicles, it's no Sunday drive. We simulate years of corrosion where we soak a van with salt, bake it, and pound it around a test track. We wreak havoc with suspension and body components by driving through potholes, dips and over 4 x 4 beams. Special chambers crank up the heat to 62° C and humidity to 95% to break down seals and age interiors.

We even have machines that can simulate nearly any road in the world, and we run our vans on them non-stop for 12 hours, 24 hours, or even more. Do we really need to go to such extremes, just to make a Nissan Commercial Vehicle the best you've ever owned? Yes, because every day, you depend on your van to do your job. That's the motivation for us to do ours.



## NV® CARGO HIGH ROOF THE STANDOUT THAT LETS YOU STAND TALL.

323 cu. FT.

Cargo-carrying flexibility and interior room are the reasons you buy a van. The NV® Cargo High Roof maximizes your opportunities with a huge 323 cubic feet (9,149 litres) of cargo capacity, stand-up room for someone 6'3" (1,905 mm) tall, and floor space that can carry up to two 40" x 48" pallets!

Every NV® Cargo model also pays big dividends when loading, with low step-in heights all around, a large sliding side door, and forklift-friendly rear doors that swing 243° wide and stay open thanks to powerful magnets. Once you're inside you'll appreciate big items like an upfit-friendly design that lets you customize your NV® Cargo to your needs, and smart touches like available rear cargo door storage.

## NV® CARGO STANDARD ROOF A BIG WORK AREA EVEN IN THE TIGHTEST SPACES.

234 cu. FT.

With NV® Cargo Standard Roof, you've got easy access to the work site, with a truck-like design that improves visibility and maneuverability, and a roof height that fits easily into an eight-foot-tall garage. Once you're there, you've got rear doors that open up to 243° and stay open thanks to magnetic door stops. You've also got an easy-sliding side door that opens nearly 3.5 feet wide. And with up to 21-inch (531-mm) step-in height front and rear, you've got easy access to 234 cubic feet (6,629 litres) of cargo space.¹ Easy to get there. Easy to get what you need. That's a standard every commercial vehicle should be held to.

<sup>1</sup>Cargo shown for display purposes only. Cargo and load capacity limited by weight and distribution. Always secure all cargo. On NV® Cargo High Roof models, do not place sharp objects or store objects in the front of the overhead compartment that exceed height of shelving lip. See Owner's Manual for details.

#### **NISSAN UPFIT ENGINEERING** INNOVATION THAT YOU CAN BUILD ON.



With Nissan Upfit Engineering, NV® Cargo has been designed to let you create a commercial vehicle that works especially hard for the unique needs of your business. Unlike most vans, the NV® Cargo starts with a unique flat-wall interior design. This maximizes all-important floor space, plus opens up room at the top of the cargo-containment system. Add in interior integrated reinforced cargo-mounting points that ensure upfitting is easy and durable, and impressive interior space, and you'll find the North American-built NV® Cargo is an ideal canvas for upfitters – and your own ingenuity.1



Integrated roof rack- mounting points help secure racks and reduce likelihood of rusting caused by drilling into sheet metal.



Three available cargo lights make it easy to find what vou need.



Six floor-mounted D-ring tie-downs rated to 1.124 lbs. (509 kg).



Flat wheel-wells are designed to aid in stacking boxes.



Available 120-volt outlet is easily accessible when vou're outside.



Magnets hold the cargo doors securely in their fully open position.







Fully boxed full-length ladder frame. The core of every NV® Cargo, it's tough, durable, and helps provide outstanding towing capabilities. You don't need to be a structural engineer to know the obvious - when building, four walls are stronger.



¹Cargo shown for display purposes only. Cargo and load capacity limited by weight and distribution. Always secure all cargo. On High Roof models, do not place sharp objects or store objects in the front of the overhead compartment that exceed height of shelving lip. See Owner's Manual for details. Heavy loading of the vehicle with cargo, especially on the roof, will affect the handling and stability of the vehicle. ²The Sonar System is a convenience, not a substitute for proper parking and/or backing procedures. Always check that it is safe to do so before moving vehicle. May not detect every object.



Your van is your office. And with long days on the road, you need a workspace that's as comfortable as it is smart. And unlike many competitors, NV® Cargo's truck-like design places the engine out front, giving plenty of leg room and foot space for driver and passenger. When you're ready to get down to business, you have class-exclusive features like an available multitasking locking centre console<sup>1</sup> and a standard fold-down front passenger seat to create a convenient work desk. And with wear- and spill-resistant seats, while vou're working hard today, you'll be looking good for years to come.

'Global Automakers of Canada (GAC) Large Van Segmentation. 2Cargo shown for display purposes only. Cargo and load capacity limited by weight and distribution. Always secure all cargo. On High Roof models, do not place sharp objects or store objects in the front of the overhead compartment that exceed height of shelving lip. See Owner's Manual for details. 3The Sonar System is a convenience, not a substitute for proper parking and/or backing procedures. Always check that it is safe to do so before moving vehicle. May not detect every object. 4Driving is serious business. Only use NissanConnect<sup>SM</sup> Mobile Apps when safe to do so. App availability is dependent upon vehicle model, trim level, packaging, and/or options. See Nissan.ca/NissanConnect for complete app availability details. Never program while driving. GPS mapping may not be detailed in all areas or reflect current road status. Compatible smartphone required. Cellular network and GPS signals not available in all areas and/or at all times. Cellular technology is evolving, and changes to cellular networks provided by independent companies are not within Nissan's control. Nissan is not responsible for associated costs that may be required for continued operation due to cellular network termination (including equipment upgrades, if available, or roaming charges on alternative networks). Should cellular provider terminate/restrict service, service may be terminated without notice and with no liability to Nissan and its agents or affiliates. Subscription Agreement required and terms and conditions of Subscription Agreement apply. See Nissan.ca/NissanConnect for details. Text rates and/or data usage may apply. Shever program while driving, GPS mapping may not be detailed in all areas or reflect current road status. Use the text messaging feature after stopping your vehicle in a safe location. If you have to use the feature while driving, exercise extreme caution at all times so full attention may be given to vehicle operation. Compatible smartphone required. Standard text rates and/or data usage may apply. <sup>7</sup>Availability of specific features is dependent upon the phone's Bluetooth\* support. Please refer to your phone Owner's Manual for details. Bluetooth\* word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under licence. BParking aid/convenience feature. Cannot completely eliminate blind spots. May not detect every object and does not warn of moving objects. Always check surroundings and turn to look behind you before moving vehicle. \*NavTraffic\*/SiriusXM\*\* Traffic is available in select North American markets. In Canada, at time of printing, incident and flow data is available for 12 metropolitan areas of Canada (Vancouver, Calgary, Edmonton, Toronto, Ottawa, Montreal, Quebec City, Hamilton, St. Catharines, Kitchener, Guelph, and London). Subscription sold separately after trial period. Subscriptions subject to customer agreement at **siriusxm.ca/terms**. Fees and programming subject to change. © 2015 Sirius XM Canada Inc. Sirius, N,® SiriusXM,® and NavTraffic® are registered trademarks of Sirius XM Radio Inc. All other trademarks are property of their respective owners. The App Store® logo is a registered trademark of Apple, Inc. Google Play® logo is a registered trademark of Google, Inc.



High Roof models feature durable overhead storage compartments to keep things within easy reach when you need them.2



NV® Cargo's available locking centre console is a major multitasker. with room for a laptop computer and hanging files. The console also features a cover that slides, creating a convenient work desk.



Vinyl wear patches on inner and outer bolsters.



Under-seat driver's storage.



Available 12-V and 120-V power outlets in centre console. objects up to 6 ft. (1.8 m) away.3



Available Rear Sonar senses

#### BECAUSE BUSINESS IS ALL ABOUT CONNECTIONS.

Never miss a beat with the available Technology Package. Featuring NissanConnect<sup>SM</sup> with Mobile Apps,<sup>4</sup> you've got a suite of high-tech features to help you keep you in business, easily accessed through a 5.8" (147 mm) touch-screen monitor with Voice Recognition. The package also includes the advanced Nissan Navigation System, hands-free text messaging assistant, Bluetooth handsfree calling and a convenient RearView Monitor.<sup>7,8</sup>







on the screen appears when a updates help keep you clear of text message is received. Touch traffic jams, 9 3-D perspective the prompt on the screen, and the Points of Interest (including message is read to you through the audio system.6



**Text-to-speech<sup>6</sup> –** A notification **Navigation<sup>5</sup> –** Real-time traffic ATMs), restaurants, and gas stations.4



Google® Send to Car4 - Send RearView Monitor8 - Helps an address to your NV® Cargo negotiate tight parking situations. from any computer.4 When you Helps driver place vehicle close start the vehicle, the directions to unloading points. will be delivered and loaded into the navigation system.5





#### **POWER TO CHOOSE**

NV® Cargo gives you two powerful choices to suit your needs. The 24-valve, 4.0-L V6 features an advanced Continuously Variable Valve Timing Control System that delivers seamless power with optimum fuel efficiency. Step up to the 5.6-L V8 and you'll find an aluminum block with a forged crankshaft and cast-iron cylinder liners for maximum strength. Both engines feature specially coated piston skirts and microfinishing of key components to help reduce friction for smooth response and less wear and tear. Backed up by a rugged 5-speed automatic transmission, and with its body-on-frame design and full-length fully-boxed ladder frame, NV® Cargo is built to tow heavy loads.1

#### MAXIMUM PAYLOAD - LBS. (KG)

	NV1500® S	NV2500® S	NV2500® SV	NV3500® S	NV3500® SV
Std. Roof (V6)	2744 (1245)	3265 (1481)	3139 (1424)	_	_
Std. Roof (V8)	_	3193 (1448)	2982 (1353)	3985 (1808)	3775 (1712)
High Roof (V6)	-	3101 (1407)	2976 (1350)	_	_
High Roof (V8)	_	3040 (1379)	2829 (1283)	3832 (1738)	3621 (1643)

261 horsepower / 281 lb-ft of torque NV® Cargo: up to 7,000-lb. (3,175-kg) towing capacity1

317 horsepower / 385 lb-ft of torque NV® Cargo: up to 9,500-lb. (4,309-kg) towing capacity<sup>2</sup>

¹Requires accessory tow hitch receiver. See Nissan Towing Guide and Owner's Manual for proper use. ²Standard on V8 models. See Nissan Towing Guide and Owner's Manual for proper use. ³Airbags are only a supplemental restraint system; always wear your seat belt. Rear-facing child restraints should not be placed in the front passenger's seat. All children 12 and under should ride in a 2nd, 3rd, or 4th row seat properly secured in child restraints, booster seats, or seat belts according to their size. Airbags will only inflate in certain accidents. Rear-facing child restraints should not be used in NV® Cargo vehicles. See Owner's Manual for details. 4Global Automakers of Canada (GAC) Large Van Segmentation. 5VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques.

#### **ENGINEERED TO PROTECT**

When a collision is unavoidable, advanced technology helps minimize injury and keep you safe. Nissan's Zone Body construction further strengthens that line of defense, helping to absorb impact and protect everyone on board.

#### Six Airbags<sup>3</sup>

- (2) Dual-stage supplemental front airbags<sup>3</sup>
- (2) Seat-mounted driver and passenger side-impact supplemental airbags<sup>3</sup>
- (2) Roof-mounted curtain side-impact airbags with rollover sensor for front outboard occupant head protection<sup>3</sup>



#### **EQUIPPED TO RESPOND**

When you need to respond to a potentially harmful situation, you'll appreciate these standard technologies, along with NV® Cargo's powerful 14.2" brakes, which are the largest in its class.4

- Vehicle Dynamic Control<sup>5</sup>
- Traction Control System
- Anti-lock Braking System
- Brake Override Technology
- Brake Assist



NV® CARGO TRIM BUILD

#### NV® CARGO

#### NV1500® S

- 4.0-litre DOHC V6 engine
- Engine block heater
- 5-speed automatic transmission
- 14" Vented disc brakes front/rear
- 17" Steel wheels with LT245/70R17 tires
- Water-repellent seats with vinyl wear patches on inner and outer bolsters
- Vertical sidewall design
- Full-length, fully boxed ladder frame

- Six floor-mounted D-rings in cargo area with 1,124-lb. (509-kg) rating per ring
- 57 Total integrated reinforced cargo-mounting points
- Ten exterior roof rack-mounting points
- Power windows with driver's one-touch down with auto-reverse
- Power door locks with auto-locking feature
- Remote keyless entry
- Cruise control with steering wheel-mounted controls



#### INCLUDES NV1500® S CONTENTS PLUS:

- Payload increase over NV1500® S¹
- 17" Styled steel wheels
- Multi-functional lockable centre console with 12-volt outlet
- Driver's under-seat storage tray
- Two additional cargo area work lights (three total)
- Rear door storage pocket
- Two additional cup holdersHD badging
- Optional High Roof model with full-width overhead

console and eight exterior roof rack-mounting points

Optional 5.6-litre DOHC V8 engine



#### INCLUDES NV2500® HD S CONTENTS PLUS:

- Rear cargo floor protector
- Chrome bumpers and grille
- Dual power heated mirrors
- Chrome dual power heated extendable tow mirrors (V8)
- Remote keyless entry
- Power windows and door locks
- Hardboard interior cargo panels
- 8-way power driver's seat

- Steering wheel-mounted audio and cruise controls
  - AM/FM/CD/MP3 audio system
  - Bluetooth® Hands-Free Phone System
  - Rear Sonar System
  - Two 120-volt 400-watt AC power outlets
  - Integrated Towing Package (V8)²
  - 9,500-lb. towing capacity (V8)<sup>2</sup>



NV3500® HD S

NV2500® HD SV



NV3500® HD SV

#### NV3500® HD S

#### INCLUDES NV2500® HD S CONTENTS PLUS:

- Payload increase over NV2500® HD S¹
- 5.6-litre DOHC V8 engine

- Final gear ratio of 3.54:1
- LT245/75R17 all-season tires

#### NV3500® HD SV

#### INCLUDES NV2500® HD SV AND NV3500® HD S CONTENTS

#### **KEY AVAILABLE PACKAGES FOR ALL TRIMS:**

- Rear Door Glass Package: Rear door windows with privacy glass, interior rearview mirror, rear window defroster
- Sliding Door Glass Package: Sliding side door window with privacy glass on passenger side

#### **KEY AVAILABLE PACKAGE FOR SV TRIMS:**


SV Technology Package: Nissan Navigation System with 5.8" (147 mm) colour touch-screen monitor, NissanConnect<sup>SM</sup> with Mobile Apps, Nissan Voice Recognition for audio and navigation, SiriusXM® Traffic, hands-free text messaging assistant, MP3/WMA CD playback capability, USB connection port for iPod® interface and other compatible devices, SiriusXM® Satellite Radio, streaming audio via Bluetooth® wireless technology, RearView Monitor

¹When using load index 94, 669 kilogram (1,477 lb) tires. Use of other tires may reduce capacity. ²See Nissan Towing Guide and Owner's Manual for proper use. ³See your Nissan Dealership and read the actual limited warranty. ⁴Parking aid/convenience feature. Cannot completely eliminate blind spots. May not detect every object and does not warn of moving objects. Always check surroundings and turn to look behind you before moving vehicle. Bluetooth⁵ word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Nissan is under licence. The Sirius, \*XM,\* and SiriusXM\* names and all related marks and logos are trademarks of Sirius XM Radio Inc.

#### NV® CARGO PAINT AND FABRIC SELECTIONS

#### MAKE AN IMPRESSION.

You've decided which Nissan NV® Cargo you want, now here comes the best part: choose your favourite colour and decide what it's going to look like.



Super Black KH3

<sup>1</sup>Extra-cost option.

local Nissan dealer.



Cayenne Red<sup>1</sup> NAH



Brilliant Silver<sup>1</sup> K23



23





Arctic Blue Metallic<sup>1</sup> RBG



Vinyl and Grey Cloth

#### GENUINE NISSAN ACCESSORIES

Every Genuine Nissan Accessory is: custom-fit, custom-designed and durability-tested; available for finance and backed by Nissan's 5-year/ 160,000-km Accessories limited warranty when installed by dealer at time of your vehicle purchase.

A. **Telescoping Tow Mirrors**<sup>2</sup> Slide outward for improved visibility.

Nissan has taken care to ensure that the colour swatches

presented here are the closest possible representations of

actual vehicle colours. Swatches may vary slightly due to the printing process and whether viewed in daylight, fluorescent

or incandescent light. Please see the actual colours at your

- B. Weight-distributing Hitch Ball Mount, Class IV<sup>2</sup> Makes for a safer ride when towing.
- C. In-mirror RearView Monitor<sup>4</sup>
  Helps you see what's directly behind the vehicle.
- D. All-season Floor Mats
   Because the weather outside isn't always delightful.

#### **Additional Accessories:**

- Hood Protector
- Auto-dimming Rearview Mirror
- Body Side Mouldings
- Side-window Deflectors
- Towing Accessories<sup>2</sup>
- ■Tow Hooks
- Licence Plate Frames
- And More



Glacier White OAK





See your Nissan dealer for details, or go to ncv.nissan.ca

# **NV® PASSENGER**ROOM FOR 12 AND A BEST-IN-CLASS 324 SEATING CONFIGURATIONS.

With the 2016 Nissan NV® Passenger, there's always room for more. Whether it's sharing a multifamily vacation, taking little leaguers and gear to the game, or being the king of the carpool, NV® Passenger transports your expectations as well as your passengers. You've got easy access to seating with a sliding side door and a low step-in height. Confidence comes along for the ride with integrated headrests and seat belts and standard roof-mounted side-impact supplemental airbags with rollover sensor for every row.² Innovative heating and cooling keeps everyone comfortable, too. The out-front engine design provides improved driver comfort, easier engine access for servicing, the durability of a full-length, fully boxed ladder frame, and the biggest brakes in its class.¹ It all adds up to a team player we can all cheer for. 2016 NV® Passenger.

Nissan NV3500® HD SL Passenger shown in Super Black.

'Global Automakers of Canada (GAC) Large Van Segmentation. <sup>2</sup>Airbags are only a supplemental restraint system; always wear your seat belt. Rear-facing child restraints should not be placed in the front passenger's seat. All children 12 and under should ride in a 2nd, 3rd, or 4th row seat properly secured in child restraints, booster seats, or seat belts according to their size. Airbags will only inflate in certain accidents. Rear-facing child restraints should not be used in NV\* Cargo vehicles. See Owner's Manual for details.



#### PACK IT IN. MOVE 'EM OUT.

NV® Passenger not only gives you space, it gives you unbeatable flexibility when it comes to carrying passengers and cargo. A choice of fore or aft positions in the 2nd- and 3rd-row seats means impressive stretchout room; a real plus for taller or larger family members. And with six individually removable seats, you can do amazing things like having room for eight while fitting items up to ten feet long – all without the hassle of using a roof rack!

<sup>1</sup>Cargo and load capacity limited by weight and distribution. Always secure all cargo. Heavy loading of the vehicle with cargo, especially on the roof, will affect the handling and stability of the vehicle.



Maximum Easy ent passengers and exit



ntry Ro it eig



Room for Up to 10' long items



Maximum cargo



Opens wide and says more.

NV® Passenger makes it easy to use every inch of space. The rear doors swing wide, opening 243°, and are held in place with powerful magnetic door stops. The easy-sliding side door opens wide and features a low step-in height. And when you need to make the big haul, remove the 2nd-, 3rd-, and 4th-row seats, and enjoy a massive 218.9 cu. ft. (6,198 litres) of cargo space.¹

#### COMFORT, CONTROL, AND CONVENIENCE.

Driving isn't just driving anymore. With today's crazy schedules, you can end up feeling like a part-time skycap, cashier, entertainment director – even company representative. No matter which hat you end up wearing today, NV® Passenger helps you excel at all of them, providing outstanding room and superior visibility for easier manoeuvring. There's dedicated storage to help keep things in order, and available advanced technology to help keep you on time. Job well done.

Nissan NV3500® HD SL Passenger shown in Beige Leather. U.S. instrumentation shown.



**Cool and comfortable.**Each passenger row has two adjustable overhead air conditioning vents.



**Warm and toasty.** Two floormounted heater vents per row make sure every seating position gets warm.



Convenient cup holders. Each row features two under-seat slide-out cup holders.



**Rear power outlets.** A standard 12-volt power outlet in the 3rd row is ideal for charging a cell phone or tablet.

#### STAYING ORGANIZED.

**Best of both worlds.** Whether it's running a business, or just keeping a big team on the go, NV® Passenger uses some smart thinking to help keep things organized. The lockable centre console is roomy enough for a laptop computer and hanging files, while the sliding cover makes a great work desk. Fold the front passenger seat and you've got even more workspace, or a handy tray when grabbing a bite on the road. And with the under-seat storage drawer, you've got a secure place to store loose papers.



Flexible lockable centre console.



Fold-down front passenger seat.



Under-seat storage drawer.



120-volt and 12-volt power outlets.


Available on the

App Store

#### BECAUSE LIFE IS ALL ABOUT CONNECTIONS.

You'll never miss a beat with NissanConnect<sup>SM</sup> with Mobile Apps.<sup>1</sup> You've got a suite of high-tech features to help keep you in business, all easily accessed through a 5.8" (147 mm) colour touch-screen monitor with Voice Recognition. And thanks to the standard Nissan Navigation System<sup>2</sup> featuring hands-free text messaging assistant,<sup>3</sup> Bluetooth<sup>®</sup> hands-free calling and a convenient RearView Monitor,<sup>4,5</sup> you're in touch with the things that matter most.





**Text-to-speech**<sup>3</sup> – A notification on the screen appears when a text message is received. Touch the prompt on the screen, and the message is read to you through the audio system.<sup>3</sup>




A notification ears when a ceived. Touch screen, and ad to you system.<sup>3</sup>

Navigation<sup>2</sup> – Real-time traffic updates help keep you clear of traffic jams,<sup>6</sup> 3-D perspective Points of Interest (including ATMs), restaurants, and gas stations!



Google® Send-To-Car¹ – Send an address to your NV® Passenger from any computer.¹ When you start the vehicle, the directions will be delivered and loaded into the navigation system.²



**RearView Monitor⁵** – Helps negotiate tight parking situations. Helps driver place vehicle close to unloading points.

¹Driving is serious business. Only use NissanConnects™ Mobile Apps when safe to do so. App availability is dependent upon vehicle model, trim level, packaging, and/or options. See Nissan.ca/NissanConnect for complete app availability details. Never program while driving. GPS mapping may not be detailed in all areas or reflect current road status. Compatible smartphone required. Cellular network and GPS signals not available in all areas and/or at all times. Cellular technology is evolving, and changes to cellular networks provided by independent companies are not within Nissan's control. Nissan's co



#### **BUILT FOR THE LONG HAUL.**

NV® Passenger has been engineered from the bottom up to give you the kind of reliability and durability you need to ensure a solid bottom line for your business. It's built on a full-length, fully boxed ladder frame for a long service life. The biggest brakes in its class provide confident stopping power,1 while standard Vehicle Dynamic Control (VDC) helps keep you on your steered path.<sup>2</sup> Whether you choose a fuel-efficient V6 or powerhouse V8 engine, you ride with state-of-the-art technology. With up to 8,700-lb. towing capacity, you can bring what you need, when you need it.3 And since both engines run so efficiently, you'll never have to worry about logging idling time again.



#### **Vehicle Dynamic Control (VDC)** NV® Passenger's VDC system helps you stay on your steered path by reducing engine speed and/or applying appropriate brake

pressure to specific wheels?



NV® Passenger's 24-valve,

Continuously Variable Valve

Timing Control System that

optimum fuel efficiency.

delivers seamless power with

4.0-L V6 features an advanced

#### POWERFUL CHOICES



Step up to the 32-valve 5.6-L V8 and you'll find an aluminum block with a forged crankshaft and cast-iron cylinder liners for maximum strength.

#### Suspension and ride

Based on the heavy-duty components of NV® Cargo, Nissan engineers specially tuned the suspension of NV® Passenger for rider comfort.

#### **NISSAN SAFETY SHIELD® PHILOSOPHY**

#### **INNOVATION THAT** LOOKS OUT FOR YOU.


Wouldn't it be cool if you had the confidence you need for every part of your drive? The Nissan Safety Shield® philosophy is a comprehensive approach to safety that guides the engineering and development of every vehicle we make.

# **STANDARD** AIRBAGS<sup>4</sup>

#### **RESPOND**

Whether you need to hit the brakes hard or manoeuvre around an unexpected obstacle, these standard technologies help you respond in a potentially harmful situation.

- Vehicle Dynamic Control<sup>2</sup>
- Traction Control System
- Anti-lock Braking System
- Brake Override Technology
- Brake Assist<sup>5</sup>



#### **PROTECT**

When a collision is unavoidable, advanced technology helps minimize injury and keep you safe. Nissan's Zone Body construction further strengthens that line of defense, helping to absorb impact and protect everyone on board.

#### Eight Standard Airbags<sup>4</sup>

- (2) Dual-stage supplemental front airbags<sup>4</sup>
- (2) Front seat-mounted side-impact supplemental aibags4
- (2) Roof-mounted curtain side-impact supplemental airbags with rollover sensor for front occupant head protection4
- (2) Roof-mounted curtain side-impact supplemental airbags with rollover sensor for 2nd-4th row outboard occupant head protection4



Global Automakers of Canada (GAC) Large Van Segmentation. 2VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. 3V8 models only. See Nissan Towing Guide and Owner's Manual for proper use. Cargo and load capacity limited by weight and distribution. Always secure all cargo. Heavy loading of the vehicle with cargo, especially on the roof, will affect the handling and stability of the vehicle. When towing at or near Maximum Trailer Weight, the allowable vehicle cargo and/or number of passengers is reduced because it is necessary to stay below the Gross Combined Weight Rating and the Gross Axle Weight Rating, If the vehicle has cargo and passengers, the allowable Maximum Trailer Weight is reduced. "Airbags are only a supplemental restraint system; always wear your seat belt. Rear-facing child restraints should not be placed in the front passenger's seat. All children 12 and under should ride in a 2nd, 3rd, or 4th row seat properly secured in child restraints, booster seats, or seat belts according to their size. Airbags will only inflate in certain accidents. Rear-facing child restraints should not be used in NV® Cargo vehicles. See Owner's Manual for details. Brake Assist is only an aid to assist the driver and is not a collision warning or avoidance device. It is the driver's responsibility to be in control of the vehicle at all times. The Sonar System is a convenience not a substitute for proper parking and/or backing procedures. Always check that it is safe to do so before moving vehicle. May not detect every object.

#### THERE'S AN NV® PASSENGER PERFECT FOR YOUR NEEDS.



#### NV3500® HD SV

- 4.0-litre DOHC V6 engine
- Optional 5.6-litre DOHC V8 engine
- 5-speed automatic transmission
- Heavy-duty battery
- 14" Vented disc brakes front/rear
- 17" Chrome-clad wheels
- Chrome exterior trim
- Air conditioning
- Water-repellent cloth seats with vinyl wear patches on inner and outer bolsters
- 12-passenger seating capacity
- 324 Seating configurations
- Ten exterior roof rack-mounting points
- 243° Maximum opening range for rear cargo doors
- Nissan Navigation System with 5.8" (147 mm) colour touch-screen monitor
- NissanConnect<sup>SM</sup> with Mobile Apps
- Nissan Voice Recognition for audio and navigation
- MP3/WMA/CD playback capability
- Bluetooth® Hands-Free Phone System
- SiriusXM® Traffic
- Hands-free text messaging assistant
- AM/FM/CD audio system with six speakers
- MP3/WMA/CD playback capability
- USB connection port for iPod® interface and other compatible devices
- SiriusXM® Satellite Radio


- Streaming audio via Bluetooth® wireless technology
- Steering wheel-mounted audio and cruise controls
- Multi-functional lockable centre console
- 8-way power driver's seat with manual lumbar
- Driver's under-seat storage tray
- Driver's seat storage pocket
- Fold-down front passenger's seat with seatback trav table
- Power door locks and front windows
- Carpeted floor
- Ten cup holders and three bottle holders
- 12 Rear passenger heating and cooling vents
- Entry lighting for driver and front passenger
- Dual overhead front passenger map lights
- Six rear passenger area map lights
- Three additional 12-volt DC power outlets
- Two 120-volt AC power outlets rated at 400 watts
- Three assist grips
- Side and rear window privacy glass
- Rear Sonar System and RearView Monitor
- Ten exterior roof rack-mounting points
- 243° Maximum opening range for rear cargo doors Pre-wiring for electrical and telematics upfitting
- Eight standard airbags
- Vehicle Dynamic Control (VDC)
- Vehicle Security System with remote keyless entry
- Nissan Vehicle Immobilizer System

#### Super Black KH3 <sup>1</sup>Extra-cost option.

Nissan has taken care to ensure that the colour swatches presented here are the closest possible representations of actual vehicle colours. Swatches may vary slightly due to the printing process and whether viewed in daylight, fluorescent or incandescent light. Please see the actual colours at your local Nissan deale



Glacier White QAK





Pearl White 1 QAB

#### GENUINE NISSAN ACCESSORIES

Cavenne Red<sup>1</sup> NAH

Every Genuine Nissan Accessory is: custom-fit, custom-designed and durability-tested: available for finance and backed by Nissan's 5-year/ 160,000-km Accessories limited warranty when installed by dealer at time of your vehicle purchase?

Java Metallic1 CAJ

- A. Telescoping Tow Mirrors<sup>3</sup> Slide outward for improved visibility.
- B. Weight-distributing Hitch Ball Mount, Class IV<sup>3</sup> Makes for a safer ride when towing.
- C. Hood Protector Give your hood a fighting chance against bugs and road grime.
- D. Body Side Mouldings Just say no to parking lot dings, dents and scratches.

#### Additional Accessories:

- All-season Floor Mats
- Auto-dimming Rearview Mirror

Brilliant Silver<sup>1</sup> K23

- Towing Accessories<sup>3</sup>
- Tow Hooks
- Side-window Deflectors
- Licence Plate Frames
- And More






Arctic Blue Metallic<sup>1</sup> RBG





See your Nissan dealer for details, or go to ncv.nissan.ca





- Final gear ratio of 3.54:1
- Fog lights
- Front Sonar System
- Leather-appointed seats
- Heated front seats

- Leather-wrapped steering wheel
- Auto-dimming rearview mirror with compass Dual Zone Automatic Temperature Control (ATC)
- Power heated chrome extendable tow mirrors
- Two front tow hooks

INCLUDES NV3500® HD SV CONTENTS PLUS:

- Class IV tow hitch receiver
- 7-pin connector/brake controller pre-wiring

<sup>2</sup>See your Nissan Dealership and read the actual limited warranty. <sup>3</sup>See Nissan Towing Guide and Owner's Manual for proper use. The Bluetooth® word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under licence. The Sirius®, XM®, and SiriusXM® names and all related marks and logos are trademarks of Sirius XM Radio Inc.



#### NV® CARGO DIMENSIONS/CAPACITIES/WEIGHTS


# High Roof











Exterior Dimensions – inches (mm)		
	Standard Roof	High Roof
Wheelbase	146.1 (3710)	146.1 (3710)
Overall length	240.6 (6112)	240.6 (6112)
Overall width	79.9 (2030)	79.9 (2030)
Overall width (with mirrors)	99.5 (2527)	99.5 (2527)
Overall width (with non-extended tow mirrors)	102.8 (2610)	102.8 (2610)
Overall height	83.9 (2131)	105.0 (2667)
NV3500®	84.9 (2156)	106.0 (2692)
Track width (front)	68.7 (1745)	68.7 (1745)
Track width (rear)	68.9 (1750)	68.9 (1750)
Sliding side door width	43.5 (1106)	43.5 (1106)
Rear door opening height	50.7 (1290)	71.7 (1822)
Rear door opening width	61.6 (1564)	61.5 (1561)
Step-in height (front)	18.0 (457)	18.0 (457)
NV3500®	18.7 (475)	18.7 (475)
Step-in height (sliding door)	19.4 (493)	19.4 (493)
NV3500®	20.2 (513)	20.2 (513)
Step-in height (rear)	19.8 (503)	19.8 (503)
NV3500®	20.9 (531)	20.9 (531)
Cargo area liftover height	28.5 (725)	28.5 (725)
Angle of approach (degrees)	17.5°	17.5°
Angle of departure (degrees)	17.4°	17.4°
Break-over angle (degrees)	16.3°	16.3°
Turning diameter - ft. (metres)	45.2 (13.8)	45.2 (13.8)

Interior Dimensions – inches	s (mm)	
	Standard Roof	High Roof
Head room	42.8 (1087)	63.6 (1615)
Leg room	42.0 (1067)	42.0 (1067)
Hip room	60.6 (1539)	60.6 (1539)
Shoulder room	65.7 (1669)	65.7 (1669)
Knee room	25.5 (648)	25.5 (648)

#### OVERALL HEIGHT

A - 105.0"/2667 mm (106.0"/2692 mm on 3500 lineup) B - 83.9"/2131 mm (84.9"/2156 mm on 3500 lineup)

#### OVERALL LENGTH

C - 240.6"/6112 mm

#### OVERALL WIDTH

D - 102.8"/2610 mm with tow mirrors (108.6"/2758 mm with tow mirrors extended)

E - 79.9"/2030 mm without mirrors

MAXIMUM CARGO WIDTH

CARGO WIDTH AT WHEELHOUSE FLOOR

G - 54.3"/1378 mm

#### SLIDING SIDE DOOR WIDTH

H - 43.5"/1106 mm

F - 70.2"/1783 mm

Cargo Dimensions – inches (mm)		
	Standard Roof	High Roof
Cargo volume - cu. ft. (L)	234.1 (6629)	323.1 (9149)
Interior passenger volume - cu. ft. (L)	68.3 (1934)	101.5 (2874)
Total interior volume - cu. ft. (L)	299.7 (8487)	420.5 (11907)
Maximum cargo length	120.0 (3049)	120.0 (3049)
Maximum cargo width	70.2 (1783)	70.2 (1783)
Cargo width at wheelhouse floor	54.3 (1378)	54.3 (1378)
Maximum cargo height	55.8 (1417)	76.9 (1953)

Maximum Payl	oad – Ibs. (kg				
	NV1500® S	NV2500® S	NV2500® SV	NV3500® S	NV3500® SV
Std. Roof (V6)	2744 (1245)	3265 (1481)	3139 (1424)	-	-
Std. Roof (V8)	-	3193 (1448)	2982 (1353)	3985 (1808)	3775 (1712)
High Roof (V6)	_	3101 (1407)	2976 (1350)	_	_
High Roof (V8)	_	3040 (1379)	2829 (1283)	3832 (1738)	3621 (1643)

Capacities		
	Standard Roof	High Roof
Roof load capacity - lbs. (kg)	500 (227)	300 (136)
Seating capacity	2	2
Fuel tank - Imp gals (L)	23.3 (106)	23.3 (106)
Engine oil – L	5.1 (V6)/6.2 (V8)	5.1 (V6)/6.2 (V8)

Towing Capacity – lbs. (kg) <sup>1</sup>	
With tow hitch receiver (V6)	7000 (3175)
With tow hitch receiver (V8)	9500 (4309)

7000-lb. V6 towing capacity requires dealer accessory tow hitch. 9500-lb. towing capacity for V8 factory tow hitch only.

	NV1500® S	NV2500® S	NV2500® SV	NV3500® S	NV3500® S
Std. Roof (V6)	5806 (2634)	5836 (2647)	5961 (2704)	_	_
Std. Roof (V8)	_	5908 (2680)	6118 (2775)	5916 (2683)	6126 (2779
High Roof (V6)	_	5999 (2721)	6125 (2778)	_	_
High Roof (V8)	_	6061 (2749)	6272 (2845)	6069 (2753)	6280 (2848

#### NV1500® S NV2500® S NV2500® SV NV3500® S NV3500® SV

	NV 1500° S	NV2500° S	NV2500° 5V	N / 3 5 0 0 5	MA3200 2
GVWR	8550 (3878)	9100 (4128)	9100 (4128)	9900 (4491)	9900 (449

#### NV® CARGO SPECIFICATIONS

Engines	1500 S	2500 S	2500 SV	3500 S	3500 SV
VQ40DE - 4.0-litre DOHC 24-valve V6 engine					
Horsepower - 261 HP @ 5600 rpm					
Torque - 281 lb-ft @ 4000 rpm					
VK56DE - Endurance 5.6-litre DOHC 32-valve					
V8 engine					
Horsepower - 317 HP @ 5200 rpm					
Torque - 385 lb-ft @ 3400 rpm					
Emissions - HDV1 (Fed); LEV2 - ULEV (CA)					
Continuously Variable Valve Timing Control					
System (CVVTCS)					
Nissan Direct Ignition System					
Electronic drive-by-wire throttle					
Alternator (130 amps)					
Iridium-tipped spark plugs					
Heavy-duty battery (V8)					

5-speed automatic transmission	_	_	_	_
Final gear ratio - V6 (3.36:1)				
Final gear ratio - V8 (3.54:1)				
2-wheel Active Brake Limited Slip (ABLS)				

Brakes			
14.2" Front vented disc brakes			
14.4" Rear vented disc brakes			
4-wheel Anti-lock Braking System (ABS)			
Electronic Brake force Distribution (EBD)			
Brake Assist			

Suspension/Steering/Chassis			
Front independent double-wishbone suspension			
Multi-leaf rear suspension with solid axle			
Front and rear stabilizer bars			
Full length, fully boxed ladder frame			
Engine-speed-sensitive hydraulic recirculating			
ball steering			
ŭ			

Wheels/Tires			
17" x 7.5" steel wheels			
17" x 7.5" styled steel wheels			
LT245/70R17 all-season tires			
LT245/75R17 all-season tires			
Full-size spare tire			
•			

Exterior Features				
Standard Roof				
High Roof	Н	Н	Н	Н
Black manual outside mirrors				
Black dual power outside mirrors				
Black dual power heated outside mirrors (V6)				
Black grille				
Black bumpers				
Black door handles				
Chrome grille		_		
Chrome bumpers				

Exterior Features (continued)	1500 S	2500 S	2500 SV	3500 S	3500 SV
Chrome dual power heated extendable tow mirrors (V8)					
Wide-angle spotter mirrors					
Ten roof rack-mounting points (Standard Roof)					
Eight roof rack-mounting points (High Roof)		н	н	Н	Н
50/50 Split rear cargo doors with opening					
locking feature					
Magnetic door locks (to secure open rear doors)					
243° Maximum opening range for rear cargo doors					
Sliding side door on passenger side					
Sliding side door window with privacy glass	SD	SD	SD	SD	SD
UV-reducing front windshield glass					
Rear window defroster	R	R	R	R	R
Halogen headlights					
Front and rear splash guards					
Two front tow hooks (V8)					
Rear Sonar System					
Rear door windows with privacy glass	R	R	R	R	R
Class IV tow hitch receiver (V8)1					
. ,					
Comfort/Convenience					

rical acci milacine mili pimacy glace	_	_				
Class IV tow hitch receiver (V8)1						AM/FM/C
						MP3/WM
Comfort/Convenience						Auxiliary a
Nissan Navigation System with 5.8" (147 mm)						USB con
colour touch-screen monitor			TP		TP	and other
NissanConnect <sup>SM</sup> with Mobile Apps			TP		TP	Steering v
Nissan Voice Recognition for audio and navigation			TP		TP	Two spea
SiriusXM® Traffic <sup>2</sup>			TP		TP	Four spea
Hands-free text messaging assistant			TP		TP	SiriusXM®
Bluetooth® Hands-Free Phone System						Streaming
Air conditioning						wireless to
36 Integrated reinforced cargo-mounting points						
for custom shelving						Safety/S
11 Integrated reinforced cargo-mounting points						Driver and
n bulkhead						front airba
Ten integrated reinforced mounting points in						Driver's ar
ceiling for interior ladder rack installation						side-impa
Six floor-mounted D-rings in cargo area						Roof-mou
Pre-wiring for electrical upfitting						side-impa
Three cargo area work lights						Vehicle D
Vertical sidewall design						Control S
Hardboard interior cargo panels						3-point A
nterior rearview mirror	R	R	R	R	R	(ELR for o

Rear cargo floor protector Four assist grips Five assist grips

Power windows with driver's one-touch auto-

Cruise control with steering wheel-mounted

Multi-functional trip computer with maintenance

Variable intermittent speed-sensitive

Power door locks with auto-locking feature

Remote keyless entry

down with auto-reverse

Tilt steering column

windshield wipers

controls

Comfort/Convenience (continued)	1500 S	2500 S	2500 SV	3500 S	3500 SV
Six cup holders					
12-volt DC power outlet					
Two 120-volt 400-watt power outlets					
Rear door storage					
RearView Monitor			TP		TP

Seating/Appointments			
Grey cloth front seats with reinforced inner			
and outer side bolster wear patches			
Water-repellent seating surfaces			
4-way manual driver's seat			
4-way manual passenger's seat			
8-way power adjustable driver's seat with manual lumbar			
Fold-down passenger's seat with seatback tray table			

Audio/Entertainment			
AM/FM/CD audio system			
MP3/WMA CD playback capability		TP	TP
Auxiliary audio input jack			
USB connection port for iPod® interface			
and other compatible devices		TP	TP
Steering wheel-mounted audio controls			
Two speakers			
Four speakers			
SiriusXM® Satellite Radio <sup>2</sup>		TP	TP
Streaming audio via Bluetooth®			
wireless technology		TP	TP

wireless technology	[	TP	TP
Safety/Security			
Driver and passenger dual-stage supplemental			
front airbags with seat belt sensors			
Driver's and front passenger's seat-mounted side-impact supplemental airbags			
Roof-mounted curtain supplemental airbags for			
side-impact and rollover head protection			
Vehicle Dynamic Control (VDC) with Traction			
Control System			
3-point ALR/ELR passenger seat belt system			
(ELR for driver)			
Front seat belts with pre-tensioners and load			
limiters			
Passenger-seat top tether anchor			
Pipe-style steel side-door guard beams			
Zone Body construction with front and rear			
crumple zones			
Hood-buckling creases and safety stops			
Energy-absorbing steering column			
Steering wheel lock			
Break-away engine mounts			
Slide-away brake pedal assembly			
Tire Pressure Monitoring System (TPMS)			
Anti-theft System			
Immobilizer Key System			

#### **PACKAGES**

#### ™ SV Technology Package

- Nissan Navigation System with 5.8" (147 mm) colour touch-screen monitor
- NissanConnect<sup>SM</sup> with Mobile Apps
- Nissan Voice Recognition for audio and navigation
- SiriusXM® Traffic²
- Hands-free text messaging assistant
- MP3/WMA CD playback capability
- USB connection port for iPod® interface and other compatible devices
- SiriusXM® Satellite Radio<sup>2</sup>
- Streaming audio via Bluetooth® wireless technology
- RearView Monitor

#### Rear Door Glass Package

- Rear door windows with privacy glass
- Interior rearview mirror
- Rear window defroster

#### SD Sliding Door Glass Package

Sliding side door window with privacy glass on passenger side

Standard	TP SV Technology Package
Optional	R Part of Rear Door Glass Package
⊞ High Roof	SD Part of Sliding Door Glass Package

<sup>1</sup>See Nissan Towing Guide and Owner's Manual for proper use. <sup>2</sup>XM® and SiriusXM® Satellite Radio is available in the 10 Canadian provinces and the 48 contiguous United States. Basic monthly subscription required and sold separately after trial period. NavTraffic®/SiriusXM® Traffic is available in select North American markets. In Canada, at time of printing, incident and flow data is available for 12 metropolitan areas of Canada (Vancouver, Calgary, Edmonton, Toronto, Ottawa, Montreal, Quebec City, Hamilton, St. Catharines, Kitchener, Guelph, and London). Subscription sold separately after trial period. All subscriptions subject to customer agreement at siriusxm.ca/terms. Fees and programming subject to change. © 2015 Śirius XM Canada Inc. The Sirius®, XM®, and SiriusXM® names and all related marks and logos are trademarks of Sirius XM Radio Inc. All other trademarks are the property of their respective owners. The Bluetooth® word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under licence. iPod® is a registered trademark of Apple, Inc. All rights reserved. iPod® or other external device not included.



#### **NV® PASSENGER** DIMENSIONS/CAPACITIES/WEIGHTS







102.8 in (2610 mm) 





Exterior Dimensions – inches (mm)		
Wheelbase	146.1 (3710)	
Overall length	240.6 (6112)	
Overall width (without mirrors)	79.9 (2030)	
Overall width (with tow mirrors)	102.8 (2610)	
Overall height	84.0 (2133)	
Track width (front)	68.7 (1745)	
Track width (rear)	68.9 (1750)	
Sliding side door width	41.9 (1065)	
Rear door opening height	49.8 (1264)	
Rear door opening width	61.7 (1566)	
Step-in height (front)	18.0 (457)	
Step-in height (slide door)	19.4 (494)	
Step-in height (rear)	19.9 (505)	
Cargo area liftover height	28.7 (728)	
Angle of approach (degrees)	17.8°	
Angle of departure (degrees)	16.7°	
Turning diameter - feet (metres)	45.2 (13.8)	

Interior Dimensions – inches (mm)	1st/2nd/3rd/4th Row
Head room	42.8/39.6/39.8/39.6 (1087/1007/1010/1006)
Leg room	42.0/33.9/38.5/37.4 (1066/860/977/951)
Hip room	60.6/70.4/67.2/68.6 (1539/1789/1707/1743)
Shoulder room	65.7/69.2/66.6/68.1 (1669/1757/1692/1730)

Should Toom	00.1700.2700.0700.1 (1000/1701/1002/1700/
Cargo Dimensions – inches (mm)	
Cargo volume behind fourth row - cu. ft.	. (L) 28.9 (818)
Interior passenger volume - cu. ft. (L)	238.1 (6742)
Total interior volume - cu. ft. (L)	267.0 (7560)
Maximum cargo length behind front row,	
passenger seats removed	120.7 (3066)
Maximum cargo length behind second ro	ow,
third and fourth rows removed	86.1 (2186)
Maximum cargo length behind third row,	
fourth row removed	51.7 (1313)
Maximum cargo length behind fourth row	v 18.9 (480)
Maximum cargo width	64.4 (1637)
Cargo width at wheelhouse floor	52.1 (1324)
Maximum cargo height	51.3 (1310)
Maximum ourgo noight	01.0 (1010)



With standard bumper towing

With tow hitch receiver (V6)

With tow hitch receiver (V8)





Curb Weight - Ibs. (kg)		
	NV3500® SV	NV3500® SL
V6	6774 (3073)	_
V8	6869 (3116)	6898 (3129)
Weight – lbs. (kg)		
GVWR	NV3500® SV	NV3500® SL
V6	9520 (4318)	_
V8	9450 (4286)	9430 (4277)
Capacities		
Seating capacity	12	
Roof load capacity - lbs. (kg)	500 (227)	
Fuel tank - Imp gals (L)	23.3 (106)	
Engine oil – L	5.1 (V6) 6.2 (V	/8)
Payload – Ibs. (kg)		
Maximum Payload	NV3500® SV	NV3500® SL
V6	2745 (1245)	_
V8	2580 (1170)	2531 (1148)

2000 (907<sup>1</sup>)

6200 (2812<sup>2</sup>)

8700 (3946<sup>3</sup>)

#### NV® PASSENGER SPECIFICATIONS

Engines	3500 SV	3500 SL
VQ40DE - 4.0-litre DOHC 24-valve V6 engine		
Horsepower - 261 HP @ 5600 rpm		
Torque - 281 lb-ft @ 4000 rpm		
VK56DE - Endurance 5.6-litre DOHC 32-valve V8 engine		
Horsepower – 317 HP @ 5200 rpm		
Torque – 385 lb-ft @ 3400 rpm		
Continuously Variable Valve Timing Control System (CVVTCS)		
Nissan Direct Ignition System		
Electronic drive-by-wire throttle		
Alternator (130 amps)		
Iridium-tipped spark plugs		
Heavy-duty battery		
Engine block heater		_
Engine block heater		_
Drivetrain		
5-speed automatic transmission		
Final gear ratio - V6 (3.36:1)		
Final gear ratio - V8 (3.54:1)		
2-wheel Active Brake Limited Slip (ABLS)		
	_	
Brakes		
14.2" Front vented disc brakes	_	
14.2" Front vented disc brakes 14.4" Rear vented disc brakes		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS)	ì	
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD)	l	
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS)		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD)		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist  Suspension/Steering/Chassis		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist  Suspension/Steering/Chassis Front independent double-wishbone suspension		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist  Suspension/Steering/Chassis Front independent double-wishbone suspension Multi-leaf rear suspension with solid axle Front and rear stabilizer bars		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist  Suspension/Steering/Chassis Front independent double-wishbone suspension Multi-leaf rear suspension with solid axle		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist  Suspension/Steering/Chassis Front independent double-wishbone suspension Multi-leaf rear suspension with solid axle Front and rear stabilizer bars Full length, fully boxed ladder frame Engine-speed-sensitive hydraulic recirculating ball steering		
14.2" Front vented disc brakes  14.4" Rear vented disc brakes  4-wheel Anti-lock Braking System (ABS)  Electronic Brake force Distribution (EBD)  Brake Assist  Suspension/Steering/Chassis  Front independent double-wishbone suspension  Multi-leaf rear suspension with solid axle  Front and rear stabilizer bars  Full length, fully boxed ladder frame  Engine-speed-sensitive hydraulic recirculating ball steering  Wheels/Tires		
14.2" Front vented disc brakes  14.4" Rear vented disc brakes  4-wheel Anti-lock Braking System (ABS)  Electronic Brake force Distribution (EBD)  Brake Assist  Suspension/Steering/Chassis  Front independent double-wishbone suspension  Multi-leaf rear suspension with solid axle  Front and rear stabilizer bars  Full length, fully boxed ladder frame  Engine-speed-sensitive hydraulic recirculating ball steering  Wheels/Tires  17" x 7.5" chrome-clad wheels		
14.2" Front vented disc brakes  14.4" Rear vented disc brakes  4-wheel Anti-lock Braking System (ABS)  Electronic Brake force Distribution (EBD)  Brake Assist  Suspension/Steering/Chassis  Front independent double-wishbone suspension  Multi-leaf rear suspension with solid axle  Front and rear stabilizer bars  Full length, fully boxed ladder frame  Engine-speed-sensitive hydraulic recirculating ball steering  Wheels/Tires  17" x 7.5" chrome-clad wheels  LT245/70R17 all-season tires		
14.2" Front vented disc brakes  14.4" Rear vented disc brakes  4-wheel Anti-lock Braking System (ABS)  Electronic Brake force Distribution (EBD)  Brake Assist  Suspension/Steering/Chassis  Front independent double-wishbone suspension  Multi-leaf rear suspension with solid axle  Front and rear stabilizer bars  Full length, fully boxed ladder frame  Engine-speed-sensitive hydraulic recirculating ball steering  Wheels/Tires  17" x 7.5" chrome-clad wheels		
14.2" Front vented disc brakes  14.4" Rear vented disc brakes  4-wheel Anti-lock Braking System (ABS)  Electronic Brake force Distribution (EBD)  Brake Assist  Suspension/Steering/Chassis  Front independent double-wishbone suspension  Multi-leaf rear suspension with solid axle  Front and rear stabilizer bars  Full length, fully boxed ladder frame  Engine-speed-sensitive hydraulic recirculating ball steering  Wheels/Tires  17" x 7.5" chrome-clad wheels  LT245/70R17 all-season tires		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist  Suspension/Steering/Chassis Front independent double-wishbone suspension Multi-leaf rear suspension with solid axle Front and rear stabilizer bars Full length, fully boxed ladder frame Engine-speed-sensitive hydraulic recirculating ball steering  Wheels/Tires 17" x 7.5" chrome-clad wheels LT245/70R17 all-season tires Full-size spare tire		
14.2" Front vented disc brakes 14.4" Rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist  Suspension/Steering/Chassis Front independent double-wishbone suspension Multi-leaf rear suspension with solid axle Front and rear stabilizer bars Full length, fully boxed ladder frame Engine-speed-sensitive hydraulic recirculating ball steering  Wheels/Tires 17" x 7.5" chrome-clad wheels LT245/70R17 all-season tires Full-size spare tire  Exterior Features		

Chrome arille

Chrome door handles

10 Roof rack-mounting points

Sliding side door on passenger side

Sliding side door window with privacy glass

50/50 Split rear cargo doors with opening locking feature

Magnetic door locks (to secure open rear doors)

243° Maximum opening range for rear cargo doors

Chrome bumpers

See Nissan Towing Guide and Owner's Manual for proper use. <sup>2</sup> With available tow hitch accessory. See Nissan Towing Guide and Owner's Manual for proper use. <sup>3</sup> See Nissan Towing Guide and Owner's Manual for proper use. Cargo and load capacity limited by weight and distribution. Always secure all cargo. Heavy loading of the vehicle with cargo, especially on the roof, will affect the handling and stability of the vehicle. <sup>4</sup> XM <sup>®</sup> and SiriusXM <sup>®</sup> Satellite Radio is available in the 10 Canadian provinces and the 48 contiguous United States. Basic monthly subscription required and sold separately after trial period. NavTraffic*/SiriusXM <sup>®</sup> Traffic is available in select North American markets. In Canada, at time of printing, incident and flow data is available for 12 metropolitan areas of Canada (Vancouver, Calgary, Edmonton, Toronto, Ottawa, Montreal, Quebec City, Hamilton, St. Catharines, Kitchener, Ruleph, and London).
Subscription sold separately after trial period. All subscriptions subject to customer agreement at
siriusxm.ca/terms. Fees and programming subject to change. © 2015 Sirius XM Canada Inc. The Sirius§ XM, and SiriusXM names and all related marks and logos are trademarks of Sirius XM Radio Inc. All other trademarks are the property of their respective owners. "Whichever occurs first. The Bluetooth" word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under licence. iPod® is a registered trademark of Apple, Inc. All rights reserved. iPod® or other external device

Exterior Features (continued)	3500 SV	3500 SL
UV-reducing front windshield glass		
Rear window defroster		
Daytime Running Lights (DRL)		
Halogen headlights		
Fog lights		
Front and rear splash guards		
Two front tow hooks (V8)1		
Front Sonar System		
Rear Sonar System		
Side passenger window privacy glass		
Rear window privacy glass		
7-pin connector and brake controller pre-wiring (V8) <sup>1</sup>		
Class IV tow hitch receiver (V8) <sup>1</sup>		
	_	
Comfort/Convenience		
Nissan Navigation System with 5.8" (147 mm) colour		
touch-screen monitor		
NissanConnect <sup>SM</sup> with Mobile Apps		
Nissan Voice Recognition for audio and navigation		
SiriusXM® Traffic <sup>4</sup>		
Hands-free text messaging assistant		
Bluetooth® Hands-Free Phone System		
Air conditioning		
Dual Zone Automatic Temperature Control (ATC)		
12 Rear passenger heating and cooling vents		
Pre-wiring for electrical and telematics upfitting		
Dual overhead front passenger map lights		
Six rear passenger area map lights		
Rear cargo light		

Vertical sidewall design Interior rearview mirror

Three assist grips Remote keyless entry

HVAC microfilter

Tilt steering column

Front-door map pockets

Two 120-volt power outlets RearView Monitor

Ten cup holders

 Three bottle holders

Auto-dimming rearview mirror with compass

Power door locks with auto-locking feature Cruise control with steering wheel-mounted controls

Entry lighting for driver and front passenger

Variable intermittent windshield wipers

storage with built-in clipboard holder

Driver's under-seat slide-out storage tray

Power windows with driver's window one-touch auto-down

Multi-functional trip computer with maintenance intervals

Three 12-volt DC power outlets (one on NV3500® S)

Multi-functional lockable centre console with file and laptop computer

Leather seating surfaces	t
Heated front seats	t
Leather-wrapped steering wheel	t
Water-repellent seating surfaces	t
4-way manual front passenger's seat	t
8-way power adjustable driver's seat with manual lumbar	t
Removable split seating (65/35 for 2nd and 3rd rows, 50/50 for 4th row)	t
Driver's seat storage pocket	t
Fold-down front passenger's seat with seatback tray table	1
Audio/Entertainment	
AM/FM/CD audio system	b
Radio Data System (RDS)	þ
MP3/WMA CD playback capability	þ
Auxiliary audio input jack	j
USB connection port for iPod® interface and other compatible devices	j
Steering wheel-mounted audio controls	j
Six speakers	þ
SiriusXM® Satellite Radio4	þ
Streaming audio via Bluetooth® wireless technology	
Safety/Security	
Driver and passenger dual-stage supplemental front airbags	T
with seat belt sensors	j
Driver's and front passenger's seat-mounted side-impact	
supplemental airbags	ŀ
Roof-mounted curtain supplemental airbags for side-impact and rollover	
head protection for all outboard passengers	ŀ
Vehicle Dynamic Control (VDC) with Traction Control System	ŀ
3-point ALR/ELR passenger seat belt system (ELR for driver)	ŀ
Front seat belts with pre-tensioners and load limiters	4
LATCH System (Lower Anchor and Tethers for CHildren)	4
Two rear-seat tether anchors	ŀ
Pipe-style steel side-door guard beams	ł
Zone Body construction with front and rear crumple zones	4
Hood-buckling creases and safety stops	ł
Energy-absorbing steering column	ł
Steering wheel lock	ł
Break-away engine mounts	-
Slide-away brake pedal assembly	-
Tire Pressure Monitoring System (TPMS)	ł
Vehicle Security System	ŀ
Immobilizer Key System	

Grey cloth front seats with reinforced inner and outer vinyl side bolster

324 Seating configurations

Standard

Optional

#### **BUYING AND OWNING**

Finance Options Through Nissan Canada Finance, we offer many attractive lease and loan options that can be tailored to your individual needs. We have unique programs such as the Nissan Grad Program. Loyalty Program or the Nissan Advantage Program. Please visit our website **Nissan.ca/finance** to explore all of the options available. We have also made it easy to pre-qualify online. All of our programs come with competitive rates and terms. With our flexible options, driving home a new Nissan has never been easier. Consult your local Nissan Dealership for complete details.

Canada's Best Commercial Van Limited Warranty Every 2016 Nissan Commercial Vehicle is covered by a 5 year/160,000 km<sup>5</sup> Comprehensive New Vehicle Warranty, a 5 year/160,000 km<sup>5</sup> Powertrain Warranty, an 8 year/130,000 km<sup>5</sup> Emission Control Warranty on selected components, and a 5 year/unlimited km Corrosion Perforation Warranty. As a Nissan owner, you'll also receive a Roadside Assistance program available to you 24 hours a day throughout the New Vehicle Warranty period. Terms, conditions and exclusions apply. See Warranty Information Booklet for complete details.

Added Security Plan (ASP) For ultimate peace of mind, consider the Nissan Added Security Plan. It's our commitment to be there for you, and to help you leave your worries behind. Different plans, available for both purchased and leased vehicles, let you tailor the coverage to your driving habits.

