INCENTIVES AND SUPPORT FOR YOUR BUSINESS NEEDS.



THE DEALER NETWORK FOR YOUR BUSINESS.

Your BusinessLink dealer is committed to providing you, the small business owner, with the vehicle support you need for your business; from servicing all makes and models of your existing vehicles to selling you the right

vehicles needed to perform the work that you do. Your BusinessLink dealer provides available next-bay-up service because we know downtime costs you money. Your BusinessLink dealer has sales professionals trained to properly "job-rate" the right vehicle for your work application along with providing commercial finance options. New vehicle sales to qualified small business owners also include a free alternate transportation contract in the event your vehicle is in for service.

Membership in the BusinessLink program is complimentary. Membership helps us to identify you as a small business owner so we can provide you with both the service you deserve, and update you with offers that can help reduce the cost of doing business. For your free registration, see your BusinessLink dealer today.

• Free Loaners* for Selected Vehicles

BusinessLink has you covered.

- Next-Bay-Up Service
- (all makes and models)
- A Dedicated BusinessLink Staff
- Commercial Vehicles in Stock

• Extended Service Hours Convenient Shuttle Services to fcaworkvehiclesus.com 877-2THELINK (877-284-3546).

or call us toll-free at

For more information, log on

*Some restrictions apply. See dealer for details.

JOB INCENTIVES FOR SMALL BUSINESSES. Running a business presents plenty of challenges. Like cutting costs, not corners. Like ON

THE saving time and money and eliminating hassles. The ON THE JOB22 commercial incentive program provides assistance in customizing and servicing your business vehicles.

Our most popular ON THE JOB²² incentives are:

- COMMERCIAL EQUIPMENT/UPGRADES. \$500/\$1,000 Allowances for Upfits, \$1,000 Box-Off Allowance, \$500 RamBox® Cargo Management System Allowance.
- COMMERCIAL GRAPHICS ALLOWANCES. \$250/\$500/\$1,000 Commercial Graphics Allowances.
- BOSCH[®] TOOL OFFER. Select 1 of 5 current Bosch Power Tool Packages.
- 2-YEAR LUBE/OIL/FILTER. For all Chrysler, Jeep., Dodge and Ram vehicles (includes gas and diesel engines).
- MOPAR® SERVICE CONTRACTS. \$500/\$1,000 and Oil Change options available.

See your dealer for specific program rules and details or call us toll-free at 877-0NTHEJOB (877-668-4356).

CHRYSLER A commercial line of credit from Chrysler Capital is ideal for qualified business customers looking for a flexible, easy way to manage growing CAPITAL vehicle needs. Chrysler Capital streamlines the process-and with prequalification, you're ready to buy a vehicle when you need it. Ask your BusinessLink dealer for details.





RAM IS A REGISTERED TRADEMARK OF FCA US LLC.





2017 RAM POCKET GUIDE





MEET THE 2017 RAM WORKFORCE

11

THIS WORKFORCE AIMS TO TRANSFORM THE WORKPLACE. WITH TOUGH, EFFICIENT POWERTRAINS. ROBUST PTO CAPABILITY. UPFIT-READY DESIGN AND ENGINEERING. AND ALL DESIGNED FOR LOW COST OF OWNERSHIP.

You need what we've got: phenomenal PTO capability found on our Chassis Cabs. Remarkable suspension technologies on our pickups and vans. And commercial-grade strength everywhere you look. The Ram portfolio ranges from big Chassis Cabs to the very city-friendly Ram ProMaster City[®] Tradesman[®] models. In every way that counts, the Ram Commercial workforce stands out—and frequently stands above.

Here's where quality, capability and fuel-efficient performance are at the top of the game. Where occupant comfort rivals the luxury found in the private sector. Where engineering, communications technology and telematics rank among the best in the field.

Look at Ram, and it's clear: this is how genius and sheer strength work together. Apply it to your industrial/commercial needs—or for those challenging personal and recreational demands. The 2017 Ram Commercial team stands ready for all of it. For more, visit us anytime at **RAMTRUCKS.COM/COMMERCIAL**

RAM QUALITY: EXCEPTIONAL WARRANTIES.

The business behind the Ram name is simple: carry it all with ironclad reliability. Whether you're moving people or steel, your Ram of choice delivers like no other.

All diesel powertrains feature a 5-Year/100,000-Mile Powertrain Limited Warranty? Gas-driven powertrains offer a 5-Year/60,000-Mile Powertrain Limited Warranty?

Furthermore, every vehicle in this expanding portfolio backs you with our comprehensive 3-Year/36,000-Mile Bumper-to-Bumper Warranty⁴

INTRODUCTION	2 - 3
RAM: AN OVERVIEW	4 - 7
POWERTRAINS	8 - 11
AM 1500 LIGHT-DUTY PICKUPS	
WHEELS	12 - 13
BUYER'S GUIDE	14 - 19
TRAILER WEIGHTS AND PAYLOADS	20 - 21
AM 2500/3500 HEAVY DUTY PICKUPS	
WHEELS	24 – 25
BUYER'S GUIDE	26 - 33
TRAILER WEIGHTS AND PAYLOADS	34 - 35
AM 3500/4500/5500 CHASSIS CABS	
WHEELS	36 - 37
BUYER'S GUIDE	38 - 43
TRAILER WEIGHTS AND PAYLOADS	44 - 45
AM PROMASTER® VANS/CUTAWAYS/CHASSIS CABS	
DIMENSIONS AND WHEELS	46
BUYER'S GUIDE	47 - 49
TRAILER WEIGHTS AND PAYLOADS	49
AM PROMASTER CITY®	
WHEELS	50
BUYER'S GUIDE	51 - 52
TRAILER WEIGHTS AND PAYLOADS	53
AM COMMERCIAL PORTFOLIO	_
CONFIGURATIONS	54 - 55
EXTERIOR PAINT COLORS	56 - 57
INTERIOR SEAT FABRICS	58
UPPORT FOR YOUR BUSINESS	
UPFITS/BODY BUILDERS/RESOURCES	59
BUSINESS <i>LINK/</i> on the Job/ Chrysler Capital	60

*A note about this brochure: all disclaimers and disclosures can be found on the inside back cover.

POWERTRAINS

3500

1500

3500 CC 4500 CC

LIGHT-DUTY PICKUPS

A Ram pickup knows where the work is. It's on deep-country farms and sprawling ranches. It's in gritty urban industrial parks, on manicured landscaping sites—and literally everywhere in between.

One full-size pickup steps up where others step back. Ram 1500, with its no-nonsense attitude and serious can-do muscle, delivers what counts. Like the available 3.0L EcoDiesel V6* delivering the best highway fuel efficiency of any half-ton pickup⁵ Add the class-exclusive⁶ available Active-Level[™] Four-Corner Air Suspension System and the best-in-class⁶ available RamBox[®] Cargo Management System, and you've got the light-duty worker ready for the toughest tasks.

HEAVY-DUTY PICKUPS

PAINT

Heavy-duty jobs demand heavy-duty support. Ram Heavy Duty has it, with impressive class-exclusive advantages that deliver tough, neversay-no capability and engineering focused on getting the job done.

Start with best-in-class⁸ gas horsepower from the available 6.4L HEMI[®] V8; factor in best-in-class⁹ gas towing* with the same 6.4L HEMI V8 on Ram 2500, with outstanding available diesel torque for Ram 3500 ready for work; close it with the class-exclusive⁸ available Auto-Level Rear Air Suspension System for both models—the ideal comfort and control advantage for towing and payload capability. Fact: few pickups measure up to the standards set by a 2017 Ram 2500/3500 Heavy Duty.



SELECT RAM 1500 HIGHLIGHTS

- THE 3.0L ECODIESEL V6* Count on Ram 1500 technology to set the stage for performance—and play a starring role. The available EcoDiesel V6* for Ram 1500 offers 420 lb-ft of torque backed with the best highway fuel efficiency of any full-size pickup⁵.
- THE TORQUEFLITE® 8-SPEED AUTOMATIC TRANSMISSION. Ram 1500 makes it happen in ways most others don't. We pioneered the TorqueFlite 8-speed automatic with its innovative dashboard-mounted Rotary Shifter and invaluable Thermal Management System.
- 4x4 CAPABILITY WITH POWER AND EFFICIENCY. With the Pentastar[®] V6, EcoDiesel V6^{*} or HEMI[®] V8
 mated to the TorqueFlite 8-speed automatic, you're looking at impressive and efficient
 power backed with available 4x4 capability for tough jobs and tough terrains.
- THE CLASS-EXCLUSIVE^s ACTIVE-LEVEL FOUR-CORNER AIR SUSPENSION SYSTEM can replace the resilient and comfortable coil spring suspension. Operator-controlled, this available technology provides five operating levels, including automatic load-leveling and lower entry/exit heights.
- INTERIORS THAT EMPLOY BRILLIANT ELECTRICAL ARCHITECTURE give you technology that dazzles. The available full-color Driver Information Display relays tons of real-time vehicle/mechanical data about engine and vehicle condition, towing and much more.
- A DASHBOARD-MOUNTED SWITCH BANK puts functionality right at hand, with fingertip control of the standard ESC⁷ System, the Tow/Haul Mode and the available Active-Level Four-Corner Air Suspension System (if equipped). Additional switches handle more optional equipment. *Late availability.

SELECT RAM 2500/3500 HEAVY DUTY HIGHLIGHTS

- EXCEPTIONAL CAPABILITY, MEASURED BY MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs). Robust strength for the job is part of the Ram Heavy Duty package. The max GCWRs of the 2017 Ram Heavy Duty models equipped with the available 6.7-liter Cummins[®] Turbo Diesel ensure both confidence and capability. Ratings this exceptional give you remarkable capability: up to 25,300 lb* GCWR for Ram 2500, and up to 39,100 lb* for Ram 3500.
- UNCOMPROMISING TOWING FOR GAS AND DIESEL ENGINES. For beyond-confident pulling and hauling, know this: Ram Heavy Duty pickups don't back down. Towing capability in a Ram 3500 powered by the available 6.4L HEMI V8-up to 16,520 lb*; and with the available 6.7L Cummins High Output in Ram 3500, max towing vaults to a jaw-dropping 31,210 lb*
- IMPRESSIVE MAXIMUM GROSS VEHICLE WEIGHT RATINGS (GVWRs). Ram 2500 and 3500 pickups deliver serious GVWRs: up to 10,000 lb* for Ram 2500 and up to 14,000 lb* for Ram 3500.
- The available Cummins Turbo Diesel comes in THREE SEPARATE POWER RATINGS, maxing out with the HIGH OUTPUT CALIBRATION CHURNING OUT 385 HP and an incredible 900 LB-FT OF AVAILABLE TORQUE when mated to the AISIN® Heavy-Duty 6-speed automatic on Ram 3500. Every Cummins iteration features a CLASS-EXCLUSIVE® "SMART" DIESEL EXHAUST BRAKE.
- EFFICIENT GAS POWER. When gas is preferred, the available 6.4L HEMI V8 generates 410 hp and 429 lb-ft of torque—and features the gas-sipping MDS/Fuel Saver Technology.

*When properly equipped.

OVERVIEW

5500 CC

3500 CC

CHASSIS CABS

The wide variety of Ram Chassis Cabs reflects a deep commitment to the trade. Count on exceptional upfit versatility and, on pickup-based Chassis Cabs, outstanding available Power Take-Off (PTO) capability.

The standard 6.4L HEMI® V8 on pickup-based models delivers up to 410 hp* on 3500 SRW, and 366 hp on 4500/5500 models; 429 lb-ft of torgue is standard for all. Advantages: a max GVWR up to 14,000 lb⁺ on Ram 3500 DRW; an available heavy-duty front suspension for 4500/5500; best-in-class^{10,11} available dual fuel tank capacity; and leftor right-side PTO availability. Rounding out the portfolio are the versatile Ram ProMaster[®] Cutaways/Chassis Cabs, with their ultra-low frame height.

CARGO VANS AND WAGONS

PAINT

CONFIGURATIONS

Our family of commercial-grade vehicles grew exponentially when we added the Ram ProMaster® models; it was further beefed up with the urban-friendly Ram ProMaster City® Cargo Van and Wagon models.

Each plays a distinctive role. Between Ram ProMaster Windowed Van and Cargo Van you'll find three wheelbases, multiple floor lengths, two roof heights and numerous best-in-class features; Cargo Van is designed for your upfit of choice. Ram ProMaster City Tradesman® Cargo Van and Passenger Wagon-right-sized for cities and suburbsrank as best-in-class¹² for payload, cargo capacity and GVWR (on Cargo Van), and all ride on a class-exclusive¹² bi-link rear suspension.



SELECT RAM AND PROMASTER CHASSIS CAB HIGHLIGHTS

- Ram 4500/5500 Chassis Cab models come to work with top-notch capability. SERIOUSLY IMPRESSIVE MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs) give you ample room for upfits.
- BEST-IN-CLASS¹¹ AVAILABLE 6.7L DIESEL ENGINE FRONT GROSS AXLE WEIGHT RATINGS (GAWRs) for Ram 4500/5500 Chassis Cabs make these workers ideal for heavy-duty front-mounted attachments-and the go-to choice for snow plows.
- When equipped with the available Cummins® High Output Turbo Diesel, Ram Chassis Cab models deliver ALL THE DIESEL TORQUE YOU NEED. Cummins advantages include available B20 capability and a state-of-the-art Diesel Exhaust Fluid (DEF) System.
- Standard on every 2017 Chassis Cab, the ELECTRONIC STABILITY CONTROL (ESC)⁷ SYSTEM is an invaluable advantage for exceptional maneuvering, road manners and trailering control.
- ULTRA-CAPABLE AVAILABLE MAX DUAL ALTERNATOR OUTPUT. Put a total of 440 amps at your service, from a Ram Chassis Cab equipped with the Cummins Turbo Diesel.
- The RAM PROMASTER CHASSIS CAB MODELS substantially broaden the overall versatility of the Ram portfolio, with two cab-to-axle lengths, two wheelbases and three frame lengths, topped off by an impressive Gross Vehicle Weight Rating. Frame height makes these models ideal for applications that require frequent stops and loading. As low as 24.4 inches from the ground, it's custom-made for landscaping services or the transport of items like ATVs.

*Only when the available 10K GVWR model is ordered on 3500 SRW with 66RFE automatic transmission, [†]When properly equipped,

SELECT RAM PROMASTER AND RAM PROMASTER CITY HIGHLIGHTS

- Ram ProMaster Cargo Van models lead the competition, with BEST-IN-CLASS13 FEATURES where they count the most; among them: width between wheel wells, turning diameter (short wheelbase) and lowest load floor height. CLASS-EXCLUSIVE13 FRONT-WHEEL DRIVE excels in adverse weather conditions.
- Ram ProMaster Cargo Van and Windowed Van offer a world-class engine: the standard 3.6L PENTASTAR® V6 MATED TO THE 6-SPEED AUTOMATIC CHURNS OUT BEST-IN-CLASS¹³ STANDARD V6 280 HORSEPOWER backed with 260 lb-ft of torque.
- OUTSTANDING RETAINED VALUE. Ram ProMaster City retains its value better than Ford, Chevy and Nissan in its segment.



- THE RAM PROMASTER CITY MODELS come to work with a CLASS-EXCLUSIVE12 NINE-SPEED AUTOMATIC TRANSMISSION. Factor in the 2.4L TIGERSHARK® MULTIAIR®2 INLINE FOUR-CYLINDER, and you're looking at BEST-IN-CLASS¹² HORSEPOWER AND TORQUE. The zero-to-30 mph time is an astonishing 3.7 secondsperfect for merging into city traffic.
- THE 2017 RAM PROMASTER CITY MODELS encapsulate efficient capability-and then add welcome capacity. Cargo Van models feature the interior volume (and rear door opening widths) to accommodate a standard pallet. Towing on Cargo Van models reaches 2,000 lbt

*Based on ALG's residual value forecast for the 2017 Ram ProMaster City. [†]When properly equipped.

GAS POWERTRAIN



RAM PROMASTER CITY®

THE 2.4L TIGERSHARK® MULTIAIR®2 I-4: 178 HP / 174 LB-FT Powerful and lightweight, the four-cylinder 2.4L MultiAir2 features a host of smart components and enhancements for combustion control, maximum fuel efficiency and reduced exhaust emissions. With its 10:1 compression ratio, individual piston oil squirters, preciousmetal spark plugs and refined oil life monitoring system providing recommended oil change data, the 2.4L MultiAir2 ably steps up to the commercial rigors demanded of Ram ProMaster City models.



RAM 1500

THE 3.6L PENTASTAR[®] V6: 305 HP / 269 LB-FT

As standard powerplant on select Ram 1500 pickups, the awardwinning Pentastar V6 delivers up to 25 mpg highway' working with its standard partner, the innovative TorqueFlite® 8-speed automatic transmission. Count on built-in V6 efficiencies, V8-equivalent performance and tough available 4x4 capability.



RAM PROMASTER® VAN/CHASSIS CAB/CUTAWAY

THE 3.6L PENTASTAR V6: 280 HP / 260 LB-FT

The impressive and award-winning Pentastar V6 is the standard engine for the 2017 Ram ProMaster Vans. Light and efficient, with outstanding horsepower and torque, Electronic Throttle Control and a serious compression ratio of 10.2:1.

RAM 1500

THE 5.7L HEMI[®] V8 WITH MDS/FUEL SAVER TECHNOLOGY: 395 HP / 410 LB-FT



The resilient HEMI V8 for Ram 1500 reflects its legendary heritage—but it's really the engineering that makes this the frequent engine of choice. Smart refinements that focus on getting the most from every drop of fuel include dual spark plug technology and Variable Valve Timing (VVT); both contribute to outstanding engine efficiency and torque levels. The Multi-Displacement System (MDS)/Fuel Saver Technology transforms this tough V8 into a fuel-efficient 4-cylinder under many driving conditions. Available on Ram 1500 pickups.







RAM 2500/3500

THE 5.7L HEMI® V8 WITH VVT: 383 HP / 400 LB-FT

This iteration of the 5.7L HEMI V8 utilizes Variable Valve Timing (VVT), technology that optimizes engine breathing. Since a major function of VVT is

to increase torque, output with VVT is measurably better than that of comparable engines without it. VVT also gives these tough Ram models notable gas-powered towing strength. Standard on select Ram 2500/3500 SRW pickups.

RAM 2500/3500

THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 410 HP / 429 LB-FT

Performance here combines the best: VVT, MDS/ Fuel Saver Technology, Individual Cylinder Fuel Control and interactive Deceleration Fuel Shut-

Off (iDFSO). The assets that come with this available engine for Ram Heavy Duty pickups translate into bottom-line strength and proven efficiency, with the confidence to take on tough jobs.

RAM 3500/4500/5500 CHASSIS CAB

THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 370 HP (410 HP*) / 429 LB-FT (3500); 366 HP / 429 LB-FT (4500/5500)

The standard engine for all Ram Chassis Cab models provides outstanding gas-powered V8 performance—and using 87-octane unleaded gas.

Mate the 6.4L HEMI V8 with the available AISIN[®] transmission, and you've got stellar available PTO capability that efficiently uses only four of its cylinders (static). Configurations: 3500 models mate the 6.4L HEMI V8 with the 66RFE 6-speed automatic, with the AISIN AS66RC available for increased payload and towing capability; Ram 4500/5500 models mate it solely to the AISIN transmission.

MDS/FUEL SAVER TECHNOLOGY

It's exactly what business needs. Engineered for the 5.7L HEMI V8 on Ram 1500 and the 6.4L HEMI V8 on Heavy Duty and 3500 Chassis Cab with the 66RFE automatic, the Multi-Displacement System supplies a tough 8-cylinder for the job—and then seamlessly transforms the engine into a smooth 4-cylinder for the highway. The 6.4L HEMI V8/AISIN powertrain on 3500/4500/5500 Chassis Cabs even utilizes the MDS while in stationary PTO mode.



A TRANSMISSION FOR EVERY NEED: The Gas-Driven Portfolio.

THE 948TE 9-SPEED AUTOMATIC. It's the ideal engineering to propel the efficient Ram ProMaster City models. The wide 9.79 ratio spread and 4.70:1 first-gear launch ratio ensure quick takeoffs, while the 7th – 9th gear transitions help enhance fuel efficiency. Standard on 2017 Ram ProMaster City Tradesman® Cargo Van and Passenger Wagon.

THE 8HP45 TORQUEFLITE 8-SPEED AUTOMATIC. Compact, durable and efficient: the 8HP45 transmission comes to work with adaptive shifting, fill-for-life fluid, a sophisticated Thermal Management System and dashboard-mounted Rotary Shifter. Standard with the 3.6L Pentastar V6 on Ram 1500 only.

THE 8HP70 TORQUEFLITE 8-SPEED AUTOMATIC. This larger, more robust version of the 8HP45 8-speed offers all of the features described above, but with the resilience that can handle 5.7L HEMI V8 power. It's a very real contributor to the impressive Ram 1500 fuel efficiency. This transmission also features the dashboard-mounted Rotary Shifter. Available for Ram 1500 with the 5.7L HEMI V8.

THE 66RFE 6-SPEED AUTOMATIC. Electronic Range Select (ERS) facilitates heavy towing and payload assignments, with an added sixth gear that contributes a crisp and efficient 0.63:1 gear ratio; the muscular Reverse gear ratio of 4.44:1 is ideal when moving larger trailers. Standard with the HEMI V8-powered Ram 2500 and 3500 pickups and Ram 3500 Chassis Cab.

THE 62TE 6-SPEED AUTOMATIC. Mated to the 3.6L Pentastar® V6 and refined for commercial demands, this long-proven component ensures effortless and economical shifting. Engine speeds change less with each shift, contributing to fuel efficiency. Standard on Ram ProMaster.®

THE AISIN AS66RC HEAVY-DUTY 6-SPEED AUTOMATIC. Developed with our colleagues at AISIN, it was specifically sized, packaged and calibrated to accommodate the output and relating axle ratios of its partner—the 6.4-liter HEMI V8 engine for Ram 3500 Chassis Cab (as available transmission) and 4500/5500 Chassis Cab models (as standard transmission). On Ram Chassis Cabs, the AS66RC provides prodigious available PTO capability. Among them: available dual-sided configurability, with the left side capable of hydraulic or higher-output functions; output measured at 60 hp and 250 lb-tt of torque; and efficient operation when paired with the 6.4L HEMI V8 by operating static PTO functions using only four of the engine's eight cylinders.

DIESEL POWERTRAIN

POWERTRAINS





3500

RAM 2500/3500

6.7L CUMMINS® TURBO DIESEL: 350 HP / 660 LB-FT OF TORQUE The Cummins Turbo Diesel for Ram Heavy Duty pickups is available in three separate calibrations. All feature the class-exclusive⁸ "smart" diesel exhaust brake for improved braking and control, especially on downhill grades. The 350 / 660 version of the Cummins Turbo Diesel churns out stunning torque and ample horsepower; the powertrain configuration mates it only to the class-exclusive⁸ 6-speed manual transmission. Available for Ram 2500/3500 pickups.

RAM 2500/3500

6.7L CUMMINS TURBO DIESEL: 370 HP / 800 LB-FT

This calibration translates into radically high torque output, giving Ram Heavy Duty models extra clout for the job. Like all Cummins engines, it features the "smart" diesel exhaust brake and offers **superb unaided cold-start capability in temperatures as low as -20° F.** The 370 / 800 calibration is partnered with the dependable and trusted 68RFE 6-speed automatic transmission. It's available only on Ram 2500/3500 Heavy Duty pickups.

RAM 3500

6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 385 HP / 900 LB-FT The available High Output calibration is mated only to the AISIN® 6-speed automatic. With its **stellar available torque of 900 lb-ft**, the Cummins HO gives Ram 3500 pickup models indisputable capability for the toughest towing and hauling assignments. All Cummins Turbo Diesels meet stringent Federal emissions standards with an ingenious Diesel Exhaust Fluid (DEF) System. Available only on Ram 3500 pickups.



RAM 1500

3.0L ECODIESEL V6*: 240 HP / 420 LB-FT

This award-winning component is part of an arsenal of groundbreaking powerplants. The available 3.0-liter EcoDiesel V6° engine provides exceptional performance; it features breakthrough technology like a standard oil cooler that helps achieve time- and money-saving **best-in-class**⁶ **10,000-mile oil change intervals.** Available for Ram 1500 pickups.





RAM 3500/4500/5500 CHASSIS CAB

6.7L CUMMINS® TURBO DIESEL: 320 HP / 650 LB-FT

Two formidable Cummins Turbo Diesel calibrations serve the Ram Chassis Cab portfolio, with the 320 hp / 650 lb-ft iteration mated to the class-exclusive^{10,11} G56 6-speed manual transmission. Assets are extensive and include the "smart" diesel exhaust brake and a state-of-the-art (and fully compliant) DEF System. **Unaided cold-start capability measures as low as an Antarctic -20° F.** Available for all Ram Chassis Cabs.

RAM 3500/4500/5500 CHASSIS CAB

6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 325 HP / 750 LB-FT Significant advantages come with the available Cummins High Output Turbo Diesel-starting with **available torque of 750 lb-ft**. The 325 hp / 750 lb-ft Cummins is partnered solely to the single transmission meant to handle this level of output over the long term: the AISIN® AS69RC 6-speed automatic, with its Chassis Cab-friendly PTO capability. This Cummins is available for all Ram Chassis Cabs.

A TRANSMISSION FOR EVERY NEED: The diesel-driven family.


THE G56 6-SPEED MANUAL. This class-exclusive^{8,10,11} component features engineering that's totally up-to-spec; after all, it has to handle the incredible output of the Cummins Turbo Diesel engine on a daily basis. The G56 features an ultra-low first-gear ratio to facilitate heavy hauling/payload/towing requirements; it's also designed for convenient Power Take-Off (PTO) access, simplifying upfits on Ram Chassis Cab models. Available on Cummins equipped Ram pickups and Chassis Cab models.

THE 68RFE 6-SPEED AUTOMATIC. This component employs Electronic Range Select (ERS), which translates into phenomenal towing control. Designed to capably handle the 800 lb-ft of torque generated by the Cummins, the 68RFE features a beyond-tough torque converter to manage that output. Available with the 6.7L Cummins on Ram 2500/3500 pickups.

THE ZF 8HP70 8-SPEED AUTOMATIC: RAM I500. Opting for the available 3.0L EcoDiesel V6* in Ram 1500 also gives you a unique standard powertrain partner: the innovative and pioneering TorqueFlite[®] 8-speed automatic transmission, providing an outstanding combination of power and fuel efficiency.

THE AISIN AS69RC 6-SPEED AUTOMATIC: RAM 3500 PICKUP. The engineering behind the world-class AISIN is all about teamwork with the Cummins High Output and its remarkable 900 lb-ft of available torque. AISIN AS69RC business-specific advantages include a Shift Control System with its seamless shifting algorithm, an industrial-grade case, wide overall gear ratios and a geartrain with three efficient clutches and two brakes; braking response rivals a manual. Available only on Ram 3500 pickups with the available 6.7L Cummins High Output Turbo Diesel (385 hp / 900 lb-ft of max torque).

THE AISIN AS69RC 6-SPEED AUTOMATIC: RAM CHASSIS CABS. This design is all about enhancing PTO capability, and the engineering enables impressive levels of on-the-job versatility. The AISIN 6-speed automatic, featuring all of the assets described above, but paired with the 325 hp / 750 lb-ft Cummins, gives Ram Chassis Cab left- or right-side PTO capability, ease-of-installation and convenient access. PTO advantages include impressive numbers (60 horsepower and 250 lb-ft of torque, both static and mobile), while split-shaft capability enables multiple PTO use. Left-side capability can handle hydraulic and high-output applications; there's even packaging space for aftermarket units.



RAM 1500



17-inch Argent Steel Wheel Standard on Tradesman[®] (WFP)



17-inch Painted Aluminum Wheel Standard on Express Optional on Tradesman (WFE)



17-inch Aluminum Wheel with Matte Black Pockets Standard on Rebel[®] (WFK)

20-inch Aluminum Wheel

with Polished Face and Accent-Color Inserts

Standard on Two-Tone

Laramie Longhorn® (WRH)



20-inch Painted Aluminum Wheel Standard on EcoDiesel HFE (WHE)



20-inch Chrome-Clad Aluminum Wheel Optional on Express (WR2)



20-inch Chrome-Clad Aluminum Wheel Standard on Big Horn[®]/ Lone Star* (WRK)



20-inch Black Painted Aluminum Wheel Packaged with Black Express Group (WHN)



Aluminum Wheel Standard on Sport (WRF)



20-inch Semi-Gloss Painted Aluminum Wheel Standard on Night Packaged with Black Sport Group (WRL)



20-inch Chrome-Clad Aluminum Wheel Standard on Laramie® (WRG)



20-inch Aluminum Wheel with Polished Face and Silver Inserts Standard on Laramie Longhorn with available Monotone Paint (WRJ)



20-inch Polished Aluminum Wheel with Gray Inserts Standard on Limited (WRA)



22-inch Polished Forged Aluminum Wheel Standard on Regular Cab R/T Optional on Crew Cab Sport (WPZ)

	OVERVIEW	POWERTRAINS	1500	2500		35	00			35	00 CC			L	45
BL	JYER'S GUI	IOO PICKUP De			SALES CODE		, ECODIESEL HFE OUAD CAB®	-	_		PICATION NIGHT	_	LARAN OUAD/		UILIY VNU
	PACKAGE	ANSMISSION	2			B	E	J	S/R	L	Q	W	H	K	
					ERB/	000		001	000/0	0.01	000	0.000	0011		ĺ
3.6L	Pentastar® V6 Flex Fuel 3	24V with VVT; 8HP45 eight	-speed automatic		DFL	22B	-	22J	22S/R	22L	22Q	22W	22H	-	_
5.7L	$\operatorname{HEMI}^{\otimes}$ V8 with VVT and Fue	el Saver Technology; 8HP70 (eight-speed automatic (R	egular Cab and Crew Cab)	EZH/ DFK	26B	-	26J	26S/R	26L	26Q	26W	26H	26K	
5.7L	HEMI V8 with VVT and Fu	el Saver Technology; 8HP7	O eight-speed automati	c (Quad Cab only)	EZH/ DFD	27B	_	27J	27S/R	27L	27Q	-	27H	_	
			• •		EXF/	000	005		000/0				0011	0.01/	
	EcoDiesel V6‡; 8HP70 eig				DFD	28B	28E	-	28S/R	-	-	-	28H	28K	
	ECHANICAL I														
	VE GRILLE SHUTTERS (INCI RNATOR — 160-amp	uded with eight-speed auto	imatic transmission)		MDX BAB	P •	•	P •	P •	P •	P •	-	P •	P •	
	230-amp (included with E	coDiesel V6‡)			BAM	Р	•	-	Р	-	-	-	Р	Р	
	– 3.21 ratio (not availab	,			DMC	•	-	•	•	•	•	0/•	•	•	
- 3	3.55 ratio (included with E	EcoDiesel V6‡; not availabl	e with HEMI V8 with ei	ght-speed transmission)	DMD	O/P	•	0	O/P	-	-	-	O/P	O/P	
	3.92 ratio (included with F	,			DMH	0	-	0	0	0/P	0	•	0	0	
	Antispin rear differential (included with R/T 4x2)			DSA	0	-	0	0	0/P	0	•	0	0	
	ERY — 730-amp				BCN	•	-	•	•	•	•	•	•	•	
_	300-amp (included with Ed NE PLOCK HEATER (include	ed with Cold Weather Grou	a if aquinned with EcoN	incel VG=)	BCF NHK	P O/P	• P	- 0	P O/P	-	-	-	P O/P	P O/P	
	NE COOLING — Heavy-duty		n ii edaihhea mirii coon	lesel voʻ)	NMC	P	г _	P	P	P	P	P	U/r P	P	
	Maximum-duty (packaged				NMX	P	Р	-	P	-	-	-	P	P	
	TANK – 26-gallon (inclu	,			NFW	•	•	•	•	•	•	•	•	P	
		l'-box models; not availabl	e with EcoDiesel V6‡ o	r on Regular Cab short-box	NFX	0/P	_	0	0	0	0	0	0		
	nodels; optional on 6' 4''				SFB	•	•	•	•	•	•	_	•	•	
	SK ABSORBERS — Front, hi Rear, heavy-duty	eavy-uuly			SGB	•	•	•	•	•	•	-	•	•	-
_	Front, Bilstein® Performar	100			SFC	-	-	-	-	-	-	•	-	-	
- F	Rear, Bilstein Performance)			SGC	-	-	-	-	-	-	•	-	-	
STAB	ILIZER BAR – Front				SHA	•	٠	•	•	٠	٠	•	٠	•	
		gular Cab 4x2 8'-box mode Regular Cab R/T 4x2 6' 4''		/6 on Regular Cab 4x2	SHF	•	•	•	•	•/P	•	•	•	•	
	RING – Electronic rack an				SBA	•	•	•	•	•	•	•	•	•	
		id lower A-arms, coil sprin	gs, twin-tube shocks		NA	•	•	•	•	•	•	-	•	•	
- A t s	win-tube shocks; rear five-	s, twin-tube snocks ir Suspension System: includ ·link, air springs, twin-tube d Cab and Crew Cab only; r	shocks; air compressor	and dual closed-loop	NA SER	•	-	•	•	•	•	•	•	•	-
TRAIL	LER HITCH — Class IV hitc	ch receiver (included with 1	railer-Tow Mirrors and	Brake Group)	XFH/ XF9	•	-	O/P	•	0/P	O/P	•	•	•	
TRAN	ISFER CASE – Electronic r	part-time (4x4 models only)		DH9	•	-	•	-	-	-	•	-	-	
_	lectronic on-demand (4x4		/		DH8	-	-	-	•	•	•	-	•	•	
WINC	H — Tire carrier				TBM	•	•	•	٠	٠	•	•	•	•	
E)	KTERIOR FEA	TURES													
		with RamBox® System and			LPL	O/P	-	O/P	•	P	P	P	O/P	•	
	RAILS — Chrome, tubular, fo or with 22-inch wheels)	or 5' 7''- and 6' 4''-bed sid	es (not available with Ra	ımBox System, tonneau	MEB	-	-	-	0	0	0	0	0	0	
	INER — Spray-in				XMF	0	-	•	0	0	0	0	0	•	
BELT	MOLDINGS — Chrome				MME	-	-	-	-	-	-	-	-	•	
	′ MODEL – Regular Cab 6	" 4" box			61	0	-	0	0	0	0	-	-	-	
	Regular Cab 8' box				62	0	-	-	0	-	-	-	-	-	
_	Quad Cab 6' 4'' box Crew Cab 5' 7'' box				41 98	0	•	0	0	0	0	-	0	- 0	-
	Grew Gab 5' 7'' box Grew Cab 6' 4'' box				98 91	0	-	-	0	0	0	• -	0	0	
						۳ I		L	-	~	3			, °	

• = Standard O = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability. *Lone Star model available only in Texas. *Late availability.

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT				FABRI	ICS			RESO	URCES	;		15
					SALES CODE	TRADES MAN® Reg/ouad/crev	ECODIESEL HFE OUAD CAB®	<u> </u>	BIG HORN®/LONE STAR ⁺ reg/quad/crew	SPORT Reg/ouad/crew	NIGHT Reg/ouad/crew	REBEL® CREW CAB	LARAMIE* QUAD/GREW	LARAMIE LONGHORN® Crew Cab	LIMITED Crew CAB	
CPOS PACKAGE						B	E	J	S/R	L	Q	W	H	K	V	
EXTERI	OR FEATURE	S (continued)											_		
BUMPERS - Fro	nt and rear Black				MB1/ MBN	•	•	-	-	-	-	-	-	-	-	
– Front and re	ear Black powder-coated				MCS/ MB5	-	-	-	-	-	-	•	-	-	-	
– Front and re	ear painted lower accent	color			MBU/ MBV	-	-	-	-	-	-	-	-	•	-	
	ear Chrome (included wit th Chrome Bumper Packa	h Chrome Appearance Gro ge)	up; included with Monoto	ne paint;	MCT/ MBF	P	-	-	•	-	-	-	•	P	P	
— Rear body-c					MBQ	-	-	•	-	•	•	-	-	-	•	
	– Black (included with lo	ow-volume paint colors)			MNA	•	•	•	P	-	-	-	-	-	-	
- Body-color	body color bozol				MNK	-	-	-	-	•	•	•	-	-	-	
	h body-color bezel gle rear (included with 3.	EL VE)			MNE	- Р	•	— Р	• P	- Р	- Р	- Р	• P	•	•	
	ncluded with HEMI® V8 o	,			NER	г _	-	r P	P	Р	P	P	P	•	•	
	upper, Black (included w	,			MCL	•	•	-	Р	-	-	-	-	_	_	
		th Chrome Bumper Packag	18)		MCM	_	_	-	•	_	-	_	•		Р	
– Front full, b			J0 <i>)</i>		MBP	-	_	•	-	•	•	-	-	-	•	
FOG LAMPS	,				LNJ/	_	_	•	•	•	•	•	•		•	
GRILLE – Black	surround. Black hex-link	(included with low-volum	e naint)		MFF	•	•	-	-	-	-	_	_	-	-	
		uded with Black Express (. ,		MFS	-	_	Р	-	-	•	-	-	-	_	
– Black Ram I					MFM	-	-	-	-	-	-	•	-	-	-	
– Chrome sur	round, Black hex-link (in	cluded with Chrome Appea	arance Group)		MFD	Р	-	-	-	-	-	-	-	-	-	
		(included with R/T model)			MFT	-	-	•	-	Р	-	-	-	-	-	
– Body-color :	surround, chrome billet-p	erf			MFN	-	-	-	-	•	-	-	-	-	-	
– Chrome sur	round, chrome billet-perf				MFH	-	-	-	•	-	-	-	-	-	-	
– Chrome sur	round, chrome wave-perf				MF1	-	-	-	-	-	-	-	•	-	-	
– Chrome Rar	n logo grille				MFJ	-	-	-	-	-	-	-	-	•	•	
HEADLAMPS/TAI	LLAMPS – Automatic				LMG	•	•	•	•	•	•	•	•	•	•	
— Quad-lens h	alogen with incandescen	t taillamps			LME/ LAG	•	•	•	•	-	-	-	-	-	-	
— Quad-lens h	alogen, blackout look, wi	th incandescent taillamps	(included with Black Exp	ress Group)	MFA/ LAG	-	-	P	-	-	-	-	-	-	-	
– Sport black	out look bifunctional halo	gen projector with LED tur	rn/running lights and LED	taillamps	LMM/ LAE	-	-	-	-	•	•	•	-	-	-	
— Premium bi	functional halogen projec	tor with LED turn/running	lights		LMC/ LAD	-	-	-	-	-	-	-	•	•	•	
		ncluded in Convenience G	roup)		LMS	-	-	-	-	P	P	-	P	•	٠	
	nual, Black, 6 x 9-inch (F ed. foldinn, Black, 6 x 9-	Regular Cab only) inch (included with Power	and Remote Entry Groun	nn	GPU	•	-	•	-	-	-	-	-	-	-	
Regular Cat – Manual, fol	1 Tradesman and Express ding trailer tow, Black, 7				GT6 GPD	P/• P	•	Р/• Р	-	-	-	•	-	-	-	
	ed, auto-dimming, power-	folding, Black, 6 x 9-inch	; includes exterior courte	sy lamps and	GUK	-	_	-	•	_	_	Р	_	_	_	
	al turn signals (included ed, power-folding, auto-d	with Luxury Group) imming, body-color 6 x 9·	inch; includes exterior co	urtesy lamps												
	nental turn signals tow manual folding. Black	7 x 11-inch; includes exterio	r courtesy lamos and symple	montal turn	GT5	-	_	-	-	•	•	-	-	-	_	
signals (inclu Express mod	ided with Trailer-Tow Mirro els)	ors and Brake Group; not av	ailable on Regular Cab Trac	lesman or	GPG	P	-	P	P	P	Р	P	-	-	-	
memory, ex	terior courtesy lamps and	nming, power-folding, chr 1 supplemental turn signal	ls		GU4	-	-	-	-	-	-	-	•	•	•	
		uto-dimming, manual folding. I turn signals (included with			GPC	-	-	-	-	-	-	-	P	P	P	
RUNNING BOARD	IS — Accent-color				MRM	-	-	-	-	-	-	-	-	•	-	
SIDE STEPS – T on Limited mode		ne (included with Monotor	ne paint; included with die	esel engine‡	MRT	-	-	-	-	-	-	-	-	0/P	P	
		with Black Express Group			MRU	0	-	0	-	0	0	0	-	-	-	
— Tubular, wh	eel-to-wheel, Chrome (in	cluded with V8 on Limited)		MRA	0	٠	0	0	0	0	-	0	0	P	

[†]Lone Star model available only in Texas. [‡]Late availability.

6	OVERVIEW	POWERTRAINS	1500	2500		35	00			35	00 CC			4	500 C I
		ioo pickuf de (conti			SALES CODE	TRADESMAN® Reg/ouad/crew	CODIESEL HFE UAD CAB®	ÉXPRESS Reg/ouad/crew	BIG HORN®/LONE STAR ⁺ reg/quad/crev	SPORT Reg/Ouad/crew	NIGHT Reg/ouad/crew	REBEL® CREW CAB	LARAMIE® QUAD/GREW	LARAMIE LONGHORN® Crew Cab	UMITED CREW CAB
	PACKAGE				8	⊨æ	₩8 E	lo≊ J	ææ S/R	≂≂ L	22	æ⇔ ₩	30	K	300 V
		TURES (cont	inued)			D	Ľ		o/n	L	ų	W	n	K	V
					VEIL	Р	-	_	n	-	-	Р	Р	Р	-
		n, 4x4 only (included with ncluded with ncluded with Protection G	.,		XEU XEF	r P	-	-	P P	-	-	P	P P	P P	-
STOR	AGE – RamBox® Cargo M	lanagement System: includ inable, bed rails with four a	es pickup box with integra		XB9	0	_	0	r O	0	0	r 0	r O	0	0
exten	der and LED Bed Lighting	(5' 7''- and 6' 4''-box mo	dels only; not available wi	th 8' box)	100										
TIRES	- P265/70R17 BSW All	-Season			TTM	٠	-	•	-	-	-	-	-	-	-
- L	T265/70R17E OWL On-/0	Off-road			TXN	0	-	-	-	-	-	-	-	-	-
- L	T285/70R17E BSW All-T	errain			TWG	-	-	-	-	-	-	۰	-	-	-
	275/60R20 BSW All-Sea ncluded with optional 20-	son (included with Black E inch wheels)	xpress Group or Black S	port Group;	TTN	-	•	P	•	P	•	-	•	•	•
- P	275/60R20 OWL All-Sea	son (included with WR2	and WHE 20-inch whee	lls)	TUB	-	0	P	0	•	-	-	0	0	0
- P	285/45R22 BSW All-Sea	son (Regular Cab R/T 4x2	model; included with op	tional 22-inch wheels)	TY4	-	-	-	-	P	-	-	-	-	-
- \$	pare, full-size				TBB/ TBS	•	•	•	•	•	•	•	•	•	•
TONN	EAU COVER — Soft, tri-fo	ld (available with or witho	ut RamBox System)		CS7/ CSU	0	•	0	0	0	0	0	0	0	0
TOW	HOOKS — Included with P	Protection Group (requires	chrome bumpers for Lim	ited)	XEA/ XHW	P	-	-	P	-	-	•	O/P	•	0
WHEE	LS — Spare: 17-inch stee	el; 17-inch aluminum; 20-	inch steel		W1A/ W1B/ W1D	•	•	•	•	•	•	•	•	•	•
- 1	7 x 7-inch styled steel, p	painted Argent			WFP	•	-	-	-	-	-	-	-	-	-
- 1	7 x 7-inch painted cast-a	aluminum (included with C	hrome Appearance Group	1)	WFE	Р	-	•	-	-	-	-	-	-	-
- 1	7 x 8-inch aluminum with	h Matte Black pockets			WFK	-	-	-	-	-	-	۰	-	-	-
- 2	O x 8-inch painted Silver	, aluminum			WHE	-	•	-	-	-	-	-	-	-	-
- 2	O x 8-inch semi-gloss Bl	ack painted, aluminum (in	cluded with Black Expres	s Group)	WHN	-	-	P	-	-	-	-	-	-	-
- 2	O x 8-inch chrome-clad a	aluminum			WHK	-	-	-	•	-	-	-	-	-	-
	O x 9-inch chrome-clad a				WR2	-	-	0	-	-	-	-	-	-	-
	O x 9-inch aluminum, po				WRF	-	-	-	-	•	-	-	-	-	-
		mi-gloss Black painted (in	cluded with Black Sport (Group)	WRL	-	-	-	-	P	•	-	-	-	-
	O x 9-inch chrome-clad a				WRG	-	-	-	-	-	-	-	•	-	-
		inum, with accent-color in			WRH	-	-	-	-	-	-	-	-	•	-
		linum, with Silver-clad ins	erts (included with Mono	tone paint)	WRJ	-	-	-	-	-	-	-	-	P	-
- 2	0 x 9-inch aluminum, po 2 x 9-inch polished forge trew Cab 4x2)	lished with Gray Inserts ed aluminum (included wit	h Regular Cab R/T 4x2 n	nodel; optional on	WRA WPZ	-	-	-	-	- P/0	-	-	-	-	•
		TUDES													
	ONDITIONING - Manual	TORES			HAA	•	•	•	•	•	•	_	-		_
		perature Control (Quad Ca	h and Crew Cab only)		HAF	-	_	-	•	•	•	•	•	•	•
		.5-inch display screen for		av (NIN)	JAT	•	•	•	-	-	_	_	_	-	_
	remium instrument, with		birtor mormation bioph	ij (bib)	JAG	-	_	-	•	•	•	-	•	-	_
	remium Rebel instrument				JAJ	_	_	-	-	-	-	•	-	-	-
		n instrument, with 7-inch	DID		JAX	-	_	-	-	-	_	-	-	•	_
	remium Limited instrume				JAV	-	-	-	-	-	-	-	-	-	•
CONS	OLE – Full-size floor (in	cluded with front bucket s	eats)		CUP	-	-	-	Р	Р	Р	•	Р	-	-
— P	remium full-size floor wi	th leather-wrapped accent	S		CVT	-	-	-	-	-	-	-	-	•	•
- 0	lverhead (included with U	lconnect® 5.0 radio)			CUN	Р	-	P	-	-	-	٠	-	-	-
- 0	lverhead, with Universal (Garage Door Opener (inclu	ded with Luxury Group)		CV2	-	-	-	•	•	•	Р	٠	٠	•
FLOOI	R MATS – Front, carpete	d (Regular Cab; included)	with Popular Equipment G	roup)	CLA	Р	-	•	•	•	•	-	-	-	-
— F	ront, rubber (Regular Cal	b)			CLY	0	-	0	-	0	0	-	-	-	-
— F	ront and rear, carpeted (Q	uad Cab and Crew Cab; inc	luded with Popular Equipm	ent Group)	CLE	P	-	•	•	•	•	-	•	-	-
— F	ront and rear, rubber (Qu	ad Cab and Crew Cab)			CLF/ CL3	0	-	0	0	0	0	•	0	-	-
— F	ront and rear, luxury				CLZ/ CLL	-	-	-	-	-	-	-	-	•	•

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT				FABR	ICS			RESO	URCES			17
					SALES CODE	TRADESMAN [®] Reg/ouad/grev	ECODIESEL HFE QUAD CAB®	EX PRESS Reg/ouad/crew	BIG HORN®/LONE STAR [†] reg/ouad/crew	UMD 0		REBEL® Crew Cab	LARAMIE® OUAD/GREW	LARAMIE LONGHORN® Crew Cab	UMITED CREW CAB	
CPOS PACKAGE						В	E	J	S/R	L	Q	W	H	K	V	
		S (continued) and Crew Cab only; inclu) ded with premium cloth an	ıd	CVN	-	-	-	Р	Р	Р	•	Р	Р	Р	
	M — Seats, mirrors, peda	lls. radio presets			LEV	-	-	-	-	-	-	-	•	•	•	
PEDALS - Non-a					XA8	•	•	•	•	-	-	•	-	-	_	
– Power-adjus					XAP	-	-	-	-	•	•	-	-	-	-	
– Power-adjus	stable with memory				XAM	-	-	-	-	-	-	-	•	•	•	
SEATS — Manua	Il-adjusting driver and fro	int-passenger			JP8	•	•	•	-	-	-	-	-	-	-	
— Seat belt, fr	ront, shoulder height-adju	stable			CGD/ LAX	•	•	•	•	•	•	•	•	•	•	
– Power 10-w	ay driver (included with	premium cloth seats)			JRT	-	-	-	Р	P	Р	-	-	-	-	
– Power 10-w	ay driver and power six-	way passenger (included v	with *CJ leather seats)		JRM	-	-	-	-	P	Р	•	-	-	-	
– Power 10-w	ay driver with memory an	nd power six-way passeng	er (included with leather-	trimmed seats)	JRF	-	-	-	-	-	-	-	Р	P	Р	
leather-trim	imed seats)	er's seat only; included w			JPW	-	-	-	P	P	Р	•	•	•	•	
Wheel Grou	p; included with leather-t	rimmed seats)	wheel (included with Heat	ed Seats and	CMA/ NHS	-	-	-	P	P	P	•	P	P	P	
	ront (included with leathe	,			CAJ	-	-	-	-	P	Р	-	Р	P	P	
		(included with leather-trin	,		JPZ	-	-	-	-	-	-	-	P	P	P	
tray on Cre	w Cab (Quad Cab and Cre	ew Cab models include fol	st/cup holder, floor-moun Iding rear bench seat trim	med in vinyl)	*TX	•	•	•	-	-	-	-	-	-	-	
include clot	h folding rear bench seat	; included with Popular E			*V9	P	-	Р	-	-	-	-	-	-	-	
10-way driv power outle	er's seat, power lumbar :	adjuster, front center-sea 1b models include 60/40	t armrest with cup holder, t cushion storage, 115-vo split-folding rear bench s	lt auxiliary	*M9	-	-	-	•	-	-	-	-	-	-	
adjuster, fu models incl	ll-length floor console, 1	15-volt auxiliary power ou	driver's seat, power lumb tlet (Quad Cab and Crew n cloth with underseat sto	Cab	*MJ	-	-	-	0	-	-	-	-	-	-	
10-way driv auxiliary po	er and six-way passenge	r, power lumbar adjuster, 10 split-folding rear bencl	vith embossed tread patter full-length floor console, h seat trimmed in cloth/vi	115-volt	*N7	-	-	-	-	-	-	•	-	-	-	
lumbar adju outlet (Quar	ister, full-length floor con d Cab and Crew Cab mod	isole, Heated Seats and W	power 10-way driver's sea Theel Group, 115-volt auxi Ilding rear bench seat trin age)	liary power	*AJ	-	-	-	-	•	•	-	-	-	-	
power six-w outlet (Quai	ay passenger, power lum d Cab and Crew Cab mod	bar adjuster, full-length f	s, includes power 10-way loor console, 115-volt au: Iding rear bench seat trin 'ailable on Regular Cab)	ciliary power	*CJ	-	-	-	-	0	0	-	-	-	-	
driver and p folding cent models incl	oower six-way passenger, ter armrest with cup hold	power lumbar adjuster, f er, 115-volt auxiliary pow	front with power 10-way/i ront center-seat cushion s ier outlet (Quad Cab and (n vinyl with underseat sto	storage and Crew Cab	*VL	_	_	_	_	_	-	_	•	_	_	
power six-w outlet and h	vay passenger, power lum leated second row on Cre	bar adjuster, full-length f w Cab models (Quad Cab	s, includes power 10-way loor console, 115-volt aux and Crew Cab models in storage and fold-flat load-	ciliary power clude 60/40	*6J	-	-	-	-	-		-	0	-	-	
power 10-w floor consol	vay driver and power six le, 115-volt auxiliary pow ather with laser-etched-d	-way passenger, power lu er outlet, heated second-	nd ventilated bucket seat: umbar adjuster, premium row seats; includes 60/40 h underseat storage (avai	full-length) split-folding	*ХЛ	-	_	-	-	-	-	-	-	•	_	
power six-w power outle	ay passenger, power lum t, heated second-row sea	bar adjuster, premium ful ts; includes 60/40 split-f	s, includes power 10-way Il-length floor console, 11 'olding premium leather re ble in Canyon Brown or C	5-volt auxiliary ear bench seat	*DJ	-	-	-	-	-	-	-	-	0	-	
power six-w power outle	ay passenger, power lum t, heated second-row sea	bar adjuster, premium ful	s, includes power 10-way I-length floor console, 11 folding premium leather r ble only in Black)	5-volt auxiliary	*UL	-	-	-	-	-	-	-	-	-	٠	

3	OVERVIEW	POWERTRAINS	1500	2500		35	00			35	00 CC			4	500
		500 PICKUF Ide (Conti			SALES CODE	TRADES MAN® Reg/ouad/crew	ECODIESEL HFE QUAD CAB®	EXPRESS Reg/QUAD/CREW	BIG HORN®/LONE STAR [†] reg/quad/crew	SPORT Reg/QUAD/CREW	NIGHT Reg/ouad/crew	REBEL® CREW CAB	LARAMIE® DUAD/GREW	LARAMIE LONGHORN® Crew Cab	UMITED
CPOS	PACKAGE					B	E	J	S/R	L	Q	W	H	K	١
IN	TERIOR FEA	TURES (conti	nued)												
STEE	RING WHEEL – Urethane				SCF	•	•	•	-	-	-	-	-	-	-
– L	eather-wrapped with aud.	io control buttons			SCV/ SCB	-	_	-						-	-
-1	eather-wranned nenuine	wood, heated, with audio	control huttons		SC3	-	_	_	_	_	_	_	_		
		ated Seats and Wheel Grou			NHS	-	_	-	Р	Р	Р	•	•	•	
STOR	(cushion (included with op	17	d with	CVH	Р	Р	Р	P	-	-	-	Р	-	-
- F	ront, behind the seats (R	legular Cab only)			CU3	•	-	•	•	•	•	-	-	-	-
— R	lear, in-floor bins, two wi	th removable liners (Crew	Cab only)		CB9	•	-	•	•	•	•	•	•	•	,
— R	lear, underseat compartm	nent (Quad Cab and Crew	Cab models only)		CUE	•	•	•	٠	•	٠	•	٠	•	
	lual glove boxes with clos				NA	-	-	-	•	•	•	•	•	•	
SUNR	00F – Power (Quad Cab	and Crew Cab models on	ly)		GWA	-	-	-	0	0	0	0	0	0	1
	OWS — Manual (Regular	•/			JF8	•	-	•	-	-	-	-	-	-	-
	Power, front with driver's Remote Entry Group)	one-touch down (Regular	Cab only; included with F	Power and	JPY	P	-	P	•	•	•	-	-	-	
		n driver's one-touch down		rew Cab models only)	JP3	•	•	•	•	•	•	•	•	•	
	, , ,	ndard on Regular Cab mod	els)		GJD	•	•	•	•	•	•	-	-	-	-
	lear backlight, sliding (Re	• •/			GFD	0	-	0	0	0	0	-	-	-	-
		ling (Quad Cab and Crew I	- ,		GFE	-	-	-	•	•	•	•	•	•	'
	、 ·	er sliding rear backlight or			GFA	-	-	-	0	0	0	0	0	0	
		MULTIMEDIA			DOLL		•	•	•	•	•	•	•	•	
		ut jack for mobile devices	1		RSU	•	•	•	•	•	•	•	•	•	
	ISB 1.5-amp fully function	ning port port (included with *V9, *	MD *MI costs and Hoonr	aget 5 () radio)	RSX RS3	• P	•	• P	• P	•	•	•	•	•	
	DS — Radio 3.0 AM/FM	port (included with vo,	mə, mə sedis dilu uculli	1661 3.0 14110)	RA1	г •	•	г •	г -	-	-	-	_	-	
_		etooth [®] Voice Command ¹⁴			UA1	0	_	0	_	_	_	-	_	-	
_		etooth (included with Black	(Fynress Grown)		RA2	0	_	0/P	-	_	_	-	_	-	-
	Joonnect 8.4 AM/FM/Blue	(RA3	-	_	-	•	•	•	•	•	-	-
	Iconnect 8.4 NAV AM/FM				RA4	-	-	-	0	0	0	0	0	•	,
	D CONTROLS — Steering ing wheel)	wheel-mounted audio cont	rols (included with leath	er-wrapped	RDZ	-	-	-	P	Р	Р	•	Р	Р	
SING	LE-DISC CD PLAYER				RH1	0	0	0	0	0	0	0	0	0	1
SIRIU	SXM [®] SATELLITE RADIO ¹¹	⁶ — Included with Popular	Equipment Group		RSD	Р	-	Р	٠	•	٠	•	٠	•	•
SIRIU	SXM TRAFFIC ¹⁶ — Include	ed with Uconnect 8.4 NAV			RSS	-	-	-	P	P	Р	P	P	P	
	-	cluded with Uconnect 8.4	NAV		RSM	-	-	-	P	P	P	Р	P	P	
SPEA	KER SYSTEM – Six, stand	dard			RCG	•	•	•	•	•	•	•	-	-	-
		rs and eight-channel ampli			RCK	-	-	-	-	•	•	-	-	-	-
S	cound Group or Black Spo	including a subwoofer and ırt Group; Quad Cab and C		ncluded with Premium	RC3	-	-	-	0	P	P	0	•	•	
UCON	INECT ACCESS ¹⁵ — Requi	res Uconnect 8.4			R\$7	-	-	-	P	P	Р	P	P	P	F
UCON and T	INECT BLUETOOTH CONNI Text Message Reader ¹⁷ (in	ECTIVITY — Includes hand ncluded with Uconnect 3.0	s-free phone, ¹⁴ Streaming I or 5.0 or 8.4 or 8.4 NA	Audio, Voice Command ¹⁴ V)	XRB	P	-	P	P	P	P	P	P	P	1

No. No. <th>0000 00</th> <th>THOMAGTER</th> <th></th> <th></th> <th>1 400</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>me o o</th> <th>011020</th> <th></th> <th></th>	0000 00	THOMAGTER			1 400								me o o	011020		
SAFETY & SECURITY Source of the second						SALES CODE	TRADESMAN® Reg/QUAD/CREW	ECODIESEL HFE QUAD CAB®	EX PRES S Reg/QUAD/GREW	BIG HORN®/LONE STAR ⁺ reg/quad/crew	SPORT Reg/ouad/crew	NIGHT Reg/ouad/crew	REBEL® CREW CAB	LARAMIE® QUAD/GREW	LARAMIE LONGHORN® Crew Cab	UMITED CREW CAB
AIR BASS* - Advanced multistage front CGS • <td>CPOS PACKAGE</td> <td>E</td> <td></td> <td></td> <td></td> <td></td> <td>B</td> <td>E</td> <td>J</td> <td>S/R</td> <td>L</td> <td>Q</td> <td>W</td> <td>H</td> <td>K</td> <td>V</td>	CPOS PACKAGE	E					B	E	J	S/R	L	Q	W	H	K	V
- Supplemental lide-curtain C6S • <t< td=""><td>SAFET</td><td>Y & SECURIT</td><td>Y</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	SAFET	Y & SECURIT	Y													
- Supplemental front-seat side -nounted CJI • </td <td>AIR BAGS¹⁸ – A</td> <td>Advanced multistage front</td> <td></td> <td></td> <td></td> <td>C63</td> <td>•</td> <td>•</td> <td>۰</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	AIR BAGS ¹⁸ – A	Advanced multistage front				C63	•	•	۰	•	•	•	•	•	•	•
BRACKS - Prover-assisted 4-wheel ASL, Brake Assist, All-Speed Traction Control, BRACKS - Prover-assisted 4-wheel ASL, Brake Assist, All-Speed Traction Control, BRA Brake Support, Bady Alter Baker, Dectronic Boll Mitigation, Hill Start Assist and Trailer Swap Damping/ BRT •							•	•	•	•	•	•	•	•	•	•
LEEFRONC STABILTY CONTROL (185C) - Includes 4-wheel ABS, Brake Assist, All-Speed Traction Control, Rain Brake Support, Ready Aler Darking, Electronic full Mingation, Hill Start Assist and Traitier Sway Damping PARKSENSE " REAP PARK ASSIST" - Not available on Beguiar CabXua											-					
Bale Brake Support, Bady Alert Paktóg, Electronic Roll Mitigation, Hill Start Assist and Trailer Sway Damping' DIMB Image: Control Control Control Control Roll Mitigation, Hill Start Assist and Trailer Sway Damping' DIMB Image: Control Roll Paktors Start Control Roll Mitigation, Hill Start Assist and Trailer Sway Damping' DIMB Image: Control Roll Paktors Start Control Roll Paktors Start Control Roll Paktors Start Start Start Start Roll Paktors Start Paktors Start Roll Paktors Roll Pakto						BRT	•	•	•	•	•	•	•	•	•	•
PARSENSE FRONT AND REAR PARK ASSIST" - Not available on Regular CabXAG00-00.PARKVIEW" REAR BACK-UP CAMERA" - With dynamic grid lines (grid lines ont available with 3.0 radios)XAC0-0<	Rain Brake Sup	port, Ready Alert Braking, El					•	•	•	•	•	•	•	•	•	•
PARVIEW" REAR BACK-UP CAMERA" – With dynamic grid lines (grid lines not available with 3.0 radios)XAC0-0••• <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td>-</td></t<>								-							-	-
REMOTE KEYLESS ENTRY WITH ALLSECURE* - Controls for power door locks, tailgate and RamBox* System (when equipped), illuminated entry system, panic alarm; includes two transmitters (included With Poular Equipped), illuminated entry system, panic alarm; includes two transmitters (included With Poular Equipped), illuminated entry system, panic alarm; includes two transmitters (included With Poular Equipped), illuminated entry system, panic alarm; includes two transmitters (included With Poular Equipment Group and Power and Remote Entry Group.St&MP-P··<								-		٠	0	0	-	0	•	۰
System (when equipped), lluminated entry system, panic alarm; includes two transmitters (included BXM P - P -				-		XAC	0	-	0	•	•	•	•	•	•	•
SECURITY ALARMLSABLACK EXPRES GROUP - Includes Papular Equipment Group, Pure and Benote Entry Group and 22-inch Black badges, prenium nine-speaker sound system with submoder and 22-inch Black badines, badine	System (when	equipped), illuminated ent	ry system, panic alarm; in	cludes two transmitters (GXM	P	-	P	•	•	•	•	•	•	•
THALLER BRAKE CONTROL – Fully integrated electronic (included with Trailer-Tow Mirrors and Brake Group). XHC 0.P	REMOTE START	r system				XBM	-	-	-	•	•	•	•	0	•	•
Brake Group) ARC OP - OP	SECURITY ALAF	RM				LSA	-	-	-	•	•	٠	•	•	•	•
BLACK EXPRESS GROUP - Includes Popular Equipment Group, Power and Remote Entry Group, Black badges. Black badges, painted yrille, Uconnect* 5.0 radio and 20-inch Black painted wheelsAMQ0<		E CONTROL — Fully integra	ted electronic (included v	vith Trailer-Tow Mirrors a	nd	XHC	O/P	-	0/P	O/P	O/P	O/P	O/P	O/P	O/P	0/P
Black bazel headlamps, Black painted iprille, Uconnect [®] 5.0 [°] radio and 20-inch Black painted wheels $ABC = 1 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -$	PACKA	GES / EQUIP	MENT GROU	PS												
badges, premium nine-speaker sound system with subworder and semi-gloss Black aluminum 20-inch wheelsAGUCHROME APPERARUCE ERGUP< - Includes engine block heater and winter front grille cover (requires EcoDiesel V6 ⁺)ADE00-00-00	BLACK EXPRESS Black bezel hea	S GROUP — Includes Popula adlamps, Black painted grill	r Equipment Group, Power e, Uconnect® 5.0 radio an	and Remote Entry Group, E d 20-inch Black painted w	Black badges, heels	AMQ	-	-	0	-	-	-	-	-	-	-
17-inch painted aluminum wheelsAct00<						AGC	-	-	-	-	0	-	-	-	-	-
COLD WEATHER GROUP - Includes engine block heater and winter front grille cover (requires Ecoliesel V6 ⁺)ADE00-00000COUVENIENCE GROUP - Includes Passive Entry/Keyless Enter 'n G0 ^M rain-sensitive wipers and AutoADC00-000-000 <td></td> <td></td> <td>chrome front and rear bu</td> <td>ımpers, chrome grille sur</td> <td>round and</td> <td>AED</td> <td>0</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>			chrome front and rear bu	ımpers, chrome grille sur	round and	AED	0	-	-	-	-	-	-	-	-	-
CONVENIENCE GROUP - Includes Passive Entry/Keyless Enter 'n $G0^{M}$ rain-sensitive wipers and AutoADC00-0•High-Beam Headlamp ControlHEATED SEATS AND WHEEL GROUP - Includes heated cloth seats and heated steering wheelABF00-0••	CHROME BUMPE	ER PACKAGE – Includes body	y-color wheel flares and chr	ome front and rear bumper	8	AST	-	-	-	-	-	-	-	-	-	0
High-Beam Headlamp ControlAuto00-00-00-00-00-00-00-00-00-00-00-00-00000	COLD WEATHER	GROUP — Includes engine	block heater and winter fr	ont grille cover (requires E	coDiesel V6‡)	ADE	0	0	-	0	-	-	-	0	0	0
LUXURY GROUP - Includes LED Bed Lighting, switchable dome lamp, ashtray lamp, glove box lamp, underhood lamp, illuminated vanity mirror, auto day/night mirror, exterior mirrors with signal and puddle lamps, overhead console with Universal Garage Door Opener, leather-wrapped steeringADA0POPULAR EQUIPMENT GROUP - Includes cloth 40/20/40 bench seat, carpeted flooring, remote keyless entry, floor mats and StriusXM* Satellite Radio ¹⁶ (included with Black Express Group)AJY0-0/P <t< td=""><td></td><td></td><td>e Entry/Keyless Enter 'n Go</td><td>,™ rain-sensitive wipers a</td><td>and Auto</td><td>ADC</td><td>-</td><td>-</td><td>-</td><td>-</td><td>0</td><td>0</td><td>-</td><td>0</td><td>•</td><td>•</td></t<>			e Entry/Keyless Enter 'n Go	,™ rain-sensitive wipers a	and Auto	ADC	-	-	-	-	0	0	-	0	•	•
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	HEATED SEATS	AND WHEEL GROUP - Incl	udes heated cloth seats a	nd heated steering wheel		AGF	-	-	-	0	•	٠	-	-	-	-
entry, floor mats and StriusXM [®] Satellite Radio ¹⁶ (included with Black Express Group) POWER AND REMOTE FUTRY GROUP – Includes premium vinyl door trim, remote keyless entry, foldaway Black power headed mirrors, power windows with front one-touch down and power locks (Regular Cab A)H 0 – $0/P$ – $-$	lamp, underhoo and puddle lam	od lamp, illuminated vanity 1ps, overhead console with	mirror, auto day/night m Universal Garage Door O	irror, exterior mirrors wit	h signal	ADA	-	-	-	-	•	•	0	-	-	-
Black power heated mirrors, power windows with front one-touch down and power locks (Regular CabAJH0-D/P	POPULAR EQUI entry, floor ma	PMENT GROUP — Includes ts and SiriusXM® Satellite	cloth 40/20/40 bench se Radio ¹⁶ (included with Bl	at, carpeted flooring, rem lack Express Group)	ote keyless	AJY	0	-	O/P	-	-	-	-	-	-	-
Crew Gab only)ANP <td>Black power he</td> <td>eated mirrors, power windo</td> <td>cludes premium vinyl door ows with front one-touch d</td> <td>trim, remote keyless ent lown and power locks (Re</td> <td>ry, foldaway gular Cab</td> <td>AJH</td> <td>0</td> <td>-</td> <td>O/P</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	Black power he	eated mirrors, power windo	cludes premium vinyl door ows with front one-touch d	trim, remote keyless ent lown and power locks (Re	ry, foldaway gular Cab	AJH	0	-	O/P	-	-	-	-	-	-	-
R/T PACKAGE — Includes Sport performance hood, 3.92 axle ratio and antispin differential, P285/45822 BSW All-Season tires and 22 x 9-inch forged polished aluminum wheels (Regular Cab 4x2 6' 4''-box NA – – – – – – – – – – – – – – – – – –			mium Surround Sound Spe	aker System (Quad Cab a	nd	ANF	-	-	-	-	0	0	-	-	-	-
BSW All-Season tires and 22 x 9-inch forged polished aluminum wheels (Regular Cab 4x2 6' 4''-box NA	PROTECTION GF	ROUP – Includes tow hooks	, front suspension and tran	nsfer case skid plates (4x4	1 models only)	ADB	0	-	-	0	-	-	0	0	0	-
	BSW All-Seaso					NA	-	-	-	-	•	-	-	-	-	-
				railer brake controller, C	ass IV hitch	AHC	0	-	0	0	0	0	0	0	0	0

5500 CC

PROMASTER

PROMASTER CITY

CONFIGURATIONS

PAINT

FABRICS

RESOURCES

19

20	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	21
----	----------	-------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	----

RAM 1500 TOWING AND PAYLOAD

MAXIMUM LOADED TRA	AILER WEIGHT	S (when properly eq	uipped)				SAE	J2807 COMF	PLIANT			
				REGUL	AR CAB		QUAD	CAB [⊚]		CREV	V CAB	
			6′4′	' BOX	8'1	BOX	6′4″	BOX	5′7″	BOX	6'4"	BOX
POWERTRAIN	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	3.21	9,850	4,970	4,750	4,770	4,580	4,610	4,430	4,510	4,210		
3.6L PENTASTAR® V6 /	3.55	12,200	7,260	7,050								
8-SPEED AUTO	3.55	12,400			7,270	7,080						
	3.55	12,900					7,600	7,420	7,510	7,210		
	3.55	13,750			8,240	8,030	7,960	7,750	7,870	7,580		7,540
3.0L ECODIESEL V6*/	3.92	13,750			8,240	8,030	7,960	7,750	7,870	7,580		7,540
8-SPEED AUTO	3.92	14,550										8,340
	3.92	14,750			9,210	9,030	8,960	8,750	8,870	8,580		
	3.92	10,250	5,030									
	3.21	13,800	8,610	8,380	8,470	8,260	8,190	8,000	8,070	7,990	8,050	7,780
5.7L HEMI [®] V8 / 8-SPEED AUTO	3.92	14,350	9,160	8,930								
	3.92	15,950			10,620	10,410	10,340	10,150	10,220	10,140	10,200	9,830

MAXIMUM PAYLOAD CA	PACITIES (when	properly equipped)									
			REGUL	AR CAB		QUAI) CAB		CREV	N CAB	
		6′4"	BOX	8' E	BOX	6'4"	BOX	5′7″	BOX	6'4"	BOX
POWERTRAIN	GVWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	6,025	1,500									
3.6L PENTASTAR V6 /	6,300		1,560								
8-SPEED AUTO	6,600			1,880	1,690						
	6,700					1,880	1,700	1,820	1,630		
	6,600			1,510	1,290						
3.0L ECODIESEL V6*/ 8-SPEED AUTO	6,945					1,500					
	6,950					1,590	1,380	1,530	1,320		1,250
	6,200	1,350									
	6,350	1,590	1,390								
5.7L HEMI V8 / 8-SPEED AUTO	6,600			1,690	1,480			<u></u>			
	6,900					1,760	1,570	1,680	1,510	1,640	1,450

Numbers in a **black box** reflect max ratings. 1. Payload and Max Trailer Weights are estimated values. 2. All weights are shown in lb unless otherwise stated. 3. Payload and Max Trailer Weight values are rounded to the nearest 10 lb. 4. Payload = GVWR minus Base Weight. 5. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807. 6. Payload and Trailer Weight Ratings are mutually exclusive. 7. GAWRs, GVWRs and GCWRs should never be exceeded. 8. The recommended tongue weight for a conventional hitch is 10 percent of the gross trailer weight. The maximum tongue weight for Class IV hitch receiver is limited to 1,100 lb. 9. A weight-distributing hitch is recommended for trailers over 5,000 lb.

*Late availability.



PUT HEAVY-DUTY MUSCLE TO WORK.



3500

5500 CC

25

RAM 2500



POWERTRAINS

17-inch Painted Steel Wheel Standard on Tradesman® (WDA)



18-inch Chrome-Clad Steel Wheel Standard on SLT Optional on Tradesman (WBH)



18-inch Polished Aluminum Wheel with Silver Pockets Standard on Laramie Longhor with Monotone Paint (WBA)



18-inch Polished

Aluminum Wheel

Optional on SLT (WBE)

Standard on Big Horn®/Lone Star

18-inch Polished

Aluminum Wheel

Standard on Laramie® (WBL)

20-inch Black Painted

Aluminum Wheel

Included with

Sport Appearance Group (WF3)

17-inch Aluminum Wheel Aluminum Wheel with Matte Black Pockets Included with Tradesmar Standard on Power Wagon (WFZ) Power Wagon[®] Package (WFV)



18-inch Full-Face Steel Wheel with Argent Painted Finish Optional on Tradesman (WBN)



18-inch Polished Alum Wheel with Accent-Color Pockets Standard on Laramie Longhorn with Two-Tone Paint (WBM)



20-inch Polished Aluminum Wheel with Accent-Color Pockets Optional on Laramie Longhorn with Two-Tone Paint (WRK)



RAM 3500 SINGLE REAR WHEEL (SRW) MODELS



Wheel with Argent

Painted Finish

Standard on Tradesman® (WBN)

18-inch Polished

Aluminum Wheel with

Accent-Color Pockets

with Two-Tone Paint (WBM)

20-inch Polished Aluminum

Wheel with Accent-Color Pockets

Optional on Laramie Longhorn with

Two-Tone Paint (WRK)

Standard on Laramie Longhorn®

18-inch Chrome-Clad Steel Wheel Standard on SLT

Optional on Tradesman (WBH)

18-inch Polished

Aluminum Wheel with

Silver Pockets



18-inch Polished

m Wheel

Alum

18-inch Polished Aluminum Wheel Standard on Big Horn®/Lone Star* Optional on SLT (WBE)



Standard on Laramie® (WBL)

20-inch Black Painted 20-inch Painted Satin Carbon Aluminum Wheel Included with Sport Appearance Group (WF3)







Standard on Limited (WH3)

Aluminum Wheel with Chrome Inserts Optional on SLT. Big Horn/Lone Star* and Laramie (WRJ)

Optional on Laramie Longhorn with

Standard on Laramie Longhorn with available Monotone Paint (WBA)

20-inch Polished Aluminum Wheel with Silver Pockets





*Lone Star model available only in Texas.





20-inch Polished Aluminum Wheel with Silver Pockets Optional on Laramie Longhorn with available Monotone Paint (WRA)

20-inch Painted Aluminum Wheel with Chrome Inserts

RAM 3500 DUAL REAR WHEEL (DRW) MODELS



17-inch Steel Wheel with Argent Painted Finish Standard on Tradesman (WFU)



17-inch Steel Wheel with Chrome Finish Standard on SLT and Big Horn/Lone Star* Optional on Tradesman (WD4)



Aluminum Wheel Standard on Laramie and Limited Optional on SLT and Big Horn/Lone Star* (WF7)

17-inch Polished

Aluminum Wheel with Unique Laramie Longhorn Center Cap Standard on Laramie Longhorn (WF9)



Standard on Limited (WH3)

*Lone Star model available only in Texas.

26	OVERVIEW	POWERTRAINS	1500	2500	;	3500			350	O CC			4500 CC
	17 RAM 25 IYER'S GUI	•	РІСКИР			SALES CODE	TRADESMAN [®] Reg/Crew	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® CREW CAB	LARAMIE** Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMITED Crew/Mega
CPOS	PACKAGE						2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM
2500						DJ	X	Х	X	X	X	X	X
3500	SRW/DRW (6'4'' box not a	available with Crew Cab DR	W)		_	D2	X/X	X/X	X/X	-	X/X	X/X	X/X
E١	IGINES / TR	ANSMISSION	IS										
			of torque / GGRFE six-spee	d automatic		EZF/ DFP	27A	276	-	-	-	-	-
5.7L I	HEMI V8 gas engine; 383 h	hp / 400 lb-ft of torque / s	ix-speed 66RFE automatic	(SRW only)		EZC/ DFP	26A	26G	26Z	-	26H	26K	26M
6.4L H	IEMI V8 gas engine with MD	S; 410 hp / 429 lb-ft of torqu	ue (370 hp 3500 Mega Cab	®) / six-speed 66RFE automati		ESA/ DFP	22A	22G	22Z	22P	22H	22K	22M
6.7L (Cummins® Turbo Diesel er	ngine; 350 hp / 660 lb-ft o	f torque / six-speed G56 r	nanual		ETK/ DEG	2EA	2EG	2EZ	-	2EH	-	-
6.7L (Cummins Turbo Diesel eng	ine; 370 hp / 800 lb-ft of t	torque / six-speed 68RFE	automatic		ETK/ DG7	2FA	2FG	2FZ	-	2FH	2FK	2FM
6.7L (Cummins Turbo Diesel engir	(6'4'' box not available with Grew Cab DRW) ES / TRANSMISSIONS Fuel CNG / pas engine: 383 hp / 400 lb-ft of torque / 6GRFE six-speed automatic and Grew Cab 8' box only) as engine: 383 hp / 400 lb-ft of torque / six-speed 6GRFE automatic (SRW only) s engine with MUS; 410 hp / 429 lb-ft of torque (370 hp 3500 Mega Cab*') / six-speed 6GRFE automatic " Turbo Diesel engine: 350 hp / 660 lb-ft of torque / six-speed 6GRFE automatic " Turbo Diesel engine: 370 hp / 800 lb-ft of torque / six-speed 6GRFE automatic Turbo Diesel engine: 385 hp / 900 lb-ft of torque / six-speed AISIN* heavy-duty automatic (3500 only) Fuid (DEF) System (standard with diesel engine) ANICAL FEATURES • 160-amp (standard with gas engine) standard on diesel; included with 6.4. HEMI V8; included with Snowplow Prep Group or Snow Chief I MI V9-equipped models) at 440 amps (6.7L diesel only; includes 160-amp and 220-amp alternators) at a differential (standard on 3500; included with Snow Chief Group) Ity locking front and rear differentials (included with Power Wagon Package) Grew Cab only (standard for diesel) (standard for diesel) (standard for diesel) (cotional for gas; available for 3500 DRW diesel; included with Power Wagon Package) ara ale - SRW ara ale - SSW ara ale - 3500 DRW only (included with 6.4. gas engine, diesel/656 manual transmission, FE or diesel/AISIN transmission with 3.42 ade ratio) ara ale - 3500 DRW only (included with diesel engine) SAKETY KIT - Includes fire extinguisher, firee reflecting triangles, two Red flags and spare fuses PHTTER MODULE - Not available with premium speakers HEATER - Included with Cold Weather Group on diesel-equipped models 18.24.24.8.E. (gasonline gallon equivalent) dual CNG tanks (included with CNG engine) ant (included with 6'4'' box) ant (included with 6'4'' box) ant (included with 6'4'' box)			ETK/ DF2	28A	28G	28Z	-	28H	28K	28M	
Diese	l Exhaust Fluid (DEF) Syste	io (standard for gas; available for 3500 DRW diesel) io (optional for gas; available for 3500 DRW diesel; included with Power Wagon Package) h rear axle – SRW h rear axle – 3500 DRW only (included with 6.4L gas engine, diesel/656 manual transmission, BRFE or diesel/AISIN transmission with 3.42 axle ratio) h rear axle – 3500 DRW only (included with diesel/DF2 transmission with 3.73 and 4.10 axle ratios;			NA	Р	Р	Р	-	Р	Р	Р	
М	ECHANICAL	FEATURES											
ALTER	RNATOR – 160-amp (stan	dard with gas engine)				BAB	•	٠	•	-	•	•	•
			V8; included with Snowpl	ow Prep Group or Snow Chief	f Group	BAD	O/P	O/P	O/P	•	O/P	O/P	O/P
— D	ual-rated at 380 amps (6.	4L gas V8 only; includes 1	60-amp and 220-amp alte	rnators)		XF5	0	0	0	0	0	0	0
— D	ual-rated at 440 amps (6.	7L diesel only; includes tw	o 220-amp alternators)			XF7	0	0	0	-	0	0	0
AXLES	6 — Antispin rear differenti	ial (standard on 3500; incl	uded with Snow Chief Grou	lb)		DSA	0/P/•	0/P/•	0/P/•	-	0/P/•	0/P/•	0/P/•
— E	lectronically locking front a	and rear differentials (inclu	ıded with Power Wagon Pa	ckage) Crew Cab only		DSE	P	-	-	•	-	-	-
- 3	.42 ratio (standard for die	isel)			1	DMR	0	0	0	-	0	0	0
- 3	.73 ratio (standard for gas	s; available for 3500 DRW	diesel)		1	DME	•/0	•/0	•/0	-	•/0	•/0	•/0
- 4	.10 ratio (optional for gas	; available for 3500 DRW d	iesel; included with Power	Wagon Package)		DMF	O/P	0	0	S	0	0	0
- 1	1.5-inch rear axle – SRW					DRQ	•	٠	•	•	•	•	•
				6 manual transmission,		DRX	Р	P	P	-	P	P	P
	1.8-inch rear axle – 3500 ptional with DG7 transmiss		iesel/DF2 transmission wi	th 3.73 and 4.10 axle ratios;	;	DRS	0/P	0/P	O/P	-	O/P	O/P	O/P
BATT	ERY — 730-amp, maintena	ince-free (two required for	diesel)			BCN	•	۰	•	•	•	•	•
DIESE	L EXHAUST BRAKE - With	n "smart" function (include	d with diesel engine)			NEN	Р	Р	Р	-	Р	Р	Р
DOT-0	CERTIFIED SAFETY KIT — I	Includes fire extinguisher, 1	three reflecting triangles, t	two Red flags and spare fuse	es .	ACL	0	0	0	0	0	0	0
ELECT	FRONIC UPFITTER MODUL	E — Not available with prer	nium speakers			XXS	0	0	0	0	-	-	-
ENGIN	IE BLOCK HEATER — Inclu	ded with Cold Weather Gro	up on diesel-equipped mod	lels		NHK	O/P	O/P	O/P	0	O/P	O/P	O/P
FUEL	TANKS – 18.2-G.G.E. (gas	soline gallon equivalent) du	al CNG tanks (included wi	th CNG engine)	_	XXV	P	Р	-	-	-	-	-
- 2	8-gallon tank (included wi	th Regular Cab models equ	ipped with diesel)			NGC	Р	Р	-	-	-	-	-
- 3	1-gallon tank (included wi	th 6'4'' box)			_	NFT	•	۰	•	•	•	•	•
- 3	2-gallon tank (included wi	th 8' box; standard with CM	lG engine)			NFX/ NG9	•	•	•	-	•	•	•
SHOC	KS — Front, heavy-duty					SFB	•	۰	•	-	•	•	•
— R	ear, heavy-duty					SGB	•	۰	•	-	•	•	•
— F	ront, performance-tuned (i	ncluded with Off-Road Pack	age; 2500 only)			SFC	Р	P	Р	-	Р	Р	P
— R	ear, performance-tuned (ir	ncluded with Off-Road Pack	age; 2500 only)			SGC	Р	P	Р	-	Р	Р	P
— F	ront and rear Bilstein® ga	s-charged monotube (inclu	ded with Power Wagon Pac	kage)		NA	P	-	-	•	-	•	•

• = Standard O = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability. 'Lone Star model available only in Texas.

500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FAB	RICS		R	ESOURC	ES	
					SALES CODE	TRADESMAN® Reg/Crev	SLT Reg/Crew/Mega	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® CREW CAB	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Grew/Mega	LIMITED Crew/Mega
CPOS PACKAGE					8/	≌₩ 2TA	ZTG	2TZ/Y	2TP	_555 2TH	SE 2TK	2TM
		URES (contin	uod)			214	210	212/1	ZIF	210	ZIK	21m
		uded in Protection Group, Si		Chief Group								
	e and Power Wagon Packa		ιοφρίου γιερ αισάρ, διίου	uner aroup,	XEF	P	Р	P	•	P	Р	P
– Fuel tank (ir	icluded with Power Wagon	Package; 2500 only)			XEE	P	-	-	•	-	-	-
STEERING - Pov	ver recirculating ball				SBE	•	•	•	•	•	•	•
SUSPENSIONS -	Front, three-link coil spr	ing suspension			SDB	•	•	•	-	•	•	•
– Front, Ram A	Articulink® suspension (in	cluded with Power Wagon P	ackage; 2500 only)		SD1	P	-	-	•	-	-	-
– Front electro	onic disconnecting stabiliz	er bar (included with Power	Wagon Package; 2500 on	ly)	SHG	Р	-	-	•	-	-	-
– Front stabili	zer bar				SHA	•	•	•	-	•	•	•
– Rear, five-li	nk coil spring suspension	(2500 only)			NA	•	•	•	•	•	•	•
– Rear, Hotchk	tiss leaf spring suspensio	ı (3500 only)			NA	•	•	•	-	•	•	•
– Rear, Auto-L	evel dual-mode air spring	suspension system			SEB	0	0	0	-	0	0	0
TOW HOOKS - 3	3500 models				XEA	•	•	•	-	•	•	•
– 2500 model Off-Road Pa	s (included with diesel en ckage; included with Powe	gine; optional on 4x2; inclu r Wagon Package on 4x4 m	ded with Protection Group; odels)	included with	XEA	O/P	O/P	O/P	•	O/P	•	•
TRAILER TOW -	four- and seven-pin trail	er harness plug (combinatio	n receptacle)		XFU/ XFK	•	•	•	•	•	•	•
– Class V hitc	h receiver				XFR	•	•	•	•	•	•	•
TRANSFER CASE	S (4x4 models only) – M	anual shift-on-the-fly			DK1	•	-	-	•	-	-	-
– Electronic sl	ift-on-the-fly				DK3	0	•	•	-	•	•	•
WINCH - WARN	® front, electric, 12,000-l	b capacity (included with P	ower Wagon Package)		XE5	Р	-	-	•	-	-	-
– Tire carrier					TBM	•	•	•	•	•	•	•
EXTERI	OR FEATUR	ES										
BEDLINER - Spr	ay-in (not available with I	Ram 2500 CNG model)			XMF	0	0	0	0	0	۰	•
BED LIGHTING -	· LED (included with RamB	ox® System or Luxury Grou	p)		LPL	O/P	Р	Р	Р	O/P	۰	•
BODY MODEL AN	ID BOX — Regular Cab 8'	box			62	0	0	-	-	-	-	-
– Crew Cab 6'	4" box (SRW only)				91	0	0	0	•	0	0	0
– Crew Cab 8'	box				92	0	0	0	-	0	0	0
– Mega Cab $^{\scriptscriptstyle (\!8\!)}$	6'4'' box				81	-	0	0	-	0	0	0
BUMPERS — Bla	ick				MB1/ MBN	•	-	-	-	-	-	-
– Chrome (inc Monotone pa		rance Group, Chrome Bumpo	er Package, Power Wagon I	Package or with	MCT/ MBF	Р	•	•	•	•	Р	P
— Painted body	r-color (included with Spo	rt Appearance Group)			MBA/ MBC	-	-	P	-	Р	-	•
– Painted lowe	er body-color				MBU/ MBV	-	-	-	-	-	•	-
CLEARANCE LAN	IPS – Cab (included with	DRW)			LNC	O/P	O/P	O/P	S	O/P	O/P	O/P
– Box and rea	r fender (included with DA	W)			LND	Р	Р	Р	-	Р	Р	P
DOOR HANDLES	– Black (included with lo	w-volume paint)			MNA	•3	Р	Р	-	-	-	-
– Body-color (included with Sport Appea	rance Group)			MNK	-	-	Р	•	Р	-	-
– Chrome with	body-color bezel				NME	-	•	•	-	•	•	•
FOG LAMPS (inc	luded with SLT Popular Eq	uipment Group or Power Wa	agon Package)		LNJ	Р	O/P	•	•	•	•	•
GRILLE – Black	surround with Black inser	ts			MFF	•	-	-	-	-	-	-
– Chrome surr	ound with Black hex inser	ts (included in Chrome App	earance Group)		MFD	Р	•	-	-	-	-	-

8	OVERVIEW	W POWERTRAINS 1500 2500 M 2500/3500 PICKUP Guide (Continued)	POWERTRAINS 1500 2500 3500						350	10 CC			4500 CC
					SALES CODE	TRADESMAN® Reg/Crew	SLT Reg/Crev/Mega	BIG HORN®/LONE STAR [†] Crew/mega	POWER WAGON® Crew Cab	LARAMIE** Crew/mega	LARAMIE LONGHORN® Crew/Mega	LIMIT ED Crew/mega	
	PACKAGE	•	•			2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM	
EX	TERIOR FEA	TURES (con	tinued)										
— B	ody-color surround with Bl	ack inserts (included with	Sport Appearance Group)		MF		_	Р	_	Р	_	_	
	ack with Ram looo				MF		_		•				
	hrome surround with chron	ne wave-nerf inserts			MF		_	-	-	-	-	_	
_	hrome with Ram logo				M		_	-	_	_	•	•	
	.AMPS/TAILLAMPS – Auto	matic headlamns			LM		•		•	•	•	•	
					LM								
- Ų	uad-lens halogen headlam	ps/incandescent taillamps			LA		•	•	-	-	-	_	
— B	lack bezel quad-lens halog	en headlamps/incandesce	nt taillamps (included with	Sport Appearance Group)	ME		-	Р	-	-	-	-	
— B	ack Premium projector he	adlamps/premium Black L	ED taillamps (included with	Sport Appearance Group)	LMI	١/	-	-	•	Р	-	-	
— P	remium chrome projector h	headlamps/premium LED ta	aillamps		LM		-	-	-	•	•	•	
— A	uto High-Beam Headlamp (Control (included in Conve	nience Group)		LM	S –	-	-	-	Р	Р	•	
HEADI	AMP FILLER PANEL - Bla	eadlamp Control (included in Convenience Group) NEL – Black (included with Power Wagon Package or low-volume paint)				J P	Р	Р	•	-	-	-	
— B	ody-color	ANEL — Black (included with Power Wagon Package or low-volume paint)					۰	•	-	•	•	•	
MIRR	DRS – 2500 – Standard s	size, 6 x 9-inch, manual (E	llack; Regular Cab only)		GP	J •	-	-	-	-	-	-	
	ower/heated (Black; includ radesman Regular Cab)	2500 — Standard size, 6 x 9-inch, manual (Black; Regular Cab only) ated (Black; included with Power Accessory Group or Power and Remote Entry Group on in Regular Cab)				6 P/•	•	•	•	-	-	-	
- P	ower folding/heated/puddle	e/turn/auto-dimming (Blac	k; included with Luxury Gro	up)	GU	(–	Р	Р	Р	-	-	-	
	ower folding/heated/puddlø port Appearance Group)	e/turn/auto-dimming/mem	ory (Black; included with L	eather and Luxury Group or	GP	L –	-	-	P	P	-	-	
- P	ower folding/heated/puddle	e/turn/auto-dimming/mem	ory (chrome)		GU	4 -	-	-	-	•	•	•	
(in Bl	ack on Regular Cab models	s only)	wo-position foldaway with c	-	GP	0	-	-	-	-	-	-	
T	radesman Regular Cab)		essory Group or Power and	Remote Entry Group on	GP		0	0	0	-	-	-	
_	ower/heated/puddle/turn/p		,		GP	-	0	0	0	-	-	-	
			ck; optional with Sport App	earance Group)	GP	-	-	-	-	0	-	-	
	ower/heated/puddle/turn/n — Standard size, 7 x 11-i		ome) wo-position foldaway with c	onvex edge) manual	GP		-	-	-	0	0	0	
- P		Black; included with Powe	r Accessory Group or Powe	r and Remote Entry Group o		-	•	•	_	_	_	_	
	radesman Regular Cab)	ewer felding (Dieck inclu	ded with Lumme Oreum)			-	Р		_	_	_	_	
	ower/heated/puddle/turn/p		,	Corona Crown)	GP GP	-	r _	P _	-	- Р	-	_	
	ower/heated/puddle/turn/n		ck; included with Sport App	rearance group)	GP		-	-	-	r •	-	•	
RAMB bed d	OX® CARGO MANAGEMEN vider/extender; LED Bed Li	IT SYSTEM — With illumin ighting and Cargo Rail Sys	ated, lockable, drainable b tem with adjustable cleats	ins on both bed sides; stow (Short Box only; SRW only;	able	t i	0	0	0	0	0	•	
			able with low-volume paint)									
	ING BOARDS — Accent-col				MR		-	-	-	-	•	-	
_	STEPS – Black, cab-length				MF		0	0	-	0	-	_	
_	hrome, cab-length (include				MF		0	0	-	0	O/P	-	
	hrome, wheel-to-wheel (no	•	,		MF		0	0	-	0	0	•	
IUNN	EAU COVER (not available	with Kam 2500 GNG modi	91)		CS	7 0	0	0	0	0	0	0	

						ESOUR(<u>, 10</u>		29
	SALES CODE	TRADESMAN* Reg/Crew	SLT Reg/Crev/Mega	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON* Crew Cab	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMITED Crew/Mega	
CPOS PACKAGE		2TA	2TG	2TZ/Y		2TH	2TK	2TM	
EXTERIOR FEATURES (continued)									
WHEEL FLARES — Black (included with Off-Road Package or Power Wagon Package)	MMZ	Р	-	-	•	-	-	-	
- Body-color (included with Off-Road Package or Monotone paint on 2TK CPOS)	MML	-	Р	Р	-	•	Р	•	
	MMJ/ MRD	-	-	-	-	Р	•	-	
WINDSHIELD WIPERS — Variable/intermittent	JHA	•	•	•	•	•	•	•	
– Rain-sensitive (included with Convenience Group)	JHC	-	-	-	-	Р	Р	•	
INTERIOR FEATURES									
AIR CONDITIONING - Manual	HAA	•	•	•	•	-	-	-	
– Dual-Zone Automatic Temperature Control (included with 8.4-inch touchscreen radios)	HAF	-	Р	Р	Р	•	•	•	
AUXILIARY INSTRUMENT PANEL SWITCHES – Not available with heated seats or with 3.0 or 5.0 radios (included with Snow Chief Group)	LHL	O/P	O/P	O/P	-	O/P	O/P	O/P	
CLUSTER – 3.5-inch, Driver Information Display (DID)	JAT	•	•	•	-	-	-	-	
- 3.5-inch, DID (included with CNG engine)	JAJ	Р	Р	-	-	-	-	-	
– 7-inch, DID (included with Luxury Group)	JA6	-	Р	Р	-	•	-	-	
— 7-inch, DID (with Power Wagon Graphic)	JAY	-	-	-	Р	-	-	-	
– 7-inch DID (with Laramie Longhorn filigree)	JAX	-	-	-	-	-	•	-	
– 7-inch DID (with unique Limited detail)	JAV	-	-	-	-	-	-	•	
CONSOLE – Mini floor console (included with six-speed manual transmission or manual transfer case)	CUM	Р	Р	P	•	Р	-	-	
- Full-size floor console (included with bucket seats)	CUP/ CVT	-	Р	P	-	Р	•	•	
– Overhead console (included with 5.0 radio)	CUN	P	•	•	•	-	-	-	
– Overhead console with Universal Garage Door Opener (included with Luxury Group or Leather and Luxury Group)	CV2	-	Р	P	Р	•	•	•	
DOOR LOCKS — Manual door locks (Regular Cab only)	JE8	•	-	-	-	-	-	-	
– Power door locks (included with Power and Remote Entry Group on Tradesman Regular Cab)	JPB	P/•	•	•	•	•	•	•	
− Keyless Enter 'n Go™	GX4	-	-	-	-	0	0	•	
FLOOR COVERING – Black vinyl (not available on Mega Cab®)	CKJ	•	0	0	0	-	-	-	
– Carpet (included with Tradesman Popular Equipment Group)	CKE	P	•	•	•	•	•	•	
FLOOR MATS — Front, carpeted (Regular Cab only; included with Tradesman Popular Equipment Group; requires carpet floor covering)	CLA	P	•	-	-	-	-	-	
- Front and rear, carpeted (included with Tradesman Popular Equipment Group; requires carpet floor covering)	CLE	P	•	•	-	•	-	-	
– Front, rubber (Regular Cab only; requires carpet floor covering)	CLY	0	0	-	-	-	-	-	
– Front and rear, rubber	CLF	0	0	0	•	-	-	-	
— Front and rear, luxury	CLZ/ CLL	-	-	-	-	-	۰	•	
MIRRORS — Rearview day/night	GNA	•	۰	-	-	-	-	-	
 Rearview auto-dimming with video display (included with Luxury Group or ParkView[®] Rear Back-Up Camera,¹⁹ if equipped with 3.0 radio) 	GN4	Р	-	-	-	-	-	-	
- Rearview auto-dimming with microphone (included with Luxury Group)	GNK	-	Р	Р	•	•	•	•	
PEDALS — Non-adjustable	XA8	•	•	•	•	•	-	-	
– Power-adjustable (requires automatic transmission)	XAP	-	0	0	0	-	-	-	
- Power-adjustable with memory (requires automatic transmission)	XAM	-	-	-	-	0	•	•	
POWER SUNROOF (not available with Regular Cab)	GWA	-	0	0	0	0	0	0	

30	OVERVIEW	POWERTRAINS	1500	2500		3500			350	O CC			4500 CC
		500/3500 F De (Contii				SALES CODE	T RADESMAN® Reg/CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® CREW CAB	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMITED Crew/mega
CPOS	PACKAGE						2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM
		TURES (conti											
		river and front-passenger s		. ,	-	JP8	Р	P	-	P	-	-	-
		t and manual front-passeng			*01	JRT	-	P	Р	P	-	-	-
	*XJ, *DJ and *UL seats)	t with memory and six-way	homei iloiit-hazzeiiñei ze	at (included with *ZL,*VL, *	IJ,	JRF	-	-	-	P	P	Р	Р
- T	wo-way power lumbar sup	port (included with *M9, *I	NJ, *\$9, *ZL, *VL, *GJ, *	'XJ, *DJ, *UL seats)		JPW	-	Р	Р	Р	Р	Р	Р
- H	leated front seats (include	d with Heated Seats and Wh	eel Group)		_	CMA	-	-	P	Р	S	S	S
- H	leated second-row seats (I	Crew Cab and Mega Cab® o	inly; included with *GJ,*X	J,*DJ,*UL seats)	_	JPZ	-	-	-	-	Р	Р	Р
	,	ıded with *ZL,*VL,*GJ,*XJ,	. ,		_	CAJ	-	-	-	Р	P	Р	Р
		front seat with folding fron s include folding rear benc	r-mounted storage tray on		*TX	•	-	-	-	-	-	-	
		20/40 split-bench front sea b models include folding re		t/cup holder, floor-mounted vinyl)	l storage	*SX	0	-	-	-	-	-	-
		front seat, front armrest w Juded with Tradesman Popu		and Mega Cab models inclu	ude cloth	*V9	Р	•	-	-	-	-	_
- 0			,	60/40 split-folding seat an	d	*H9	-	-	-	•	-	-	-
d (lriver's seat, power lumbar	'20/40 split-bench front se adjuster, front center-seat- nodels include 60/40 split-i quipment Group)	cushion storage, 115-volt	t auxiliary power outlet		*M9	_	O/P	•	_	_	-	-
		D split-bench front seat, powe wer outlet (60/40 split-foldin		er lumbar adjuster, full-length flat load floor)	ı floor	*\$9	-	-	-	0	-	-	-
C		power outlet (Crew Cab and		er lumbar adjuster, full-leng le 60/40 split-folding rear t		*MJ	-	0	0	-	-	-	-
s h	ix-way passenger, power l	umbar adjuster, front center ower outlet, 60/40 split-fol	r-seat-cushion storage and	O-way/memory for driver an d folding center armrest wit med in vinyl and fold-flat lo:	th cup	*ZL	-	-	-	P	-	-	-
s h	ix-way passenger, power l	umbar adjuster, front center ower outlet (Crew Cab and	r-seat cushion storage and	O-way/memory for driver an 1 folding center armrest wit 60/40 split-folding rear be	th cup	*VL	-	-	-	-	•	-	-
p s	assenger, power lumbar a	djuster, full-length floor cor (Crew Cab and Mega Cab n	isole, 115-volt auxiliary p	10-way driver and power si) ower outlet and heated secc t-folding rear bench seat tri	ond-row	*6J	-	-	-	-	0	-	-
d p	lriver and power six-way p lower outlet, heated secon	assenger, power lumbar adj	uster, premium full-length) split-folding premium lea	et seats, includes power 10 floor console, 115-volt aux ather with laser-etched desi	xiliary	*ХЈ	-	-	-	-	-	•	-
р s	assenger, power lumbar a	djuster, premium full-length 60/40 split-folding premiu	floor console, 115-volt a	10-way driver and power si) uxiliary power outlet, heate and fold-flat load floor (av	d	*[]]	_	-	_	-	-	0	-
s h	ix-way passenger, power l	umbar adjuster, premium fu	ll-length floor console, 11	power 10-way driver and po 5-volt auxiliary power outle Ich seat and fold-flat load fl	et,	*UL	-	-	-	-	-	-	•
STEE	RING WHEEL— Urethane					SCF	•	•	-	-	-	-	-
- L	eather-wrapped with audio	controls (included in Luxu	ry Group)			SCV	-	Р	Р	-	-	-	-
- P	Perforated leather-wrapped	with accent stitching and a	udio controls			SCB	-	-	-	•	-	-	-

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FAB	RICS		RI	ESOURC	ES		31
					SALES CODE	TRADESMAN® Reg/Crew	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® Crew Cab	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMITED Crew/Mega	
CPOS PACKAGE						2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM	
INTERIO	OR FEATURE	S (continued)										
— Leather-wra	pped, heated with audio co	ntrols (included with Heate	d Seats and Wheel Group)		SCV/ SCB/ NHS	-	-	P	P	•	-	-	
— Leather-wra	pped, heated, with real woo	od and audio controls			SC3/ SCW	-	-	-	-	-	•	•	
STORAGE – Beh	ind-the-seat (Regular Cab	and Mega Cab®)			CU3	•	•	•	-	•	•	•	
– Front center	-seat-cushion storage (inc	luded with remote CD playe	er and with *M9,*S9,*ZL,*	'VL seats)	CVH	Р	Р	Р	Р	Р	-	-	
– Rear, under-	seat compartment (Crew C	Cab only)			CUE	•	•	•	•	•	•	•	
– Rear, in-floo	r storage boxes (Crew Cal	only)			CB9	•	•	•	•	•	•	•	
— Fold-flat loa	d floor (Crew Cab only; inc	cluded with*M9,*H9,*S9,*	MJ,*ZL, *VL,*GJ,*XJ,*DJ,	*UL seats)	CVN	-	Р	P	Р	Р	Р	P	
VISORS – Passe	enger-side, with vanity mirr	or			GNM	-	•	•	•	-	-	-	
– Driver and p Luxury Grou		nated vanity mirror (include	ed with Luxury Group or Lea	ather and	GNC	-	Р	P	P	•	•	•	
WINDOWS - Ma	anual windows (Regular C	ab only)			JF8	•	-	-	-	-	-	-	
– Power windo	ows, front one-touch down ((Regular Cab; included with	h Power and Remote Entry	Group)	JPY	Р	•	-	-	-	-	-	
– Power windo	ws, front one-touch up/dov	wn (Crew Cab and Mega Ca	ab)		JP3	•	•	•	•	•	•	•	
– Rear fixed w	vindow				GJD	•	-	-	-	-	-	-	
– Rear sliding	window, manual (Regular	Cab)			GFD	0	•	-	-	-	-	-	
– Rear sliding	window, power (Crew Cab	and Mega Cab)			GFE	-	•	•	•	•	•	•	
— Rear window	ı defroster				GFA	-	0	0	0	0	0	0	
UCONN	IECT [®] / MUL	TIMEDIA											
CONNECTIVITY	– 12-volt DC auxiliary]]]	•	•	•	•	•	•	•	
- 115-volt AC	auxiliary (included with *	M9,*S9,*MJ,*ZL,*VL,*GJ,	*XJ,*DJ, *UL seats)		JKV	-	Р	P	Р	Р	Р	P	
	arging USB port (included v		,		RS3	Р	Р	Р	Р	•	•	•	
MEDIA HUB (incl	uded with RA1, UA1, RA2 ra	idios) – 1.5-amp fully funct	ional USB port, auxiliary jac	k for mobile devices	RS6	P	Р	P	Р	Р	Р	P	
RADIOS — 3.0 A					RA1	•	-	-	-	-	-	-	
	O AM/FM/Bluetooth® Voice				UA1	0	-	-	-	-	-	-	
	O AM/FM/SAT/Bluetooth (5				RA2	0	•	•	•	-	-	-	
– Uconnect 8.4 and Luxury (eady/Voice Command ¹⁴ (8.	4-inch touchscreen display	; included with Leather	RA3	-	0	0	O/P	•	-	-	
– Uconnect 8.4	4 NAV AM/FM/SAT/Bluetoo	th/NAV/Voice Command ¹⁴ (8.4-inch touchscreen displ	ay)	RA4	-	F	0	0	0	•	•	
RADIO CONTROL	.S – Steering wheel-mount	ted audio controls (include	d with leather-wrapped ste	ering wheel)	RDZ	-	Р	P	Р	Р	Р	P	
SINGLE-DISC CD	PLAYER				RH1	0	0	0	0	0	0	0	
SIRIUSXM® SAT	TELLITE RADIO ¹⁶ (included	with Tradesman Popular Ec	uipment Group or 5.0 and	8.4 radios)	RSD	Р	Р	Р	Р	Р	Р	Р	
SIRIUSXM TRAF	FIC ¹⁶ AND SIRIUSXM TRAV	/EL LINK ¹⁶ (included with U	connect 8.4 NAV radio)		RSS/ RSM	-	-	P	Р	Р	Р	P	
SPEAKER SYSTE	MS — 6 speakers				RCG	•	•	•	•	-	-	-	
– Premium I a	udio system (Regular Cab	only)			RCK	-	0	-	-	-	-	-	
	audio system with subwoof h Leather and Luxury Grou		es ADA and *M9 or higher	seat;	RC3	-	0	0	O/P	•	•	•	
UCONNECT VOID	CE COMMAND ¹⁴ WITH BLU	ETOOTH (included with UA	1, RA2, RA3, RA4 radios)		XRB	P	P	P	P	P	P	Р	

2	OVERVIEW	POWERTRAINS	1500	2500	350	0		350	IO CC			4500 CC
		500/3500 F De (Conti			SALES CODE	TRADESMAN® Reg/Crew	SLT Reg/Crew/Mega	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® CREW CAB	LARAMIE* Crew/mega	LARAMIE LONGHORN® Crew/Mega	LIMITED Crew/mega
CPOS	PACKAGE					2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM
S	AFETY & SEC	URITY										
AIR E	AGS18 – Multistage fron	ıt			CG	•	•	•	•	•	•	•
- 8	Supplemental side-curtain				CG	•	•	•	•	•	•	•
	Supplemental front-seat sid				CJ	-	•	•	•	•	•	•
	ES – Four-wheel antilock				BR	-	•	•	•	•	•	•
	· · ·	res Uconnect® 8.4 radios)			LPI	-	0	0	0	0	0	0
ELEC Rain	TRONIC STABILITY CONTR Brake Support, Ready Alert	IC STABILITY CONTROL (ESC)' — Includes Brake Assist, Electronic Roll Mitigation, Hill Start Assist, Support, Ready Alert Braking, All-Speed Traction Control and Trailer Sway Damping ¹ IC TRAILER BRAKE CONTROLLER				•	•	•	•	•	•	•
ELEC	TRONIC TRAILER BRAKE C	IC TRAILER BRAKE CONTROLLER					•	•	•	•	•	•
PARK	SENSE® REAR PARK ASSI	* REAR PARK ASSIST SYSTEM ¹⁹					0	0	0	-	-	-
PARK	SENSE FRONT AND REAR I	NIG TRALEN BRARE GUNTHULLEN SE® REAR PARK ASSIST SYSTEM ¹⁹ SE FRONT AND REAR PARK ASSIST SYSTEM ¹⁹ (included with Leather and Luxury Group) V® REAR BACK-UP CAMERA ¹⁹ — Video displayed in rearview mirror with 3.0 radio or on-screen with						0	O/P	•	•	٠
PARK Cargi	VIEW® REAR BACK-UP CA D-View Camera ¹⁹ with other	AMERA ¹⁹ — Video displayed r radios (included with Spor	in rearview mirror with 3. t Appearance Group or Lea	O radio or on-screen with ather and Luxury Group)	XA	0	0	O/P	O/P	•	•	•
REM(entry	DTE KEYLESS ENTRY WITH A system and panic alarm (in	ALLSECURE® – Controls fo ncluded with Tradesman Pop	r power door locks, tailgate Jlar Equipment Group or Po	e, RamBox® System, illuminati wer and Remote Entry Group)	ed GXI	I P	•	•	•	•	•	•
REMO	DTE START (requires auton	natic transmission)			XBI	1 -	0	•	0	0	•	•
SECU	RITY ALARM – Detects br	reak-in (included with Leath	er and Luxury Group)		LS	-	0	0	O/P	•	•	•
SENT	RY KEY® THEFT DETERRE	NT SYSTEM — Engine imm	obilizer		GXX	•	•	•	•	•	•	•
TIRE	PRESSURE MONITORING ((TPM) WITH DISPLAY AND	ALERT (2500 only)		XG	•	•	•	•	•	•	•
TIRE	PRESSURE INFORMATION	SYSTEM WITHOUT ALERT	(3500 models only)		XB	•	•	•	-	•	•	•
P/	ACKAGE / EC	QUIPMENT GI	ROUPS									
BOX	DELETE – Regular Cab, Cr	ew Cab, not available with	diesel engine		XB	; 0	0	0	-	-	-	-
	OME APPEARANCE GROUP) or steel wheels with chro		s, chrome grille surround	and steel chrome-clad wheel	IS AEI	0	-	-	-	-	-	-
CHRO	IME BUMPER PACKAGE -	Includes chrome front and	rear bumpers		AST	-	-	-	-	-	-	0
COLD	WEATHER GROUP - Inclu	udes engine block heater an	d winter front grille cover	(diesel only)	AD	: O	0	0	-	0	0	0
	/ENIENCE GROUP — Auto H p-View Camera ¹⁹)	ligh-Beam Headlamp Contro	l, rain-sensitive windshiel	d wipers (not available with	AD	; –	-	-	-	0	0	-
	. <mark>REAR WHEEL GROUP – 3</mark> nd fenders)	500 only; not available with	h Crew Cab 6'4'' box (incl	ludes clearance lamps for th	e cab, WL	L O	0	0	-	0	0	0
	I-WHEEL / GOOSENECK TO sions for 5th-wheel or goos		udes in-bed seven-pin harr	ness connector and mounting	AHI	1 0	0	0	-	0	0	0

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FAB	RICS		RI	ESOURC	ES	33	3
					SALES CODE	T RA DE SMAN® Reg/Crev	SLT Reg/Crew/Mega	BIG HORN®/LONE STAR [†] Crew/mega	POWER WAGON® Crew Cab	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMIT ED Crew/mega	
CPOS PACKAGE						2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM	
PACKA	GE / EQUIPN	IENT GROUP	S (continued	I)									
	ND WHEEL GROUP – Inclu NJ or *S9 seats)	udes heated cloth seats, he	ated leather steering whee	91	AGF	-	-	0	0	-	-	-	
panel, leather-tri sun visors with il on/off switch. LEI	mmed 40/20/40 bench se luminated vanity, power fo) interior lichting, front an	overhead console with Uni at, security alarm, memory Ildaway mirrors, glove box Id rear door accent lighting nse® Front and Rear Park J	function for radio, driver s and underhood lamp, rear Premium II audio system.	seat and mirrors, dome lamp with	ACX	_	-	_	0	-	-	-	
dimming rearview steering wheel fo	/ mirror, exterior heated/p r Z CPOS. premium cluste	ole with Universal Garage I power folding mirrors with s r with 7-inch Driver Inform apped steering wheel with a	signal and puddle lamps, h ation Display (DID), switch:	eated seats and able dome lamp.	ADA	-	0	0	0	-	-	-	
		nt Control, tow hooks, tran nd OWL On-/Off-Road tires		flares, off-road decal,	ARC	0	0	0	-	0	0	0	
POPULAR EQUIPI	MENT GROUP SLT - Prem	nium cloth 40/20/40 bench	seat, fog lamps, OWL tire:	s (Regular Cab only)	ALW	-	0	-	-	-	-	-	
	MENT GROUP TRADESMAN ntry and SiriusXM® Satell	l — Includes 40/20/40 clo ite Radio ¹⁶	th bench seat, carpeted flo	ooring, floor mats,	AJY	0	-	-	-	-	-	-	
	IOTE ENTRY GROUP – Inc nd power door locks (Regi	cludes premium vinyl door t ular Cab only)	trim, remote keyless entry,	power heated mirrors,	AJH	0	-	-	-	-	-	-	
4.10 axle ratio, t Black headlamp f	ow hooks, fuel tank and tr iller panels, chrome front 17-inch polished aluminu	Descent control, 180-amp a ansfer case skid plates, fro and rear bumpers, electrou m wheels with LT285/70RI	ont electric winch, Black wi nic disconnecting front swa	heel flares, fog lamps, av bar, Ram Articulink®	ACE	0	-	_	-	-	-	-	
PROTECTION GR	DUP (4x4 only)– Include:	s tow hooks and transfer ca	ase skid plate		ADB	0	0	0	-	0	0	0	
Turbo Diesel), an	DUP — Includes 180-amp tispin differential, transfel d tires (single-rear-wheel	alternator for 5.7L V8 (220 r case skid plate, auxiliary models only)	D-amp alternator for 6.4L \ switches, clearance lamps	/8 or 6.7L Cummins $^{\circ}$, 18-inch wheels and	AD2	0	0	0	-	0	0	0	
SNOW PLOW PRE skid plate (4x4 n		ernator for 5.7L V8, 220-ar	np for 6.4L V8 and 6.7L di	esel, transfer case	AHD	0	0	0	-	0	0	0	
Ram tailgate bad	ge, Black 4x4 badge (4x4 with Black insert, 20-inch	lonotone paint, body-color o only), Blacked-out headlan Black painted wheels with	nps, body-color painted fro	nt and rear bumpers,	ADV	-	-	0	-	0	-	-	

RAM 2500/3500 PICKUP TOWING AND PAYLOAD

MAXI	MUM LOADED TRAILER WEIGHTS (when properly eq	uipped)														
	2500 — SAE J2807 STANDARD COMP				REGULAR					CREV	V CAB					EGA CAB®	
					8' BO)			E	'4" BOX			8' BOX				i'4'' BOX	
	POWERTRAIN	AXLE RATIO	GCWR	4x2		4x4		4x2		4x4	4x2		4x4		4x2		4x4
	5.7L HEMI® V8 CNG / 66RFE 6-SPEED	3.73	15,000	12,52	0	9,980		11 500		11.000	9,190		6,820		11.010		10 700
	5.7L HEMI V8 / 66RFE 6-SPEED	3.73	18,300 20,300	11,89 13,89		11,510 13,510		11,520 13,520		11,200 13,190	11,39	<u>V</u>	11,030		11,040		10,700
AT		3.73	19,800	13,89		12,930		12,940		12,630	11,39 13,39 12,81	0	11,030 13,020 12,460		11,040 13,040 12,520		10,780 12,780 12,240
AI	6.4L HEMI V8 / 66RFE 6-SPEED	4.10	17,500	10,02	.0	12,930		12,940		12,030	12,01	<u>u</u>	12,400		12,320		12,240
	0.4L ILIVII VO / CONI L C-GFELD	4.10	17,500 22,800	16.32	'n	15 930		15.940		10,030 15,630	15,81	0	15,460		15 520		15 240
	6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	3.42	25,300	17.98	0	15,930 17,540		17,510		17.200	17,37	0	17,020		15,520 17,170		15,240 15,440
MT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.42	24.300	16.89		16.450		16.450	·	17,200 16.130	16.30	Ō	15.950		16.100		14.770
	3500 — SAE J2807 STANDARD COMP				REGUL					CREW	/ CAB				MEGA CAB		
		LIANT		8' 8	BOX	8' BO	X DRW	6'4"	BOX	8'	BOX	8' BO	X DRW	6'4'	BOX	6'4" B	OX DRW
	POWERTRAIN	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	5.7L HEMI V8 / 66RFE 6-SPEED	3.73	18,400	11,910	11,560			11,520	11,200	11,410	11,020			11,210	10,880		
		4.10	20,400 19,900	13,910 13,370	13,560 12,970	10.000	10.040	13,520	13,200 12,640	13,410 12,830	13,020 12,470	12.450	10,100	13,210 12,650	12,880 12,320	10.000	11.070
	6.4L HEMI V8 / 66RFE 6-SPEED	3.73	19,900	13,370	12,970	13,020	12,640	12,970	12,640	12,830	12,470	12,450	12,100	12,650	12,320	12,200	11,970
	0.4L REIVII V8 / DORFE D-SPEED	4.10	22,900	10,370	10,970	16 520	16 140	10,970	10,040	10,030	10,470	15.050	15 600	10,000	10,320	15 700	15.470
		3.42	23,400 25,300	17.910	17.560	16,520 17,550	16,140 17,180	17.490	17.200	17.360	17.010	15,950 17,000	15,600 16,660	17.140	16.750	15,700 16,750	15,470 16,440
	6.7L CUMMINS TURBO DIESEL I-6 / 68RFE 6-SPEED	3.73	27,300	11,010	11,000	19,550	19,180	11,430	11,200	11,000	11,010	19.000	18 660	11,140	10,100	18,750	18 440
AT		4.10	30,300	i		22.550	22.180	1				22.000	18,660 21,660		1	21.750	18,440 21,440
		4.10 3.42	30,300 25,300	17,770	17,420			17,350	17,050	17,210	16,860			16,990	16,660		
	6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 /	3.42	29,300			21,410	21,030					20,860	20,520			20,600	20,300
	AISIN® 6-SPEED																
		3.73	33,800 39,100			25,910	25,530 30,830					25,360 30,660	25,020 30,320			25,100 30,400	24,800 30,100
		4.10	39,100	10.070	10 500	31,210	30,830	10.450	10 100	10,000	15.000	30,660	30,320	10 100	15 710	30,400	30,100
MT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.42	24,300 26,300	16,870	16,520	16,510 18,510	16,130	16,450	16,160	16,320	15,960	15,960 17,960	15,620	16,100	15,710	15,710 17,710	15,400 17,400
		0.10	20,000			10,010	10,130					17,900	17,020			11,/10	11,400

MAXI	MUM PAYLOAD CAPACITIES (whe	en properly e	equipped)													
	2500			REGULAR 8' BOX	CAB			6'4" BOX	CREV	V CAB	8' BO)	(N	IEGA CAB 6'4'' Box	
	POWERTRAIN	GVWR	4x2		4x4		4x2		4x4	4x2		4x4		4x2		4x4
	5.7L HEMI V8 CNG / 66RFE 6-speed 5.7L HEMI V8 / 66RFE 6-speed	9,200	2,35)	1,970 2.680		2.690		2.370	1,850)	1,490 2,200		2.210		1.960
AT	6.4L HEMI V8 / 66RFE 6-speed	8,510 10,000 10,000	3.99)	3.600		3.610		2,370 1,510 3,300	3.480)	3.130		3.190		2.910
MT	6.7L Cummins Turbo Diesel I-6 / 68RFE 6-speed 6.7L Cummins Turbo Diesel I-6 / G56 6-speed	10,000	3,991 3,160 3,061)	3.600 2,720 2,630		3,610 2,690 2,630		3,300 2,380 2,310	3,480 2,540 2,470)	3,130 2,200 2,130		3,190 2,340 2,280		2,910 2,020 1,950
	3500		<u> </u>	REGU Box	AR CAB	K DRW	6'/"	BOX	CREV 8'	V CAB	8' BO	X DRW	6'/	MEG ' BOX	A CAB	OX DRW
	POWERTRAIN	GVWR 10,100	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
		10,100 10,300 10,500	4,080	3,930												
	5.7L HEMI V8 / 66RFE 6-SPEED	10,700					4,090	3,970								
		11,000 11,300							4,480	4,390			4,280	4,250		
		10.200	4,140	3.940									4.420			
		10,400 10,500 10,800		0,010			4,040	4.010								
		11,100						4,010	4,500				4 420	4,250 ,420 4,290 6		
	0.4L NEWI VO / DONFE D-OFEEU 13,00 13,70 13,80	11.400			0.000	0.510				4,440	0.000	F 070	4,420	4,290	0.070	E 040
		13,300			6,890 7,290	6,510 6,910					6,320	5,970			6,070	5,840
AT		13,800 13,900 14,000			7,390										6,670	
~		11,100	4,180								7,020	6,670				6,540
		11,500 11,600		4,230			4,160						3,910			
	6.7L CUMMINS TURBO DIESEL I-6 / 68RFE 6-SPEED	11,700 12,000 12,300						4,070	4.530							
		12,300 12,400								4,480				4,220		
		14,000	4.040		6,720	6,350					6,170	5,830			5,920	5,610
		11.500	7,010	4,090			4,020						3.760			
	6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / AISIN 6-SPEED	11,600 11,700 12,000						3,920	4,380				3,700			
	AISIN 0-SPEED	12,000 12,300 12,400							4,300	4,330				4.070		
		14.000			6,580	6,200					6,030	5,690		4,070	5,770	5,470
		11,100 11,500	4,140	4,190			4,120									
мт	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEEL	11,600						4.030					3,870			
IVII	0.7L CUMIMINS TURBU DIESEL I-6 7 656 6-SPEEL	12,000							4,490	4,430						
		12,400			6.680	6.300	_				6.130	5.790		4,180	5.880	5.570
		14,000			0,000	0,000					0,100	0,100			5,000	0,010

AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear Wheel | Weights given in Ib. | Numbers in a black box AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear Wheel | Weights given in Ib. | Numbers in a black box reflect max ratings. 1. Weights are ESTIMATED values rounded to the nearest 10 lb. 2. Payload = GVWR minus Base Weight. 3. Payload and Trailer Weight Ratings are mutually exclusive. 4. GAWRs, GWWRs and GCWRs should never be exceeded. 5. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GVWR of 13,600 lb applies to Tradesman Package only. For all other price classes for this configuration (Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio), the GVWR is 13,700 lb.

1500

RAM 4500/5500 CHASSIS CAB

FABRICS

CHASSIS CAB

POWERTRAINS

Properly secure all cargo.

RAM 3500



17-inch Argent Steel Wheel Standard on 3500 DRW Tradesman[®] (WFU)



17-inch Chrome Steel Wheel Standard on 3500 DRW SLT Optional on 3500 DRW Tradesman (WD4)



17-inch Polished Aluminum Wheel Standard on 3500 DRW Laramie[®] Optional on 3500 DRW SLT (WF7)

RAM 4500/5500



19.5-inch Steel Wheel with Argent Finish Standard on 4500/5500 DRW Tradesman® and SLT (WP3)



19.5-inch Forged Aluminum Wheel Standard on 4500/5500 DRW Laramie® Optional on 4500/5500 DRW Tradesman and SLT (WP4)



18-inch Painted Steel Wheel Standard on 3500 SRW Tradesman (WBN)



18-inch Chrome-Clad Steel Wheel Standard on 3500 SRW SLT Optional on 3500 SRW Tradesman (WBH)



18-inch Polished Aluminum Wheel Standard on 3500 SRW Laramie Optional on 3500 SRW Tradesman and SLT (WBL)



8	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CI	6		4500 C
						SALES CODE	TRADESMAN® Reg/Crev	SLT Reg/CREW	LARAMIE* Crev cab
		500/4500/5	500 CHA	SSIS CAB		SALE	-		
	JYER'S GU						A	G	H
		RANSMISSION							
	. ,	DS/Fuel Saver Technology; s		500 only)		DFI	_	226	22H
6.4L	HEMI V8 (ESB); AISIN® I	AS66RC six-speed automatic				DF3		276	27H
6.7L	Cummins [®] Turbo Diesel	; 320 hp / 650 lb-ft of torqu	e / six-speed manual			ETI Dec	G ZEA	2EG	2EH
6.7L	Cummins Turbo Diesel; 3	325 hp / 750 lb-ft of torque	/ AISIN AS69RC Heavy	/-Duty six-speed automatio	C	ETI DF2		296	29H
ENGI	NE SHUT-OFF TIMER - 5	minutes, standard (dealer-p	rogrammable from 1 -	- 60 minutes)		XC	_	0	0
MAX	SPEED SETTINGS — 65-n	nph, 70-mph, 77-mph))(([]	5 0	0	0
PTO	— Alternate left side req	uires AISIN transmission (in	cludes split-shaft capa	bility with the Cummins 6	.7L)	LB	V O	0	0
-	Available with AISIN autor	matic or the manual transmi	ssion (includes split-s	haft capability with the Cu	mmins 6.7L)	LBI	N O	0	0
- (Split-shaft PTO capability	(packaged with Power Take	-Off Prep Group when	equipped with the Cummin	ıs 6.7L)	LB)	X P	P	Р
Μ	ECHANICAL	FEATURES							
ALTE	RNATORS — 180-amp, in	cluded with 6.4L HEMI V8 ar	ld with Cummins Turbo) Diesel engines		BAI		•	•
- :	220-amp, included with H	leavy-Duty Snow Plow Prep G	roup and Ambulance F	Prep Group		BA.	J O/P	O/P	O/P
- ;	380-amp, optional with 6	.4L HEMI V8 (dual 160-amp	and 220-amp alternat	ors)		XFS	5 0	0	0
- 1	440-amp, optional with 6.7	'L Cummins Turbo Diesel (dua	l 220-amp alternators)			XF	7 0	0	0
B20	BIODIESEL COMPATIBILIT	γ				XX.	JO	0	0
BATT	FERY — 730-amp (one pe	r vehicle with gas engines;	wo per vehicle with 6.	7L Cummins engine)		BCI	N •	•	•
DIES	EL EXHAUST BRAKE ("SM	ART" EXHAUST BRAKE) — Pa	ckaged with 6.7L Cum	mins engine		NEI	N P	P	Р
ENGI	NE BLOCK HEATER — Opt	ional with gas engine; includ	ed with Cold Weather	Group with 6.7L Cummins	engine	ADI Nhi		O/P	O/P
ENGI	NE COOLING — Heavy-dut	ly .				NM	C •	•	•
EXTR	IA BASE KEYS — Two (not	t available with Power and R	emote Entry Group or I	Remote Keyless Entry)		GX.	J O	-	-
FUEL	TANKS — Dual, 52- and	22-gallon, totalling 74 gallo	ns (not available on 3	500 SRW and 60-inch cab	a/axle with 6.4L HEMI V8)	NLI	LO	0	0
- 1	Single 22-gallon, mid-shi	p-mounted (standard on DF	3500 SRW 10K GVWR	models)		NF/	A •/0	•/0	•/0
;	Single 52-gallon, rear-mo	ounted (not available on DF 3	SOO SRW 10K GVWR	models)		NFI	H •	•	•
SHOO	CK ABSORBERS – Front, I	heavy-duty				SFI	B •	•	•
_	Rear, heavy-duty					SGI	B •	•	•
SKID	PLATE – Transfer case	(4x4 only; included with Hea	vy-Duty Snow Plow Pre	ep Group)		XEI	F O/P	O/P	O/P
	BILIZER BAR – Front					SH	_	•	•
	RING – Power, recirculat					SB		•	•
		gas engine on 3500; includ	ed with Cummins engine	ne on 3500 models; stand	ard on 4500/5500 models		_	0/•	0/•
		hift, part-time (4x4 only)				DK	_	•	-
	Electric shift, part-time (4					DK		0	•
		FACE MODULE (VSIM) — Ove				XX		O/P	0/P
		IDLE-UP SYSTEM — Included	with Rollback Carrier	Group and Ambulance Pre	p Group	XFE	6 O/P	O/P	0/P
	8, 3500							_	
	NT — 6,000-1b GAWR (sta	,				ונס	-	P	Р
	Axle disconnect with 4x4						•	•	•
	R — Antispin differential	ad as adala and A				DS/		•	•
_	3.42 ratio (diesel-equipp					DM		0	•
_	3.73 ratio (diesel-equipp 4.10 ratio (standard on a		lo with diocol coulors	d modele)		DM	_	•	•
		as-equipped models; availab		u niuucis)		DM		• P	• P
		6.4L HEMI gas engine and A	10111 U d1151111551U11)			DM		•	
_	11.5-inch (SRW models o					DRI		-	•
	11.5-inch (DRW models o	miy)				DR	× •	•	•
	S, 4500 and 5500	inderd on CDW models)					N D	n	р
	NT — 6,000-1b GAWR (sta	inudi u vii 3KW IIIUOEIS)				ונס	-	P	P
- 1	Axle disconnect with 4x4						۰	•	•

• = Standard O = Optional P = Part of Package - = Not available

NOTE: some features and/or applications may be late availability.

5500 CC PROMASTER **PROMASTER CITY** CONFIGURATIONS PAINT FABRICS RESOURCES 39 SALES CODE TRADESMAN[®] Reg/Crev SLT Reg/Crew Laramie® Crew Cab A G Н **MECHANICAL FEATURES (continued)** REAR – Antispin differential DSA ٠ . ٠ - 3.42 ratio (diesel-equipped models only) DMR 0 0 Λ - 3.73 ratio (diesel-equipped models only) DME . . ٠ - 4.10 ratio (standard with gas-equipped models; available with diesel-equipped models) DMF . . . - 4.44 ratio (included with 6.4L HEMI® gas engine and AISIN® transmission) DMK Р Р Р - 11.5-inch (SRW models only) DRQ ٠ . . - 11.5-inch (DRW models only) DRX • • . **EXTERIOR FEATURES** BADGING - SLT MTD _ . MTE – Laramie . _ _ BUMPER – Front, Black MB1 . _ _ - Front, chrome (included with Chrome Appearance Group) MCT Р . . CHROME BODYSIDE MOLDINGS - An authentic accessory from Mopar® MJB 0 0 0 MRT 0 TUBULAR SIDE STEPS - In chrome; an authentic accessory from Mopar 0 0 0 0 _ Black (Regular Cab only) MRU FASCIA – Front, headlamp filler, Black (standard on 4500 and 5500 models; included with low-volume paint) MCI . . . MCM - Front, headlamp filler in body color (3500 only) • . . LNJ FOG LAMPS (available with Chrome Appearance Group on Tradesman and as a single option for SLT models) 0 Р . GRILLES – Black insert and surround MFF _ ٠ _ - Chrome surround with Black insert (included with Chrome Appearance Group) MFD Р . _ - Chrome surround with chrome insert MF1 _ _ . HEADLAMPS - Automatic LMG ٠ . . — Halogen, quad-lens LME ٠ . _ LMC – Halogen, bifunctional projector _ _ . KEY-ALIKE FEATURE - Allows a single key to start multiple trucks GRA 0 0 _ LAMPS – Cab-clearance LNC ٠ . ٠ MIRRORS - Folding trailer-tow, manual, Black (Regular Cab models only) GPD . _ _ - Power multifunction trailer-tow, heated, manual folding, chrome; includes position memory, exterior courtesy lamps GPC _ _ . supplemental turn signals Power trailer-tow, heated, manual folding, Black; includes exterior courtesy lamps and supplemental turn signals (standard on Crew Cab models: included with Power Accessory and Power and Remote Entry Groups) ₽/• GPG . _ MONOTONE PAINT APA ٠ • . PICKUP BOX DELETE XBC • ٠ ٠ TAILLAMPS – LED (not available with SRW models) LAY 0 0 0 **TIRES AND WHEELS** TIRES, 3500 - LT235/80R17E BSW All-Season (DRW models only) TV2 ٠ • - LT235/80R17E OWL On-/Off-Road (4x4 DRW models only) TV3 0 0 0 - LT275/70R18E BSW On-/Off-Road (standard on 3500 DF 10K GVWR models; packaged with other SRW models) TCM •/P •/P •/P TBB 0 0 – Spare. full-size 0 TIRES, 4500/5500 - 225/70R19.56 BSW All-Position (4x2 models only) TUV ٠ • TUY - 225/70R19.5G BSW All-Position front, Traction rear (standard on 4x4 models; available for 4x2 models) •/0 •/0 •/0 - 225/70R19.5G BSW All-Traction (4x4 models only) TUZ 0 0 0 – Spare, full-size TBB 0 0 0 WHEELS, 3500 - 17- x 6-inch Argent steel (DRW models only) WFU • _ _ - 17- x 6-inch bright wheel covers and center cap (DRW models only; included with Chrome Appearance Group on Tradesman models) WD4 Р . _ - 17- x 6-inch aluminum (DRW models only) WF7 _ Λ . _ - 18-inch steel (SRW models only) WRN • _ 0/P - 18-inch Chrome-clad steel (SRW models only; optional on Tradesman; included with Chrome Appearance Group) WBH . _ - 18-inch polished aluminum (SRW models only) WBL 0 . 0

ו	OVERVIEW	3500	3500 CC			450			
		500/4500/5		SSIS CAB		SALES CODE	TRADESMAN® Reg/CREN	SLT Reg/CREW	LARAMIE®
BU	YER'S GU	IDE (CONTIN	IUED)				A	G	H
TI	RES AND W	HEELS (conti	nued)						
WHEEL	LS, 4500/5500 — 19.5-	x 6-inch steel				WP3	•	•	-
- 19	9.5- x 6-inch polished alu	minum				WP4	0	0	
		(4500/5500 models only)				MM	. •	•	
	ody-color (3500 models o					MM	0	0	(
WINDS	SHIELD WIPERS — Variab	le/intermittent				JHA	•	•	
— Ra	ain-sensitive (packaged w	ith Convenience Group)				JHC	-	-	
IN	TERIOR FE	TURES							
	ONDITIONING					HAA	•	•	
		perature Control (included)	vith Heated Seats and V	Vheel Groun: Crew Cab mo	dels only)	HAF	_	Р	
		d passenger-side (A-pillar-		ancer aroup, orew out ind	uuuu uuiy	CSF	_	•	
	IARY SWITCHES - Five	ia passenger side (A pinar i	nountou)			LHL			
	– Center-stack, Black					JBF		-	
	enter-stack, color-keyed	1				JBY	_		
	enter-stack, voodgrain in:					JBB	_	-	
CLUST		5-inch Driver Information Disp	lay, tachometer (120-mp	h speedometer on 3500; 87	'-mph on 4500/5500 with	TAL		•	
	,	ver Information Display (inclu	led with Luxury Group)			JAG	_	Р	
		nter (included with front buck	,			CUF	_	P	
		Garage Door Opener (includ	,			CV2		P	
	verhead with map lights (a with Laxery aroup)			CUN	_	•	
	LOCKS – Manual (Regul	,				JE8	_	-	
		r Accessory and Power and Ri	umoto Entry Grouns: stan	dard on Tradesman Crew Ca	nh model)	JPB	_		
	R COVERING — Heavy-dut		anoto Entry uroups, stan	dara on Tradesman orew of		GKJ		0	-
	arpet	y viliyi				CKE		•	
		l (Regular Cab; included with	carnat on Tradacman mo	dala)		GLA	-		
		(Crew Cab; included with ca				CLE		•	
	ront, rubber (Regular Ca		iper oli fraucollali liloi	1610)		CLY		0	
	ront and rear, rubber (Cre					CLF		0	
		w Gau; requires carper)				GNA	-	•	
	DRS — Day/night manual	looppoot® Dhono14 (pookogo	d with DAO DAO DAA r	adias)		GR4	_	P	
		lconnect [®] Phone ¹⁴ (package ay/night, with camera displa		,	ra ¹⁹ with UA1 radia)	GN4	_	P	
					la ^{re} with oan laulu)				
		ay/night, with Uconnect Pho missor	ie (Iliciuuen mitii enii	remence aroup)		GNN	_	-	
	assenger-side visor with		ith L			GNN		-	
		ver and passenger (included		<u> </u>		GNC		P	
		500, 4500 and 5500; require		·		XAF		0	
		mory (3500, 4500 and 550	u; requires automatic 1	ransmission)		XAN	-	-	
	R ACCESSORY DELAY	willing finded to be area.				JKY	-	•	
		uxiliary (included with *M9, *	WJ, *GJ, *VL seats)			JKV		P	
	wo 12-volt auxiliary out					111	-	•	
		front-passenger; includes hea		uded with Heated Seats and	Wheel Group)	CM	-	P	
		(packaged with Rear Interior				CJT	-	0	
		eat (included with *M9, *M	,			JRT	-	P	
		eat with memory and six-wa	y power passenger (*G	J, *VL)		JRF	-	-	
	elete rear seat (Crew C	.,				CF8	-	O/P	•
- H	eated, second-row (inclu	uded with *GJ bucket seats)				JPZ	-	-	

5500 CC PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS								CES		41
						SALES CODE	TRADESMAN® Reg/Crev	SLT Reg/Crew	LARAMIE** Crev cab	
						SALE				
							A	G	H	
		ES (continue								
SEATS — Vinyl 4 trimmed in vinyl)		seat with folding center arm	irest/business console (Cre	w Cab models include foldi	ng rear bench seat	*TX	•	-	-	
— Work-grade	vinyl 40/20/40 split ben	ch				*SX	0	0	-	
	ed 40/20/40 split-bench ed rear bench seat)	front seat with folding ce	nter armrest/business co	nsole (Crew Cab models	include folding	*V9	0	•	-	
business co		olit-bench front seat with Ishion storage and 115-vo				*M9	-	0	-	
		nt bucket seats with powe v Cab models include 60/			d center console and	*MJ	-	0	-	
passenger s	seat, power lumbar adjust	ed 40/20/40 split-bench t ter, front center-seat-cush dels include 60/40 split-1	ion storage and folding c	enter armrest/business c		*VL	-	-	•	
lumbar adju		nd heated front bucket seat 115-volt auxiliary power ou bench seat)			passenger seats, power s (Crew Cab models include	*GJ	-	-	0	
SPEED CONTROL						NHM	•	•	•	
STEERING WHEE	LS — Four-spoke, urethane					SCF	٠	•	-	
– Heated (inc	luded with heated seats;	included with Heated Seat	s and Wheel Group)			NHS	-	P	٠	
— Leather-wra	pped with remote audio o	control buttons (included)	with Luxury Group and He	ated Seats and Wheel Gro	up)	SCV	-	P	•	
– Tilt column						SUA	•	•	٠	
STORAGE - From	nt, behind-the-seat (Regular	r Cab models only)				CU3	•	•	-	
	enter-cushion (included wit	,				CVH	-	P	•	
	cluded with automatic tra					XBN	Р	P	P	
	– One-touch/three-blink I	ane-change feature					•	•	•	
	inual (Regular Cab only)		-h-m-d-hh-)			JF8	•	-	-	
		ie-touch up/down (Crew C wn (Regular Cab models o		anagary Group and Dowar	and Domoto Entry Crown)	JP3 JPY	• P	•	•	
– Power truit – Rear backli		WII (Regular Gau Illoueis u	niy; included with Power A	ccessory Group and Power	and Remote Entry Group)	GJD	•	•	_	
		Cab models only; included	l with Luyury Groun)			GFE	-	P	•	
– Rear backli	• · • • • •	odu mouers omy; morauer				GFD	0	г 0	-	
		or power sliding rear windo	w: requires Power Accesso	rv Grown on Tradesman mo	(zlah	GFA	0	0	0	
		· •	w, requires rewer Accesso	ry aroup on Tradesman mo	000)	UIA	U	0	U	
		UETOOTH [®] - Hands-free	colling14 with Address Su	a Divetaeth		XRB			•	
	.S — Steering wheel-mou	nted audio controls (inclu			y Group and the Heated	RDZ	-	P	•	
	MOTE CD PLAYER					RH1	0	0	0	
SIRIUSXM® SAT						RSD	0	•	•	
		l with Uconnect 5.0 radio	or higher, *M9, *V9 and	*MJ seats)		RS3	P	Р	•	
	(included with Uconnect 3					RSG	•	•	_	
	ly functional USB port					RSX	•	•	•	
	put jack for mobile device	S				RSU	•	•	•	
– Media Hub (included with Uconnect 8.4	A and 8.4 NAV radios)				RSF	-	Р	•	
SPEAKER SYSTE	MS — Premium I (availab	le with Uconnect 8.4A and	1 8.4 NAV radios; not ava	ilable with Upfitter Electro	nic Interface Module)	RCK	-	0	0	
— Six (standa	rd on Crew Cab Tradesma	an models)				RCG	-	•	٠	
— Two (standa	rd on Regular Cab models)	1				RCB	•	-	-	
RADIO 3.0 - AN	1/FM with Media Hub (US	B, auxiliary input jack)				RA1	۰	•	-	
UCONNECT 3.0	RADIO — AM/FM/Integrate	d Voice Command ¹⁴ with Blu	uetooth with Media Hub (US	B, auxiliary input jack)		UA1	0	0	-	
UCONNECT 5.0 Command ¹⁴ with	RADIO — AM/FM/5-inch to Bluetooth and SiriusXM Sat	uchscreen display, Media H tellite Radio ¹⁶	ub (USB, auxiliary input jac	ck), global positioning syste	m, Integrated Voice	RA2	0	0	-	
UCONNECT 8.44 Voice Command	RADIO – AM/FM/8.4-inc ¹⁴ with Bluetooth, SiriusX	ch touchscreen display, M M Satellite Radio ¹⁶ and Ro	edia Hub (USB, auxiliary i call/Ecall (required for He	nput jack), global position ated Seats and Wheel Gro	ning system, Integrated oup)	RA3	-	0/P	•	
UCONNECT 8.4 Command ¹⁴ with	NAV RADIO — AM/FM/8.4- Bluetooth, SiriusXM Satelli	inch touchscreen display, ite Radio, ¹⁶ Rcall/Ecall and I	Media Hub (USB, auxiliar) HD radio (required for Heat	/ input jack), GPS Navigati ted Seats and Wheel Group	ion, Integrated Voice)	RA4	-	O/P	0	

2017 RAM 3500/4500/5500 CHASSIS CAB	SALES CODE	TRADESMAN® Reg/CREW	SLT REG/CREW	LARAMIE [®] Crew Cab
BUYER'S GUIDE (CONTINUED)		A	G	H
SAFETY & SECURITY				
AIR BAGS ¹⁸ — Multistage front	CG3	۰	•	•
— Driver's-side only	CGT	0	0	-
BRAKES – Power-assisted four-wheel antilock disc	BRT	۰	•	•
DOT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses	ACL	0	0	0
ELECTRONIC STABILITY CONTROL (ESC)' SYSTEM	BNB	۰	•	•
PARKSENSE® FRONT AND REAR PARK ASSIST SYSTEM® (requires Chrome Appearance Group and fog lamps on Tradesman; fog lamps on SLT)	XAG	0	0	0
PARKVIEW® REAR BACK-UP CAMERA® – Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with Uconnect® 3.0 radio; all other radios display the camera view on the touchscreen)	XAC	0	0	0
RED SEAT BELTS — Regular Cab models only (not available on 10K GVWR 3500 SRW models)	CGQ	0	0	-
REMOTE KEYLESS ENTRY — Controls for power door locks, illuminated entry system and panic alarm; includes two transmitters (included with Power and Remote Entry Group)	GXM	P/0	•	•
REMOTE START SYSTEM – Requires automatic transmission	XBM	-	0	P
SEAT BELTS — Front, shoulder height-adjustable	CGD	٠	•	•
SECURITY ALARM	LSA	-	0	•
SENTRY KEY® THEFT DETERRENT SYSTEM – Engine immobilizer	GXX	٠	•	•
TIRE PRESSURE MONITORING – Packaged with 10K GVWR 3500 SRW models	XGM	Р	P	P
- Selective Tire Pressure Display (available on 3500 models over 10K GVWR only)	XBT	0	0	0
TRAILER BRAKE CONTROLLER – Fully integrated electronic	XHC	0	0	0
PACKAGES / EQUIPMENT GROUPS				
AMBULANCE PREP GROUP — Includes 220-amp alternator, voltage monitoring auto idle-up system and upfitter electronic interface module (VSIM)	AH2	0	0	0
CHROME APPEARANCE GROUP — Includes chrome front bumper and grille surround and chrome wheel covers on 3500 models; includes chrome grille and chrome front bumper on 4500/5500 models	AMP	0	-	-
COLD WEATHER GROUP - Includes engine block heater and winter front grille cover (for diesel-equipped models only)	ADE	0	0	0
CONVENIENCE GROUP — Includes auto-dimming rearview mirror, rain-sensing wipers, Auto High-Beam Headlamp Control, remote proximity keyless entry and Keyless Enter 'n Go™ (not available with manual transmission)	ADC	-	-	0

3500

3500 CC

4500 CC

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	I	RESOUR	CES		43
						SALES CODE	TRADESMAN® Reg/Crev	SLT Reg/crew	LARAMIE® Crev cab	
							A	G	H	
PACKA	GES / EQUI	PMENT GRO	UPS (contin	ued)						
	ND WHEEL GROUP — Incl uires Uconnect® 8.4A or	udes heated cloth front si 8.4 NAV radios)	eats and heated leather-v	rapped steering wheel (o	ptional with *M9 and	AGF	-	0	-	
HEAVY-DUTY FR	ONT SUSPENSION GROUP	— Included with Heavy-Du	ıty Snow Plow Prep Group	(4500 and 5500 models	only)	AZB	O/P	O/P	O/P	
HEAVY-DUTY SN front suspensio	OW PLOW PREP GROUP – n (4500 and 5500 model	· Includes 220-amp altern s only)	iator, transfer case skid p	olate (3500 models requi	re 4x4) and heavy-duty	AHD	0	0	0	
7-inch Driver In	formation Display, leather	th illuminated vanity mirr r-wrapped steering wheel e Door Opener (requires U	with audio controls, over	head console, rear power		ADA	-	0	-	
on 3500 model	s: includes dual transmiss	odels: includes underbody sion oil coolers, underbod s diesel engine with auto	y thermal protection, 4.1	O axle ratio, transmission		AHQ	0	0	0	
		19K GVWR with 60-inch C pped with the 6.4L HEMI®		108- and 120-inch CA, 4	1.88 rear axle ratio	AH5	0	0	0	
POWER ACCESS mirrors with tur	DRY GROUP — Includes po n signal indicators (Regu	ower windows, premium v Iar Cab models only)	inyl door trim, power doo	r locks and power adjusta	ble exterior trailer-tow	WLA	0	-	-	
POWER AND REI trailer-tow mirr	AOTE ENTRY GROUP — Ind ors with turn signal indica	cludes power windows, pr ators and remote keyless	emium vinyl door trim, po entry (Regular Cab mode	wer door locks, power ad Is only)	justable exterior	AJH	0	-	-	
POWER TAKE-OF equipped with 6	F PREP GROUP — Include .7L Cummins® Turbo Die	s hard-wire remote start sel engine	if equipped with AISIN® t	ransmission; includes spl	it-shaft capability if	LBN	0	0	0	
	F PREP GROUP (LEFT SID ipped with 6.7L Cummins	E) — Includes hard-wire r 5 Turbo Diesel engine	emote start if equipped w	vith AISIN transmission; in	ncludes split-shaft	LBV	0	0	0	
REAR INTERIOR (Regular Cab m		ncludes front center seat	delete, rear floor storage	tray delete and cab-back	trim panel delete	AS8	0	0	-	
	RIER GROUP — Includes vo ed fuel tank, PTO prep an	oltage monitoring auto idl d 220-amp alternator)	e-up system (5500 120-	CA Regular Cab models o	nly; requires 22-gallon	AH1	0	0	-	
	HEEL GROUP (standard on DO/5500 models)	Ram 3500 10K GVWR m	odels (body code DF); ava	ailable on 3500 over 10K	GVWR models; not	AR9	•/0	•/0	•/0	

RAM 3500 C	CHASSIS CAB MAX JO)B RATING INFORMAT	ION*		
	POW	ERTRAIN		Regular Cab 60'' CA (4x2 / 4x4) SRW	Crew Cab 60'' CA (4x2 / 4x4) SRW
			MAX GVWR	10,000	10,000
		66RFE 6-SPEED	MAX PAYLOAD	4,200 / 3,960	3,760 / 3,440
	6.4L HEMI® V8	AUTOMATIC	MAX GAWR FRONT	5,500	5,500
	0.4L NEWII ⁻ VO	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		IKAN9MI99IUN	MAX TOWING	15,050 / 14,810	14,610 / 14,290
			MAX GCWR	21,000	21,000
	6.4L HEMI V8		MAX GVWR	10,000	10,000
		AISIN® HEAVY-DUTY 6-Speed Automatic Transmission	MAX PAYLOAD	4,070 / 3,830	3,630 / 3,310
			MAX GAWR FRONT	5,500	5,500
0500 85			MAX GAWR REAR	6,800	6,800
3500 DF		INANOWIOOUN	MAX TOWING	17,920 / 17,680	17,480 / 17,160
10K GVWR SRW			MAX GCWR	24,000	24,000
		656 6-SPEED	MAX GVWR	10,000	10,000
			MAX PAYLOAD	3,600 / 3,350	3,160 / 2,840
	6.7L CUMMINS®	MANUAL	MAX GAWR FRONT	6,000	6,000
	TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		IKAN9MI99IUN	MAX TOWING	17,450 / 17,200	17,010 / 16,690
			MAX GCWR	24,000	24,000
			MAX GVWR	10,000	10,000
		AISIN HEAVY-DUTY	MAX PAYLOAD	3,430 / 3,180	2,990 / 2,670
	6.7L CUMMINS	6-SPEED AUTOMATIC	MAX GAWR FRONT	6,000	6,000
	TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		THANOWIOOUN	MAX TOWING	17,280 / 17,030	16,840 / 16,520
			MAX GCWR	24,000	24,000

Weights given in Ib. *Maximum tow job rating numbers are for a property equipped vehicle with a 150-lb allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cal-to-Acle length. SRW = Single Rear Wheel.

42

OVERVIEW

POWERTRAINS

1500

RESOURCES 43

	44	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	45
--	----	----------	-------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	----

RAM 3500/4500/5500 CHASSIS CAB Job Rating information

POW	ERTRAIN		Regular Cab 60" CA (4x2 / 4x4) SRW	Regular Cab 60" CA (4x2 / 4x4) DRW	Regular Cab 84″ CA (4x2 / 4x4) DRW	Crew Cab 60" CA (4x2 / 4x4) SRW	Crew Cab 60" CA (4x2 / 4x4) DRW
		MAX GVWR	10,700 / 11,000	13,500	13,500	10,700 / 11,000	13,500
	66RFE 6-SPEED	MAX PAYLOAD	4,900 / 4,960	7,350 / 7,120	7,270 / 6,990	4,460 / 4,440	6,880 / 6,600
6.4L HEMI® V8	AUTOMATIC	MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
0.4L HEIVII - VO		MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
	TRANSMISSION	MAX TOWING	15,050 / 14,810	14,700 / 14,470	14,620 / 14,340	14,610 / 14,290	14,230 / 13,950
		MAX GCWR	21,000	21,000	21,000	21,000	21,000
		MAX GVWR	10,700 / 11,000	14,000	14,000	10,700 / 11,000	14,000
	AISIN [®] HEAVY-DUTY	MAX PAYLOAD	4,770 / 4,830	7,720 / 7,490	7,640 / 7,360	4,330 / 4,310	7,240 / 6,970
	6.4L HEMI V8 6-SPEED AUTOMATIC TRANSMISSION	MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
6.4L HEMI V8 6		MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
		MAX TOWING	17,920 / 17,680	17,570 / 17,340	17,490 / 17,210	17,480 / 17,160	17,090 / 16,820
		MAX GCWR	24,000	24,000	24,000	24,000	24,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
	G56 6-SPEED	MAX PAYLOAD	5,030 / 5,180	7,080 / 6,840	6,990 / 6,710	4,590 / 4,670	6,600 / 6,320
6.7L CUMMINS®		MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
TURBO DIESEL	MANUAL	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
	TRANSMISSION	MAX TOWING	19,280 / 19,030	18,930 / 18,690	18,840 / 18,560	18,840 / 18,520	18,450 / 18,170
		MAX GCWR	26,000	26,000	26,000	26,000	26,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
6.7L CUMMINS	AISIN HEAVY-DUTY	MAX PAYLOAD	4,870 / 5,020	6,920 / 6,680	6,830 / 6,550	4,430 / 4,510	6,440 / 6,160
HIGH OUTPUT		MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
	6-SPEED AUTOMATIC	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
TURBO DIESEL	TRANSMISSION	MAX TOWING	19,120 / 18,870	23,770 / 23,530	23,680 / 23,400	18,680 / 18,360	23,290 / 23,010
		MAX GCWR	26,000	31,000	31.000	26,000	31,000

Weights given in Ib. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-lb allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Acle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.


RAM 4500 CHASSIS CAB MAX JOB RATING INFORMATION*

POWERTRAIN		Regular Cab 60″ CA (4x2 / 4x4)	Regular Cab 84″ CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab I20″ CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.4L HEMI V8 WITH	MAX PAYLOAD	9,660 / 9,270	9,500 / 9,120	9,350 / 9,000	9,210 / 8,940	9,080 / 8,730	8,940 / 8,640
AISIN HEAVY-DUTY	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	19,010 / 18,620	18,850 / 18,470	18,700 / 18,350	18,560 / 18,290	18,430 / 18,080	18,290 / 17,990
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS TURBO	MAX PAYLOAD	8,920 / 8,560	8,730 / 8,350	8,640 / 8,230	8,560 / 8,170	8,310 / 7,960	8,170 / 7,870
DIESEL WITH G56	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	20,270 / 19,910	20,080 / 19,700	19,990 / 19,580	19,910 / 19,520	19,660 / 19,310	19,520 / 19,220
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS HIGH	MAX PAYLOAD	8,800 / 8,400	8,570 / 8,190	8,480 / 8,070	8,400 / 8,010	8,150 / 7,800	8,010 / 7,710
OUTPUT TURBO DIESEL WITH AISIN HEAVY-DUTY	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED AUTOMATIC	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	25,650 / 25,250	25,420 / 25,040	25,330 / 24,920	25,250 / 24,860	25,000 / 24,650	24,860 / 24,560
THANSINISSION	MAX GCWR	33,500	33,500	33,500	33,500	33,500	33,500


Weights given in Ib. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-Ib allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Ade length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

RAM 5500 CHASSIS	CAB MAX JOB RA	TING INFORMATION*					
POWERTRAIN		Regular Cab 60″ CA (4x2 / 4x4)	Regular Cab 84″ CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab I20" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.4L HEMI V8 WITH	MAX PAYLOAD	12,110 / 11,740	12,480 / 12,100	12,310 / 11,960	12,260 / 11,880	11,600 / 11,220	11,910 / 11,550
AISIN HEAVY-DUTY	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	18,960 / 18,590	18,830 / 18,450	18,660 / 18,310	18,610 / 18,230	18,450 / 18,070	18,260 / 17,900
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS TURBO	MAX PAYLOAD	11,390 / 10,990	11,790 / 11,360	11,700 / 11,220	11,610 / 11,140	10,830 / 10,480	11,140 / 10,810
DIESEL WITH G56	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	20,240 / 19,840	20,140 / 19,710	20,050 / 19,570	19,960 / 19,490	19,680 / 19,330	19,490 / 19,160
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS HIGH	MAX PAYLOAD	11,250 / 10,830	11,630 / 11,200	11,540 / 11,060	11,450 / 10,980	10,670 / 10,320	10,980 / 10,910
OUTPUT TURBO DIESEL	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
WITH AISIN HEAVY-DUTY 6-Speed Automatic	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	30,600 / 30,180	30,480 / 30,050	30,390 / 29,910	30,300 / 29,830	30,020 / 29,670	29,830 / 29,760
THANGAIDSION	MAX GCWR	38,500	38,500	38,500	38,500	38,500	38,500

Weights given in Ib. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-lb allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Acle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.



PROMASTER VAN ROOF OPTIONS





Meets SAE J1100 requirements.



16-inch Painted Steel Wheel with Center Cap Standard for Ram ProMaster I500/2500/3500 (WCS and WMN)

16-inch Steel Wheel with Optional Cover Optional for Ram ProMaster I500/2500/3500 (W6A)



21.0" LOAD FLOOR HEIGHT

HIGH ROOF

76.0" INTERIOR HEIGHT

75.6" AT SIDE PANEL

55.8" AT WHEEL WELL





2017 RAM PROMASTER 1500/2500/3500 VAN AND 3500 Cutaway/Chassis CAB Buyer's Guide Engine / Transmission

ENGINE / TRANSMISSION					
3.6L Pentastar® V6 engine; 280 hp / 260 lb-ft / six-speed automatic transmission	ERB	21A	21A	21A	21A
MECHANICAL FEATURES					
ADDITIONAL KEY FOBS — Two supplied	GXK	0	0	0	0
ALTERNATOR - 180-amp	BAD	•	۰	-	-
— 220-amp	BAJ	0	0	٠	•
AUXILIARY FUEL TAP	XFZ	•	۰	۰	•
BATTERY — 95-amp	BCY	•	۰	٠	•
– Auxiliary Power Connector	BC1	•	٠	٠	•
CRUISE CONTROL	NHM	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) ⁷	BNB	•	۰	٠	۰
ELECTRONIC VEHICLE TRACKING SYSTEM (EVTS)	AES	0	0	0	0
ENGINE BLOCK HEATER	NHK	0	0	0	0
FUEL TANK – 24-gallon	NFE	•	٠	•	٠
FULL-SIZE SPARE TIRE	TBB	•	٠	•	۰
POWER STEERING	SBA	•	٠	•	۰
SPEED LIMITER — Dealer-activated, 60-mph, 65-mph, 70-mph and 77-mph	NHR	•	٠	•	۰
SUSPENSION – Heavy-duty rear stabilizer bar (3500 models only)	SHD	P	Р	•	۰
 Light-duty (1500 models with 118-inch wheelbase only) 	SDA	•	-	-	-
 Medium-duty (1500 models with 136-inch wheelbase only) 	SDJ	•	-	-	-
– Heavy-duty (2500/3500 models only)	SDB	•	0	-	-
– Premium heavy-duty (3500 models only)	SDD	0	0	•	۰
- Touring	SDC	-	٠	-	-
TEMPORARY SPARE TIRE MOUNT	TBA	-	-	0	0
EXTERIOR FEATURES					
CAB-BACK WALL — With window	GEV	-	-	٠	-
CHROME GRILLE — Included with Premium Appearance Group	MFE	P	Р	Р	Р
DAYTIME RUNNING LIGHTS	LMK	0	0	0	0
DOORS, REAR — 260-degree-opening	GLF	•	٠	-	-
DOORS, SIDE — Left-side with fixed glass (not available on 118-inch wheelbase models)	GKD	0	-	-	-
- Left-side with no glass (not available on 118-inch wheelbase models)	GKE	0	-	-	-
– Right-side with fixed glass	GKB	0	•	-	-
– Right-side with no glass	GKA	•	-	-	-

CHASSIS CAB

CUTAWAY

VINDOWED

/AN

SALES CODE

• = Standard 0 = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability.

3	OVERVIEW	POWERTRAINS	1500	2500	3500	350	10 CC		4500 CC				
35	OO CUTAW	AY/CHASS	IS CAB BU	00/3500 V <i>i</i> Yer's guid		SALES CODE	VAN	WINDOWED	CHASSIS CAB	GUTAWAY			
	KTERIOR FE NDED WIRING - Taillamp	ATURES (coi	ntinued)			XGF	-	-	•	•			
		d with Premium Appearanc	e Group			LNJ	P	Р	Р	Р			
	T LICENSE PLATE BRACK					MDA	0	0	0	0			
		Graphics Package A (check tck with dealer for availabi		ity)		MPT	0	-	-	-			
	GEN HEADLAMPS					LMA	•	•	•	•			
			heated mirrors on Cargo	Van and Windowed Van mo	odels)	XZP	P	Р	•	•			
	Aanual-adjustable/manua Power-adjustable/power fi	•				GTP GTR	•	•	•	•			
	ower-adjustable, heated	•				GTB	0	0	0	0			
ROOF	CLEARANCE LAMPS - D	elete front clearance lamp	S			LT8	-	-	0	0			
	ront					LNC	•	•	•	•			
- R	lear SH GUARDS — Set					LNG	•	•	-	-			
		on (not available with Trail	er Tow Group; check wit	h dealer for availability)		MDM	0	0	-	-			
- \$	liding door, left side (rei	quires left side door; chec	k with dealer for availab	ility)		MR3	0	0	-	-			
		heck with dealer for availa	ability)			MRZ	0	0	-	-			
	ELS — 16-inch aluminum Genter cap delete					WDN WH8	0	0	0	0			
_	6-inch Silver painted ste	eel with center cap				WCS	•	•	•	•			
	6-inch Silver painted ste					W6A	0	0	0	0			
		(requires rear doors with g	lass on Cargo Vans)			GFA	0	•	-	-			
	TERIOR FE								_				
12-VU — R	OLT AUXILIARY POWER OL	UILEI - Front				JKP	•	•	•	•			
		ir conditioning; heater onl	у			HCD	0	0	0	0			
-	Aanually controlled, with		-			HAA	•	•	•	•			
		ing Prep Package (not ava	ilable with air conditioni	ng delete)		HDG	0	0	0	0			
	ST HANDLE – Rear doors LIARY UPFITTER SWITCHE	9 - Two				CSR LHL	0	0	- 0	-			
	O AREA LIGHTING - LED					LILL	0	0	-	-			
	O COMPARTMENT FLOOR					CKL	0	-	-	-			
	O LAMP – Rear					LPE	•	۰	-	-			
	O PARTITION — None (st Vith sliding window	tandard)				CTP XJ1	•	•	-	-			
	Vithout window					CWC	0	_	-	-			
	O TIE-DOWNS – Floor						•	•	-	-			
-	lide wall					CKT	•	-	-	-			
-	T FLOOR MATS – Carpet Slush (by Mopar)	t (by Mopar)				CLQ CWA	0	0	0	0			
		arpet (not available with pa	assender double seat: bv	Monar)		CCL	0	0	-	-			
_		passenger double seat; by				CCK	0	0	-	-			
			rictions apply; see your	dealer for details; by Mopa	r)	CHD	0	0	-	-			
	RUMENT PANEL WITH BRI	GHT BEZELS ed with Interior Convenien	oo Group			JBD JKA	O P	O P	0 P	O P			
		icluded with Interior Convenien				CTA	P	P	P	P			
-	R DOOR LOCKS – Speed					JPH	•	•	•	•			
		ncluded with Interior Conv	enience Group			CKR	P	-	-	-			
SEATI	ING SURFACES – Cloth					*A7 *B7	•	•	•	•			
M		udiustable driver's seat and	l front-nassenner bucket			CDN/CDT	•	•	•	•			
– V SEATS	S — Four-way manually a				nor awivel east)	CDL	0	0	0	0			
SEATS	S — Four-way manually a Iriver's six-way adjustabl	le with lumbar adjuster (no	it available with driver's	suspension seat or passen	yei swivei seal)	UDL							
SEATS - D - D d	lriver's six-way adjustabl lriver/passenger six-way lriver's suspension seat)	adjustable with lumbar ad	juster (not available wit	n passenger double seat, di	river's swivel seat or	CDU	0	0	0	0			
SEATS - D - D d - D	Iriver's six-way adjustabl Iriver/passenger six-way Iriver's suspension seat) Iriver's suspension (not a	adjustable with lumbar ad available with driver's swiv	juster (not available with rel seat, heated driver's	n passenger double seat, di seat or six-way adjustable s	river's swivel seat or seat)	CDU CXX	0	0	0	0			
SEATS - D - D d - D - D	lriver's six-way adjustabl lriver/passenger six-way lriver's suspension seat) lriver's suspension (not a lriver's swivel (requires c	adjustable with lumbar ad available with driver's swiv	juster (not available with el seat, heated driver's vailable with passenger d	n passenger double seat, di	river's swivel seat or seat)	CDU	0						
SEATS - D - D - D - D - D - H - H	Iriver's six-way adjustabl Iriver/passenger six-way Iriver's suspension seat) Iriver's suspension (not a Iriver's swivel (requires c leated driver's seat (requi leated passenger (requir	adjustable with lumbar ad available with driver's swiv loth seating surfaces, not a	juster (not available with el seat, heated driver's vailable with passenger d iver's seat)	n passenger double seat, di seat or six-way adjustable s	river's swivel seat or seat)	CDU CXX CEA	0 0 0 0 0	0	0	0			
SEATS - D - D - D - D - H - H - H	Iriver's six-way adjustabl Iriver/passenger six-way Iriver's suspension seat) Iriver's suspension (not a Iriver's swivel (requires c leated driver's seat (requi leated passenger (requiri 'assenger double	adjustable with lumbar ad available with driver's swiv loth seating surfaces, not a uires six-way adjustable dr	juster (not available with el seat, heated driver's vailable with passenger d iver's seat)	n passenger double seat, di seat or six-way adjustable s	river's swivel seat or seat)	CDU CXX CEA CMB CMC CAA	0 0 0 0 0 0	0 0 0 0 -	0 0 0 0 0	0 0 0 0 -			
SEATS - D - D - D - D - D - H - H - H - P	triver's six-way adjustabl Iriver/passenger six-way Iriver's suspension seat) Iriver's suspension (not I river's swivel (requires c leated driver's seat (requ leated passenger (requir lassenger double lassenger seat delete	adjustable with lumbar ad available with driver's swiv Joth seating surfaces, not a uires six-way adjustable dri es six-way adjustable drivi	juster (not available wit el seat, heated driver's vailable with passenger r iver's seat) er's/passenger seats)	n passenger double seat, dr seat or six-way adjustable louble seat, cargo partition	river's swivel seat or seat) or heated seat)	CDU CXX CEA CMB CMC CAA CD9	0 0 0 0 0 0 0 0	0 0 0 0 	0 0 0 0 0 0 0	0 0 0 0 -			
SEATS - D - D - D - D - H - H - P - P	Iriver's six-way adjustabi Iriver/passenger six-way Iriver's suspension (not a Iriver's suspension (not a Iriver's swivel (requires c leated driver's seat (requ leated passenger (require 'assenger sat delete 'assenger swivel (require	adjustable with lumbar ad available with driver's swiv Idou seating surfaces, not a uires six-way adjustable dri es six-way adjustable driv se cloth seating surfaces a	juster (not available wit el seat, heated driver's vailable with passenger r iver's seat) er's/passenger seats)	n passenger double seat, di seat or six-way adjustable s	river's swivel seat or seat) or heated seat)	CDU CXX CEA CMB CMC CAA CD9 CHR	0 0 0 0 0 0 0 0 0	0 0 0 0 	0 0 0 0 0 0 0 0 0	0 0 0 0 -			
SEATS - D - D - D - D - D - D - H - H - H - P - P - P SPRA ¹	triver's six-way adjustabl Iriver/passenger six-way Iriver's suspension seat) Iriver's suspension (not I river's swivel (requires c leated driver's seat (requ leated passenger (requir lassenger double lassenger seat delete	adjustable with lumbar ad available with driver's swiv loth seating surfaces, not a uires six-way adjustable driv es six-way adjustable driv s cloth seating surfaces a lopar)	juster (not available wit el seat, heated driver's vailable with passenger r iver's seat) er's/passenger seats)	n passenger double seat, dr seat or six-way adjustable louble seat, cargo partition	river's swivel seat or seat) or heated seat)	CDU CXX CEA CMB CMC CAA CD9	0 0 0 0 0 0 0 0	0 0 0 0 	0 0 0 0 0 0 0	0 0 0 0 0			
SEATS - D - D d - D - D - H - H - P - P - P SPRAY STEEFF	Iriver's six-way adjustabi Iriver/assenger six-way Iriver's suspension seat) Iriver's suspension (not a Iriver's suviel (requires c leated driver's seat (requi leated passenger (requir lassenger double lassenger seat delete lassenger swivel (require Y-ON FLOOR LINER (by M	adjustable with lumbar ad available with lumbar ad available with driver's swiv loth seating surfaces, not a uise six-way adjustable drive as six-way adjustable drive as cloth seating surfaces a lopar) ping rapped	juster (not available wit el seat, heated driver's vailable with passenger r iver's seat) er's/passenger seats)	n passenger double seat, dr seat or six-way adjustable louble seat, cargo partition	river's swivel seat or seat) or heated seat)	CDU CXX CEA CMB CMC CAA CD9 CHR XMF	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 - 0 0 0 0 -			

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRI	es	Ri	ESOURC	ES	49	
						SALES CODE	VAN	WIND OWED	CHASSIS CAB	GUTAWAY	
		ES (continue	ed)								
	- Upper-side (includes lo	wer side)				CTE	0	-	-	-	
- Lower-side		f				CMG	0	0	-	-	
	wer with one-touch down		hann Oarma Vana with Otan	dand Doof on an OEOO Win	damad Van)	JPY XGC	•	•	•	•	
		1 118- and 136-inch wheel I with Interior Convenience		uaru kuui ur uli 2000 Wili	uuweu vaii)	CUG	0 P	0 P	— Р	— Р	
WOOD FLOOR -		I WILII IIILEITUI GUIIVEIIIEIIGI	s aronh			CME	r O	r O	r -	-	
											i L
	Includes Media Input Hut					RH3	•	•	•	•	
		J				XJU	0	0	0	0	
	IEB WIFI HOTSPOT ²⁰ (by Mopar®) AVIGATION — Requires Uconnect 5.0 radio								0	0	
	AVIGATION – Requires ocument 3.0 radio ADIO WIRING PREP – Includes four speakers and Media Input Hub								0	0	
		upfit interface connectors				RA9 RED	•	•	•	•	
		ble with Uconnect 5.0 and				RSD	0	0	0	0	
UCONNECT 3.0	AM/FM WITH INTEGRATED	D VOICE COMMAND ¹⁴ WITH		Media Input Hub with US	SB and	UA1	0	0	n	0	
	and steering wheel-mour					UAI	U	U	U	U	
		ATED VOICE COMMAND ¹⁴ V	/ITH BLUETOOTH — Includ	es Media Input Hub with	USB and	RA2	0	0	0	0	
	and steering wheel-mour						-	-	-	-	
	Y & SECURI					000	_				(
	dvanced driver and front-	passenger				CG3	•	•	•	۰	
	al front-seat side al side-curtain front					CJ1 CJ4	•	•	•	•	
		DOT fire extinguisher, thr	oo roflooting triongloo tw	o Dod vinul flage and ena	ra fucac	AGL	0	0	0	0	
	EAR PARK ASSIST ¹⁹	DOT THE EXHIPUISHET, UN	ee renecting undigres, tw	u neu viliyi ildys dilu sµd	10 10969	XAA	0	0	U _	U _	
		Requires Uconnect 5.0 ra	din			XAG	0	0	-	-	
		OR/MONITOR — N/A with		amera ¹⁹ or Rear Rack-Un	Gamera Kit	XH7	0	0	-	-	
		connect 5.0 radio on Cutav				XA3	•	•	0	0	
REMOTE KEYLES			- , ,,,			GXM	•	•	•	0	
REMOTE START	(restrictions apply, see y	our dealer for details; by	Mopar)			JJL	0	0	0	0	
SECURITY ALAR	SECURITY ALARM							0	0	0	
PACKA	PACKAGES / EQUIPMENT GROUPS										
INTERIOR CARG	O RACK PACKAGE (require	es cargo partition with or	without sliding window; by	/ Mopar)		CWN	0	-	-	-	
	ENIENCE GROUP — Includ an and windshield docume	es locking glove box, shel ent clip	f above roof trim, underse	at storage tray, rear doo	r storage	VLA	0	0	0	0	
PREMIUM APPE	PREMIUM APPEARANCE GROUP - Includes chrome grille and fog lamps						0	0	0	0	
TRAILER TOW G	ROUP – Includes Class IV	V hitch receiver and four-	and seven-pin wiring harr	iess (by Mopar)		AHT	0	0	-	-	

2017 RAM PROMASTER 1500/2500/3500 VAN; 2500/3500 WINDOWED VAN; 3500 CUTAWAY/CHASSIS CAB TOWING AND PAYLOAD

				WINDOWED VAN					
		1500		25	00	35	00	2500	3500
	118″ WB	136*	WB	136" WB	159" WB	159" WB	159" WB, Extended	159" WB	159" WB, Extended
CAPABILITY	STANDARD Roof	STANDARD Roof	HIGH ROOF	HIGH	ROOF	HIGH	ROOF	HIGH	ROOF
GVWR (lb)	8,550	8,550	8,550	8,900	8,900	9,350	9,350	8,900	9,350
GCWR (lb) 3.6L Pentastar® V6	11,500	11,500	11,500	11,500	11,500	11,500	11,500	11,500	11,500
BASE CURB WEIGHT (lb) 3.6L Pentastar V6	4,560	4,657	4,776	4,773	4,883	4,922	5,009	4,969	5,061
MAXIMUM PAYLOAD* (lb) 3.6L Pentastar V6	3,990	3,890	3,770	4,130	4,020	4,430	4,340	3,930	4,290
FRONT GAWR (Ib)	4,629	4,629	4,629	4,629	4,629	4,629	4,629	4,629	4,629
REAR GAWR (lb)	5,004	5,291	5,291	5,291	5,291	5,291	5,291	5,291	5,291
CURB-TO-CURB TURNING (ft)	36.3	40.7	40.7	40.7	46.8	46.8	46.8	46.8	46.8
MAXIMUM TOWING [†] (Ib)	5,100	5,100	5,100	5,100	5,100	5,100	5,100	5,100	5,100

		CHASSIS CAB		CUTAWAY				
		3500		3500				
CAPABILITY	136" WB	159" WB	159" WB, EXTENDED	136" WB	159" WB	159" WB, EXTENDED		
GVWR (lb)	9,350	9,350	9,350	9,350	9,350	9,350		
GCWR (lb) 3.6L Pentastar V6	11,500	11,500	11,500	11,500	11,500	11,500		
BASE CURB WEIGHT (lb) 3.6L Pentastar V6	4,218	4,223	4,249	4,157	4,149	4,204		
MAXIMUM PAYLOAD* (lb) 3.6L Pentastar V6	5,130	5,130	5,100	5,190	5,200	5,150		
FRONT GAWR (Ib)	4,629	4,629	4,629	4,629	4,629	4,629		
REAR GAWR (Ib)	5,291	5,291	5,291	5,291	5,291	5,291		
CURB-TO-CURB TURNING (ft)	40.7	46.8	46.8	40.7	46.8	46.8		
MAXIMUM TOWING [†] (Ib)	5,100	5,100	5,100	5,100	5,100	5,100		





Ram ProMaster City retains its oald value better than Ford, Chevy and Nissan in its segment.*



__AMERICA'S___ MOST EFFICIENT WORK VAN₂₁

5500 CC



16-inch Steel Wheel with Center Cap Standard on Tradesman[®] Cargo Van/Wagon (WDL/WME)



16-inch Steel Wheel with Full-Painted Silver Wheel Cover Standard on Tradesman SLT Cargo Van/Wagon SLT Optional on Tradesman Cargo Van/Wagon (WCS/W6A)



16-inch Aluminum Wheel Available on Tradesman SLT Cargo Van/Wagon SLT (WDN)



FUEL TANK — 16-gallon	NFZ	•	٠	•	•
TIRE SERVICE KIT	XAH	•	٠	•	•
ELECTRONIC VEHICLE TRACKING SYSTEM (EVTS)	XDJ	0	0	0	0
EXTERIOR FEATURES					
BODYSIDE MOLDING - Black	ALM	•	•	•	•
BUMPERS – Front and rear in Black	MLM	•	-	•	-
- Front and rear in body color	MLA	-	•	-	•
DAYTIME RUNNING LIGHTS	LMK	0	0	0	0
DOORS — Rear hinged doors with fixed glass, sliding side doors with vented glass (Passenger Wagon models only)	GC4	-	-	•	•
Rear hinged doors with fixed glass, sliding side doors with vented glass (Cargo Van models only)	GC3	0	0	_	_
 Rear hinged doors with fixed glass Rear hinged doors with fixed glass 	GC2	0	0	•	•
- Tier imige doors with including as a second of the secon	GKC	0/P	0/P	-	-
 Slide sliding left door with vented glass (driver's side only); packaged with rear hinged doors with fixed glass and sliding side doors with vented glass 	GKH	0/P	0/P	-	-
— Rear doors with 180-degree opening	GLE	•	٠	•	•
 Side and rear doors with solid panels 	GC1	•	٠	-	-
FOG LAMPS — Front (requires Lights and Wheels Group)	LNJ	-	Р	-	Р
GLASS – Deep-tint (not available on Cargo Van models with side sliding rear doors with solid panels)	GEG	0	Р	0	•
HEADLAMPS — Halogen	LMA	•	٠	•	•
MIRRORS — Remote, manual-adjustable	GTZ	٠	-	٠	-
- Power-adjustable, folding, heated with body-color caps	GTS	-	٠	-	•
ROOF RACK – Side Rails	MWE	0	0	0	0
ROOF RACK CROSSBARS — Requires Roof Rack Side Rails	MWF	0	0	0	0
CROSSBARS – Three-bar utility (not available with Roof Rack Side Rails)	MWM	0	0	0	0
SPLASH GUARDS – Set	MKN	0	0	0	0
TIRES – 215/55R16XL BSW All-Season	TMC	•	•	•	•
WHEELS – 16-inch steel painted Silver with center cap	WDL/WME	•	-	•	-
 16-inch steel painted Black with full-painted Silver wheel covers 	WCS/W6A	0	•	0	•
– 16-inch aluminum (requires Lights and Wheels Group)	WDN	_	Р	-	Р
INTERIOR FEATURES					
AIR CONDITIONING	HAA		•	•	•
	LCP	0	0	_	-
CARGO AREA LIGHTING - LED	JPH	•	•	•	•
DOOR LOCKS – Power, speed-sensitive		-	-	•	
FLOOR MATS – Front and rear carpet	CLE				0
- Front and rear slush	CLF	-	-	0	0
- Front carpet	CLC	0	0	-	_
- Front slush	CLY	0	0		
LIGHTING – Map / courtesy / cargo area lamps	LBC	•	•	•	•
SEATS — 60/40 Fold-and-Tumble three-person rear bench	CFF	-	-	٠	•
– Cloth low-back bucket with manual adjuster	*B7	•	-	٠	-
– Heated front (included with Popular Equipment Group)	JPM	-	P	-	Р
 Premium cloth bucket with driver's-side manual lumbar and height adjusters 	*C7	-	۰	-	•
SPEED CONTROL	NHM	0	۰	0	•
STEERING COLUMN — Tilt / telescoping		٠	٠	٠	٠
or Linital Octomit The 7 to to booping	SUD		-	•	-
STEERING WHEEL	SUD SCK	٠			
		• P	۰	Р	•
STEERING WHEEL	SCK		•	•	•
STEERING WHEEL — Leather-wrapped (included with Uconnect® 5.0 radio)	SCK SCG	Р			
STEERING WHEEL — Leather-wrapped (included with Uconnect® 5.0 radio) WINDOWS — Front, power with one-touch up/down	SCK SCG JP3	P •	۰	٠	•
STEERING WHEEL – Leather-wrapped (included with Uconnect® 5.0 radio) WINDOWS – Front, power with one-touch up/down – Second-row power (included with Popular Equipment Group)	SCK SCG JP3	P •	۰	٠	•
STEERING WHEEL - Leather-wrapped (included with Uconnect® 5.0 radio) WINDOWS - Front, power with one-touch up/down - Second-row power (included with Popular Equipment Group) UCONNECT / MULTIMEDIA MOPAR® WEB WIFI HOTSPOT ²⁰	SCK SCG JP3 JPG	P • -	• P	•	• P
STEERING WHEEL - Leather-wrapped (included with Uconnect** 5.0 radio) WINDOWS - Front, power with one-touch up/down - Second-row power (included with Popular Equipment Group) UCONNECT / MULTIMEDIA MOPAR* WEB WIFH HOTSPOT ²⁸ RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetooth** (includes leather-wrapped steering wheel with audio controls on Tradesman models)	SCK SCG JP3 JPG XJU	P • — 0	• P 0	• - 0	• P 0
STEERING WHEEL Leather-wrapped (included with Uconnect [®] 5.0 radio) WINDOWS - Front, power with one-touch up/down Second-row power (included with Popular Equipment Group) UCONNECT / MULTINEDIA MORAM-WEB WIFH DOTSPOT® RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetouth ⁴⁴ (includes leather-wrapped steering wheel with audio controls on Tradesman models) Uconnect 5.0 AM/FM/NAW with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), GPS Navigation, Integrated Voice Command ⁴⁴ with Bluetouth ⁴⁴ (includes leather-wrapped steering wheel with audio controls on Tradesman models)	SCK SCG JP3 JPG XJU RA1	P - 0 • 0 • 0	• P 0 •	• 0 • 0	• P 0 -
STEERING WHEEL Lather-wrapped (included with Uconnect® 5.0 radio) WIMDOWS - Front, power with one-touch up/down Second-row power (included with Popular Equipment Group) UCONNECT / MULTINEDIA MOPAR® VEB WIFH HOTSPOT® RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack UCONNECT / MULTINEEDIA RADIOS - 3.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command® with Bluetooth® (includes leather-wrapped steering wheel with audio controls on Tradesman models) Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), SPS Navigation, Integrated Voice Command® with Bluetooth® (includes leather-wrapped steering wheel with audio controls on Tradesman models) SIRIUSXM® SATELLITE RADIO ¹⁶ (requires Uconnect 5.0 or Uconnect 5.0 NAV radios)	SCK SCG JP3 JPG XJU RA1 RA2 RA5 RSD	P • 0 • 0	• P 0 -	• 0 • 0	• P 0 -
STEERING WHEEL Leather-wrapped (included with Uconnect [®] 5.0 radio) WINDOWS - Front, power with one-touch up/down Second-row power (included with Popular Equipment Group) UCONNECT / MULTINEDIA MORAM-WEB WIFH DOTSPOT® RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetouth ⁴⁴ (includes leather-wrapped steering wheel with audio controls on Tradesman models) Uconnect 5.0 AM/FM/NAW with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), GPS Navigation, Integrated Voice Command ⁴⁴ with Bluetouth ⁴⁴ (includes leather-wrapped steering wheel with audio controls on Tradesman models)	SCK SCG JP3 JPG XJU RA1 RA2 RA5	P - 0 • 0 • 0	• P 0 •	• 0 • 0	• P 0 -
STEERING WHEEL - Leather-wrapped (included with Uconnect® 5.0 radio) WINDOWS - Front, power with one-touch up/down - Second-row power (included with Popular Equipment Group) UCCONNECT / MULTIMEDIA MOPAR = WEB WIFH HOTSPOT ²⁰ RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetoth ⁴⁴ (includes leather-wrapped steering wheel with audio controls on Tradesman models) - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), SPS Navigation, Integrated Voice Command ⁴⁴ with Bluetoth ⁴⁴ (includes leather-wrapped steering wheel with audio controls on Tradesman models) SIRIUSXM ^{**} SATELLITE RADIO ¹⁶ (requires Uconnect 5.0 or Uconnect 5.0 NAV radios)	SCK SCG JP3 JPG XJU RA1 RA2 RA5 RSD	P 	• P 0 • 0 0	• 0 • 0 0 0	• P 0 - • 0 0

• = Standard 0 = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability.

WAGON SLT

٠

• •

52	OVERVIEW	POWERTRAINS	1500	2500	3500	35(0 CC			4500 C	C
BL	IYER'S GUI	ROMASTER IDE (CONTI				SALES CODE	TRADESMAN® Cargo Van	TRADESMAN SLT CARGO VAN	WAGON	WAGON SLT	
S	AFETY & SE	CURITY									
AIR E	AGS ¹⁸ — Front driver and	l passenger				CGT/CGE	•	۰	٠	۰	
- [lriver inflatable knee bols	ster				CGY	•	٠	•	۰	
- 8	Supplemental front-seat s	ide				GJ1	•	•	•	•	
- 8	Supplemental side-curtain	1 for first and second row				CJ2	-	-	٠	۰	
- 8	Supplemental side-curtain	ı for first row				CJ4	•	۰	-	-	
BACK	-UP CAMERA ¹⁹ WITH RV I	MIRROR/MONITOR - Not	available with ParkView $^{\scriptscriptstyle(\!B\!)}$	Rear Back-Up Camera ¹⁹		XH7	0	0	0	0	
DOT-	CERTIFIED ROADSIDE SAFE	ETY KIT – DOT fire exting	uisher, three reflecting tr	iangles, two Red vinyl flaç	gs and spare fuses	ACL	0	0	0	0	
ELEC Trail	TRONIC STABILITY CONTR er Sway Damping; Brake I	ROL (ESC) ⁷ — Includes Brackstein Assist and All-Speed Trac	ake-Lock Differential, Elec tion Control	tronic Roll Mitigation, Hill	Start Assist,	BNB	•	•	•	•	
PARK	SENSE® REAR PARK ASSI	ST ¹⁹ – Included with the	Rear Back-Up Camera Gro	oup; not available with 3.0) radio	XAA	Р	Р	Р	Р	
PARK	VIEW REAR BACK-UP CAN	NERA ¹⁹ — Included with th	e Rear Back-Up Camera G	froup; not available with 3	l.O radio	XAC	P	Р	Р	Р	
REMO	DTE KEYLESS ENTRY					GXM	•	۰	•	۰	
REMO	DTE START SYSTEM – Lat	te availability				JJL	0	0	0	0	
TIRE	PRESSURE MONITORING S	SYSTEM — Warning lamp				LAB	•	۰	•	•	
P/	ACKAGES /	EQUIPMENT	GROUPS								
CARG	O PARTITION PACKAGES	– No window (includes re	ar wall trim)			AS1	0	0	-	-	
- 1	Vith window (includes rea	ar wall trim)				AHA	0	0	-	-	
LIGH	S AND WHEELS GROUP -	- Includes front fog lamps	and 16-inch aluminum w	heels		AZK	-	0	-	0	
POPU not a	LAR EQUIPMENT GROUP - vailable with sliding side	– Includes heated front s and rear doors with solid	eats, second-row power w I panels on Cargo Van mo	indow and six speakers (1 dels	Wagon models);	AJY	-	0	-	0	
	REAR BACK-UP CAMERA GROUP – Includes ParkView Rear Back-Up Camera ¹⁹ and ParkSense Rear Park Assist ¹⁹ ; not available with 3.0 radio						0	0	0	0	
REAR (requ	REAR WIPER / WASHER / DEFROSTER GROUP — Includes rear window defroster and rear window wiper/washer (requires deep-tint sunscreen glass; not available with sliding side and rear doors with solid panels)								0	0	
TRAI	AHT	0	0	0	0						
• = \$	P Internet O P	Part of Packane – = Not ava	ilahla NATE- some features a	und/or annlications may be late	a availahility						

• = Standard 0 = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability.

MAXIMUM PAYLOAD AND TOWING CAPACITIES

PROMASTER CITY

PROMASTER

5500 CC

	TRADESMAN® CARGO VAN	TRADESMAN SLT Cargo Van	WAGON	WAGON SLT
GVWR (lb)	5,395	5,395	5,395	5,395
GCWR (lb)	5,900	5,900	5,900	5,900
CURB WEIGHT (Ib)	3,512	3,512	3,682	3,682
MAXIMUM PAYLOAD (Ib)	1,883	1,883	1,713	1,713
MAXIMUM TOWING* (lb)	2,000	2,000	1,867	1,867

CONFIGURATIONS

PAINT


FABRICS

RESOURCES

53

*When properly equipped. Trailer Weight Rating and tow vehicle trailer weight are calculated as specified in SAE J2807. Driver and passenger weight = 300 lb. Trailer equipment weight: 50.7 lb for conventional hitch.





244.4

EXTERIOR PAINT COLORS		SPECIAL EXTERIOR PAINT COLORS*	
BLACK – 2, 3	BRILLIANT BLACK CRYSTAL PEARL – 1, 2	MIDNIGHT BLUE – 1, 2	DARK BROWN – 1, 2, 3, 4
BLACK METALLIC – 4	TRUE BLUE PEARL – 1, 2, 3	TIMBERLINE GREEN PEARL - 1, 2	TREE GREEN – 1, 2
BLACK FOREST GREEN PEARL – 1, 2	GRANITE CRYSTAL METALLIC – 1, 2, 3	LIGHT GREEN – 1, 2	BRIGHT GREEN – 1, 2
MAXIMUM STEEL METALLIC – 1, 2	QUARTZ GRAY METALLIC – 4	HOLLAND BLUE – 1, 2	HILLS GREEN/GREEN ANGEL - 1, 2, 3
BLUE NIGHT METALLIC – 4	SILVER METALLIC – 4	POWER TAN – 1, 2	ROBIN EGG BLUE – 1, 2
BLUE STREAK PEARL – 1, 2	BRIGHT SILVER METALLIC – 1, 2, 3	BROOM YELLOW - 3, 4	LIGHT CREAM – 1, 2
BRIGHT WHITE – 1, 2, 3, 4	SANDSTONE - 3	YELLOW – 1, 2	NATIONAL SAFETY YELLOW – 1, 2
DELMONICO RED PEARL – 1, 2	PEARL WHITE – 1, 2	DETONATOR YELLOW – 1, 2	CONSTRUCTION YELLOW – 1, 2
FLAME RED – 1, 2, 3	BRIGHT RED – 4	OMAHA ORANGE – 1, 2	SCHOOL BUS YELLOW - 1, 2
DEEP CHERRY RED CRYSTAL PEARL – 3	DEEP RED METALLIC – 4	BRIGHT RED – 1, 2	AGRICULTURE RED – 1, 2

OVERVIEW

POWERTRAINS

1500

2500

3500

LUXURY BROWN PEARL - 1, 2

3500 CC

4500 CC

5500 CC

PROMASTER

PROMASTER CITY CONFIGURATIONS

PAINT

FABRICS

COLOR AVAILABILITY LEGEND

57

RESOURCES

1: RAM 1500 2: RAM 2500/3500 AND CHASSIS CABS 3: RAM PROMASTER® 4: RAM PROMASTER CITY®

58	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	59
----	----------	-------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	----

INTERIOR SEAT FABRICS

Cloth	Vinyl
Black	Black
Ram ProMaster*	Ram ProMaster
Cloth	Premium Cloth
Black	Black
Ram ProMaster City® Tradesman®	Ram ProMaster City SLT
Vinyl	Work-Grade Vinyl
Diesel Gray	Diesel Gray
Tradesman, Express and EcoDiesel HFE	Tradesman (Heavy Duty and Chassis Cab only)
Sedoso/Embossed Cloth	Sedoso/Embossed Cloth
Diesel Gray	Canyon Brown
Tradesman, Express and SLT	SLT
Sedoso/Carbide Cloth	Sedoso/Carbide Cloth
Diesel Gray	Canyon Brown
SLT and Big Horn®/Lone Star*	SLT and Big Horn/Lone Star*
Vinyl/Cloth with Embossed Tread Pattern	Vinyl/Cloth with Embossed Tread Pattern
Radar Red/Black	Black
Rebel®	Rebel
Bristol Vinyl/Sport Mesh Cloth	Vinyl/Cloth with Embossed Tread Pattern
Black	Black/Diesel Gray
Sport and Night	Power Wagon®
Bristol Leather/Perforated Leather Trim	Bristol Leather/Perforated Leather Trim
Black	Light Frost Beige
Sport, Night, Laramie® and Power Wagon	Laramie
Natura Leather with Laser Etching/Perforated Leather	Natura Leather/Perforated Leather with Dark Saddle
with Dark Saddle Piping and Tan Accent Stitching	Piping and Tan Accent Stitching
Canyon Brown	Canyon Brown
Laramie Longhorn*	Laramie Longhorn
Natura Leather/Perforated Leather with Black Piping	Natura Leather/Perforated Leather with Medium Gray
and Black Accent Stitching	Stone Piping and Medium Gray Stone Accent Stitching
Cattle Tan	Black
Laramie Longhorn	Limited

THE RIGHT UPFIT FOR YOUR RAM TRUCK.

Because it's the most important and expensive tool in your business toolbox, you can increase your truck's efficiency and customize its capability with an upfit-an aftermarket body modification. Ram Commercial is ready to help.

Select upfitters who meet our criteria for excellence, and who agree to our guidelines, ensure that your truck performs to spec. Streamline the process by identifying the type of work, operating conditions (worksite, on-/off-road, etc.), type and amount of weight or payload, and type and weight of trailer and contents (if applicable).

You'll find the most recent list of these upfitters and the comprehensive Body Builder's Guides-critical details, technical specs and measurements-at ramtrucks.com/commercial. Log on to rambodybuilder.com or use our toll-free hotline for Body Builder questions or assistance: the number is 866-205-4102.

THE FINAL WORD: FROM ACCESSORIES TO WARRANTIES.

5-YEAR/100,000-MILE DIESEL POWERTRAIN LIMITED WARRANTY. Transferable. See your dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty.

5-YEAR/60,000-MILE GAS POWERTRAIN LIMITED WARRANTY. Transferable. See your dealer for complete details and a copy of the 5-Year/60,000-Mile Gas Powertrain Limited Warranty.

3-YEAR/36,000-MILE BASIC LIMITED WARRANTY. Ram vehicles are covered by an FCA US LLC 3-Year/36,000-Mile Basic Limited Warranty. See your dealer for a copy of this limited warranty. Excludes normal maintenance and wear items.

BUSINESSLINK. If your business relies on vehicles, BUSINESSLINK can save you time, money and hassles. For more, log on to fcaworkvehiclesus.com or call us toll-free at 877-2THELINK (877-284-3546).

MOPAR® VEHICLE PROTECTION. Mopar Vehicle Protection[®] is the only extended protection backed by the manufacturer. FCA US LLC stands behind Mopar Vehicle Protection with certified, factory-trained technicians, genuine Mopar parts and service at any dealership within the United States, Canada, Puerto Rico or Mexico. Be sure to ask for a Mopar Vehicle Protection plan at your dealership. For more information, call us toll-free at 800-442-2666 or visit moparvehicleprotection.com

AUTHENTIC ACCESSORIES BY MOPAR are designed for exceptional fit, finish and performance. Visit your dealership or mopar.com UCONNECT.[®] With Uconnect, you're always connected-to people, places, music, movies and the Internet.

SIRIUSXM[®] SATELLITE RADIO!⁶ Over 130 channels, including commercial-free music, sports, news, talk, comedy and entertainment. Factory-installed SiriusXM Satellite Radio¹⁶ includes a one-year subscription. For more, go to siriusxm.com

RAM OUTFITTER is a collection of handpicked items bearing the Ram identity-from apparel to tools for work and play. It's all found at ramtrucks.com/outfitter

1 Based on IHS Automotive VIO registration data for all brands of GVW 1 - 3 pickup trucks continuously sold in the U.S. since 1988, Dodge and Ram have the highest overall percentage still on the road. 2 Transferable. See your dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty. 3 Transferable. See your dealer for complete details and a copy of the 5-Year/60,000-Mile Gas Powertrain Limited Warranty. 4 Ram vehicles are covered by an FCA US LLC 3-Year/36,000-Mile Basic Limited Warranty, See your dealer for a conv of this limited warranty. Excludes normal maintenance and wear items, 5 Based on Standard Pickun class, Manufacturer's estimated 29 highway mpg based on EcoDiesel HFE 4x2. Actual results may vary. 6 Based on latest available competitive information. Class based on light-duty pickups. 7 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully consistent with conditions. Always wear your seat belt. 8 Based on latest available competitive information. Class based on 250/2500 and 350/3500 pickups. 9 Based on latest available competitive information. Class based on 250/2500 pickups. 10 Based on Class 3 - 5 pickup-based conventional cab chassis. 11 Based on Class 4 - 5 pickup-based conventional cab chassis, 12 Based on latest available competitive information, Class is Small Commercial Van segment, 13 Based on latest available competitive information. Class is based on Large Commercial Van segment (Class 2). 14 Requires a mobile phone equipped with the Bluetooth Hands-Free Profile. Visit UconnectPhone.com for system and device compatibility, 15 Uconnect Access is available only on equipped vehicles purchased within the 50 United States. Services can only be used where cellular coverage is available, see coverage map for details. For a complete list of Uconnect Access services, please visit driveuconnect.com/features/uconnect access/packages. Vehicle must be registered for Uconnect Access and fulfill minimum subscription requirements. 16 SiriusXM subscriptions for audio and data services are sold by SiriusXM to follow your trial subscription. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel, you must call SiriusXM at 1-866-635-2349. See the SiriusXM Customer Agreement for complete terms and more information at siriusxm.com. All fees and programming subject to change. Your equipment and features for SiriusXM services will vary depending upon the vehicle you select and may be limited in select markets. 17 Voice Text Reply and Voice Texting features require a compatible mobile device enabled with Bluetooth Message Access Profile (MAP). iPhone and some other smartphones do not currently support Bluetooth MAP. Visit UconnectPhone.com for system and device compatibility. Ensure MAP is ON and incoming message notification is enabled. Vehicle must be registered for Uconnect Access and you must fulfill minimum subscription requirements. Also requires the use of a compatible smartphone that supports text messaging and Bluetooth. Visit UconnectPhone.com for system and device compatibility. 18 The Advanced Front Air Bags in this vehicle are certified to the new U.S. Federal regulations for advanced air bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. 19 Always look before proceeding, electronic drive aid is not a substitute for conscientious driving; always be aware of your surroundings. 20 Wi-Fi subscription required. This feature is not intended for use by the driver while the vehicle is in motion. Always drive carefully, 21 Efficiency based on best-in-class payload, cargo capacity and fuel efficiency on Ram ProMaster City. Class is Small Commercial Van segment. 22 ON THE JOB is a retail incentive program; see your dealer for official rules. Inquire about eligibility by calling 877-ONTHEJOB or by logging on to fcaworkvehiclesus.com. The purchaser or lessee must be a qualified commercial customer for more than 30 days prior to the date of the vehicle purchase. An official ON THE JOB Customer Acknowledgment Form must be signed by the customer (provided by the dealer).

©2017 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Mopar, the Ram's Head logo, AllSecure, Big Horn, BusineszLink'& design, HEMI, Laramie, Laramie Longharn, Mega Cab, Mopar Vehicle Protection, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Ram 1500 Express, RamBox, Ram Articulink, Ram ProMaster, City, Ram Work Grade, Rebel, Sentry Key, Show Chief, Tigershark, TorqueFilte, Tradesman and Uconnect are registered trademarks, and Active-Level. HFF High Fuel Efficiency & Design, Keyless Enter 'n Go and On The Job & design are trademarks of FCA US LLC. Chrysler Capital is a registered trademark of FCA US LLC and licensed to Santander Consumer USA Inc. MultiAri sa registered trademark of C.R.F. Societ Conscribe per Actioni, used under license by FCA US LLC.

Bluetooth is a registered trademark of Bluetooth SIG, Inc. iPhone and iPod are registered trademarks of Apple Inc. Bosch is a registered trademark of Robert Bosch GmbH. Cummins is a registered trademark of Law Dutdoors, Inc. CMIN, Casel H and New Holland are registered trademarks of LAW. La CL. Buschiss, Fike ooldr GDL Band, Face II. A Guert Mer Holland are registered trademarks of LAW. La CL. Buschiss, Fike ooldr GDL Band, Face II. And New Holland are registered trademarks of LAW. La CL. Buschiss, Fike ooldr GDL Band, Face II. And New Holland are registered trademarks of LAW. La CL. Buschiss, Fike ooldr GDL Band He Beorgia-Pacific logo are trademarks of Naved by or licensed to Georgia-Pacific Gypsum LLC. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Strius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. Paramount Farms and logo are registered trademarks of Paramount Farms International LLC. Katerack is a registered trademark of La Community Experiment Co. All rights reserved. Green Car of the Year is a trademarks of Paramount RAV. Stullity Equipment Co. All rights reserved. Green Car of the Year is a trademark of La Cogan Speciality Publications Group. Inc.

About this brachure: since the time of printing, some of the information you'll find in this brachure may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this brachure may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer.