



Prepared by:  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

## S P E C I F I C A T I O N   P R O P O S A L

Description	Weight Front	Weight Rear
<b>➤ Vehicle Configuration</b>		
➤ WESTERN STAR 5700XE SET-BACK FRONT AXLE SLEEPER CHASSIS	10,159	7,761
➤ 2017 MODEL YEAR SPECIFIED		
➤ SET BACK AXLE - TRACTOR		
➤ LH PRIMARY STEERING LOCATION		
<b>➤ General Service</b>		
➤ TRACTOR/TRAILER CONFIGURATION		
➤ DOMICILED, CANADA (OTHER THAN QUEBEC)		
➤ LINEHAUL/LONG HAUL SERVICE		
➤ GENERAL FREIGHT BUSINESS SEGMENT		
➤ GENERAL FREIGHT COMMODITY		
➤ TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
➤ MAXIMUM 8% EXPECTED GRADE		
➤ SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
➤ WESTERN STAR ON-HIGHWAY WARRANTY		
➤ EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs		
➤ EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs		
➤ EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs		
➤ EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs		
<b>➤ Tractor Service</b>		
➤ SINGLE (1) TRAILER		
<b>➤ Engine</b>		
➤ DETROIT DD15 14.8L 505 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB/FT @ 975 RPM		
<b>➤ Electronic Parameters</b>		
➤ 65 MPH ROAD SPEED LIMIT		
➤ CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT, WITH AUTO RESUME AFTER SHIFT		
➤ PTO MODE ENGINE RPM LIMIT - 900 RPM		
➤ PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED		
➤ PTO RPM WITH CRUISE SET SWITCH - 600 RPM		
➤ PTO RPM WITH CRUISE RESUME SWITCH - 600 RPM		

HY0875





**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
➤ PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
➤ PTO MODE RPM INCREMENT - 25 RPM		
➤ PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
➤ ONE REMOTE PTO SPEED		
➤ REMOTE PTO SPEED 1 SETTING - 900 RPM		
➤ ENGINE BRAKE WITH GLOBAL CRUISE CONTROL ENABLED		
➤ ENGINE FAN ENABLED WITH RETARDER		
➤ PTO MINIMUM RPM - 600		
➤ ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE		

### ➤ Engine Equipment

- 2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION
- 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)
- DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED HIGH CAPACITY AIR CLEANER
- DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
- (4) ALLIANCE MODEL 7T31, GROUP 31, 12 VOLT MAINTENANCE FREE 2920 CCA THREADED STUD BATTERIES
- STEEL BATTERY BOX WITH ENCLOSED TRAY
- SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
- WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
- PLASTIC BATTERY BOX COVER
- LOW VOLTAGE BATTERY DISCONNECT AT 12.1 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM
- DDC ELECTRONIC ENGINE CONTROLS
- DETROIT HEAVY DUTY AUTOMATED MANUAL TRANSMISSION CLUTCH
- BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE
- AIR COMPRESSOR DISCHARGE LINE
- ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
- JACOBS COMPRESSION BRAKE
- RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE
- ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH

HY0875





**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
➤ STANDARD EXHAUST SYSTEM LENGTH		
➤ RH STANDARD HORIZONTAL TAILPIPE		
➤ 23 GALLON DIESEL EXHAUST FLUID TANK		
➤ LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
➤ BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH		
➤ AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
➤ DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR		
➤ FULL FLOW OIL FILTER		
➤ 1400 SQUARE INCH RADIATOR		
➤ RADIATOR MOUNTED SURGE TANK		
➤ ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
➤ GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
➤ CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
➤ HDEP VARIABLE SPEED COOLANT PUMP AND RADIATOR DRAIN VALVE		
➤ PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
➤ CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
➤ ALUMINUM FLYWHEEL HOUSING		
➤ DELCO 12V MOD 3.175-39MT+ OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH		
<b>➤ Transmission</b>		
➤ DT12-OA-1650 HEAVY DUTY 12-SPEED OVERDRIVE AUTOMATED MANUAL TRANSMISSION		
<b>➤ Transmission Equipment</b>		
➤ DT12 TRANSMISSION PROGRAM: PERFORMANCE ECONOMY AND PERFORMANCE, WITH MANUAL, WITH KICKDOWN		
➤ ALUMINUM CLUTCH HOUSING		
➤ MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN		
➤ HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED		
➤ WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	15	
➤ SYNTHETIC TRANSMISSION LUBE		
<b>➤ Front Axle and Equipment</b>		
➤ DETROIT DA-F-13.3-3 13,300# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		

HY0875





**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
➤ MERITOR 16.5X5 Q+ STAMPED SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOE		
➤ 2011/2013-FMVSS 121 FRONT BRAKE LINING		
➤ CONMET CAST IRON FRONT BRAKE DRUMS		
➤ FRONT BRAKE DUST SHIELDS		5
➤ WABCO LONGSTROKE FRONT BRAKE CHAMBERS		
➤ MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
➤ TRW THP-60 POWER STEERING		
➤ 2 QUART SEE THROUGH POWER STEERING RESERVOIR		
➤ STANDARD CUPS AND CONES (WHEEL BEARINGS) FRONT AND REAR		
➤ ROADRANGER SYNTHETIC FE 75W-90 FRONT AXLE LUBE		
<b>➤ Front Suspension</b>		
➤ 13,300# TAPERLEAF FRONT SUSPENSION		30
➤ MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
➤ FRONT SHOCK ABSORBERS		
<b>➤ Rear Axle and Equipment</b>		
➤ DETROIT DA-RT-40.0-4 HT 40,000# R-SERIES TANDEM REAR AXLE		
➤ 3.42 REAR AXLE RATIO		
➤ RPL25 MERITOR MAIN DRIVELINE		
➤ RPL20 MERITOR INTERAXLE DRIVELINE		
➤ (1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES		
➤ INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH		
➤ MERITOR 16.5X8.62 Q+ STAMPED SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
➤ 2011/2013-FMVSS 121 REAR BRAKE LININGS		
➤ BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS		
➤ CONMET CAST IRON REAR BRAKE DRUMS		
➤ REAR OIL SEALS		
➤ HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		
➤ MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
➤ ROADRANGER SYNTHETIC FE 75W-90 REAR AXLE LUBE		
<b>➤ Rear Suspension</b>		
➤ AIRLINER 40,000# REAR SUSPENSION		
➤ AIRLINER HIGH POSITION RIDE HEIGHT		
➤ STANDARD AXLE SEATS IN AXLE CLAMP GROUP		

HY0875





**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

	Description	Weight Front	Weight Rear
➤	51 INCH AXLE SPACING		
➤	MANUAL DUMP VALVE FOR AIR SUSPENSION WITH GAUGE		
➤	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH		
➤	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
➤	TRANSVERSE CONTROL RODS		
➤	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		
<b>➤ Brake System</b>			
➤	WABCO 4S/4M ABS WITH HILL START AID AND AUTOMATIC TRACTION CONTROL		
➤	WABCO SS-1200 PLUS AIR DRYER WITH INTEGRAL AIR GOVERNOR AND HEATER		
➤	WABCO OIL COALESCING FILTER FOR AIR DRYER		
➤	AIR DRYER FRAME MOUNTED		
➤	ALUMINUM AIR BRAKE RESERVOIRS	-15	-15
➤	(1) 700 CUBIC INCH ALUMINUM TRANSMISSION AIR TANK, INLET CHECK VALVE		
➤	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
<b>➤ Trailer Connections</b>			
➤	12 FOOT COILED TRAILER AIR HOSE WITH 48 INCH TRACTOR, 12 INCH TRAILER LEADS	2	
➤	42.5 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE TRAILER AIR HOSE HANGER	2	
➤	COMBINATION DUMMY GLAD HANDS AND LIGHT PLUG HOLDER		
➤	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		
➤	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE FRAME MOUNTED AFT CAB		
➤	15 FOOT DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 48 INCH TRACTOR, 12 INCH TRAILER LEADS	2	
<b>➤ Wheelbase &amp; Frame</b>			
➤	6000MM (236 INCH) WHEELBASE		
➤	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	190	80
➤	1400MM (55 INCH) REAR FRAME OVERHANG		
➤	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 87.5 in		
➤	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 83.5 in		
➤	FLANGE TAPERED END OF FRAME, GRIND AND POLISH WELDS		
➤	FRONT CLOSING CROSSMEMBER		

HY0875





**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
<b>➤ Chassis Equipment</b>		
➤ LH AND RH BACK OF CAB ACCESS, GRAB HANDLES WITH SINGLE RUBBER INSERT	5	5
➤ 42 INCH (1050MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS	8	7
➤ PAINTED AERODYNAMIC BUMPER WITH AIR DAM AND POLISHED STAINLESS STEEL FASCIA		
➤ REMOVABLE FRONT TOW HOOKS STORED ON THE CHASSIS FRAME		
➤ BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
➤ BETTS B-7 STAINLESS STEEL MUDFLAP BRACKETS		
➤ WESTERN STAR LOGO BLACK MUDFLAPS		
➤ FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
➤ HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS		
➤ PLASTIC QUARTER FENDERS WITH LOGO		
<b>➤ Fifth Wheel</b>		
➤ HOLLAND FW35 ILS 12.0 INCH AIR SLIDE FIFTH WHEEL - 2 INCH SLIDE INCREMENTS		20
➤ FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF SUSPENSION CENTERLINE		
➤ 194MM (7.62 INCH) FIFTH WHEEL HEIGHT		
➤ OUTBOARD ANGLE - FIFTH WHEEL MOUNTING		
➤ DASH MOUNTED CONTROL VALVE AND PLUMBING FOR FIFTH WHEEL		
➤ INDICATOR LIGHT FOR EACH MODE SWITCH		
➤ LH FIFTH WHEEL RELEASE		
<b>➤ Fuel Tanks</b>		
➤ 150 GALLON/567 LITER ALUMINUM FUEL TANK - RH	15	10
➤ 150 GALLON/567 LITER ALUMINUM FUEL TANK - LH	15	10
➤ 25 INCH DIAMETER FUEL TANK(S)		
➤ PLAIN ALUMINUM FUEL TANK(S) WITH PAINTED BANDS		
➤ FUEL TANK(S) AFT		
➤ PLAIN STEP FINISH		
<b>➤ Tires</b>		
➤ BRIDGESTONE R283A 11R22.5 14 PLY RADIAL FRONT TIRES	6	
➤ BRIDGESTONE ECOPIA M710 11R22.5 14 PLY RADIAL REAR TIRES		104
<b>➤ Hubs</b>		
➤ CONMET PRESET PLUS ALUMINUM FRONT HUBS		
➤ CONMET PRESET PLUS ALUMINUM REAR HUBS		

HY0875





Prepared by:  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
<b>➤ Wheels</b>		
➤ ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PILOT 5.79 INSET ALUMINUM DISC FRONT WHEELS	-50	
➤ ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-200
➤ POLISHED FRONT WHEELS; OUTSIDE ONLY		
➤ POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY		
<b>➤ Cab Exterior</b>		
➤ 126 INCH BBC STEEL CONVENTIONAL CAB		
➤ RH CAB DOOR WITH 50 DEGREE DOOR STOP		
➤ LH CAB DOOR WITH 50 DEGREE DOOR STOP		
➤ 82 INCH HIGH ROOF STRATOSPHERE SLEEPER	90	85
➤ ROOF FAIRING FOR STRATOSPHERE SLEEPERS FOR OPTIMIZED AERODYNAMIC PERFORMANCE WITH VAN/REEFER TRAILERS		
➤ 20 INCH CAB/SLEEPER CAB SIDE EXTENDERS WITH BLACK FLEXIBLE ENDS		
➤ WESTERN STAR PAINTED CAB AND SLEEPER SKIRTS		
➤ CAB TO SLEEPER SIDE FAIRINGS - LH AND RH		
➤ PAINTED FRAME SIDE FAIRINGS TO BACK OF SIDE EXTENDERS WITH BRIGHTWORK		
➤ BOLTED FRONT LEFT SIDE FAIRING PANEL FOR BATTERY ACCESS		
➤ AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS		
➤ 17.5X25.0 INCH LH AND RH BAGGAGE DOORS WITH PUSHBUTTON LATCH RELEASE		
➤ AIR CAB MOUNTS WITH CHECK VALVE		
➤ NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
➤ LH SLEEPER DOOR		
➤ LH AND RH INTERIOR GRAB HANDLES MOUNTED TO B POST AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST		
➤ STAINLESS STEEL RADIATOR SHELL/HOOD BEZEL		
➤ STAINLESS STEEL GRILLE		
➤ DUAL CHROME HOOD MOUNTED AIR INTAKE GRIL LES		
➤ HEAVY DUTY STEEL CAB FLOOR		
➤ AERODYNAMIC HOOD		
➤ WESTERN STAR NAMEPLATES		
➤ SINGLE AIR HORN UNDER LH DECK		
➤ SINGLE ELECTRIC HORN		
➤ SINGLE HORN SHIELD		
➤ DOORS AND IGNITION KEYED THE SAME		

HY0875





**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
➤ REAR LICENSE PLATE MOUNT END OF FRAME		
➤ DUAL ROUND 90MM HALOGEN HEADLIGHTS HOOD MOUNTED		
➤ LED MARKER LIGHTS INTEGRAL WITH SUN VISOR		
➤ DAYTIME RUNNING LIGHTS		
➤ INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
➤ LED SIDE TURN SIGNAL		
➤ (2) CHROME SWIVEL LED UTILITY LIGHTS MOUNTED HIGH INBOARD ON SIDE EXTENDERS	6	
➤ DUAL MEKRA AERO BRIGHT FINISH HEATED DUAL AXIS 1-PIECE MOTORIZED MIRRORS WITH LIGHTS, LH AND RH REMOTE AND INTEGRAL CONVEX MIRRORS		
➤ CAB MOUNTED MIRRORS		
➤ 102 INCH EQUIPMENT WIDTH		
➤ DUAL MEKRA BRIGHT FINISH HEATED CONVEX MIRRORS WITH MANUAL ADJUSTMENT AND DUAL AXIS FOR 1-PIECE PRIMARY MIRRORS		
➤ RH DOWN VIEW MIRROR		
➤ RH AND LH BRIGHT FINISH HOOD/FENDER MOUNTED MIRRORS	8	
➤ ELECTRIC DOOR LOCKS, MECHANICAL KEY TUMBLER		
➤ STAINLESS STEEL SLEEPER VENT, LH		
➤ PAINTED AERODYNAMIC EXTERIOR SUN VISOR WITH CHROME OVERLAY AND INTEGRAL LED MARKER LIGHTS		
➤ TINTED DOOR GLASS		
➤ RH AND LH ELECTRIC POWERED WINDOWS		
➤ TINTED TILT OUT SIDE SLEEPER WINDOWS WITH PRIVACY CURTAINS		
➤ 25X37.25 INCH TINTED SIDE WINDOW RH		
➤ 2-PIECE TINTED CURVED BONDED WINDSHIELD		
➤ 2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL		
➤ WHITE WINTERFRONT	2	
<b>➤ Cab Interior</b>		
➤ PRAIRIE BUCKSKIN VINYL PREMIUM INTERIOR		
➤ TAN HARD TRIM		
➤ PREMIUM LEFT HAND DOOR TRIM WITH CHERRY ACCENT		
➤ PREMIUM RIGHT HAND DOOR TRIM WITH CHERRY ACCENT		
➤ BLACK CARPET WITH DOUBLE INSULATION		
➤ BLACK CARPET WITH DOUBLE INSULATION IN SLEEPER		
➤ BLACK MATS IN BAGGAGE COMPARTMENT	10	5
➤ DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE		

HY0875







**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
➤ LH HIGH ROOF CHERRY WOOD CABINET WITH PULL OUT DESK TOP, (2) DRAWERS, REFRIGERATOR OPENING AND UPPER STORAGE	15	10
➤ RH HIGH ROOF CHERRY WOOD CABINET WITH CLOSET, UPPER AND LOWER DOORS, 2 MOVABLE SHELVES AND UPPER STORAGE	20	20
➤ FORWARD ROOF MOUNTED CONSOLE		
➤ PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR		
➤ LH AND RH DOOR MAP POCKETS		
➤ 48 INCH WIDE LIFTABLE LOWER BUNK	10	
➤ FOLDABLE UPPER BUNK	40	40
➤ LOWER BUNK RESTRAINT		
➤ (1) DOUBLE CUP HOLDER WITH CELL PHONE HOLDER LH OR RH DASH		
➤ TWO-TONE CHARCOAL UPPER/BUCK TAN LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER		
➤ STANDARD WIRING		
➤ 2-1/2 LB. FIRE EXTINGUISHER MOUNTED OUTBOARD OF DRIVER SEAT	5	
➤ HEATER, DEFROSTER AND AIR CONDITIONER WITH COSMETIC COVER		
➤ HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER AND OUTSIDE PRE-FILTER		
➤ MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH		
➤ HEATER/AIR CONDITIONER IN SLEEPER AREA		
➤ STANDARD HEATER PLUMBING		
➤ ADDITIONAL CAB SIDEWALL INSULATION	60	10
➤ ADDITIONAL SLEEPER INSULATION	60	60
➤ AUTOMATIC SELF-RESET CIRCUIT BREAKERS		
➤ DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED BAGGAGE COMPARTMENT LIGHTS		
➤ DOOR ACTIVATED CENTER MOUNTED DOME LIGHT WITH DASH SWITCH, LH AND RH READING LIGHTS AND COURTESY LIGHTS IN DOORS AND UNDER DASH PANEL		
➤ (2) DOME LIGHTS, (1) FLOOR LIGHT AND (2) SWIVEL READING LIGHTS		
➤ LH AND RH ELECTRIC DOOR LOCKS		
➤ SPRING LOWER MATTRESS AND FLAT FOAM UPPER MATTRESS	15	15
➤ (3) 12 VOLT POWER OUTLETS; (1) IN SLEEPER PANEL AND (2) IN RH CABINET		
➤ CAB PRIVACY CURTAIN	5	
➤ NOVA KOOL MODEL R-2300 BUILT-IN REFRIGERATOR - DC ONLY	40	35

HY0875





Prepared by:  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
➤ TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10	
➤ ELITE HIGH BACK AIR SUSPENSION DRIVER SEAT WITH HEAT, 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT AND ADJUSTABLE SHOCK	20	
➤ PREMIUM HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER	40	
➤ BLACK SUSPENSION COVER FOR DRIVER AND PASSENGER SEATS	4	
➤ DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8	
➤ ULTRA LEATHER DRIVER SEAT COVER		
➤ ULTRA LEATHER PASSENGER SEAT COVER		
➤ 3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS		
➤ SLEEPER CURTAIN		
➤ ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
➤ 4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH SWITCHES		
➤ DRIVER AND PASSENGER INTERIOR SUN VISORS		

### ➤ Instruments & Controls

- ELECTRONIC ACCELERATOR CONTROL WITH KICKDOWN FEATURE
- FIGURED CHERRY WOODGRAIN ULTRA GLOSS FINISH DRIVER INSTRUMENT PANEL
- FIGURED CHERRY WOODGRAIN ULTRA GLOSS FINISH CENTER INSTRUMENT PANEL
- BRIGHT ARGENT FINISH GAUGE BEZELS
- LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
- (1) SINGLE BRAKE APPLICATION AIR GAUGE
- 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
- INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
- ELECTRONIC CRUISE CONTROL WITH INTELLIGENT POWERTRAIN MANAGEMENT, CONTROLS ON STEERING WHEEL AND CRUISE LIMIT SWITCH IN DASH
- KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY WITH ECM STARTER LOCKOUT
- ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED
- HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
- 2 INCH ELECTRIC FUEL GAUGE

HY0875





**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

Description	Weight Front	Weight Rear
➤ FUEL FILTER RESTRICTION INDICATOR		
➤ DUAL REAR AXLE TEMPERATURE GAUGES WITH SENSOR SHIELD		
➤ ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
➤ ENGINE OIL TEMPERATURE GAUGE		
➤ 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
➤ ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
➤ ELECTRIC ENGINE OIL PRESSURE GAUGE		
➤ AM/FM/WB/SIRIUSXM RADIO WITH CD PLAYER, BLUETOOTH AND MICROPHONE, USB, FRONT AND REAR AUXILIARY INPUTS AND J1939		
➤ ROOF/OVERHEAD CONSOLE MOUNTED RADIO		
➤ (6) RADIO SPEAKERS: (2) IN CAB OVERHEAD CONSOLE, (1) IN EACH DOOR AND (2) IN SLEEPER		
➤ COBRA 29 WX ST FACTORY INSTALLED CB RADIO WITH WEATHERBAND	5	
➤ ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
➤ MULTI-BAND AM/FM/WB/CB DUAL MIRROR MOUNTED ANTENNA SYSTEM	4	
➤ INTEROPERABLE SDAR ANTENNA		
➤ TELEVISION ANTENNA	2	
➤ ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITH ODOMETER		
➤ STANDARD VEHICLE SPEED SENSOR		
➤ ELECTRONIC 3000 RPM TACHOMETER		
➤ DETROIT CONNECT VIRTUAL TECHNICIAN CONNECTIVITY PACKAGE (DETROIT ENGINES ONLY)		
➤ 2 YEARS DETROIT CONNECT VIRTUAL TECHNICIAN REMOTE DIAGNOSTICS SERVICE		
➤ IGNITION SWITCH CONTROLLED ENGINE STOP		
➤ ONE ON/OFF ROCKER SWITCH IN THE DASH WITH INDICATOR LIGHT AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT		
➤ BW TRACTOR PROTECTION VALVE		
➤ TRAILER HAND CONTROL BRAKE VALVE		
➤ 2 INCH TURBO AIR PRESSURE GAUGE		
➤ DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
➤ SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
➤ MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON STEERING WHEEL		
➤ TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR		

HY0875





**Prepared by:**  
 EASTGATE TRUCK CENTRE  
 1831 BARTON STREET EAST  
 HAMILTON, ON L8H2Y7  
 Phone: 905-578-2000

	Description	Weight Front	Weight Rear
➤	MANUAL TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT		
➤	PACIFIC INSIGHT ELECTRONIC FLASHER		
<b>➤ Design</b>			
➤	PAINT: ONE SOLID COLOR		
<b>➤ Color</b>			
➤	CAB COLOR A: L0006EB WHITE ELITE BC		
➤	CAB INTERIOR PAINTED SAME AS CAB COLOR		
➤	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
➤	CHASSIS SIDE FAIRINGS PAINTED SAME AS LOWER CAB SECTION OR FENDER		
➤	BUMPER PAINTED SAME AS FENDERS/LOWER SECTION OF CAB		
➤	SUNVISOR PAINTED SAME AS CAB COLOR A		
➤	AERODYNAMIC ROOF DEVICE PAINTED SAME AS CAB COLOR A		

**TOTAL VEHICLE SUMMARY**

**Weight Summary**

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	10872 lbs	8092 lbs	18964 lbs
Total Weight <sup>+</sup>	10872 lbs	8092 lbs	18964 lbs

(+) Weights shown are estimates only.  
 If weight is critical, contact Customer Application Engineering.

