



# ↗ 02 SEQUOIA

AT HOME OR ON THE ROAD, IT'S ALWAYS HEAVILY FAVORED.

This is the big one. The commanding full-size SUV with three rows of seats for eight people, plus room for gear. And not just a couple of coolers, but BBQs, folding chairs, tables—everything to make that tailgate party perfect. Of course, the 2002 Sequoia isn't just huge. It also has a surprisingly refined ride, thanks to its well-engineered suspension. What's more, with its powerful i-FORCE V8, Sequoia can tow up to 6,500 lbs.<sup>1</sup> of good old-fashioned recreation. It's big on safety too, offering a wide range of passive and active safety features to help protect you. So, load up the gang and all the gear because in the Sequoia, you'll always go home a winner.

<sup>1</sup>See specifications section for towing details.

**STANDARD FEATURES**
**SR5**

- Vehicle Skid Control (VSC)<sup>1</sup> + rear-wheel TRAC Traction Control (2WD models)
- Vehicle Skid Control (VSC)<sup>1</sup> + 4-wheel TRAC Traction Control (4WD models)<sup>2</sup>
- 4-wheel drive with locking center differential (4WD models)
- Driver and front passenger air bag Supplemental Restraint System (SRS)\*
- Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD) and Brake Assist
- Deluxe 3-in-1 AM/FM ETR/Cassette/CD with 6 speakers
- Anti-theft and engine immobilizer systems
- Power windows and door locks
- Power rear window with electric defogger and intermittent wiper
- Multi-function center console with front and rear dual cup holders, dual 12-volt auxiliary power outlets, covered armrest storage compartment and notepad holder
- 10 cup holders (total)
- Multi-reflector halogen headlamps with auto-off feature
- Washer-linked variable intermittent windshield wipers
- Solar tinted glass
- Color-keyed power remote-controlled outside mirrors, door handles, body side moldings and grille surrounded with gray inserts
- P245/70R16 tires on styled steel wheels with chrome wheel arch moldings (2WD models)
- P265/70R16 tires on styled steel wheels with color-coordinated fender flares (4WD models)
- Mudguards
- Front suspension, fuel tank and transfer case skid plates (4WD models)
- Privacy glass (rear quarter and tailgate windows)
- Green-illuminated analog instrument cluster with speedometer, tachometer and fuel gauge meters; LCD odometer with twin tripmeters; and seatbelt disconnect, air bag, door-ajar, battery, oil pressure, brake, check engine and low-fuel level warning lights
- Digital quartz clock
- Cruise control
- Defroster-linked CFC-free automatic climate control
- Dual sun visors with vanity mirrors and sliding extensions
- Maplights
- Illuminated entry system
- Tilt steering wheel
- Fabric-trimmed doors with integrated speakers, map pockets and courtesy lamps
- Fabric-trimmed multi-adjustable front captain's chairs with adjustable headrests
- Fabric-trimmed 60/40 split fold-down/tumble second-row bench seat with adjustable headrests and center armrest
- Fabric-trimmed 50/50 split third-row bench seat with recline/slide/fold-down/tumble/remove functions and adjustable outboard headrests
- Cargo area 12-volt auxiliary power outlet and grocery bag hooks
- Remote hood and fuel-filler door releases

**LIMITED**

(In addition to/in place of SR5 Standard Features)

- Leather-trimmed power-adjustable heated front captain's chairs with 8-way adjustable driver's seat and adjustable headrests
- Leather-trimmed 60/40 split fold-down/tumble second-row bench seat with center armrest and adjustable headrests
- Leather-trimmed 50/50 split third-row bench seat with recline/slide/fold-down/tumble/remove functions and adjustable outboard headrests
- Leather-trimmed doors with integrated speakers, map pockets and courtesy lamps
- Dual zone front and rear defroster-linked CFC-free digital automatic climate control
- Leather-wrapped steering wheel with mounted audio controls
- JBL Premium 3-in-1 AM/FM ETR/Cassette/CD with 10 speakers
- Multi-function accessory meter with compass, outside temperature, current and average fuel consumption, fuel range functions and HomeLink<sup>®3</sup> universal transceiver
- Dual color-keyed power remote heated outside mirrors with auto-retract feature
- P265/65R16 tires on 16" aluminum alloy wheels
- Integrated fog lamps
- Multi-function remote keyless entry system
- Privacy glass on rear side, quarter and tailgate windows
- Towing receiver hitch
- Dual sun visors with illuminated vanity mirrors, sliding extensions and secondary visor
- Metal-tone interior trim
- Auto on/off headlamp feature
- Roof rack



SR5 standard styled steel wheel



SR5 available  
5-spoke aluminum alloy  
wheel



Limited Standard  
split 3-spoke  
aluminum alloy wheel

<sup>1</sup>Toyota Vehicle Skid Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your Owner's Manual for further details.

<sup>2</sup>4-wheel traction control in 4WD only. Rear-wheel traction control in 2WD mode.

<sup>3</sup>HomeLink<sup>®</sup> is a registered trademark of Johnson Controls, Inc.

## OPTIONAL PACKAGES

### SR5 OPTION PACKAGES

- Preferred Package—includes leather-trimmed interior (seats and steering wheel) with power-adjustable front captain's chairs with adjustable headrests and JBL Premium 3-in-1 AM/FM ETR/Cassette/CD with 6 disc changer and 10 speakers
- Alloy Wheel Package—includes P265/65R16 tires on 16" split 5-spoke aluminum alloy wheels, color-coordinated fender flares and running boards, rear door privacy glass, and towing receiver hitch
- Styled Steel Wheel Package—includes P265/70R16 tires on 16" styled steel wheels with color-coordinated fender flares (2WD SR5 models)<sup>1</sup>
- Convenience Package—includes heated dual color-keyed power remote outside mirrors, accessory meter with compass, outside temperature, current and average fuel consumption, fuel range functions and HomeLink®<sup>2</sup> universal transceiver

### ADDITIONAL OPTIONS

#### ALL MODELS

- Daytime Running Lights (DRL)
- Power tilt/slide moonroof with sunshade<sup>3</sup>

#### SR5 MODELS

- Fog lamps
- Roof rack
- Rear door privacy glass
- Towing receiver hitch

#### LIMITED MODELS

- Rear spoiler

- Driver and front passenger seat-mounted side-impact and overhead front side curtain air bag Supplemental Restraint Systems (SRS)

- Dual zone front and rear defroster-linked CFC-free digital automatic climate control
- Fabric-trimmed power-adjustable front captain's chairs with adjustable headrests
- Remote keyless entry system
- JBL Premium 3-in-1 AM/FM ETR/Cassette/CD with 10 speakers

- JBL Premium 3-in-1 AM/FM ETR/Cassette/CD with 6 disc in-dash changer and 10 speakers

<sup>1</sup>Color-keyed with Silver Sky Metallic.

<sup>2</sup>HomeLink® is a registered trademark of Johnson Controls, Inc.

<sup>3</sup>Requires Alloy Wheel Package on SR5 models.

### COLORS



Silver Sky Metallic  
with Charcoal interior  
SR5 with Silver Sky trim




Natural White  
with Charcoal or Oak interior  
SR5 with Warm Silver trim



Desert Sand Mica<sup>1</sup>  
with Oak interior  
SR5 with Warm Silver trim



Thunder Gray Metallic  
with Charcoal or Oak interior  
SR5 with Warm Silver Trim



Sunfire Red Pearl<sup>1</sup>  
with Oak interior SR5 with  
Warm Silver trim



Imperial Jade Mica  
with Charcoal or Oak interior  
SR5 with Thunder Gray trim



Blue Marlin Pearl<sup>1</sup>  
with Charcoal or Oak interior  
SR5 with Silver Sky trim



Black  
with Charcoal or Oak interior  
SR5 with Thunder Gray trim

<sup>1</sup>Not available on Limited models.

**SPECIFICATIONS**
**SR5**
**Limited**
**Mechanical/Performance**

Engine	4.7-liter DOHC 32-valve i-FORCE V8; 240 hp @ 4,800 rpm; 315 lb.-ft. @ 3,400 rpm	
Ignition	Electronic, with distributorless Toyota Direct Ignition (TDI)	
Transmission	4-speed electronically controlled automatic (ECT)	
Body construction	Reinforced body-on-frame construction	
Suspension	Coil-spring independent double-wishbone front suspension with low-pressure gas-filled shock absorbers and stabilizer bar; 5-link coil-spring live axle rear suspension with low-pressure gas-filled shock absorbers and stabilizer bar	
Steering	Engine speed-sensing power-assisted rack-and-pinion	
Turning circle diameter, curb to curb (ft.)	42.3	
Brakes	Power-assisted 4-wheel ventilated disc brakes with load-sensing proportioning valve (LSPV) and Anti-lock Brake System (ABS) with Brake Assist <sup>6</sup> and Electronic Brake-force Distribution (EBD)	
Rear-wheel TRAC Traction Control	Standard (2WD models)	Standard (2WD models)
4-wheel TRAC Traction Control	Standard (4WD models) <sup>7</sup>	Standard (4WD models) <sup>7</sup>
Vehicle Skid Control (VSC) <sup>3</sup>	Standard	Standard
Multi-Mode 4-wheel drive with locking center differential	Standard (4WD models)	Standard (4WD models)

**Exterior Dimensions (in.)**

Overall height, unloaded (2WD/4WD)	73.2/74.0	75.8/76.2
Overall width (2WD/4WD) with available tires	76.4/78.0	78.0/78.0
Overall length	203.9	203.9
Wheelbase	118.1	118.1
Track (front/rear)	65.9/66.1	65.9/66.1

**Interior Dimensions front/middle/rear (in.)**

Head room	41.1/40.6/36.8	41.1/40.6/36.8
with moonroof	40.3/38.8/36.8	40.3/38.8/36.8
Shoulder room	62.1/62.2/60.9	62.1/62.2/60.9
Hip room	59.7/58.3/50.3	59.7/58.3/50.3
Leg room	41.6/38.4/29.8	41.6/38.4/29.8
Seating capacity	8	8

**Off-Highway**

Approach/departure angle (degrees)	27/19	28/20
Ground clearance (in.) (2WD/4WD)	10.0/10.6	10.4/10.6
Skid plates	On front suspension on all models; 4WD models also include fuel tank and transfer case skid plates	

**Weights and Capacities**

Curb weight (lbs.) (2WD/4WD)	5,070/5,270	5,100/5,295
Gross Vehicle Weight Rating—GVWR (lbs.) (2WD/4WD)	6,500/6,600	6,500/6,600
Gross Combined Weight Rating—GCWR (lbs.)	11,800	11,800
Payload <sup>9</sup> (lbs.) (2WD/4WD)	1,430/1,330	1,400/1,305
Towing capacity <sup>10</sup> (2WD/4WD)	6,500/6,200	6,500/6,200
Cargo volume (cu. ft.) behind front/middle/rear seats	128.1 <sup>11</sup> /65.3/27.8	128.1 <sup>11</sup> /65.3/27.8
Fuel tank (gal.)	26.1	26.1

**Tires**

Size—Standard	2WD: P245/70R16; 4WD: P265/70R16	P265/65R16
—Available	2WD: P265/70R16	NA
Type	Mud-and-Snow-rated radial tires	Mud-and-Snow-rated radial tires
Spare	Full-size, mounted under body	Full-size, mounted under body

**Mileage Estimates (mpg city/highway)<sup>12</sup>**

2WD	14/18	14/18
4WD	14/17	14/17

<sup>6</sup> See Standard Features section for more information on Brake Assist.

<sup>7</sup> 4-wheel traction control in 4WD only. Rear-wheel traction control in 2WD mode.

<sup>8</sup> See Standard Features section for more information on Vehicle Skid Control (VSC).

<sup>9</sup> Includes weight of occupants, equipment and cargo.

<sup>10</sup> Do not exceed the Gross Combined Weight Rating for your vehicle. See your Toyota dealer for GCWR limits and additionally required equipment. Consult your trailer and hitch suppliers to ensure proper hookup.

<sup>11</sup> 127.9 cu. ft. with moonroof.

<sup>12</sup> Preliminary mileage estimates determined by Toyota. Final EPA mileage estimates not available at time of printing. See your Toyota dealer for details.

Toyota Sequoias are designed to meet most off-road driving requirements. Abusive use may result in bodily harm or damage. Toyota encourages responsible operation to protect you, your vehicle and the environment. Some vehicles are shown with available equipment. Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. Towing receiver hitches/ball mount kits are not intended to provide crash protection. For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle.

All information presented herein is based on data available at the time of printing, is subject to change without notice and pertains specifically to mainland U.S.A. vehicles only (may differ in the state of Hawaii, Puerto Rico, the U.S. Virgin Islands and in other regions). 1-800-GO-TOYOTA

Have you logged 100,000, 200,000 or more miles on your Toyota with the original engine, transmission and drivetrain? If you have, give us a call at 1-800-GO-TOYOTA and tell us your story. [toyota.com](http://toyota.com)

©2002 Toyota Motor Sales, U.S.A., Inc.