



PreRunner Xtracab V6 shown in Impulse Red Pearl with available Color-Keyed SR5 Package and TRD Off-Road Package

It's more than a truck. Even sitting in your driveway, the 2003 Toyota Tacoma is a call to go somewhere, to do something, to push your limits. For almost 40 years, Toyota trucks have been a vehicle of choice for cyclists, windsurfers, rock climbers—anyone who would rather spend their time burning adrenaline than doing laundry. With customers like that, you'd better believe Tacoma is one tough truck, with dependable, rock-solid engineering. Whether it's the standard grade Tacoma, the well-equipped SR5 Package or the impressive Limited Package, Tacoma is the embodiment of a rugged tradition. Now, don't you have some clothes that need dirtying?

Regular Cab or Xtracab? Want the available 16" wheels? The fun begins when you start to consider the details. In fact, there are six option packages to choose from. And in the winning tradition of Toyota Motorsports, there's the race-inspired TRD Off-Road Package, with features like off-road-tuned suspension, 16" aluminum alloy wheels, a locking rear differential and more. Or you can select individual options. Of course, if you go that route, leave yourself plenty of time—the list is pretty long.

## STANDARD FEATURES

## 4X2 MODELS

#### **4X2 REGULAR CAB STANDARD FEATURES**

- Anti-lock Brake System (ABS)
- Aerodynamic multi-reflector halogen headlamps
- P205/75R15 All-Season radials on 15" steel wheels
- Mist-cycle windshield wipers
- Tinted windshield glass
- Dual black remote-controlled outside mirrors
- Double-walled bed
- Driver and front passenger air bags (SRS)1
- Front seatbelt pretensioners with force limiters
- Tilt-forward fabric-trimmed bench seat with height-adjustable headrests
- Orange-illuminated instrument panel with speedometer, coolant temperature/fuel-level meters and warning lights
- · Sculpted door trim with fabric insert
- Full carpeting
- Twin auxiliary power outlets
- Dual cup holder
- AM/FM ETR with 4 speakers

#### **4X2 XTRACAB STANDARD FEATURES**

(In addition to/in place of 4x2 Regular Cab Standard Features)

- Tilt-out rear quarter windows
- Black rear bumper
- 60/40 split front bench seat with height-adjustable headrests
- Forward-facing rear jump seats with 3-point outboard seatbelts
- Rear Child Restraint System (CRS) fold-out table
- Deluxe AM/FM ETR/Cassette with 6 speakers
- All-Weather Guard Package

## **4X2 S-RUNNER STANDARD FEATURES**

(In addition to/in place of 4x2 Xtracab Standard Features)

- Color-keyed grille, bumpers, valance, door handles, mirrors and fender flares
- P235/55R16 tires on 16" aluminum alloy wheels
- Performance-tuned suspension with gas-filled Tokico shock absorbers and rear stabilizer bar
- Tuned exhaust with chrome-tipped tailpipe
- Washer-linked variable intermittent windshield wipers
- Orange-illuminated instrument panel with white-faced gauges (speedometer, tachometer with LCD twin tripmeters, and coolant temperature and fuel-level meters)
- Fabric-trimmed sport seats with driver's-seat power-adjustable lumbar support
- Leather-wrapped tilt steering wheel and shift knob
- Sport Package2—sliding rear window with privacy glass, defroster-linked CFC-free air conditioning, digital clock and Deluxe AM/FM ETR/Cassette/CD with 6 speakers
- Power windows and door locks with remote keyless entry

## PRERUNNER/4X4 MODELS

#### 4X2 PRERUNNER/4X4 REGULAR CAB STANDARD FEATURES

- Anti-lock Brake System (ABS)
- Aerodynamic multi-reflector halogen headlamps
- Front tow hook
- P225/75R15 All-Season radials on 15" styled steel wheels
- 4WDemand 4-wheel drive with automatic disconnecting differential (4x4 models)
- Mist-cycle windshield wipers
- Tinted windshield glass
- Dual black remote-controlled outside mirrors
- Engine/front suspension transfer case (4x4 models) and fuel tank skid plates
- Front and rear mudguards
- Double-walled bed
- Black rear bumper
- Driver and front passenger air bags (SRS)1
- Front seatbelt pretensioners with force limiters
- Tilt-forward fabric-trimmed bench seat with height-adjustable headrests
- Orange-illuminated instrument panel with speedometer, coolant temperature/fuel-level meters and warning lights
- Sculpted door trim with fabric insert
- Full carpeting
- Twin auxiliary power outlets
- · Dual cup holder
- AM/FM ETR with 4 speakers

### 4X2 PRERUNNER/4X4 XTRACAB STANDARD FEATURES

(In addition to/in place of 4x2 PreRunner/4x4 Regular Cab Standard Features)

- Tilt-out rear quarter windows
- All-Weather Guard Package
- 60/40 split front bench seat with height-adjustable headrests
- Forward-facing rear jump seats with 3-point seatbelts
- Rear Child Restraint System (CRS) fold-out table
- Deluxe AM/FM ETR/Cassette with 6 speakers

## 4X2 PRERUNNER/4X4 DOUBLE CAB STANDARD FEATURES

(In addition to/in place of 4x2 PreRunner/4x4 Xtracab Standard Features)

- · Black fender flares
- Washer-linked variable intermittent windshield wipers
- Tilt steering wheel
- Front maplights
- Bucket front seats with adjustable headrests
- Center console with dual covered storage and dual front cup holder
- 60/40 split fold-down rear bench seat with outboard height-adjustable headrests
- Rear-seat heater ducts
- Dual rear cup holders

#### 1-800-GO-TOYOTA

Have you logged 100,000, 200,000 or more miles on your Toyota with the original engine, transmission and drivetrain? If you have, give us a call at 1-800-GO-TOYOTA and tell us your story. toyota.com ©2002 Toyota Motor Sales, U.S.A., Inc.

<sup>&</sup>lt;sup>1</sup>See Towing and Payload Specifications section for more information on Toyota's driver and front passenger air bag Supplemental Restraint System (SRS) <sup>2</sup>Required on all S-Runner models.

#### COLORS



Super White<sup>1,2,3</sup> with Charcoal or Oak interior



Radiant Red<sup>3</sup> with Charcoal or Oak interior



**Lunar Mist Metallic<sup>1</sup>** with Charcoal interior



Imperial Jade Mica<sup>1,2,3</sup> with Charcoal or Oak interior



Mystic Gold Metallic<sup>1,2,3</sup> with Charcoal or Oak interior



**Black Sand Pear<sup>l</sup>** with Charcoal or Oak interior



Impulse Red Pearl<sup>1</sup>
with Charcoal or Oak interior

## 4X2 MODELS



Available 15"styled steel wheel



Available 16" aluminum alloy wheel Standard on 4x2 S-Runner

#### PRERUNNER/4X4 MODELS



Standard 15" styled steel wheel



Available 16" styled steel wheel



Available 16" chrome-clad styled steel wheel



Available 16" aluminum alloy wheel

#### TOWING AND PAYLOAD SPECIFICATIONS (LRS

Standard/Maximum	Regular Cab	Xtracab	S-Runner V6	Xtracab V6	Double Cab	Double Cab V6
trailer weight <sup>8</sup>	3,500/NA	3,500/NA	3,500/NA	3,500/5,000 <sup>9</sup>	3,500/NA	3,500/5,0009
Standard/Maximum tongue load	350/ <b>N</b> A	350/NA	350	350/500 <sup>9</sup>	350/NA	350/500 <sup>9</sup>
Gross Combined						
Weight Rating (GCWR) 4x2	6,700	6,700	6,800	NA	NA	NA
PreRunner	7,400	7,400	NA	9,000	7,400	9,000
4x4	7,400	7,400	NA	9,000	7,400	9,000
Payload <sup>10</sup> (man./auto.)						
4x2	1,500/1,480	1,550/1,530	1,375	NA	NA	NA
PreRunner	NA/2,005	NA/1,830	NA	NA/1,745	NA/1,670	NA/1,625
4x4	1,810/1,780	1,630/1,600	NA	1,585/1,560	NA	NA/1,395

<sup>8</sup> Before towing, confirm your vehicle and trailer are compatible, hooked up properly and you have all necessary additional equipment. Do not exceed any Weight Ratings and review all instructions and cautions from your trailer hitch manufacturer and Toyota vehicle Owner's Manual.

<sup>&</sup>lt;sup>1</sup>Not available on S-Runner.

<sup>2</sup>Not available with SR5 Color-Keyed Package.

<sup>&</sup>lt;sup>3</sup>Not available with Limited Package.

<sup>9</sup> Requires available 5,000-lb. Tow Package with Class III tow hitch.

<sup>&</sup>lt;sup>10</sup> Includes weight of occupants, equipment and cargo.

# **OPTIONS AND PACKAGES**

- SR5 Package—includes chrome bumpers and grille surround, defrosterlinked CFC-free air conditioning (standard on PreRunner Xtracab V6), dual-fabric sun visors with mirror and visor extensions, orange-illuminated white-faced gauges (speedometer, tachometer with LCD twin tripmeters, and coolant temperature and fuel-level meters), digital clock, tilt steering wheel, washer-linked variable intermittent windshield wipers, Deluxe AM/FM ETR/Cassette with 4 speakers (Regular Cab) and Deluxe 3-in-1 AM/FM ETR/Cassette/CD with 6 speakers (Xtracab and Double Cab)
- SR5 Color-Keyed Package1—includes all SR5 Package contents plus: color-keyed bumpers, grille surround and door handles (includes manual adjustable color-keyed mirrors on 4x2 models, available on
- Limited Package—includes color-keyed front bumper and fender flares; chrome grille surround, door handles, power remote outside mirrors and rear bumper; sliding rear window with privacy glass; dual-fabric sun visors with mirror and visor extensions; orange-illuminated white-faced meters); power windows and door locks; leather-trimmed tilt steering
- wheel; leather-trimmed shift knob (manual transmission only); washer-linked variable intermittent windshield wipers; cruise control; defroster-linked CFC-free air conditioning; fabric-trimmed sport seats with driver's power-adjustable lumbar support; and Deluxe 3-in-1 AM/FM ETR/ Cassette/CD with 6 speakers
- TRD Off-Road Package—includes off-road-tuned suspension with Bilstein®2 high-pressure gas shocks and progressive-rate springs, P265/70R16 BFGoodrich tires on 16" 5-spoke aluminum alloy wheels, 3 locking rear differential, 4 black fender flares 3, 5 and TRD graphics
- Enhancement Package—includes P205/75R15 tires on 15" styled steel wheels,6 black painted rear bumper,6 defroster-linked CFC-free air conditioning and Deluxe AM/FM ETR/Cassette with 4 speakers (bumper and audio standard on 4x2 Xtracab models)
- Convenience Package—includes power outside mirrors, windows and door locks; door-trimmed fabric; cruise control; and sliding rear window with privacy glass

motoroy, portor rimadire and addr reene, reache		6							
PACKAGE AVAILABILITY	4x2 S-Runner				PreRunner Regular Cab	PreRunner Xtracab			
SR5 Package	Α	Α	_	Α	Α	Α	Α	Α	Α
SR5 Color-Keyed Package1	A	A	_	A	A	A	A	A	A
Limited Package	_	_	_	_		A (V6)	_	A (V6)	A
TRD Off-Road Package					A	Α (۷0)		A7	A
Enhancement Package	Α	A		Α	Л	А	Α	- N/	А
	А		_	А	_		А		_
Convenience Package	_	A	_	_	A	Α	_	А	A
ADDITIONAL OPTIONS	4x2 S-Runner	4x2 Regular Cab	4x2 Xtracab	PreRunner Double Cab	PreRunner Regular Cab	PreRunner Xtracab	4x4 Double Cab		
	5-Itullilei	Regular Cab	Attacab	Double oab	Nogulai Oab	Attacab	Double oab		
One-Touch Hi-4 4WD selector switch <sup>8</sup>	_	_	_	_	_	_	_	A (V6)	Α
Locking rear differential	_	_	_	_	A (V6)	A (V6)	A7	A7	Α
P205/75R15 tires on 15" styled steel wheels	Α	A	_	_	_	_	_	_	_
P265/70R16 tires on 16" styled									
steel wheels with black fender flares <sup>5</sup>	_	_	_	A	A	Α	A	Α	Α
P265/70R16 tires on 16" chrome-clad styled									
steel wheels with black fender flares <sup>5</sup>	_	_	_	A	Α	Α	A	Α	Α
P235/55R16 tires on 16" aluminum									
alloy wheels	Α	A	S	_	_	_	_	_	_
P265/70R16 tires on 16" aluminum									
alloy wheels with black fender flares <sup>5</sup>	_	_	_	Α	Α	Α	Α	Α	Α
All-Weather Guard Package	_	S	S	Α	S	S	Α	S	S
Black painted rear bumper9	Α	S	S	S	S	S	S	S	S
Cruise control	Α	A	A	Α	Α	Α	Α	Α	Α
Daytime Running Lights (DRL)	Α	A	A	Α	Α	Α	Α	Α	Α
Defroster-linked CFC-free air conditioning	Α	A	S	Α	Α	Α	Α	Α	Α
Mudguards	Α	A	_	S	S	S10	S	S	S10
Pop-up/removable moonroof with sunshade	_	A	Α	_	_	_	_	Α	Α
Rear seatback cargo net	_	_	_	_	_	Α	_	_	Α
Roof rack	_	_	_	_	_	Α	_	_	Α
Running boards	_	_	_	_	_	Α	_	_	Α
Sliding rear window11	Α	A	S	Α	Α	Α	Α	Α	Α
Stepside bed12	Α	A	Α	Α	Α	_	Α	Α	_
Tachometer	Α	A	S	Α	Α	Α	Α	Α	Α
Tilt steering wheel	Α	A	S	Α	Α	S	Α	Α	S
Fabric-trimmed bucket seats	Α	A	_	_	Α	S	Α	Α	S
with center console									
Power Package—includes power windows,									
door locks, mirrors and remote keyless entry13	Α	A	S	Α	A	Α	Α	Α	Α
Deluxe AM/FM ETR/Cassette with 4 speakers	Α	_	_	Α	_	_	Α	_	_
Deluxe 3-in-1 AM/FM ETR/Cassette/CD									
with 6 speakers	_	_	S	_	A	Α	_	_	_

A = Available - = Not available S = Standard

Toyota Tacomas are designed to meet most off-road driving requirements. Abusive use may result in bodily harm or damage. Toyota encourages responsible operation to protect you, your vehicle and the

Some vehicles are shown with available equipment. Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. Towing receiver hitches/ball mount kits are not intended to provide

<sup>&</sup>lt;sup>1</sup>Available in Lunar Mist Metallic, Black Sand Pearl, Radiant Red and Impulse Red Pearl only.

Tokico shocks on Double Cab models.

<sup>&</sup>lt;sup>3</sup>Aluminum alloy wheels, color-keyed fender flares and tachometer included with Limited Package.

Not available on 4-cylinder 4x4 and PreRunner models with automatic transmission. <sup>5</sup>Color-keyed fender flares with SR5 Color-Keyed Package.

 $<sup>^6</sup>$ 4x2 models. P225/75R15 tires and black bumper standard on PreRunner and 4x4 models.

Not available on 4-cylinder automatic transmission models.

Requires Power Package.9Color-keyed rear bumper on S-Runner.
Rear mudguards only when running boards are installed.
With privacy glass on Xtracab and Double Cab.

<sup>12</sup> Requires SR5 Package.

<sup>13</sup>Without power mirrors on 4x2 models

# SPECIFICATIONS

	SPECIFIC	CATIONS	J							
		4x2	4x2	4x2	PreRunner	PreRunner	PreRunner	4x4	4x4	4x4
		S-Runner	Regular Cab	Xtracab	Double Cab	Regular Cab	Xtracab	Double Cab		
Mechanic Engine	al/Performance									
	OOHC EFI 4-cylinder	S	S	NA	NA	NA	NA	NA	NA	NA
	5,000 rpm									
	. @ 4,000 rpm	NA	NA	NA	S	S	S	S	S	NA
	OOHC EFI 4-cylinder • 4,800 rpm	NA	INA	INA	3	3	3	3	3	NA
	. @ 4,000 rpm									
	OHC EFI V6	NA	NA	S	NA	Α	A	NA	A	S
	4,800 rpm									
Transmiss	. @ 3,600 rpm sion									
	nanual with overdrive	S	S	S	NA	NA	NA	S	S	NA
	utomatic with overdrive	Α	A	NA	NA	NA	NA	NA	NA	NA
	electronically controlled	NIA	NA	NA	S	C	C			C
Body cons	c transmission with overdrive	NA Welded steel cal	NA and double-wal	NA led bed; ladder fram		S	S	A	A	S
Suspensio				ependent front suspe		er bar and gas shoc	k absorbers1; leaf	spring rear suspe	nsion with stagger	ed gas shock
		absorbers <sup>1</sup>								
Steering Turning ci	irola diamator (ft )	Power-assisted 36.7		41.7	2/1/1	40.0	40.0	21/1	40.0	40.0
Brakes	rcle diameter (ft.)		41.7 ventilated front d	41.7 lisc/rear drum with ta	34.4 andem booster and	40.0 rear load-sensing n	40.0 proportioning valve	34.4 (LSPV) with 4-wh	40.0 eel Antilock Brakes	40.0 (ABS)
Axle ratios	S	. one. deciced	voncinatoa mont a		and and	(4 cyl.)/(V6)	(4 cyl.)/(V6)	(201 1) 11111 1 1111	(4 cyl.)/(V6)	(1.50)
Manual		3.58:1	3.58:1	3.15:1	NA	NA/NA	NA/NA	3.91:1	3.91:1/3.91:1	NA
Automatio		3.73:1 NA	3.73:1 NA	NA NA	3.91:1 4.30:1	4.10:1/3.91:1 NA/4.10:1	3.91:1/3.91:1 NA/4.10:1	4.10:1 NA	4.10:1/3.91:1 NA/4.10:1	3.91:1 NA/4.10:1
	ng rear differential Dimensions (IN.)	IVA	IVA	INA	4.30:1	NA/4.10:1	NA/4.10:1	INA	NA/4.10:1	NA/4.10:1
	eight/with available tires	64.1/63.7	63.5/63.1	62.5/NA	67.7/68.8	67.5/68.9	67.5/68.7	67.7/68.8	67.5/68.9	67.5/68.7
Overall wi		66.5	66.5	66.5	66.5	66.5	70.3	66.5	66.5	70.3
Overall lei Wheelbasi	ngth with rear bumper	184.4 103.3	202.9 121.9	202.9 121.9	184.4 103.3	202.9 121.9	202.9 121.9	184.4 103.3	202.9 121.9	202.9 121.9
Track (fro		57.1/57.3	57.1/57.3	57.1/57.3	57.5/57.3	57.5/57.3	57.5/57.3	57.5/57.3	57.5/57.3	57.5/57.3
with avail		57.1/57.3	57.1/57.3	NA	59.1/58.9	59.1/58.9	59.1/58.9	59.1/58.9	59.1/58.9	59.1/58.9
Bed lengt		74.5/15.9	74.5/15.9	74.5/15.9	74.5/15.9	74.5/15.9	61.5/15.9	74.5/15.9	74.5/15.9	61.5/15.9
	(StepSide)/between wheelwells limensions front/rear (IN.)	57.9 (49.6)/40.9	57.9 (49.6)/40.	9 57.9 (49.6)/40.9	57.9 (49.6)/40.9	57.9 (49.6)/40.9	57.9/40.9	57.9 (49.6)/40.9	57.9 (49.6)/40.9	57.9/40.9
Head roon		38.5/NA	38.7/34.8	38.7/34.8	38.5/NA	38.7/34.8	38.8/37.7	38.5/NA	38.7/34.8	38.8/37.7
Shoulder i	room	53.9/NA	53.9/52.3	53.9/52.3	53.9/NA	53.9/52.3	53.9/53.5	53.9/NA	53.9/52.3	53.9/53.5
Hip room		49.4/NA	49.6/48.8	49.6/48.8	49.4/NA	49.6/48.8	49.6/50.8	49.4/NA	49.6/48.8	49.6/50.8
Leg room Seating c	anacity	41.7/NA 3	42.8/27.2 5	42.8/27.2 5	41.7/NA 3	42.8/27.2 5	42.8/33.7 5	41.7/NA 3	42.8/27.2 5	42.8/33.7 5
Off-Highw		<u> </u>	<u> </u>	<u> </u>	<u> </u>		3		3	3
Approach/	/departure angle	24°/28°	24°/26°	23°/19°	32°/24°	32°/24°	30°/23°	32°/24°	32°/24°	30°/23°
	vailable tires	23°/20°	23°/19°	NA	35°/26°	35°/26°	33°/25°	35°/26°	35°/26°	33°/25°
Minimum	running 1 clearance (in.)	8.5	8.5	7.6	11.0	10.8	10.0	11.0	10.8	10.0
	vailable tires (in.)	8.1	8.1	NA	12.0	12.0	11.2	12.0	12.0	11.2
	fer case ratios (high/low)	NA	NA	NA	NA	NA	NA	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1
	and Capacities ht (lbs.) man./auto.									
4-cylinder		2,750/2,770	2,950/2,970	NA	NA/3,095	NA/3,270	NA/3,430	3,290/3,320	3,470/3,500	NA
V6 NA		NA	3,125/NA	NA	NA/3,355	NA/3,475	NA	3,515/3,540	NA/3,705	
	icle Weight	4.050	4.500	4.500	F 100	F 100	F 100	F 100	F 100	F 100
Rating— Payload <sup>2</sup>	GVWR (lbs.) man./auto. (lbs.)	4,250	4,500	4,500	5,100	5,100	5,100	5,100	5,100	5,100
4-cylinder		1,500/1,480	1,550/1,530	NA	NA/2,005	NA/1,830	NA/1,670	1,810/1,780	1,630/1,600	NA
V6 NA		NA	1,375/NA	NA	NA/1,745	NA/1,625	NA	1,585/1,560	NA/1,395	
Fuel tank	(gal.)	15.8	15.8	15.8	18.5	18.5	18.5	18.5	18.5	18.5
<b>Tires</b> Size—Sta	andard	P205/75R15	P205/75R15	P235/55R16	P225/75R15	P225/75R15	P225/75R15	P225/75R15	P225/75R15	P225/75R15
—Ava		P235/55R16	P235/55R16	NA	P265/70R16	P265/70R16	P265/70R16	P265/70R16	P265/70R16	P265/70R16
Туре		All-Season	All-Season	All-Season	Mud-and-	Mud-and-	Mud-and-	Mud-and-	Mud-and-	Mud-and-
Mileono F	Setimates (MDC City/Highway)?				Snow-rated	Snow-rated	Snow-rated	Snow-rated	Snow-rated	Snow-rated
5-speed n	Estimates (MPG City/Highway) <sup>3</sup> nanual									
4-cylinder		22/27	22/27	NA	NA	NA	NA	18/21	18/21	NA
V6 NA	ustamatia	NA	18/22	NA	NA	NA	NA	17/19	NA	
4-speed a 4-cylinder		22/25	22/25	NA	19/22	19/22	19/22	18/21	18/21	NA
V6 NA		NA	NA NA	NA	17/19	17/19	NA NA	17/19	17/19	
			_							
<sup>1</sup> Hydrau	lic shock absorbers on 4-cylinder mode	els.	<sup>3</sup> Preliminary	/ mileage estimates o	determined by Toyot	a. Final EPA	See your Toyota de	aler for details.		



<sup>&</sup>lt;sup>1</sup>Hydraulic shock absorbers on 4-cylinder models. <sup>2</sup>Includes weight of occupants, equipment and cargo.

<sup>&</sup>lt;sup>3</sup>Preliminary mileage estimates determined by Toyota. Final EPA mileage estimates not available at time of printing.