

PRINTED EXCLUSIVELY FOR

Ken Garff Nissan

¹ See Nissan Towing Guide and Owner's Manual for proper use. ² Availability of specific features is dependent upon the phone's Bluetooth® support. Please refer to your phone owner's manual for details. Cell phone not included. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Nissan is under license.

2012 NISSAN FRONTIER®

INNOVATION TO GET IT DONE. INNOVATION FOR ALL. Forge your way with an efficient mid-size body hugging a fully boxed ladder frame. 261 hp and 281 lb-ft of power as your guide. Single-minded ruggedness married to innovative technology. An available spray-on bedliner when the catch of the day is a 400-lb. boulder – tied down with Utili-track® to make sure the rock doesn't roll. 6,500-lb. towing capacity to handle the toys.¹ Bluetooth® to handle the calls.² Now crank up your favorite tunes through the Rockford Fosgate and you'll get there.



SHIFT_the way you move


SEVEN RUGGED MODELS TO CHOOSE FROM.







SV: KING CAB AND CREW CAB





PRO-4X: KING CAB AND CREW CAB



SL: CREW CAB

		S 4x2 4x4	SV 4-CYL 4x2	SV V6 . 4x2 4x4	PRO-4X 4x4	SL 4x2 4x4
EATING/APPOINTMENTS	8-way manual driver's seat with adjustable lumbar support			SA		
	8-way power adjustable driver's seat with adjustable lumbar support				LP	
	4-way power adjustable front-passenger's seat				LP	
Ę	Fold-flat front-passenger's seat (not available with leather)					
=	Heated front seats				LP	
0	Forward-facing rear flip-up seats	2	2	2	2	
₹	60/40 Split flip-up rear bench seat			1	1	
5	Rear fold-down center armrest				LP	
Ē	Cloth seat trim					
	Sport cloth seat trim with embroidered Frontier logo			SA		
S	Leather-appointed seats				LP	
	PRO-4X cloth seat trim					
	PRO-4X embroidered leather-appointed seats				LP	
	White-faced gauges			SA		
	Leather-wrapped steering wheel					
	Second-row under-seat storage					
	Eight beverage holders and front and rear door storage pockets					
	Overhead console with sunglasses storage			SA PU		
SAFETY/SECURITY	Nissan Advanced Air Bag System with dual-stage supplemental front air bags with seat belt and occupant-classification sensors Driver and front-passenger seat-mounted side-impact supplemental air bags Roof-mounted curtain supplemental air bags for side-impact and rollover head protection for outboard occupants Vehicle Dynamic Control (VDC) ⁶ 3-point ALR/ELR passenger seat belt system (ELR for driver) Front-seat Active Head Restraints Front seat belts with pretensioners and load limiters LATCH System (Lower Anchors and Tethers for CHildren) Energy-absorbing steering column Zone Body construction with front and rear crumple zones Hood-buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams Tire Pressure Monitoring System (TPMS) Vehicle Security System			SA PU		
	Nissan Vehicle Immobilizer System					

Standard	SA Part of SV V6 Sport Appearance Package	
☐ Optional	Pul Part of SV V6 Premium Utility Package	

Part of PRO-4X Luxury Package

Part of S Preferred Package

and its subsidiaries. Satellite radio not available on manual transmission PRO-4X King Cab models. VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques.

Always drive safely. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

¹ Crew Cab only. ² King Cab only. ³ Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving. ⁴ XM Satellite Radio requires subscription sold separately after trial period. Governed by XM Customer Agreement at xmradio.com. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. ©2011 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc.

SPECIFICATIONS

OFF-ROAD CAPABILITIES	KING CAB		CREW CAB			
Minimum running ground clearance at rear differential	8.7"-10.1"		9.8"-10.1"			
Angle of approach: V6 models – 4x2 (4x4)	30.5° (31.5°) ¹		30.5° (31.5°) 1			
Angle of departure: V6 models - 4x2 (4x4)	22.1° (22.6°) ²		22.1° (22.6°) ²			
Ramp over angle: V6 models	19.8°-20.6°		19.8°-20.6°			
MAXIMUM TOWING CAPABILITIES (LBS.)3	KING CAB		CREW CAB			
4-cylinder	3,500		_			
V6 – 4x2 (4x4)	6,500 (6,300)		6,300 (6,100)			
MAXIMUM PAYLOAD (LBS.)	s	SV 4-CYL	SV V6	PRO-4X	SL	
King Cab - 4x2 (4x4)						
Manual transmission	971 (N/A)	931 (N/A)	1,524 (1,355)	N/A (1,235)	_	
Automatic transmission	932	913 (N/A)	1,447 (1,379)	N/A (1,215)	_	
Crew Cab - 4x2 (4x4)						
Manual transmission	1,457 (1,251)	_	1,422 (1,255)	N/A (1,098)	_	
Automatic transmission	1,481 (1,385)	_	1,486 (1,390)	N/A (1,078)	1,350 (1,251)	
Long Bed manual transmission	_	_	_	_	_	
Long Bed automatic transmission	_	_	1,388 (1,260)	_	1,252 (1,120)	
DIMENSIONS (INCHES)	KING CAB		CREW CAB			
Wheelbase	125.9		125.9 (139.9 with Long E	Bed)		
Overall length	205.5		205.5 (219.4 with Long E	Bed)		
Overall width	72.8 (without mir	rors)	72.8 (without mirrors)			
Overall height	68.7-69.7		70.1 (without roof rack; 73.9 with roof rack)			
Track width (front/rear)	61.8/61.8		61.8/61.8			
Cargo bed length	73.3		59.5 (73.3 with Long Bed	d)		
Cargo bed width	61.4		61.4			
Cargo bed height	18.0		18.0			
Head room (front/rear)	39.7/38.3		40.0/38.7 (without moor	nroof)		
Leg room (front/rear)	42.4/25.4		42.4/33.6			
Hip room (front/rear)	55.8/55.0		55.6/58.0			
Shoulder room (front/rear)	58.3/54.9		58.3/58.3			
CAPACITIES	KING CAB		CREW CAB			
Interior passenger volume (cu. ft.)	87.7		101.1			
Fuel tank (gals.)	21.1		21.1			

ENGINE

QR25DE – 2.5-liter DOHC 16-valve 4-cylinder engine
Horsepower – 152 hp @ 5,200 rpm
Torque – 171 lb-ft @ 4,400 rpm
Emissions – Tier 2, Bin 5 (Fed); LEV2-ULEV (CA)
Continuously Variable Valve Timing Control System (CVTCS)
Nissan Direct Ignition System with platinum-tipped spark plugs
Electronic drive-by-wire throttle
Variable Intake System

VQ40DE – 4.0-liter DOHC 24-valve V6 engine
Horsepower – 261 hp @ 5,600 rpm
Torque – 281 lb-ft @ 4,000 rpm
Emissions – Tier 2, Bin 5 (Fed); LEV2-ULEV (CA)
Continuously Variable Valve Timing Control System (CVTCS)
Nissan Direct Ignition System with platinum-tipped spark plugs
Electronic drive-by-wire throttle
Variable Intake System

N/A = Not applicable. 1 32.6° on PRO-4X. 2 23.3° on PRO-4X. 3 7-pin connector trailer wire harness and tow hitch receiver required. See Nissan Towing Guide and Owner's Manual for proper use.

DRIVETRAIN

5-speed manual transmission (S 4-cyl., SV 4-cyl.) 6-speed manual transmission (standard on S V6, SV V6 and PRO-4X)

5-speed automatic transmission (standard on SL; optional on S 4-cyl., S V6, SV 4-cyl., SV V6 and PRO-4X)

Optional: Switch-operated 2-speed transfer case (4x4 models only; not available on S 4-cyl., SV 4-cyl.)

Electronic locking rear differential (PRO-4X)

2-wheel Active Brake Limited Slip – ABLS – standard

4-wheel Active Brake Limited Slip – ABLS – (S V6 , SV V6, PRO-4X, SL)

Clutch start/cancel (PRO-4X manual transmission only)
Hill descent control and hill start assist (S V6, SV V6, PRO-4X,
SL 4x4 automatic transmission models only)

SKID PLATES

Oil pan (PRO-4X)

Fuel tank (PRO-4X)

Transfer case (PRO-4X)

WHEELS AND TIRES

15" x 7.0" 6-spoke steel wheels (S)

16" x 7.0" 6-spoke steel wheels (S V6)

16" x 7.0" 5-spoke aluminum-alloy wheels (SV 4-cyl., SV V6)

16" x 7.0" 6-spoke aluminum-alloy wheels (PRO-4X)

18" x 7.5" 12-spoke Dark Hyper Silver finish aluminum-alloy wheels (Part of 🔊

18" x 7.5" 12-spoke aluminum-alloy wheels (SL)

P235/75/15 General Grabber™ all-season tires (S)

P265/70R16 BFGoodrich® Radial Long Trail T/A® tires (S V6, SV)

P265/75R16 BFGoodrich® Rugged Trail T/A® tires (PRO-4X)

P265/60R18 BFGoodrich® Radial Long Trail T/A® tires

(Part of SA, SL)

Full-size spare tire

BRAKES

Front vented disc brakes/rear vented disc brakes 4-wheel Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD)

SUSPENSION AND STEERING

Front: Independent double-wishbone with front stabilizer bar Rear: Overslung multi-leaf with solid axle Bilstein® off-road performance shock absorbers (PRO-4X) Engine-speed-sensitive power steering

2012 EPA FUEL CONSUMPTION ESTIMATES (CITY/HWY)

4-CYLINDER V6

M/T - 4x2 (4x4)	19/23 (N/A)	16/20 (15/20)
A/T - 4x2 (4x4)	17/22 (N/A)	15/20 (14/19)
A	144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,

Actual mileage may vary with driving conditions – use for comparison only.

- ™ General Grabber is a trademark of General Tire & Rubber Company.
- ® BFGoodrich is a registered trademark of Goodrich Corporation.
- ® Rugged Trail T/A and Long Trail T/A are registered trademarks of Uniroyal Goodrich Licensing Services, Inc.
- ® Bilstein is a registered trademark of ThyssenKrupp Bilstein GmbH.

PACKAGES

Package requirements and availability may vary. Please see your Nissan dealer for details.

■ S PREFERRED PACKAGE (S KING CAB ONLY)

AM/FM/CD audio system

Air conditioning

SA SV V6 SPORT APPEARANCE PACKAGE

18" 12-spoke Dark Hyper Silver finish aluminum-alloy wheels P265/60R18 BFGoodrich® Radial Long Trail T/A® tires Fog lights

Dark Hyper Silver finish grille

Body-color front and rear bumpers

Body side graphics

Bluetooth® Hands-free Phone System

AM/FM/in-dash 6-CD audio system

Steering-wheel-mounted audio controls

MP3/WMA CD playback capability

Auxiliary audio input jack

6 Speakers (King Cab)

Multi-functional trip computer

Overhead console with sunglasses storage

8-way manual driver's seat

Sport cloth seat trim with embroidered Frontier logo

White-faced gauges

Driver's seatback pocket (King Cab)

Not available on Long Bed models.

SV V6 PREMIUM UTILITY PACKAGE

AM/FM/In-dash 6-CD audio system with auxiliary audio input jack MP3/WMA CD playback capability

6 Speakers (King Cab only)

Steering-wheel-mounted audio controls

Bluetooth® Hands-free Phone System

XM® Satellite Radio1

Auto-dimming rearview mirror, digital compass and outside temperature display

Factory-applied spray-on bedliner

Utili-track® channel system with 4 tie-down cleats

Overhead console with sunglasses storage

Vehicle Security System

In-cabin microfilter

PRO-4X LUXURY PACKAGE (CREW CAB ONLY)

Roof rack with crossbars

Power sliding glass moonroof

PRO-4X embroidered leather-appointed seats

8-way power adjustable driver's seat

4-way power adjustable front-passenger's seat

Heated front seats and outside mirrors

Rear fold-down center armrest

Fold-flat front-passenger's seat is deleted with this package.

M SL MOONROOF PACKAGE

Power sliding glass moonroof





A large, adaptable interior opens up a world of opportunities for you, your crew and your gear.

One of the most innovative and > flexible truck beds, featuring Nissan's exclusive Utili-track® channel system.



PRO-4X Frontier is the ultimate in off-road performance, featuring some of the most advanced off-road technology and hardware available.







1 XM Satellite Radio requires subscription sold separately after trial period. Governed by XM Customer Agreement at xmradio.com. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. ©2011 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

All illustrations, photographs, and specifications are based on the latest product information available. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc., reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models, and to discontinue models or equipment. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan dealer. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Tread Lightly!@ Please. Always wear your seat belt, and please don't drink and drive. © 2011 Nissan North America, Inc.

WARRANTY

Every 2012 Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

Choose a dealer to buy your Nissan Frontier:

null, null null