HOW TO NAVIGATE

TO TURN THE PAGES


Touch/Click the arrows on either side of the brochure

TABLE OF CONTENTS

Touch/Click the Table of Contents button in the top navigation bar of the screen to advance to specific areas of interest

VIDEO COMPONENTS

To play video embedded within the brochure a live internet connection is required







Ram 3500 when properly equipped Properly secure all care

6.7L CUMMINS TURBO DIESEL MONSTER TORQUE 385 HP/865 LB-FT OF TORQUE





AVAILABLE FOR RAM 2500/3500. There's one diesel engine designed to play a pivotal role in the heavy-duty world: the Cummins Turbo Diesel. Virtually indestructible in design, the 6.7L Cummins Turbo Diesel is engineered to the tolerances, quality and durability to power semiclass big rigs. As the available diesel engine for Ram 2500 and 3500 Heavy Duty, the Cummins for 2015 is calibrated specifically for ideal job-rated use and optimal transmission output. The results give Ram Heavy Duty 3500 models awesome torque—and give you uncompromising strength for towing and hauling.

- Best-in-class⁽ⁱ⁾ diesel towing for Ram 3500 is part of the Cummins legacy. With the available Cummins High Output Turbo, you can take advantage of that best-in-class⁽ⁱ⁾ 865 lb-ft of torque and 385 horsepower, with towing rated at 30,000 lb. (All towing figures apply to trucks that have been properly equipped.)
- + Incredible torque for Ram 2500 comes from the available Cummins rated at 370 hp and 800 lb-ft, mated to the proven 68RFE 6-speed automatic; this beefed-up powertrain configuration is also available for 2015 Ram 3500 models.

TRANSMISSIONS: Meet components designed to manage awesome levels of torque over decades of use. Packaged with the 350 bp/660 lb-ft Cummins is the class-exclusive^[41] G56 6-speed manual; available for the 370/800 Cummins is the 68RFE automatic. For the Cummins High Output Turbo Diesel and its best-in-class^[4] 865 lb-ft of available torque, the AISIN® Heavy-Duty 6-speed automatic transmission ably steps up to the task.

This leader in Turbo Diesel technology offers three distinctive power outputs for 2015 Ram Heavy Duty. All feature a next-generation Diesel Exhaust Fluid (DEF) System, a super-efficient Diesel Cooling System with 11-blade fan and a class-exclusive^[1] "smart" diesel exhaust brake. Output culminates in that best-in-class^[4] available torque of 865 lb-ft that the Cummins High Output churns out in Ram 3500 models.

Cummins + Ram Heavy Duty. It's a working combination that's now in excess of two million applications—the ever-growing figure that sums up the enduring quality of this working partnership.

- The class-exclusive¹⁰ 656 6-speed manual transmission is packaged with the 350 hp/660 lb-ft Cummins Turbo Diesel. The 6-speed manual offers exceptional control when towing and hauling, and its availability for Ram 2500/3500 clearly separates Ram Heavy Duty from the contenders.
- Best-in-class⁽ⁱ⁾ diesel oil change intervals up to 15,000 miles seriously reduce downtime and costs of regular maintenance.
- The Cummins Dual Radiator System produces more efficient operation, lessening heat by some 25% over the previous design.



The AISIN Heavy-Duty 6-speed automatic is packaged with the available Cummins High Output Turbo Diesel. AISIN advantages include a sophisticated Transmission Control Module which momentarily turns off the exhaust brake (on the Cummins), and a ramped-up Tow/Haul Mode with a more aggressive downshift schedule to meet industrial-grade hauling demands.

5.7L HEMI° V8 LEGENDARY POWER 383 HP/400 LB-FT OF TOROUE

STANDARD ON RAM 2500/3500 SRW. Continuing to make history, this legendary In the Ram Heavy Duty 2500/3500, the 5.7L HEMI V8 delivers gas powerhouse ranks as an ideal example of technical proficiency. every pound-foot of torque you need for trailering and hauling, and The core engineering idea behind the hemispherical engine head is to boosts your confidence levels with serious performance and unexpected achieve maximum power, and over its lifetime the many utilizations of the hemispherical head have included WWII-era prototype aircraft and even various tank applications. With world respect attained with its use during the distinctively American Muscle Car Era, there's little wonder why it's the standard engine for 2015 Ram Heavy Duty SRW models.

+ Competitive fuel efficiency, accompanied by performance and capability measured in tens of thousands of miles. When compared to other V8 engines in the class, the 5.7-liter HEMI V8 in singlerear-wheel Ram Heavy Duty models delivers impressive fuel efficiency and incredible standard power and torque

+ The incorporation of iDFSO (interactive Deceleration Fuel Shut-Off) adds to the fuel-efficient performance of the 5.7L HEMI V8 iDESO turns off the flow of fuel during deceleration, with no noticeable change in engine performance—a real-world and bottom-line advantage to this powerhouse

THE TRANSMISSION OF CHOICE: In Ram Heavy Duty, the 5.7-liter HEMI V8 is partnered with the 66RFE 6-speed automatic, a powertrain that exceeds typical demands for anticipated towing and hauling. 66RFE advantages include driver-adaptive shifting, three multiple clutch packs, dual filters on a dual-stage pump and an independent lubrication cooler that delivers ample pressures under all loads and driving conditions.

V8 fuel efficiency. By incorporating technologies like Variable Valve Timing (VVT), fuel-saving measures like iDFSO, and then mating it all to the long-proven 66RFE 6-speed automatic, you're putting the 5.7-liter HEMI V8 legacy to work: this is outstanding performance melded with fuel-sipping operation.

RAM TOUGH TRANSFER CASES

The two transfer cases employed by Ram Heavy Duty 2500/3500 are exactly what you need for ultra-4x4 capability. The BorgWarner BW 44-46 transfer case features responsive electronic shift-onthe-fly engineering, with three operating ranges, plus Neutral.

The manually activated BW 44-47 transfer case features three operating ranges, plus Neutral. Both of these impressive units offer a low-range reduction ratio of 2.64:1-an ideal ratio when off road in a slow rock-climbing situation, or when using your Ram 4x4 on challenging terrain or steep grades. You need capability and performance that exceeds the need, and Ram Heavy Duty pickups are designed to excel.

6.4L HEMI® V8 AWESOME GAPAB 410 HP/429 LB-FT OF TOR





AVAILABLE FOR RAM 2500/3500. Take the hemispherical combustion chamber assets of the 5.7-liter HEMI V8, increase the cylinder bore and stroke for greater displacement, and employ advancements like Variable Valve Timing (VVT) and Fuel Saver Technology to help achieve the most power and efficiency possible. The results deliver an available engine for Ram Heavy Duty that puts others to shame: the 6.4-liter HEMI V8, an engine to give 2015 Ram Heavy Duty 2500/3500 pickups a raft of commercialgrade and best-in-class attributes to back you on every job.

- Best-in-class^[i] gas horsepower from the 6.4-liter HEMI V8: 410 working horses give you the ideal gas engine for acceleration and highway merging and cruising, even under the heaviest loads.
- + Fuel-efficient performance is engineered into the electro-mechanical heart of the 6.4-liter HEMI V8. Operating with seamless precision, our MDS/Fuel Saver Technology helps save fuel with no compromise or noticeable changes in engine operation
- + The cooled Exhaust Gas Recirculation (EGR) System is one of the first of its kind for a gas engine; common to diesel engines, the EGR System is designed to enhance fuel efficiency in heavy-load and uphill towing situations
- + Fuel Saver Technology plays a significant role in fuel-efficient performance. While cruising at highway speeds, the engine automatically (and imperceptibly) shuts off four of the eight cylinders, letting you maintain speeds with the efficiency of four-cylinder operation
- Our engineers looked at the truly big picture-in short, every heavyduty assignment you could imagine-and then incorporated the 6.4-liter HEMI V8 into this powertrain lineup. What you get is a 2015 Ram 2500/3500 that delivers clout where clout is needed. The engines described here reflect the most comprehensive lineup in our history, and the 6.4-liter HEMI V8 stands out with stunning best-in-class features.
- Trucks of this power and quality don't back down. Only the Ram Heavy Duty powertrains deliver these levels of horsepower and torque.
- + Matching that class-distinctive best-in-class[i] gas horsepower is best-in-class[1] gas torque; the 6.4-liter HEMI V8 torque levels are rated at a super-competent 429 lb-ft @ 4.000 rnm
- + Best-in-class(i) gas towing rides handin-hand with best-in-class^[i] gas power. Ram 2500 models with the 6.4L HEMI V8 offer phenomenal towing-up to 16,300 lb, and up to 16,520 lb on Ram 3500 DRW models (All towing figures apply to properly equipped trucks.)
- + Best-in-class[i] payload rounds it out. The available 6.4-liter HEMI V8 in Ram 3500 delivers an impressive payload rating of 7.390 lb when properly equipped. This is pure canability at your service.
- + The 6.4-liter HEMI V8 offers one further Ram application of advanced technology. Individual Cylinder Fuel Control is a diagnostic monitoring system that enables air/fuel refinements and ensures ideal mixtures for each individual cylinder

THE TRANSMISSION: Like its smaller displacement brother, the 6.4-liter HEMI V8 is mated to the long-proven 66RFE 6-speed automatic. This component delivers heavy-duty levels of capability for towing and hauling. Count on driver-adaptive shifting, three multiple clutch packs, dual filters on a dual-stage pump and an independent lubrication cooler to ensure ample pressures—and peace of mind—under all driving situations and towing/hauling conditions.

2500/3500 TOWING CAPABILITY

25	2500 TOWING SPECS			2500 — SAE J2807 STANDARD COMPLIANT										
	m loaded trailer weight (when			Regular Cab 8' BOX			Crev	Mega Cab®						
						6'4" BOX			8' BOX	6'4" BOX				
	Engine	Axle Ratio	GCWR	4x2	4x4	4x2	4x4	4x2	4×4	4x2	4x4			
Transmission	5.7L HEMI® V8 CNG/ 66RFE 6-speed	3.73	15,000						6,940					
	5.7L HEMI V8/ 66RFE 6-speed	3.73	18,300	11,870	11,500	11,510	11,200	11,360	11,020	11,040	10,770			
		4.10	20,300	13,870	13,500	13,510	13,200	13,360	13,010	13,040	12,770			
		3.73	19,800	13,300	12,930	12,940	12,610	12,810	12,440	12,480	12,230			
Automatic	6.4L HEMI V8/ 66RFE 6-speed	4.10	17,500				10,000							
Aut		4.10	22,800	16,300	15,930	15,940	15,610	15,810	15,440	15,480	15,230			
	6.7L Cummins® Turbo Diesel I-6/ 68RFE 6-speed	3.42	25,300*	17,970	17,520	17,510	17,180	17,360	17,020	17,170	15,190			
M	6.7L Cummins Turbo Diesel I-6/ G56 6-speed	3.42	24,300*	16,900	16,440	16,450	16,120	16,290	15,940	16,100	14,520			

35	DO TOWIN	G SP	ECS					3500 –	SAE J	2807 S1	TANDAF	D COM	PLIANT	г			
	m loaded trailer weight (whe				Regul	lar Cab			Crew Cab						Meg	a Cab®	
				8'BOX 8'BOX DRW		6'4" BOX 8' E		BOX 8' BOX DRW		6'4" BOX		6'4" BOX DRW					
	Engine	Axle Ratio	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	5.7L HEMI® V8/	3.73	18,400	11,910	11,560			11,520	11,200	11,410	11,020			11,270	10,990		
	66RFE 6-speed	4.10	20,400	13,910	13,560			13,520	13,200	13,410	13,020			13,270	12,990		
		3.73	19,900	13,370	12,970	13,020	12,640	12,970	12,640	12,830	12,470	12,450	12,100	12,710	12,400	12,210	12,020
	6.4L HEMI V8/ 6GRFE 6-speed	4.10	22,900	16,370	15,970			15,970	15,640	15,830	15,470			15,710	15,400		
Automatic Transmission		4.10	23,400			16,520	16,140					15,950	15,600			15,710	15,520
	6.7L Cummins® Turbo Diesel I-6/ 68RFE 6-speed	3.42	25,300	17,910	17,560	17,550	17,180	17,490	17,200	17,360	17,010	17,000	16,660	17,160	16,800	16,770	16,460
tic Tra		3.73	27,300			19,550	19,180					19,000	18,660			18,770	18,460
utoma		4.10	30,300			22,550	22,180					22,000	21,660			21,770	21,460
₹		3.42	25,300	17,770	17,420			17,350	17,050	17,210	16,860			17,020	16,660		
	6.7L Cummins	3.42	29,300			21,410	21,030					20,860	20,510			20,620	20,320
	High Output Turbo Diesel I-6/ AISIN® 6-speed	3.73	32,300			24,410	24,030					23,860	23,510			23,620	23,320
	AISIN 6*speed	4.10	37,800				29,530					29,360	29,010			29,120	28,820
		4.10	37,900			30,000											
¥.	6.7L Cummins Turbo Diesel I-6/	3.42	24,300	16,870	16,520	16,510	16,130	16,450	16,160	16,320	15,960	15,960	15,610	16,120	15,760	15,720	15,420
_	G56 6-speed	3.73	26,300			18,510	18,130					17,960	17,610			17,720	17,420

MT = Nameal Transmission | DRW = Druit Rear Wheel | Weights given in b. | Numbers in Black boxes reflect max ratings.

1. Weights on estimated values rounded to the nearest 10 b.

2. Weights on estimated values rounded to the nearest 10 b.

Passinger Weight = 300 ib

Passinger Weight = 300 ib

Traillaring Equipment Weight > 10 b per tool from end of 240 be not of frame.

Book off 600/ Despetion Weight = 00 ib per tool from end of 240 be not off form.

Book off 600/ Despetion Weight = 00 ib per tool from end of 240 be not off frame.

Passinger Weight = 100 ib

Traillaring Equipment Weight > 10 ib per tool from end of 240 be not off frame.

Passinger Weight = 100 ib

Traillaring Equipment Weight > 10 ib per tool from end of 240 be not off frame.

Passinger Weight = 100 ib per tool from end of 240 be not off frame.

Passinger Weight = 100 ib per tool from end of 240 be not off frame.

Passinger Weight = 100 ib per tool from end of 240 be not off frame.

Passinger Weight = 100 ib per tool from end of 240 ib per tool from end off the 100 ib per tool from end of 100 ib per tool from



2500/3500 PAYLOAD CAPABILITY

2500	PAYLOAI	O CDECC		2500										
		Regular Cab			Crev		Mega Cab®							
Maximum payload capacities (when properly equipped)			8' BOX		6'4"	BOX	8°E	OX	6'4"	BOX				
	Engine	GVWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4				
Transmission	5.7L HEMI® V8 CNG/66RFE 6-speed	9,000						1,410						
	5.7L HEMI V8/ 66RFE 6-speed	9,000	3,040	2,670	2,680	2,370	2,530	2,190	2,210	1,950				
	6.4L HEMI V8/	8,510				1,480								
mat	66RFE 6-speed	10,000	3,970	3,600	3,610	3,280	3,480	3,110	3,160	2,900				
Automatic	6.7L Cummins® Turbo Diesel I-6/ 68RFE 6-speed	10,000	3,170	2,700	2,690	2,360	2,530	2,190	2,340	1,990				
FM	6.7L Cummins Turbo Diesel I-6/ G56 6-speed	10,000	3,070	2,610	2,630	2,290	2,470	2,120	2,280	1,930				

	PAYLOAD	I SPFCS			0-1					00					0.10	_
pav	load capacities (when prope	rly equipped)		Regul 30X	ar Cab					v Cab BOX				BOX	a Cab®	
,,,					8' BO			вох	-		8, 80)				6'4" B0	OX D
	Engine	GVWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	╀
		10,100	4,080													╀
		10,300		3,930												╀
	5.7L HEMI® V8/ 66RFE 6-speed	10,500					4,090									╀
Automatic Transmission	CONFE O"Speeu	10,700						3,970								╀
		11,000							4,480				4,340			╀
		11,300								4,390				4,360		╀
		10,200	4,140													╀
		10,400		3,940												╀
		10,500					4,040									╀
		10,800						4,010								╀
6.4L HEMI V8/ 66RFE 6-speed		11,100							4,500							\perp
		11,200											4,480			╀
	66RFE 6-speed	11,400								4,440				4,370		╙
		13,300			6,890	6,510					6,320	5,970			6,080	L
		13,700			7,240	6,910										L
		13,800			7,390											L
		13,900													6,680	L
		14,000									7,020	6,670				
	6.7L Cummins® Turbo Diesel I-6/ 68RFE 6-speed	11,100	4,180													L
		11,500		4,230			4,160									L
		11,600											3,930			L
		11,700						4,070								
		12,000							4,530							L
		12,300								4,480						
		12,400												4,270		
		14,000			6,720	6,350					6,170	5,830			5,940	
		11,100	4,040													Ι
		11,500		4,090			4,020									Τ
		11,600											3,790			Т
	6.7L Cummins High Output	11,700						3,920								Γ
	Turbo Diesel I-6/ AISIN® 6-speed	12,000							4,380							Т
	Alone o specu	12,300								4,330						Т
		12,400												4,130		Т
		14,000			6,580	6,200					6,030	5,680			5,790	I
		11,100	4,140													Т
		11,500		4,190			4,120									Т
		11,600											3,890			
	6.7L Cummins	11,700						4,030								T
	Turbo Diesel I-6/ G56 6-speed	12,000							4,490							T
		12,300								4,430						T
		12,400												4,230		T
		14.000			6.680	6.300					6.130	5.780			5.890	t

MT = Manual Transmission | 10 MW = Dual Rear Wheel | Weights given in 1b. | Numbers in Black boxes reflect max railings.

1. Weights are entirelated values rounded to the naesets 10 lb.

2. Payload = GVMR = Base Weight.

3. Payload = GVMR = Base Weight.

4. EdWRs, GVMRs and GCWRs should never be exceeded.

4. EdWRs, GVMRs and GCWRs should never be exceeded.

5. \$300 Registral CA, CE, 4. Ltt. #1.10 and eratio GVMR of 13,000 lb applies to Tradesman package only. All other price classes for this configuration (Reg Cab, 4x2, 6.4 Lt with 4.10 and eratio), GVMR is 13,700 lb.






UNCOMPROMISING SUPPORT AT EVERY TURN.

THE STANDARD 3500 DRW HOTCHKISS LEAF SPRING REAR SUSPENSION

The demands put on the 3500 weight class compel unrelenting capability Shown here is the Ram 3500 Dually model, with its standard Hotchkiss leaf spring rear suspension ably meeting every requirement for payload and occupant comfort



Both Ram 2500 and 3500 use 50 ksi steel, with eight tough crossmembers all contributing to robust towing and hauling. The front and rear sections are produced through hydroforming, a process that ensures durable strength and mass efficiencies. Rail contours are ideally placed for the suspension components and ancillary mounts.

means to master the toughest tasks. This frame strength measures up with the resilient stiffness that gives you no-nonsense towing with notable structural integrity to ensure occupant comfort when hauling big payloads. The 2015 Ram Heavy Duty high-strength steel frames mean you're riding on the solidity of 50 ksi steel. This chassis enables Ram tough capability, especially when towing and hauling-the very nurnose of a Ram Heavy Duty.

Whether used for husiness or pleasure, a Ram Heavy Duty gives you the

The Ram Heavy Duty frame is engineered to be tougher, stronger and larger than the previous generation with eight tough crossmembers. Wide rails and a front rail extension of two inches enabled front suspension springs to be positioned slightly outboard, generating more roll stiffness to improve the ride

The proven ladder frame also features a large front suspension crossmember with hydroformed front and rear sections and roll-formed center rail sections in a smart, outwardly curved position to improve rear spring and shock placement

All Bam 2500/3500 models feature as standard equipment the unique three-link front suspension. As well as incorporating the three-link front suspension technology, we also integrated a large stabilizer bar to ensure the roll stiffness required by the high GVW ratings of Ram Heavy

Duty. Those numbers are impressive, reaching up to 10,000 lb for Ram

2500 and up to 14,000 lb for Ram 3500 models

Formidable front axle and suspension engineering makes Ram Heavy Duty the choice for front-load accessories. These Rams bring a best-in-class[1] 1.265-lb snow plow rating to work for you.

Shared Ram 2500/3500 technology also embraces the front axle disconnect, which automatically disengages the front drive axle when reengaging the rear-wheel-drive mode on 4WD models. Our front axle disconnect design was purposeful from the get-go, helping reduce parasitic losses which in turn helps

RAM 2500 CAPABILITY: BEST-IN-CLASS" TOWING AND GCWR SAYS IT ALL.

The 2015 Ram 2500 Heavy Duty: three-link front suspension for the front axle: electronic 4v4 front avle disconnect: fully integrated rear structural crossmember results: an outstanding combination of ride, handling and capability.

MAX PAYLOAD* 3.970 LB

CLASS-EXCLUSIVE!" RAM 2500



The 2015 Ram 3500 Heavy Duty: unique three-link front suspension with solid

axle; heavy-duty Hotchkiss rear suspension and wide rails; large front suspension crossmember; fully integrated rear structural crossmember; in total, eight high-strength crossmembers with high-strength hydroformed front and rear rail sections.

RAM 3500 CAPABILITY: BEST-IN-CLASS" TOWING; PAYLOAD' AND GCWR.

MAX PAYLOAD* 7.390 LB MAX GVWR



CLASS-EXCLUSIVE! RAM 2500



IT STANDS APART AS THE FIRST-OF-ITS-KIND REAR SUSPENSION FOR A HEAVY-DUTY. THE AVAILABLE AUTO-LEVEL REAR AIR SUSPENSION SYSTEM FOR RAM 2500 took its engineering cues from the

and it's the standard for all Ram 2500 models. The class-exclusive[1] five-link coil spring rear suspension features unique multirate coil springs and heavy-duty fixeddisplacement twin-tube shock absorbers; both are placed in an outboard position that optimizes performance and minimizes noise/vibration. Inside the structure, a huge II.5-inch solid rear axle translates into exceptional handling, especially when carrying heavy loads.

available Ram 1500 Active-Level™ Four-Corner Air Suspension System. This Ram Heavy Duty adaptation addresses needs specific to the higher GVWRs and GCWRs of the 2500 class. The two modes include: NORMAL LOAD-LEVELING MODE ALTERNATE RIDE HEIGHT MODE lowers the rear suspension by about an

provides a level load profile by monitoring ride heights on both sides of the vehicle and creating a slight positive rake angle.

inch, keeping an even alignment between the hitch and trailer tongue for a level load and a parallel, level relationship between the vehicle and the trailer. The "rake" from nickun front end to the rear of the trailer remains consistent, ensuring level ride and handling with superb towing and hauling characteristics.

CLASS-EXCLUSIVE! RAM 2500/3500

THE AUTO-LEVEL REAR AIR SUSPENSION SYSTEM





Class-pioneering, the groundbreaking Auto-Level Rear Air Suspension System for Ram Heavy Duty models is a dual-mode operator-activated system specifically engineering for the exceptional GVWRs and GCWRs expected from these relentless workhorses.

In Normal Load-Leveling Mode, the system monitors ride heights on both vehicle sides, constantly adjusting for load shifting or changes in road surfaces; a level load profile and proper headlamp-toroad angle-even while undertaking jaw-dropping hauling-is assured.

Alternate Ride Height Mode lowers the rear suspension by about an inch to maintain an even alignment between the hitch and trailer tongue. This mode ensures a level load and creates a parallel, level relationship between the vehicle and the trailer, ensuring an even "rake" from the front of the pickup through the trailer

CLASS-EXCLUSIVE! RAM 3500

THE AVAILABLE AUTO-LEVEL REAR AIR SUSPENSION SYSTEM



THE AVAILABLE AUTO-LEVEL REAR AIR SUSPENSION SYSTEM FOR RAM 3500 deploys engineering specific to the weight class and the typically tougher assignments given to these pickups. Here, leaf springs are augmented with air springs mounted on top of the axle, resulting in the air springs and leaf springs working together for load carrying. The technology is utilized in both 2015 Ram 3500













LARAMIE: LIFE IS SWEET.



OUR FINEST MOMENT. YOUR YEARS OF LUXURY.

Everything about it speaks the vocabulary of achievement: sophistication. Refinement. Luxury. Comfort. From the moment you get into a Ram Laramie, you know you've made it.

TOP ROW: Surrounded by elegant trim with stitching, even the buttons and controls convey total quality; ergonomic and easy-to-use: the dashboard-mounted rotary dial for 4x4 operation.

MIDDLE ROW: Contrasting trim treatment in Laramie door panels shows off the distinctive Ram aesthetic; built-in USB ports are indispensable for operating and charging electronics.

BOTTOM ROW: The Laramie interior in Canyon Brown/Light Frost Beige, with embossed logos on seatbacks and center console.

Few pickups stand out with such sophistication as the Ram Laramie models. The luxurious treatments and inviting interiors bring a wealth of appointments, design refinements, comfort and craftsmanship to the Ram Heavy Duty portfolio.

You'll know, feel and see it from the moment you take a seat in Ram Laramie, with features that include the distinctive six-ring instrument cluster and the understated elegance of leather-trimmed touches. When it comes to luxury, it's clear: we've reached our finest moment—and you've arrived.

EXPLORE THE INNER SPACE OF RAM. THESE ARE CABS WITH ROOM TO MOVE.

Ram Heavy Duty models stand apart—and often stand at the top. Above, Ram 2500/3500 Mega Cab* offers best-in-classibilitation space with generous leg and hip room.

Ram 2500/3500 Crew Cab offers a vast interior, with amenities that include in-floor storage and available fold-flat load floor.



Ram 2500/3500 Mega Cab I42.65 cu-ft interior volume



Ram 2500/3500 Crew Cab I25.3 cu-ft interior volume







COLOSSAL PAYLOAD



+ TOP-TIER STORAGE

Class-Exclusive: the RamBox° Cargo Management System.

RAM EXCLUSIV 2015

This is what it takes for capability: authoritative hauling. Superb towing. Only Ram goes further, by offering extreme versatility for storing and carrying cargo. This is the only pickup in the segment⁽⁰⁾ to offer the comprehensive and unique RamBox Cargo Management System. Get the specs online—or just turn the page.











Properly secure all cargo

WHEN YOU'RE ON THE MOVE, RAM GIVES YOU ROOM TO SPARE.

RAM HEAVY DUTY PICKUPS are designed to deliver incredible hauling capability and storage capacity—and we don't let you down.

A Ram pickup is designed to give you all the space you need to help friends move, haul heavy items for your next project or travel comfortably across the country. Depending on the model, rear seats fold up or down for level-floor hauling when materials are best carried inside. Front-center seats open for at-hand storage. Huge bins in the front doors offer serious volume. In-floor storage bins on Crew Cab models are removable for draining ice—and invaluable for keeping things out of sight.

Select Ram Heavy Duty models with the 6'4" bed give you a class-exclusive¹¹ advantage over the competition—the available RamBox⁸ Cargo Management System. This complete package for hauling and storage consists of a bed extender/divider, cargo bed rails with four adjustable tie-down cleats and the RamBox System bins: two large, illuminated, drainable and lockable bed-side compartments. If hunting and fishing are part of your lifestyle, there are even Authentic Accessories from Mopar₈ for the RamBox System created specifically for the sportsman. Check it out at MOPAR.COM

TOP: Dual glove boxes ramp up storage; seats triple-up: the front-row center position can be a seat, a fold-flat writing surface or a storage compartment with integrated cup holders.

MIDDLE: In-floor storage bins of Ram Crew Cab models are convenient—and removable; the extra-large in-door bins hold oversize bottles, with ample space for large items.


BOTTOM: Under-the-seat storage is ideal when you want to stash items unseen by outside observers—one of the many advantages to Ram Crew Cab models.

BELOW: Described in detail on this page, the class-exclusive^(c) available RamBox Cargo Management System ingeniously combines storage with uncompromised capability: standard 4x8 sheets of building materials still fit comfortably between the wheel wells of the cargo bed.

REMOTE KEYLESS ENTRY, ALLSECURE® LOCKING SYSTEM.
Versalik key fobs give you more Ram conveniences. The available Remote Keyless
Entry System also features the AllSecure Locking System, which locks/unlocks
all doors, the taligate and (if equipped) both RamBox System bed-side
compartments. Available fold functions can also include the Remote Start
function and the pancia button.



THE CLASS-EXCLUSIVE" AVAILABLE RAMBOX CARGO MANAGEMENT SYSTEM



RAMBOX SYSTEM DIMENSIONS	6'4" CARGO BED
A	18.6"
В	60.2"
С	18.9*
TOTAL VOLUME (both sides)	8.6 cu ft





Properly secure all cargo



WITH CAPABILITY THIS TOUGH, YOU CAN GO TO EXTREMES.

ONE PICKUP DOMINATES THE REMOTEST OFF-ROAD LOCATIONS—and for good reason: Ram Power Wagon® carries both a reputation and a level of equipment that lets you go where others don't dare.

Like its tough Ram 2500 Heavy Duty brothers, Ram Power Wagon recently upgraded the front and rear suspensions and boosted frame strength. But this Ram is built for the ultimate in off-road capability, and that's where all comparisons take a sharp turm—right to the extreme.

This is what it takes to become the most capable off-road full-size pickup^{1,51} 4x4 capability bolstered by front and rear electronically locking differentials. Multiple skid plates and underbody protection. Heavy-duty Bilstein® monotube shocks on all four corners. Solid front and rear axles. New Hill Descent Control ... all standard—exactly what you'd expect for a truck created to climb over rocks and mountains. Now add a low-geared 4.10:1 axle ratio, 14.3 inches of running ground clearance, approach and departure angles of 33.6 and 26.2 degrees respectively, all riding on monster 33-inch Goodyear® Wrangler DuraTrac tires. Some things are made to be taken to the maximum. This is one—and it stands at the top. There's a ton more at RAMTRUCKS.COM

BELOW, UPPER LEFT: Ram Power Wagon gets up to that remote cabin thanks to the standard 6.4-liter HEMI® V8 mated to the tough 66RFE 6-speed transmission, for a terrain-mastering 410 horsepower and 429 lb-ft of torque.

Fuel conservation is built in: the 6.4L HEMI V8 features the hallmark Fuel Saver Technology/MD8—the Multi-Displacement System that shuts off four of the eight cylinders during highway cruising, transforming the formidable HEMI V8 into a fuel-sipping four cylinder.

BELOW, LOWER LEFT: Standard on Ram Power Wagon is the indispensable WARN® winth tucked away in the front bumper, giving you 12,000 lb of capability using half-inch high-strength aircraft wire. It's known to come in handy when helping other off-roaders with a less-capable truck out of a jam.

BELOW, RIGHT: This pickup stands out by standing up to the harshest extremes. Count on tough skid plates for the fuel tank and transfer case; electronic disconnecting front stabilizer (or sway) bar; front and rear electronic locking differentials, with beavy-duty components like the Bilstein monotube heavy-duty shocks working with the proprietary Ram ArticulinkTM system that delivers increased wheel travel. Put it all together, and you've got the most capable off-road full-size pickup^[15]









It was a point in time marked by invention and liberation—and the mighty Power Wagon* played a significant role.


Based on trucks engineered to meet military-grade specifications for WWII, the first Power Wagon rolled off the assembly line in 1945, with the mandate to be the most capable and versatile on- and off-road vehicle ever manufactured. It fulfilled that directive with astonishing presence. Available as a Chassis Cab (for \$1,555) and a pickup (\$1,627), the first Power Wagon models could carry an unheard-of 3,000-lb payload in off-road conditions. Power Wagon provided an instant solution to a wide variety of agricultural, industrial and commercial needs, and the model was a particular favorite of fire-fighters and of the Forest Service.


Built to one-ton weight class specs, those initial Power Wagon models boasted massive strength: in-line L-head six-cylinder engine with castiron block (in 1946, its 94 hp/185 lb-ft of torque was exceptional). The four-speed manual transmission was mated to a two-speed transfer case, enabling eight forward speeds and two in reverse, with heavy-duty front shock absorbers and front winch.

The importance of Power Wagon throughout history is reflected in virtually uninterrupted production and ongoing improvements for nearly 70 years. The place it now holds in the Ram portfolio is unmatched in the entire segment: the 2015 Ram Power Wagon still dominates as the most capable off-road full-size pickup^[15]



RAM HEAVY DUTY DIMENSIONS





RAM CREW CAB WITH 8' BOX SHOWN

RAM HEAVY DUTY INTERIOR DIMENSIONS										
All dimensions are in inches unless otherwise noted.	REGULAR CAB	CREW CAB	MEGA CAB®							
HEAD ROOM FRONT/REAR	40.3	41.0 / 39.9	41.0 / 40.3							
LEG ROOM FRONT/REAR	41.0	41.0 / 40.3	41.0 / 43.3							
SHOULDER ROOM FRONT/REAR	66.0	66.0 / 65.7	66.0 / 65.7							
HIP ROOM FRONT/REAR	62.9	63.2 / 63.2	63.2 / 63.2							
BEHIND SECOND ROW (CU FT)	N/A	N/A	12.1							
TOTAL INTERIOR VOLUME (CU FT)	62.5	125.3	142.65							

RAM 2500 EXTERIOR DIMENSIONS											
All specs are for base models only; in inches unless	REGULAR CAB	CREV	CREW CAB								
otherwise noted.	8. BOX	6'4" BOX	8' BOX	6'4" BOX							
OVERALL BODY WIDTH	79.4	79.4	79.4	79.4							
OVERALL HEIGHT (4x2 / 4x4)	76.2 / 78.1	76.9 / 78.8	76.7 / 78.6	77.9 / 79.8							
OVERALL LENGTH	230.4	237.3	259.4	248.4							
TRACK - FRONT (4x2 / 4x4)	68.7 / 68.7	68.7 / 68.7	68.7 / 68.7	67.7 / 67.7							
TRACK - REAR (4x2 / 4x4)	68.1 / 68.1	68.1 / 68.1	68.1 / 68.1	67.1 / 67.1							
WHEELBASE (4x2 / 4x4)	140.2 / 140.4	149.1 / 149.3	169.1 / 169.3	160.2 / 160.4							
BOX HEIGHT	20.2	20.1	20.2	20.1							
BOX LENGTH	98.3	76.3	98.3	76.3							
BOX WIDTH, WALL TO WALL	66.4	66.4	66.4	66.4							
BOX WIDTH, BETWEEN WHEELHOUSINGS	51	51	51	51							

RAM 3500 EXTERIOR DIMENSIONS											
All specs are for base models only; in inches unless	REGUL	AR CAB		CREW CAB	MEGA CAB						
otherwise noted.	8, BOX	8' BOX DRW	6'4" BOX	8' BOX	8' BOX DRW	6'4" BOX	6'4" BOX DRW				
OVERALL WIDTH	79.4	96.4	79.4	79.4	96.4	79.4	96.4				
OVERALL HEIGHT (4x2 / 4x4)	77.7 / 79.1	77.7 / 79.1	78.4 / 79.8	77.4 / 79.6	77.4 / 79.6	78.3 / 79.7	77.5 / 79.0				
OVERALL LENGTH	230.4	230.4	237.3	259.3	259.3	248.4	248.4				
TRACK - FRONT (4x2 / 4x4)	67.7 / 67.7	68.6 / 69.5	67.7 / 67.7	67.7 / 67.7	68.6 / 69.5	67.7 / 67.7	68.6 / 69.5				
TRACK - REAR (4x2 / 4x4)	67.1 / 67.1	75.8/75.8	67.1 / 67.1	67.1 / 67.1	75.8/75.8	67.1 / 67.1	75.8/ 75.8				
WHEELBASE (4x2 / 4x4)	140.0 / 140.4	140.0 / 140.4	148.9 / 149.3	168.9 / 169.3	168.9 / 169.3	160.0 / 160.4	160.0 / 160.4				
BOX HEIGHT	20.2	20.2	20.1	20.2	20.2	20.1	20.1				
BOX LENGTH	98.3	98.3	76.3	98.3	98.3	76.3	76.3				
BOX WIDTH, WALL TO WALL	66.4	66.4	66.4	66.4	66.4	66.4	66.4				
BOX WIDTH, BETWEEN WHEELHOUSINGS	51	51	51	51	51	51	51				

2500/3500 SRW WHEELS

Standard on 2500 Power Wagon® Models (WFV)

17-inch Steel, Argent Painted Finish

17-inch Steel, Chrome Finish

Standard on SLT and Big Horn/Lone Star . Optional on Tradesman (WD4)

17-inch Polished Aluminum

and Big Horn/Lone Star (WF7)

17-inch Polished Aluminum with Unique Longhorn Center Cap

Standard on Laramie Longhorn (WF9)

and Laramie Limited • Optional on SLT

Standard on La



Standard on 2500 Tradesman (WDA)



18-inch Steel Argent Painted Finish Standard on 3500 Tradesman . Optional on 2500 Tradesman (WBN)



18-inch Polished Forged Aluminum Standard on Big Hom/Lone Star and Outdoorsman • Optional on SLT (WBJ)



18-inch Polished Aluminum with White Gold Pockets Standard on Laramie Longhorn with Two-Tone Exterior Paint (WBM)

3500 DRW WHEELS 2500/3500 SRW WHEELS



20-inch Painted Satin Carbon Aluminum with Chrome Inserts Standard on Laramie Limited • Optional on SLT, Big Horn/Lone Star,
Outdoorsman and Laramie (WRJ)



20-inch Black Painted Aluminum



20-inch Polished Aluminum with White Gold Pockets



20-inch Polished Aluminum with Silver Pockets Optional on Laramie Longhorn with available Monotone Exterior Paint (WRA)

2500/3500 TRIM LEVELS

Tradesman Tough, no-nonsense capability for the workman



ALL STATES			
18-inch Steel, Chrome-Clad	2500		
Standard on SLT • Optional on Tradesman (WBH)	CABS	BEDS	SEATING
	Regular Cab	SRW: 8' Bax	40/20/40 Bench Seat
I8-inch Polished Aluminum		3	200
Standard on Laramie (WBL)	Crew Cab	SRW: 6'4" or 8' Box	40/20/40 Bench Seat
	3500		
	CABS	BEDS	SEATING
	-0	8 [m] [工题
	Regular Cab	SRW: 8' Bax DI	RW: 8' Box 40/20/40 Bench Seat
I8-inch Polished Aluminum with Silver Pockets	JULY-	A COURT OF	P 849
idard on Laramie Longhorn with available Monotone Exterior Paint (WBA)	700	3	
3500 DRW WHEELS	Crew Cab	SRW: 6'4" or 8' Box DI	W: 8' Box 40/20/40 Bench Seat

MECHANICAL

2500: 5.7L HEMI® V8 with heavy-duty cooling and 66RFE 6-speed

3500 SRW: 5.7L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 7 x II-inch trailer tow mirrors • Tow hooks

3500 DRW: 6.4L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 7 x II-inch trailer tow mirrors • Tow hooks

2500/3500: Electronic Stability Control (ESC)[16] System, which includes 4-wheel ABS, Brake Assist, Rain Brake Support, Ready Alert Braking, All-Speed Traction Control, Electronic Roll Mitigation, Hill Start Assist and Trailer Sway Control (6) • Manual part-time transfer case (on 4x4 models) • 31-gallon fuel tank (6'4" box models) • 32-gallon fuel tank (8' box models)

INTERIOR

Vinyl 40/20/40 front bench seat • Vinyl folding rear bench on Crew Cab models Virryl floor covering • Multistage front air bags^[17] Supplemental side-curtain air bags^[17] • Supplemental front-seat side-mounted air bags^[17] • Tilt steering wheel Automatic headlamp control • Air conditioning • Power windows and door locks (on Crew Cah models) • Uconnect® 3.0 AM/FM system • Media bub with MP3 auxiliary jack and 1.5-amp USB port • 3.5-inch Electronic Vehicle Information Center (EVIC) located in instrument panel cluster

EXTERIOR

Black front and rear bumpers • Black grille surround and inserts • Black fold-in sideview mirrors • Quad-lens halogen headlamps • Bed rail caps • Locking tailgate (Regular Cab) • Power locking tailgate (Crew Cab) • 4- and 7-nin trailer wiring harness/connectors • Class V trailer hitch eiver • 17-inch steel wheels (2500/3500 DRW) • 18-inch steel wheels (3500 SRW)

FIND A DEALER







2500/3500 TRIM LEVELS

SLT Uncompromising strength with welcome touches of comfort



CABS	BEDS		SEATING		
	3[20		
Regular Cab	SRW: 8' Bax		40/20/40 Bench Seat	Bucket Seats, Opt.	
	3 [11]		動	脚	
Crew Cab	SRW: 6'4" or 8' Box		40/20/40 Bench Seat	Bucket Seats, Opt.	2
E	PIN.		40	and the	CAI
Mega Cab®	SRW: 6'4" Box		40/20/40 Bench Seat	Bucket Seats, Opt.	1
3500					Cree
CABS	BEDS		SEATING		1
Pi	3 (111)		49		1
Regular Cab	SRW: 8' Bax	DRW: 8" Box	40/20/40 Bench Seat	Bucket Seats, Opt.	Meg 3
	8 6		49	则	CAI
Crew Cab	SRW: 6'4" or 8' Box	DRW: 8' Box	40/20/40 Bench Seat	Bucket Seats, Opt.	1
			My		Cres
Mega Cab	SRW: 6'4" Box	DRW: 6'4" Box	40/20/40 Bench Seat		95

MECHANICAL

2500: 5.7L HEMI® V8 with heavy-duty cooling and 66RFE 6-speed

3500 SRW: 5.7L HEMI V8 with heavy-duty cooling and 66RFE 6-sneed automatic transmission • 7 x II-inch trailer tow mirrors • Tow hooks

3500 DRW: 6.4L HFMI V8 with heavy-duty cooling and 66RFE 6-sneed automatic transmission • 7 x II-inch trailer tow mirrors • Tow hooks

2500/3500: Electronic Stability Control (ESC)[6] System • Electronic part-time transfer case (on 4x4 models) • Electronic trailer brake controller • Remote keyless entry • 31-gallon fuel tank (6'4" box models) • 32-gallon fuel tank (8' box models)

INTERIOR


Cloth 40/20/40 front bench seat • Cloth folding rear bench on Crew Cab and Mega Cab models • Carpet floor covering • Multistage front air bags^[rr] • Supplemental side-curtain air bags^[rr] • Supplemental front-seat side-mounted air bags^[17] • Tilt steering wheel • Automatic headlamp control • Air conditioning Power windows and door locks • Uconnect® 5.0 AM/FM/Bluetooth® touchscreen system with SiriusXM® Satellite Radio[5] . Media hub with MP3 auxiliary jack and I.5-amp USB port • 3.5-inch Electronic Vehicle Information Center (EVIC) located in instrument panel cluster • Overhead console • Power sliding rear window on Crew Cab and Mega Cab models

EXTERIOR

Chrome front and rear bumpers • Chrome grille surround with Black inserts • Quad-lens halogen headlamps • Chrome door handles • Black, power heated fold-in sideview mirrors • Bed rail caps • Power locking tailgate • 4- and 7-pin trailer wiring harness/connectors • Class V trailer hitch receiver • 17-inch chrome steel wheels (3500 DRW) • 18-inch chrome steel wheels (2500/3500 SRW)

Big Horn/Lone Star Subtle upgrades inside and out—with its own brand for Texas





MECHANICAL

2500 Crew Cab 4x4 only: 5.7L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • ESC((iii) System • Remote keyless entry Electronic part-time transfer case • Electronic trailer brake controller . Transfer case skid plate . Remote Start (requires automatic transmission) Security alarm • 31-gallon fuel tank (6'4" box models) • 32-gallon fuel tank (8' hox models)

INTERIOR

Luxury Group • Leather-wrapped tilt steering wheel with audio controls • Premium cloth front bucket seats with center console • Power driver's seat . Cloth 60/40 solit-folding rear bench . Carpet floor covering . Rubber allweather floor mats • Multistage front air bags^[7] • Supplemental side-curtain air hags[i7] • Sunnlemental front-seat side-mounted air hags[i7] • Automatic headlamp control • Air conditioning • Power windows and door locks
• Uconnect 8.4A AM/FM/Bluetooth/Access^[6] touchscreen system with SiriusXM Satellite Radio [5] • Media hub with MP3 auxiliary jack, I.5-amp and 2.5-amn USB norts, and SD card slot • U5-volt nower outlet • Premium six-ring instrument panel cluster with full-color 7-inch multiview display . Overhead console with Universal Garage Door Opener . Power sliding

EXTERIOR

Two-tone paint with Black front bumper, rear bumper and fender flares . Body-color grille surround with Black inserts . Black door handles Black, power heated fold-in sideview mirrors with puddle lamps and turn signal indicators . Fog lamps . Quad-lens halogen headlamps Bed rail caps • Power locking tailgate • 4- and 7-pin trailer wiring harness/connectors • Class V trailer hitch receiver • Tow hooks • 18-inch polished aluminum wheels



Drew Cab	SRW: 6'4" or 8'Box	DRW: 8' Box	40/20/40 Bench Seat	Bucket Seats, Opt
E	3		2007	
CABS	BEDS		SEATING	
3500				
Moga Cab	SRW: 6'4"Bax		40/20/40 Bench Seat	Bucket Seats, Opt.
	S. Daniel		1	中的

SRW: 6'4"Box DRW: 6'4"Box 40/20/40 Bench Seat Bucket Seats, Opt.

SEATING

MEC	CHAN	ICAL	

BEDS

CONTRACTOR OF THE PARTY OF THE

SRW: 6'4" or 8' Box

2500: 5.7L HEMI V8 with heavy-duty cooling and 66RFE 6-speed

3500 SRW: 5.71 HFMI VR with heavy-duty cooling and 66RFF 6-sneed automatic transmission • 7 x II-inch trailer tow mirrors • Tow hooks

3500 DRW: 6.4L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 7 x II-inch trailer tow mirrors • Tow hooks

2500/3500: ESC^{((c)} System • Electronic part-time transfer case (on 4x4 models) • Electronic trailer brake controller • Remote keyless entry • Remote Start (requires automatic transmission) • 31-gallon fuel tank (6'4" box models) • 32-gallon fuel tank (8' box models)

INTERIOR

Premium cloth 40/20/40 front bench seat • Cloth 60/40 solit-folding rear bench seat • Carpet floor covering • Multistage front air bags[7] Supplemental side-curtain air bags^[07] • Supplemental front-seat side-mounted air bags^[07] • Leather-wrapped tilt steering wheel with audio controls • II5-volt power outlet • Automatic headlamp control • Air conditioning Power windows and door locks • Uconnect 5.0 AM/FM/Bluetooth touchscreen system with Sirius XM Satellite Radio [5] . Media bub with MP3 auxiliary jack, 1.5-amp and 2.5-amp USB ports • 3.5-inch EVIC located in instrument panel cluster . Overhead console . Power sliding rear window

EXTERIOR

Quad-lens halogen headlamps • Fog lamps • Chrome front and rear bumpers • Chrome grille surround with chrome billet inserts • Black, power heated fold-in sideview mirrors . Chrome door handles . Bed rail caps . Power locking tailgate • 4- and 7-pin trailer wiring harness/connectors • Class V trailer hitch receiver • 17-inch chrome steel wheels (3500 DRW) • 18-inch polished aluminum wheels (2500/3500 SRW)







2500/3500 TRIM LEVELS





D-------

CABS	BEDS	SEATING
	3	450
Crew Cab	SRW: 6'4" Box	40/20/40 Bench Seat

MECHANICAL

2500 Crew Cab 4x4 only: 6.4L HEMI® V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 180-amp alternator • Tow hooks • Skid plates for the fuel tank and transfer case • Electronic disconnecting front stabilizer (or sway) har • Front and rear electronic locking differentials • Hill Descent Control • 4.10:1 axle ratio • 12,000-1b WARN® winch • 31-gallon fuel tank . Electronic Stability Control (ESC)[16] System . Manual part-time

INTERIOR

Vinyl front 40/20/40 bench seat • Vinyl folding rear bench • Tilt steering wheel . Vinyl floor covering . Multistage front air bags [17] . Supplemental side-curtain air bags^[7] • Supplemental front-seat side-mounted air bags^[7] Automatic headlamns • Air conditioning • Power windows and door locks • Uconnect® 3.0 AM/FM system • Media hub with MP3 auxiliary jack and 1.5-amp USB port • 3.5-inch Electronic Vehicle Information Center (EVIC) in the instrument panel cluster

EXTERIOR

Monotone paint with chrome front and rear humners • Fog lamps • Black grille surround and inserts • Black headlamp filler panel • Black wheel flares Power Wagon tailgate decal • 17-inch forged aluminum wheels with 33-inch

CABS	BEDS	SEATING
	3 (100)	497
Crew Cab	SRW: 6'4" Box	40/20/40 Bench Seat

MECHANICAL

2500 Crew Cab 4x4 only: 6.4L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 180-amp alternator • Tow hooks • Skid plates for the fuel tank and transfer case • Electronic disconnecting front stabilizer (or sway) har • Front and rear electronic locking differentials Hill Descent Control • 4.10:1 axle ratio • 12,000-1b WARN winch • 31-gallon fuel tank . Remote keyless entry . ESC(6) System . Manual part-time transfer

INTERIOR

Cloth front 40/20/40 bench seat . Cloth folding rear bench . Tilt steering wheel . Carpet floor covering . Multistage front air bags[17] . Supplemental side-curtain air bags^[r] • Supplemental front-seat side-mounted air bags^[r] Automatic headlamps • Air conditioning • Power windows and door locks
 Uconnect 5.0 AM/FM/Bluetooth® touchscreen system with SiriusXM® Satellite Radio[5] . Media hub with MP3 auxiliary lack, and I.5-amp and 2.5-amp USB ports • 3.5-inch EVIC in the instrument panel cluster Overhead console • Power sliding rear window

EXTERIOR

Two-tone paint with front and rear chrome bumpers * Black wheel flares . Chrome grille surround with billet inserts . Black, power heated fold-in sideview mirrors . Black door handles . Black bed rail caps . Fog lamps • Premium 70-mm projector headlamps • Premium LED taillamps • Power locking tailgate . Power Wagon Decal Package . Class V trailer hitch receiver • 4- and 7-nin trailer wiring harnes aluminum wheels with 33-inch LT All-Terrain tires

SLT POWER WAGON GRAPHICS

Tailgate Graphic		Standard	
Hood Decal		Standard	
Side Graphic		Standard	
Chrome Grille Surround with Red Billets	Stani	dard (color-depend	lent)
Exterior Color	Red Graphics	Gray Graphics	Red Grille
Bright White	х		Х
Black (Monotone)	Х		Х
Bright Silver	Х		Х
Granite Crystal	Х		Х
Flame Red		Х	Х
True Blue		Х	
Maximum Steel		Х	
Deep Cherry Red		Х	
Blue Streak		Х	



MECHANICAL

2500 Crew Cab 4x4 only: 6.4L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 180-amp alternator • Tow hooks • Skid plates for the fuel tank and transfer case • Electronic disconnecting front stabilizer (or sway) har • Front and rear electronic locking differentials Hill Descent Control • 4.10:1 axle ratio • 12,000-lb WARN winch • 31-gallo fuel tank . Remote keyless entry . ESC(16) System . Manual part-time transfer

INTERIOR

Leather-trimmed heated and ventilated front 40/20/40 bench seat • Power driver and front-passenger seats . Leather-trimmed 60/40 split-folding rear bench • II5-volt power outlet • Carpet floor covering • Multistage front air hags [7] . Sunnlemental side-curtain air hags [7] . Sunnlemental front-seat side-mounted air bags^[r] • Heated leather-wrapped tilt steering wheel with audio controls . Automatic headlamps . Automatic Temperature Control (ATC) Power windows and door locks + Uconnect 8.4A AM/FM/Bluetooth/Acce touchscreen system with SiriusXM Satellite Radio[5] . Media bub with MP3 auxiliary jack, 1.5-amp and 2.5-amp USB ports, and SD card slot • Premium 10-speaker Surround Sound Audio System • Premium six-ring instrument panel cluster with full-color 7-inch multiview display . Overhead console with Universal Garage Door Opener . Power sliding rear window

FYTERIOR

Monotone paint with front and rear chrome bumpers . Body-color wheel flares . Chrome grille surround with chrome wave inserts . Chrome, power heated fold-in sideview mirrors • Chrome door handles • Black bed rail caps • Fog lamps • Premium 70-mm projector headlamps • Premium LED taillamps . Power locking tailgate . Power Wagon tailgate badge . Class V trailer hitch receiver • 4- and 7-pin trailer wiring harness/connectors • 17-inch forged aluminum wheels with 33-inch LT All-Terrain tires



Laramie Longhorn





Laramie Limited A premium all-Black leather interior sets this Ram apart



2500/3500 TRIM LEVELS



SEATING

SEATING



	SEATING SEATING Bucket Skats	-		4414	
		2500			
	SEATING	CABS	BEDS		SEATING
	49		B		
or 8'Bax	Bucket Seats	Crew Cab	SRW: 6'4" or 8' Box		Bucket St
I.	APP		38 [
34"Box	Bucket Seats	Mega Cab	SRW: 6'4" Bax		Bucket St
		3500			
	SEATING	CABS	BEDS		SEATING
	工。約		3		
or 8' Box DRW:	8' Box Bucket Seats	Crew Cab	SRW: 6'4" or 8'Box	DRW: 8'Box	Bucket St
T. O	r ag	/FEN	3 (m)		
G'4"Box DRW: 6	5'4"Box Bucket Seats	Mega Cab	SRW: 6'4" Box	DRW: 6'4"Bax	Bucket S

MECHANICAL

3500

CARS

BEDS

BEDS

2500: 5.7L HEMI® V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission

3500 SRW: 5.7L HEMI V8 with heavy-duty cooling and 66RFE 6-sneed automatic transmission • 7 x II-inch power-folding trailer tow mirrors • Tow hooks

3500 DRW: 6.4L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 7 x II-inch power-folding trailer tow mirrors
• Tow hooks

2500/3500: Electronic Stability Control (ESC)[6] System • ParkSense Rear Park Assist[2] . Electronic part-time transfer case (on 4x4 models) • Electronic trailer brake controller • Remote keyless entry • ParkView® Rear Back-Un Camera[2] . Security alarm . 31-gallon fuel tank (6'4" box models) • 32-gallon fuel tank (8' box models)

INTERIOR

Leather-trimmed heated and ventilated front 40/20/40 bench seat • Power driver and front-passenger seats . Leather-trimmed 60/40 solit-folding rear bench • II5-volt power outlet • Carpet floor covering • Multistage front air bags[0] . Supplemental side-curtain air bags[0] . Supplemental front-seat side-mounted air bags^[ri] • Heated leather-wrapped tilt steering wheel with audio controls . Automatic headlamps . Automatic Temperature Control (ATC) Power windows and door locks • Uconnect® 8.4A AM/FM/Bluetooth®/Access touchscreen system with SiriusXM® Satellite Radio(5) • Media hub with MP3 auxiliary jack, 1.5-amp and 2.5-amp USB ports, and SD card slot • Premiun IO-sneaker Surround Sound Audio System • Premium six-ring instrument panel cluster with full-color 7-inch multiview display • Overhead console with Universal Garage Door Opener . Power sliding rear window

FXTFRIOR

Two-tone paint treatment with lower body and wheel flares in Bright Silver Metallic • Chrome front and rear bumpers • Chrome door handles • Chrome grille surround with chrome wave inserts . Chrome, power heated fold-in sideview mirrors with puddle lamps and turn signal indicators • Premiur 70-mm projector headlamps . Premium LED taillamps . Fog lamps . Bed rail caps • Power locking tallgate • 4- and 7-pin trailer wiring harness/connector:
• Class V trailer hitch receiver • 17-inch polished aluminum wheels (3500 DRW) • 18-inch polished aluminum wheels (2500/3500 SRW)

MECHANICAL

BEDS

3500

CARS

2500: 5.7L HEMI V8 with heavy-duty cooling and 66RFE 6-speed

3500 SRW: 5.7L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 7 x II-inch power-folding trailer tow mirrors

3500 DRW: 6.4L HEMI V8 with heavy-duty cooling and 66RFE 6-speed automatic transmission • 7 x II-inch power-folding trailer tow mirrors

2500/3500: Tow hooks • ESC[16] System • ParkSense Rear Park Assist[2] Security alarm Remote Start (requires automatic transmission) 31-gallon fuel tank (6'4" box models) • 32-gallon fuel tank (8' box models)

Premium leather front bucket seats • Power driver and front-passenger seats . Heated and ventilated front seats . Full-floor center console with leather console cover • 115-volt nower outlet • Premium leather heated 60/40 split-folding rear bench • Carpet floor covering • Premium floor mats with removable inserts • Multistage front air bags^[07] • Supplemental side-curtain air bags^[07] • Supplemental front-seat side-mounted air bags^[07] • Heated leather-wrapped tilt steering wheel with wood accent and audio controls Automatic headlamps • Automatic Temperature Control (ATC) • Power windows and door locks . Uconnect 8.4AN AM/FM/Bluetooth/NAV/Access [6] touchscreen system with SiriusXM Satellite Radio[5] SiriusXM Traffic[5] and SiriusXM Travel Link[14] • Media hub with MP3 auxiliary jack, 1.5-amp and 2.5-amp USB ports, and SD card slot • Premium IO-speaker Surround Sound Audio System • Premium six-ring instrument panel cluster with full-color 7-inch multiview display • Overhead console with Universal Garage Door Opener . Power sliding rear window

FXTERIOR

Two-tone paint treatment with lower body, wheel flares, front bumper, rear bumper and running boards in White Gold Metallic • Premium 70-mm projector headlamps . Premium LED taillamps . Fog lamps . Chrome grille irround with chrome wave mesh inserts . Chrome, power heated fold-in sideview mirrors with puddle lamps and turn signal indicators . Unique Laramie Longhorn badging • Chrome door handles • Black bed rail caps Spray-in bedliner • Power locking tailgate • 4- and 7-pin trailer wiring harness/connectors • Class V trailer hitch receiver • 17-inch polished aluminum wheels (3500 DRW) • 18-inch polished aluminum wheels (2500/3500 SBW)

MECHANICAL

2500: 5.7L HEMI V8 with heavy-duty cooling and GGRFE G-speed 3500 SRW: 5.7L HFMI V8 with heavy-duty cooling and 66RFF 6-speed

automatic transmission • 7 x II-inch power-folding trailer tow mirrors

3500 DRW: 6.4L HEMI V8 with heavy-duty cooling and 66RFF 6-sneed automatic transmission • 7 x II-inch power-folding trailer tow mirrors

2500/3500: Tow hooks • ESC^(id) System • ParkSense Rear Park Assist⁽²⁾ ParkView Rear Back-Un Camera[2] • Electronic part-time transfer case. (on 4x4 models) • Electronic trailer brake controller • Remote keyless entry Security alarm • Remote Start (requires automatic transmission) • 31-gallon fuel tank (6'4" box models) • 32-gallon fuel tank (8' box models)

INTERIOR

Premium leather front hucket seats + Power driver and front-nassenger seats Heated and ventilated front seats • Full-floor center console with leather console cover • II5-volt nower outlet • Premium leather heated 60/40 split-folding rear bench • Carpet floor covering • Premium floor mats with removable inserts • Multistage front air bags^(p) • Supplemental side-curtain air bags^(p) • Supplemental front-seat side-mounted air bags^(p) • Heated leather-wranned tilt steering wheel with wood accent and audio controls Automatic headlamps • Automatic Temperature Control (ATC) • Power windows and door locks . Uconnect 8.4AN AM/FM/Bluetooth/NAV/Access ! touchscreen system with SiriusXM Satellite Radio^[5] SiriusXM Traffic^[5] and SiriusXM Travel Link[14] . Media hub with MP3 auxiliary jack, 1.5-amp and 2.5-amp USB ports, and SD card slot • Premium IO-speaker Surround Sound Audio System • Premium six-ring instrument panel cluster with full-color 7-inch multiview display • Overhead console with Universal Garage Door Opener . Power sliding rear window

EXTERIOR

Monotone paint treatment • Premium 70-mm projector headlamps • Premium LED taillamps • Fog lamps • Chrome grille surround with chrome wave mesh inserts • Chrome, power heated fold-in sideview mirrors with puddle lamps and turn signal indicators • Unique Laramie Limited badging • Chrome door handles • Black bed rail caps • Spray-in bedliner • Power locking tailgate RamBox® Cargo Management System • 4- and 7-pin trailer wiring harness/connectors • Class V trailer hitch receiver • 17-inch polished aluminum wheels (3500 DRW) • 20-inch painted aluminum wheels with chrome pockets (2500/3500 SRW) • Chrome wheel-to-wheel side steps (SRW) Chrome cab-length side steps (DRW models)



2500/3500 EXTERIOR COLORS



True Blue Pearl

Western Brown Pearl

Shown in Big Horn trim.





Vinyl
Diesel Gray
Tradesman and Power Wagon® Tradesman



Ram Work-Grade Vinyl Diesel Gray Tradesman and Power Wagon Tradesman



Sedoso/Embossed Cloth Diesel Gray Tradesman, Power Wagon Tradesman, SLT and Power Wagon



Sedoso/Embossed Cloth Canyon Brown
SLT and Power Wagon



Sedoso/Carbide Premium Cloth Diesel Gray SLT, Big Horn/Lone Star, Outdoorsman and Power Wagon



Sedoso/Carbide Premium Cloth Canyon Brown
SLT, Big Horn/Lone Star, Outdoorsman and Power Wagon



Bristol Leather/Perforated Leather Trim Light Frost Beige Laramie and Power Wagon Laramie



Bristol Leather/Perforated Leather Trim Laramie and Power Wagon Laramie



Natura Leather/Perforated Leather with Black Piping and Black Accent Stitching





Natura Leather/Perforated Leather with Dark Saddle Piping and Tan Accent Stitching Canyon Brown Laramie Longborn



Natura Leather with Laser Etching/Perforated Leather with Dark Saddle Piping and Tan Accent Stitching Canyon Brown Laramie Longborn



Natura Leather/Perforated Leather with Medium Gray Stone Piping and Medium Gray Stone Accent Stitching Black

Laramie Limited

	11		-			RA	M 2	50		
	TRADES MAN REG / CREW	POWER WASON*	SLT REG/CREW/ MEGA	BIS HORN/LONE STAR CREW/MEGA	OUTDODRSWAN CREW	POWER WAGON CREW	LARAME CREW/MEGA	POWER WAGON LARAME OREW	CREW/MEGA	ARAME LIMITED
CPOS PACKAGE		2TB	2TG		2TT	2TP	2TH	2TJ	2TK	21
2500 2500 CDM / DDM / C'4" househ and light with Come Col. DDM /	X X/X	X	X X/X	X	Х	Х	X X/X	Х	X X/X	
3500 SRW / DRW (6'4" box not available with Crew Cab DRW) ENGINE / TRANSMISSION	A/A		A / A				A/A		A/A	Â
5.7L HEMI® V8 gas engine / 6-speed automatic (66RFE; SRW only)	26A	-	26G	26 Z/Y	26T	-	26H	-	26K	26
383 hp / 400 lb-ft of torque 5.7L HEMI Bi-fuel CNG / gas engine / 6-speed automatic (66RFE; 2500 Crew Cab 8' box only) 383 hp / 400 lb-ft of torque	27A		276	_						i.
Cab 8' box only) 383 hp / 400 lb-ft of torque 6.4L HEMI V8 gas engine with MDS / 6-speed automatic (66RFE)		Н		22		_		_		H
410 hp / 429 lb-ft of torque (367 hp Mega Cab*)	22A	22B	22G	Z/Y	22T	22P	22H	22J	22K	22
6.7L Cummins® Turbo Diesel engine / 6-speed manual (G56) 350 hp / 660 lb-ft of torque	2EA	-	2EG	2E Z/Y	2ET	-	2EH	-	-	
6.7L Cummins Turbo Diesel engine / 6-speed automatic (68RFE)	2FA	-	2FG	2F	2FT	-	2FH	_	2FK	2
370 hp / 800 lb-ft of torque 6.7L Cummins Turbo Diesel engine / 6-speed AISIN® Heavy-Duty automatic	28A		286	Z/Y 28	_		28H		28K	2
(3500 only) 385 hp / 865 lb-ft of torque	28A	Ŀ	28G	Z/Y P	- Р	-	28H	-	28K	2
Diesel Exhaust Fluid (Def) System (standard with diesel engine) MECHANICAL FEATURES	P		P	ř	Р	-	Р	-	P	
ALTERNATOR — IGO-amp (standard with gas engine)	S	Ξ	S	S	S	-	S	-	S	F
 — I80-amp (standard on diesel; included with Snowplow Prep Group on HEMI V8-equipped models) 	0/P	s	0/P	0/P	0/P	S	0/P	s	0/P	0
- 220-amp (included with Snowplow Prep Group on diesel- and	O/P	-	n/P	0/P	O/P	-	0/P	_	0/P	0
6.4L gas-equipped models; also included in dual alternator options) — Dual-rated at 380 amps (6.4L gas V8 only; includes I60-amp and	-				-				-	Н
220-amp alternators)	0	0	0	0	0	0	0	0	0	L
Dual-rated at 440 amps (6.7L diesel only; includes two 220-amp alternators) AXLES — Antispin rear differential (standard on 3500)	0/8	=	0/8	0	0	-	0/8	-	0/8	n
Electronically locking front and rear differentials	-	S	-	-	-	S	-	S	-	
- 3.42 ratio (standard for diesel)	0	Ξ	0	0	-	-	0	-	0	
3.73 ratio (standard for gas; available for 3500 DRW diesel) 4.10 ratio (optional for gas; available for 3500 DRW diesel)	S/0 0	S	S/0	S/0 0	S	_ S	S/0 0	S	S/0	S
- II.5-inch rear axle (SRW)	S	S	S	S	S	S	S	S	S	İ
 II.5-inch rear acle (3500 DRW only; included with 6.4L gas engine, diesel / 656 manual transmission, diesel / 68RFE or diesel / AISIN transmission with 3.42 axle ratio) 	P	-	Р	Р	-	-	Р	-	Р	
 II.8-inch rear axle (3500 DRW only; included with diesel / AISIN transmission with 3.73 and 4.10 axle ratios) 	P	-	Р	Р	-	-	Р	-	P	ı
BATTERY — 730-amn, maintenance-free (two required for diesel)	S	S	S	S	S	S	S	S	S	F
DIESEL EXHAUST BRAKE — With "smart" function (included with diesel engine) ELECTRONIC UPFITTER MODULE — N / A with premium speakers	P 0	-	P 0	P 0	P 0	- 0	P	-	P	H
ENGINE BLOCK HEATER — Included with Cold Weather Group on diesel	O/P	0	0/P	O/P	0/P	0	0/P	0	0/P	0
FIFTH-WHEEL / GODSENECK PREP PACKAGE — Includes in-box 7-pin harness connector (N / A with RamBox* System)	0	-	0	0	0	-	0	-	0	
FUEL TANKS — 8-gallon tank (included with CNG engine)	Р	-	Р	-	-	-	-	-	-	t
- 18.2-G.G.E. (gasoline gallon equivalent) dual CNG tanks (included	Р	-	Р	-	-	-	-	-	_	Γ.
with CNG engine) — 28-gallon tank (included with Regular Cab diesel)	P	-	Р	-		-	-	-	-	H
- 3I-gallon tank (included with 6'4" box)	S	S	S	S	S	S	S	S	S	F
32-gall on tank (included with 8' box; available with CNG engine) HILL DESCENT CONTROL	\$/0	- S	S/0 —	S	S	_ S	S	_ S	S	
SHOCKS - Front heavy-duty	S	-	S	S	S	-	S	-	S	t
- Rear, heavy-duty	S	- S	S	S	S	- S	S	_ S	S	F
Rear, heavy-duty Blistein" gas-charged monotube Stuffer (ALTES (4K4) — Transfer case (included in Protection Group and Snowolow Pres Group)	-	-	-	-	_	-	_		-	H
	P	S	P	Р	S	S	Р	S	P	L
Fuel tank STEERING — Power recirculating ball	- S	S	- 5	_ S	- S	S	- S	S	- S	H
SUSPENSION — Front, three-link coil spring suspension	S	S	S	S	S	S	S	S	S	t
- Front electronic disconnecting stabilizer bar	_ S	S	-	_ S	-	S	-	S	-	-
Front stabilizer bar Rear, five-link coil spring suspension (2500 only)	S	S	S	S	S	S	S	S	S	H
- Rear, Hotchkiss leaf spring suspension (3500 only)	S	Ξ	S	S	E	-	S	-	S	H
Rear, Auto-Level dual-mode air spring suspension system TOW HOOKS — with 6.7L diesel engine (optional on Ram 2500)	0	-	0	0	0	-	0	-	0	т
Tradesman models)	\$/0	-	S	S	S	-	S	-	S	L
 With gas engines (optional on 4x2 models; included in Protection Group or 4x4 models; standard on 3500) 	O/P	S	O/P	0/P	S	S	O/P	s	S	
TRAILER TOW — 4- / 7-pin trailer harness plug (combination receptacle)	S	S	S	S	S	S	S	S	S	F
Class V hitch receiver TRANSFER CASES (4X4 MODELS ONLY) — Manual shift-on-the-fly	S	S	S	S	S	S	S	S	S	
HANSFER CASES (4X4 MODELS UNLY) — Manual shift-on-the-tly Electronic shift-on-the-fly	0	2	- 5	- S	- S	2	S	2	S	H
WINCH — WARN, ¹⁰ front, electric, 12,000-lb capacity	Ē	S	Ě	=	È	S	-	S	-	F
- Tire carrier EXTERIOR FEATURES	S	S	S	S	S	S	S	S	S	H
BEDLINER — Spray-in (not available with Ram 2500 CNG model) BODY MODEL AND BOX — Regular Cab 8' box	0	0	0	0	0	0	0	0	S	Г
BODY MODEL AND BOX — Regular Cab 8' box	0	_ S	0	0	0	_ S	- 0	_ S	0	-
- Crew Cab 6'4" box (SRW only) - Crew Cab 8' box	0	-	0	0	0	-	0	-	0	
- Mega Cab 6'4" box	-	Ξ	0	0	-	-	0	-	0	H
BUMPERS — Painted Black — Cheeses (Included in Cheeses Assessment Press, and with Monetons point)	S	_ S	_ S	_ S	- Р	_ S	_ S	_ S	P	H
Chrome (included in Chrome Appearance Group and with Monotone paint) Painted	-	Ξ	E	-	S	-	-	-	S	
CLEARANCE LAMPS — Cab (included on DRW) — Box and rear fender (included on DRW)	O/P	0	0/P	0/P	0	S	0/P	0	O/P	0
DOOR HANDLES — Black (included with special-order paint)	S	S	P	P	S	S	P —	=	P -	H
- Chrome	-	-	S	S	-	-	S	S	S	F
FOG LAMPS GRILLE — Black surround with Black hex inserts	_ S	S	0	S	S	S	S	S	S	F
- Chrome surround with Black hex inserts (included in	P	3	5	Ē		Ē				H
Chrome Appearance Group)	r	Ē	3	-	-	-				F.
Body-color surround with Black hex inserts Chrome surround with chrome billet inserts	Ē	Ē	Ē	S	S -	S		=		H
Chrome surround with chrome wave-perf inserts	-	-	-	-	Е	-	S	S	-	F
- Chrome surround with chrome wave-mesh inserts	-	-	-	-	-	-	-	-	S	L


		TRADES MAN REG / CREW	POWER WAGON TRADES MAN CREW	J. CREW/MEGA	BIG HORN/LONE STAR CREW/MEGA	OUTDODRSWAN CREW	POWER WASON CREW	LABAME CPEW/MEGA	POWER WASON LARAME OREW	LARAME LONGHORN CREW/MEGA	LARAME LIMITED
CPOS PACKAGE				2TG	2020Y			35 2TH			
EXTERIOR FEATURES (continued)		LIA	-10	LIG	LICEN			-		LIK	
HEADLAMPS / TAILLAMPS — Automatic headlamps		S	S	S	S	S	S	S	S	S	S
Quad-halogen headlamps / incandescent taillamps		S	S	S	S	S	-	- S	- S	- S	- S
 Premium projector headlamps / premium LED taillamps Auto High-Beam Headlamp Control (included in Convenien 	C\	-	-	-	-	-	S	P	P	P	S
— Auto High-Beam Headlamp Control (included in Convenier HEADLAMP FILLER PANEL — Black (included with special-ord	os uroup)	0	S	0	0		S	P	P	Р _	2
- Body-color	oi pailit)	S	-	S	S	S	-	S	S	S	S
MIRRORS — 2500 — Standard size 6 x 9-inch					-				Ť		Ť
- Manual (Black; Regular Cab only)		S	-		-	-	-		-		-
 Power / heated (Black: included in Power and Remote Entr 	y Group on	P/S	S	S	s	_	S		-		-
Regular Cab Tradesman)		.,0		-	Ů	-					H
 Power-folding / heated / puddle / turn / auto-dim (Black; included in Luxury Group) 	- 1	-	-	Р	Р	S	Р	-	-	-	-
Power / heated / puddle / turn / manual-folding (Black;											Н
nackaged with Black Annearance Package)			-		-			Р	-		
 Power-folding / heated / puddle / turn / auto-dim / memory 	(chromed)	-	-		-	-	-	S	S	S	S
2500 — Optional size 7 x II-inch (trailer tow mirrors, two-posit	ion foldaway										
with convex edge)	_	0	0			-		_		_	Н
Manual (Black; Regular Cab only) Power / heated / puddle / turn / manual-folding (Black; req	uiros Bouns	-	-		-		-		-	=	H
and Remote Entry Group on Regular Cab Tradesman)	uii es r uwei	0	0	0	0	0	0		-		-
- Power / heated / puddle / turn / power-folding (Black; requ	ires			0	0	0	0		_		
Luxury Group)				0	٥	0	0		_		
- Power / heated / puddle / turn / memory / power-folding (B	lack; optional	-	-	-	- 1	-	-	0	-	-	-
with Black Appearance Package) — Power / heated / puddle / turn / memory / power-folding (c	bromed)							0	0	0	0
— Power / neared / puodie / turn / memory / power-tolding (c 3500 — Standard size 7 x II-inch (trailer tow mirrors, two-posi	tion		-		-		-	U	U	U	U
foldaway with convex edge)											
- Manual (Black; Regular Cab only)		S	-	-	-	-	-	-	-	-	-
 Power / heated / puddle / turn / manual-folding (Black; req 	uires Power	Р		S	s						
and Remote Entry Group on Regular Cab Tradesman)					-		Ĥ		Ė		Ľ
- Power / heated / puddle / turn / power-folding (Black; pack	raged with	-	-	Р	Р	-	-	-	-	-	-
optional Luxury Group) — Power / heated / puddle / turn / memory / power-folding (B	fack- ontional										Н
with Black Appearance Package)		-	-	-	- 1	-	-	P	-	-	-
 Power / heated / puddle / turn / memory / power-folding (c RAMBOX CARGO MANAGEMENT SYSTEM — With illuminated, 	hromed)	-	-		-	-	-	S	-	S	S
RAMBOX CARGO MANAGEMENT SYSTEM — With illuminated,	lockable,										
drainable bins on both bed sides; stowable bed divider / extend	er; and Cargo	0	0	0	0	0	0	0	0	0	s
Rail System with adjustable cleats (Short Box only; SRW only; T	(radesman		•		1		1				
model requires remote keyless entry; N / A with low-volume pai RUNNING BOARDS	IIIS)	-	_		-	-	_		-	S	
SIDE STEPS — Chrome, cab-length (included with Monotone L	aramie	0		0	0	0		0		0/P	Р
Longhorn and with DRW on Laramie Limited)			-				-		-		
- Chrome, wheel-to-wheel; N / A on Regular Cab or DRW		0	-	0	0	0	-	0	-	0	S
TONNEAU COVER (N / A with Ram 2500 CNG model)		0	0	0	0	0	0	0	0	0	0
WHEEL FLARES — Black — Bright Silver Metallic	_	-	S	-	-	S	S	- S	-	_	-
Bright Silver Metallic White Gold Metallic			-	=	-	-	-	2	-	S	-
White Gold Metallic Body-color (included with Monotone paint and with Chrom	o Group on	-	-		-		-		-	_	F
Laramie Limited)	e Group on	-	-	-	-	Р	-	P	S	P	P
WINDSHIELD WIPERS — Variable / Intermittent		S	S	S	S	S	S	S	S	S	S
- Bain-sensing (included in Convenience Group)		-	-		-	-	-	Р	Р	Р	S
INTERIOR FEATURES		_		_	_	_		_		_	
AIR CONDITIONING		S	S	S	S	S	S	-	-	-	-
AIR CONDITIONING WITH DUAL-ZONE CONTROL AUXILIARY INSTRUMENT PANEL SWITCHES — N / A with Com		-	-	_	-	-	-	S	S	S	S
AUXILIARY INSTRUMENT PANEL SWITCHES — N / A with Com- with Uconnect® 3.0 or 5.0 systems (late availability)	tort Group or	0	-	0	0	0	-	0	-	0	0
BEZEL, CENTER STACK — Black		S	S		-	_	-	-	-		
— Color-keyed		-	-	S	S	S	S		-		-
- Woodgrain		-	-		-	-	-	S	S		-
- Real wood			-		-	-	-		-	S	S
CIGAR LIGHTER (INCLUDED IN SMOKER'S GROUP)			Р	Р	Р	Р	Р	Р	Р	Р	P
		P				-	S	-	-	-	-
CLUSTER - 3.5-inch Electronic Vehicle Information Center (E)		S	S	S	S	_					
CLUSTER — 3.5-inch Electronic Vehicle Information Center (El — 7-inch Thin Film Transistor (TFT) (included in Luxury Grou				S	P	S	Р	S	S	-	
CLUSTER — 3.5-inch Electronic Vehicle Information Center (EI — 7-inch Thin Film Transistor (TFT) (included in Luxury Grou — 7-inch TFT (with Laramie Longhorn filigree)						s -	P -	S -	S -	S	-
CLUSTER — 3.5-inch Electronic Vehicle Information Center (EI — 7-inch Thin Film Transistor (TFT) (included in Luxury Grou — 7-inch TFT (with Laramie Longhorn filigree) — 7-inch TFT (with unique Laramie Limited detail)	p)	S - -	\$ - -	P -	P -	-	-		-	S -	S
CLUSTER — 3.5-inch Electronic Vehicle Information Center (E — 7-inch Thin Film Transister (TFT) (included in Luxury Grou — 7-inch TFT (with Laramie Longhorn filigree) — 7-inch TFT (with unique Laramie Limited detail) CONSOLE — Mint floor console (included with 6-speed manual	p)					S P	P - - S	S P	s - - s	S -	S -
CLUSTER — 3.5-inch Electronic Vehicle Information Center (E — 7-inch Thin Film Transister (TFT) (included in Luxury Grou — 7-inch TFT (with Laramie Longhorn filigree) — 7-inch TFT (with unique Laramie Limited detail) CONSOLE — Mint floor console (included with 6-speed manual	p)	S - -	\$ - -	P -	P - - P	-	- s		-	S - - S	- S
CLUSTER — 3.5-inch Electronic Vehicle Information Center (E — 7-inch Thin Film Transistor (TT) (included in Laury Brox —7-inch TT (with Laranic Longhoris (Rigne) —7-inch TT (with unique Laranic Limited detail) CORSIDET — Min Horr console (included with 6-speed manual or manual transfer case) — Full-star Brox console (included with bucket seats) — Verhead console	p) transmission	S - -	\$ - -	P - - P	P - - P	- - Р	-	- - Р	-	-	-
CIUSTER — 3-5 inch Electronic Vehicle Information Centre (E. 7-1 nch Thin Film Transister (TTF) (included in Lusury Grou — 7-1 nch Thir (with Laramie Longhorn filigree) — 7-1 nch TTF (with Laramie Longhorn filigree) — 7-1 nch TTF (with unique Laramie Limited detail) CONSIGLE — Min floor console (included with 5-speed manual or manual transfer case) — Full-siza floor console (included with bucket seats) — Overhead connoise — Overhead connoise — Overhead connoise with Universel Florassa Door Propose find-	p) transmission	S - -	\$ - -	P - P	P - - P	- - Р	- s	- - Р	-	-	-
CUUSTER — 3-5 with Electronic Vehicle Information Centre (§ — 7 which This Fill is maintaint (FIT) (included in Lusury Group — 7 which This Fill is maintaint (FIT) (included in Lusury Group — 7 which TT (with Laramile Langhorn filigres) — 7 which TT (with Laramile Langhorn filigres) — 7 which TT (with using Laramile Langhorn filigres) — 7 which TT (with using Laramile Langhorn fill of the 10 which the 10	p) transmission	S P	\$ - -	P - P S	P - P S	- Р Р	- S - S	- Р Р	- s -	- S -	- s
CLUSTER — 3.5 sinch Electrical: Vehicle Information Centre (£ — 7-sinch This Fill resistants (FTF) (included in Lusury Dex 1-7-sinch This Fill resistants (FTF) (included in Lusury Dex 1-7-sinch TFF (with Lusrantic Longhorn filigres) — 7-sinch TFF (with Lusrantic Longhorn filigres) — 7-sinch TFF (with surjust Lusrantic Limited detail) — 15-sinch TFF (with Lusrantic Longhorn fill resistant for a meant transfer console (included with buckets state) — 7-sinch stress four console (included with buckets state) — 7-sinch stress with Uluviersal Europe Dev Opener (included promp) — 15-sinch stress with Uluviersal Europe Dev Opener (included promp) — 15-sinch stress with Uluviersal Europe Dev Opener (included promp) — 15-sinch stress with Uluviersal Europe Dev Opener (included promp) — 15-sinch stress with Uluviersal Europe Dev Opener (included promp) — 15-sinch stress with Uluviersal Europe (included promp) — 15-sinch stress with Uluviersa	p) transmission uded in	S P S	s - - s - -	P - P S P -	P P S P	- P P - S	- S - S P	- P P - S	- s - - s	- S - S	- S - S
COUNTED—25 herb Electronic Vehicle Information Center (F or "Area" In the line Instructor (FF) (colored and tree) re- Venich The line Instructor (FF) (colored and tree) re- Venich TF (with Larnett Lample to Higgs) — Youth TF (with Larnett Lample Lambet (Bartle of et al) CORROLL — Min floor console (included with becket seath) — Find with floor console (included with becket seath) — Find with floor console (included with becket seath) — Find with floor console (included with becket seath) — Ownhead console with Universed Garage Door Opener (included with becket seath) — Ownhead console with Universed Garage Door Opener (included with becket seath) — Ownhead console with Universed Garage Door Opener (included seath of the Seath	p) transmission uded in	S P	\$ - -	P - P S	P - P S	- Р Р	- S - S	- Р Р	- s -	- S -	- s
CULSTER — 25 sheet Restructive Valents Information Center of Two-Parks The Information Center of General Center of Gener	p) transmission uded in	S P S P/S -	s - - - s - - - - - s	P - P S P - S -	P P S P - S - S	- P P - S - S	- S P - S -	- P P - S	- s - - s	- S - S	- S - S
CULSTER—2 Sinch Electronic Verlacie Information Centery (E. — Twich This In This Transit Centry (E. — Twich The In This Transit Centry (E. — Twich The In Control Learning Lamba (Lamb de dard) CORROLL — Min Horo counted (included with E-speed manual or monal transific cases) — Full what the control (included with E-speed manual or monal transific cases) — Full what the control (included with E-speed manual or monal transific cases) — Full what the control (included with E-speed manual or monal transific cases) — Full what the control (included with E-speed to Control Country (E. — Twich and counted with Universal Garage Door Openers (included in Fewer and Funds of Country (E. — Twich and Country (E. — Twent four Lands in Country (E. — Twent four Lands in Country (E. — Keyless Carlos in Fig. — Keyless Carlos in Fig. — Keyless Carlos (Fig. Speed vive (for or analysis on Merce Carlo)	p) transmission uded in	S P P S P/S - S	S S S - S	P P P S P - S - O	P P P S P - S - O	- P P - S - S - O	- s - s - s - o	- P P - S - S O -	- s - s - s	- s - s - s - s s	- S - S - S
CUISTER—25 shee Recrease Varieties Information Centery Cen- Trains This Intell Instructor (TY) colorable on Leaving Cen- Trains This Intell Instructor (TY) colorable on Leaving Cen- Trains THY (and Leavine Leapine Intelligent) — Trains THY (and have Leavine Leapine Intelligent) — Trains THY (and have Leavine Leavine Center) — Trains This Center Leavine Leavine Center Instructor — The Intelligent Center (Anderdor Leavine Trains) — Deverhand consolar (Anderdor Leavine Trains) — Deverhand consolar with Universal Garage Door Queen (mid. Leavine Trains) — Power dars of Leavine Intelligent Cells dely) — Power dars Center of Leavine (Regular Cells dely) — Power dars Center Leavine (Regular Cells dely) — Power dars Center Leavine (Regular Cells dely) — Power dars (Leavine Leavine Center) — Power dars (Leavine	p) transmission uded in	S P S P/S -	s - - - s - - - - - s	P - P S P - S -	P P S P - S - S	- P P - S - S	- S P - S -	- P P - S	- s - - s - s	- S - S - S	- S - S
CULSTER—2 Sinch Electronic Verlacie Information Center (E. — Trains This Intil Trains CITY (1) Coulded in the — Trains The Intil Trains CITY (1) Coulded in the — Trains Th' (with Luranic Langlor in digres) — Trains Th' (with Luranic Langlor in digres) — Trains Th' (with Luranic Langlor in digres) — Train Trains Thou Counter (included with 5- paped manual or monal trainsfer cases to connois (included with 5- paped manual or monal trainsfer cases) — Fall state for connois (included with bucket seath) — Trains The Counter (included with bucket seath) — Outheadd counted with Universal Garage Door Opener (included included in Counter (included in Counter	p) transmission uded in	S P S P / S P	S S S - S	P P P S P - S S - O S	P P P S P - S - O	- P P - S - S - O	- s - s - s - o	- P P - S - S O -	- s - s - s	- s - s - s - s s	- S - S - S
CULSTER—25 shee Recrease Varieties Information Center of Termino The Internation Center of Termino The Internation Center of Termino The Internation Center of Termino	transmission luded in rup	S P P S P/S - S	S S S - S	P P P S P - S - O	P P P S P - S - O	- P P - S - S - O	- s - s - s - o	- P P - S - S O -	- s - s - s	- s - s - s - s s	- S - S - S -
CUUSTER — 25 Inch Electronic Verleich Information Center (Ex- Twich This Infil Institute (TTP) (colleded and Infil) — 7 Invito TTP (with Larnett CTP) (colleded and Infil) — 7 Invito TTP (with Larnett Cample on Biggor) — 7 Invito TTP (with Larnett Larnett Larnett Beard death) CORROLL — Mill frow councie (included with 5-speed masual or manual transfer came) — Full visits fore councie (included with bucket seath) — Full visits fore councie (included with bucket seath) — Full visits fore councie (included with bucket seath) — Full visits fore councie (included with bucket seath) — Full visits fore councie (included with bucket seath) — Full visits fore councie (included with bucket seath) — Full visits fore councie (included with bucket seath) — Full visits fore visits (included in Power and Resent Seath) — Full visits from visits (included in Power and Resent Seath) — Full visits from visits (included in Power and Resent Seath) — Full visits from visits — Seath visits (included in Power and Resent Seath) — Full visits from visits — Seath visits (included in Power and Resent Seath) — Full visits from visits — Seath visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Full visits (included in Power and Resent Seath) — Fu	transmission luded in rup	S P S P / S P	S S S - S	P P P S P - S S - O S	P P P S P - S - O	- P P - S - S - O	- s - s - s - o	- P P - S - S O -	- s - s - s	- s - s - s - s s	- S - S - S -
CUUSTER — 25 sinch Electronic Verleich Information Centre ("Two-Twin This In Tail Teaster (Tiff) collected and using ("De-" Twin This I') and the carest ("Carlo Carlo C	transmission transmission usded in Tradesman roup;	S P P - S P P P P	S S S P	P P S P - S S S S	P P S P - S - 0 S	- P P - S - S - O	- S - S P - S - S	- P P - S - S 0 - S	- S - S - S - S - S	- s - s - s - s s	- S - S - S
CUISTER—25 herb Electronic Velocia Information Center (2 - Twine This Film Enterect (177) collected on Leavy (2 ex- 7 - Twine This Film Enterect (177) collected on Leavy (2 ex- 7 - Twine Thir C with Leaves Leaving Leaving Collection (2 - Twine Thir C with Leaves Leaving Leaving Collection (2 - Twine Thir C with Leaves Leaving Leaving Collection (2 - Twine Thir C with Leaving Leaving Collection (3 - Twine Thir C with Leaving Le	transmission transmission usded in Tradesman roup;	S P P - S P P P P O	S S S P	P P P S P - S S S S S S	P P S P - S - 0 S	- P P - S - S - O S	- S - S P - S - S	- P P - S - S 0 - S	- S - S - S - S - S	- s - s - s - s s	- S - S - S
CUUSTER — 25 inch Bernronk-Verleich Information Centre / Twink This Fill in Testing (Tri) could set a leasing files — Twink Thir (and burante (Tri)) clouded set of testing files — Twink Thir (and burante Langles miles (tri) could set of testing files — Twink Thir (and burante Langles miles (tri) could set of testing files of te	transmission transmission usded in Tradesman roup;	S P P - S P P P P	S S S P P - P P	P P S P - S S S S	P P S P - S - O S - S - S	- P P - S - S - O	S - S - S - S - S - S	- P P - S - S 0 - S	- S - S - S - S - S	- s - s - s - s s	- S - S - S
CUISTER—25 shee Bicronic Verleich Information Centery Cen- Trains This Film Enterior (Tri) collected on Lettury Cen- Trains This Film Information (Tri) collected on Lettury Cen- Trinis Thir (with Letture Lamine Limited dental) CORROLL—1 film Tri cent Lamine Limited dental of Lettury Tri cent Tri cent for Letture Lamine Limited dental CORROLL—1 film Tri centery Limited Lamine Limited The Ministry Consolidate of Letture Consolidate - Develorated consolid - Develorated consolid - Develorated Consolidate - Penar develorated Consolidate - Penar develorated Consolidate - Penar develorated Consolidate - Penar develorated - Develorated Consolidate - Penar develorated -	transmission transmission usded in Tradesman roup;	S S P P S P P P P O O O	S S S P P - P P	P P P S P - S S S S S S	P P S P - S - O S - S - S	- P P - S - S - O S		- P P - S - S 0 - S	- S - S - S - S - S	- S S - S O - S -	- S - S - S
CULSTER—25 sheet Restructive Verleich Information Center (De- - Trains The 1 film Teaster (TTP) (collected on the large (De- - Trains TTP (off) bursante Longlors (Information Collected (TTP)) (which are the large (De- - Trains TTP (off) bursante Longlors (Information Collected (TTP)) (which are the large (TTP)) (which are consist in the large (TTP)) (which are consistent to the large (TTP)) (which are the large (TTP)) (whi	transmission transmission tuded in tup Tradesman roup;	S P P - S P P P P O	S S S P P - 0 0	P P P S P S S S S S S S S S S S	P P P S P - S S - 0 S - 0	- P P - S - S - O S	S - S - S - S - S - S	- P P - S - S 0 - S	- S - S - S - S - S	- S S - S O - S -	- S - S - S
CULSTER—2 Sinch Electronic Verlacio Information Center (En Trains This In This Trains CITY) colorable in Lawry Sen Trains This I Train Lawrent (Erry) Genderal ent usury Sen Trains This I Center I Lawrent (Erry) Genderal ent usury Sen Trains This I Center I Lawrent Lawrent Senderal Senderal CORROLLE — Man Rose console (included with Se Fisel areas those console (included with Se Fisel areas those console (included with Se Fisel areas those console (included with Se Develorated console - Develorated console - Develorate Console - Develorate Console - Develorate Console - Develorate Console - Senderal Senderal - Response Console -	transmission S S P P S P P P P O O O	S S - S P - 0 0 - S	P P P S P - S S S S S P P	P P P S P P - S S O S S - S S S S S S S S S S S	- P P - S - S S S	- S S P S - O S S - S S S - S S S - S S S - S S S - S S S - S S S - S S S S - S S S S S - S		- S - S - S - S S	S - S O - S S S	- S S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S S - S S S - S S S - S S S - S S S - S S S S - S	
CULSTER — 25 sinch Electronic Verleich Information Centery (Europe Teach	transmission toded in Tradesman roup; ring)	S S P P S P P P P O O O	S S - S P - 0 0 - S	P P P S P S S S S S S S S S S S	P P P S P - S S - 0 S - 0	- P P - S - S - O S		- P P - S - S 0 - S	- S - S - S - S - S	- S S - S O - S -	- S - S - S
CULSTER—25 sheet Restructive Verleich Information Center (Per- Princh The Tile Transect (Tri) (conclude and leave) (Per- Princh The Tile Transect (Tri) (conclude and leave) (Per- Princh Tri (with Learnie Lample Intelligen) — Princh Tri (with Learnie Lample Intelligen) — Princh Tri (with Learnie Lample Intelligen) — Tri (with Tri (with Learnie Lample Intelligen) — Tri (with Tri (with Learnie Lample Intelligen) — Ownhard consist — Ownhard Consist — Ownhard Consist — Ownhard Consist — Ownhard Consist — Ownhard Consist — Ownhard Consist — Ownhard Co	transmission transmission tuded in transmission tuded in Tradesman roup; ring) nect 3.0, 5.0 roury (roup) large-View	S P P - S P P P O O O - S S	S S P P S S	P P P S S S S S S S P P P	P P P S S - 0 S - 0 S - S P P - S S P P - S S P P P P S S P P P P	- P P - S - S - O S S S - S - S S - S S - S S - S S - S S - S S S - S		- P P - S - S O - S S S S S S S S S S S S S S			- S S S - S S - S S S - S S S S S S S S
CUUSTER — 25 sinch Electronic Verleich Information Center (En Trinch The Information (Error) (Content on University (Trinch of Land Information (Trinch Of Land Information (Trinch Of Land Information (Trinch Of Land Information (Land Information Informati	transmission transmission tuded in transmission tuded in Tradesman roup; ring) nect 3.0, 5.0 roury (roup) large-View	S S P P S P P P P O O O	S S - S P - 0 0 - S	P P P S P - S S S S S P P	P P P S P P - S S O S S - S S S S S S S S S S S	- P P - S - S S S	- S S P S - O S S - S S S - S S S - S S S - S S S - S S S - S S S - S S S S - S S S S S - S		- S - S - S - S S	S - S O - S S S	- S S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S S - S S S - S S S - S S S - S S S - S S S S - S
CULSTER—25 sheet Restructive Valench Information Century (Ex- Trains This Filt Instructive (Tri) (collected and trip) —Trains Thir (and trainset (Cri)) (collected and trip) —Trains Thir (and trainset Longlors (trip) —Trains Thir (and trainset) —Derenhand consist —Overhand consist —Overhand consist —Overhand consist —Overhand consist —Trainset (trip) —Trainset (trip) —Power does (trip) —Train and rate, under —Front and	transmission transmission transmission transmission tradesman roup: cring) nect 3.0, 5.0 nury Group) argo-View connect 3.0	S P P - S P P P O O O - S S	S S P P S S	P P P S S S S S S S P P P	P P P S S - 0 S - 0 S - S P P - S S P P - S S P P P P S S P P P P	- P P - S - S - O S S S - S - S S - S S - S S - S S - S S - S S S - S		- P P - S - S O - S S S S S S S S S S S S S S			- S S S - S S - S S S - S S S S S S S S
CUUSTER — 25 sinch Electronic Verleich Information Center (En Trinch The Information (Error) (Content on University (Trinch of Land Information (Trinch Of Land Information (Trinch Of Land Information (Trinch Of Land Information (Land Information Informati	transmission transmission transmission transmission tradesman roup: cring) nect 3.0, 5.0 nury Group) argo-View connect 3.0	S P P - S P P P O O O - S S	S S P P S S	P P P S S S S S S S P P P	P P P S S O S S S S P P P	- P P - S - O S S - S - S P P				S - S S S S - S - S - S	- S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S S - S S S - S

				œ	_	ťΑ	VI 2				00 BUYER'S GUIDE
	TRADESMAN REG / CREW	POWER WASON " TRADES MAN CREW	SLT REG / CREW / MEGA	BIG HORN/LONE STAR CREW/MEGA	OUTDOORSWAN CREW	POWER WAGON CREW	LARAME CREW/MEGA	POWER WASON LARAME OREW	CREW/MEGA	CREW/MEGA	
CPOS PACKAGE INTERIOR FEATURES (continued)	2TA	2TB	2TG	272/274	2TT	2TP	2TH	2TJ	2TK	2TM	CPOS PACKAGE TIRES AND WHEELS (continued)
POWER SUNROOF (NOT AVAILABLE WITH REGULAR CAB)		-	0	0	0	0	0	0	0	0	- 20 x 8-inch polished aluminum with White Gold poc
SEATS — Manually adjustable driver and front-passenger seat	Р	Р	S	-	-	s		-	-	-	 20 x 8-inch polished aluminum with Silver pockets (
(Included with "TX and "V9 seats) — Ten-way power driver's seat and manual front-passenger seat		-									with Monotone paint) — Steel spare
(included with *M9 and *MJ seats)	_	-	Р	S	S	Р		-	-	-	3500 Single Rear Wheel
Ten-way power driver's seat with memory and 6-way power front-passenger seat (included with "VL, "GJ, "XJ and "DJ seats)	-	-	-	-	-	-	S	S	S	S	 I8 x 8-inch steel painted I8 x 8-inch steel chrome-clad (included in Chrome A
- Two-way power lumbar support (included with *M9 and *MJ seats)	-	Ξ	P	S	S	Р	S	S	S	S	- 18 x 8-inch polished forged aluminum
Heated front seats (included in Comfort Group)	-	-	-	Р	Р	Р	S	S	S	S	— 18 x 8-inch polished aluminum
Heated rear seats (Crew Cab and Mega Cab* only; included with *GJ seats) Ventilated front seats	-	E		-		E	S	S	S	S	- 18 x 8-inch polished aluminum with White Gold pock
- Ram Work-Grade Vinyl	0	0	Ξ	Ξ	Ξ	Ξ	-	-	=	-	 18 x 8-inch polished aluminum with Silver pockets (included with Monotone paint)
TEERING WHEEL — Urethane — Leather-wrapped with audio controls (included in Luxury Group)	S	S	S	- S	- S	S		-	-	-	 20 x 8-inch aluminum painted Black (included with Bi 20 x 8-inch aluminum painted Satin Carbon with ch
- Leather-wrapped, heated with audio controls (included in Comfort Group)	Ē	E	-	P	P	-	S	S		=	- 20 x 8-inch polished aluminum with White Gold poc
- Leather-wrapped, heated, with real wood and audio controls	-	Ξ	-	-	-	-		-	S	S	- 20 x 8-inch polished aluminum with Silver pockets
TORAGE — Behind the seat (Regular Cab and Mega Cab) — Front center-seat-cushion storage (included in *VL and *M9 seats)	S	=	S	S	S	— Р	S	— Р	S	S	(optional with Monotone paint) Steel spare
Rear, underseat compartment (Crew Cab only)	S	S	S	S	S	S	S	S	S	S	3500 Dual Rear Wheel
— Rear, in-floor storage boxes (Crew Cab only)	S	S	S	S	S	S	S	S	S	S	- I7 x 6-inch steel painted
Flat-folding load floor (Crew Cab only; included in *M9 seats and above) ISORS — Recognitional with unpits reference.	=	-	P	S	S	P	S	S	S	S	 17 x 6-inch steel with chrome finish (included in Chro 17 x 6-inch polished aluminum
ISORS — Passenger-side, with vanity mirror — Driver and passenger-side, with illuminated vanity mirror	Ē	Ē	P	P	S	P	s	s	s	s	- 17 x 6-inch polished aluminum with Laramie Longho
(included with Luxury Group)	-	Ē	Р	۲	2	r	2	2	2	2	— 17-inch steel spare (included with DRW) SAFETY AND SECURITY AIR BAGS[17] — Multistage front and knee bolster
VINDOWS — Manual windows (Regular Cab only) — Power windows, front one-touch down (Regular Cab; included in	S	-	-	-	-	-		-	-	-	AIR BARS[17] — Multistage front and knee holster
Power and Remote Entry Group)	Р	-	S	-	-	-	-	-	-	-	- Supplemental side-curtain
- Power windows, front one-touch up / down (Crew Cab and Mega Cab)	S	S	S	S	S	S	S	S	S	S	- Supplemental front-seat side-mounted
Rear fixed window Rear sliding window, manual (Regular Cab)	S	S -	S	-		-		-			BRAKES — Four-wheel antilock disc brakes CARGO-VIEW CAMERA ^[2] (requires Uconnect 8.4A or 8.4
Rear sliding window, power (Crew Cab and Mega Cab)	-	-	S	S	S	S	S	S	S	S	ELECTRONIC STABILITY CONTROL [16] — Includes Brak Roll Mitigation, Hill Start Assist, Rain Brake Support, Re
— Rear window defender (requires root elidion window)	-	Ξ	0	0	0	0	0	0	0	0	Roll Mitigation, Hill Start Assist, Rain Brake Support, Re
UCONNECT® ONNECTIVITY — 12-volt DC auxiliary	S	S	S	S	S	S	S	S	S	S	All-Speed Traction Control and Trailer Sway Control [6] ELECTRONIC TRAILER BRAKE CONTROLLER
- II5-volt AC auxiliary (included with *M9 and *MJ seats)	-	-	P	S	S	P	S	S	S	S	KEY ALIKE (3500 only; N / A with Keyless Enter 'n Go TM ; PARKSENSE® REAR PARK ASSIST ^[2]
- 2.5-amp charging USB port (included with Uconnect 5.0, 8.4A	Р	Р	Р	Р	s	Р	s	s	s	s	PARKSENSE" REAR PARK ASSIST ⁽³⁾ PARKVIEW" REAR BACK-UP CAMERA ⁽³⁾ — Video displayed
and 8.4AN systems, or *M9 and *MJ seats) IEDIA HUB (included with Uconnect 3.0 and 5.0 systems)	S	S	S	S		S		-		-	Uconnect 3.0 system or on-screen with Cargo-View Camera
 I.5-amp fully functional USB port, auxiliary tack for mobile devices 	3	3									REMOTE KEYLESS ENTRY — Controls for power door loc
IEDIA HUB (included with Uconnect 8.4A and 8.4AN systems)	-	Ξ	P	P	S	Р	S	S	S	S	RamBox [®] System, illuminated entry system, panic alarm Tradesman Popular Equipment or Power and Remote Ent
1.5-amp fully functional USB port, auxiliary jack for mobile devices and SD card slot											REMOTE START (requires automatic transmission)
CALL / ECALL (packaged with Uconnect 8.4A and 8.4AN systems)	-	Ξ	P	Р	S	Р	S	S	S	S	SECURITY ALARM — Detects break-in
INGLE-DISC CD PLAYER	0	0	0	0	0	0	0	0	0	0	SENTRY KEY" THEFT-DETERRENT SYSTEM — Engine in Tire pressure information system without ale
IRIUSXM [®] SATELLITE RADIO ⁽³⁾ (included in Tradesman Popular Equipment Group) IRIUSXM TRAFFIC ⁽³⁾ AND SIRIUSXM TRAVEL LINK ⁽⁴⁾ (included with	P	Р	S	S	S	S	S	S	S	S	TIRE PRESSURE MONITORING (TPM) with EVIC display
connect 8.4AN system)		Ε.		1	Р	Р	Р	Р	S	S	PACKAGES / EQUIPMENT GROUP BLACK APPEARANCE GROUP — Includes Black door hand
PEAKER SYSTEMS — Six-speakers — Six premium speakers (Regular Cab only)	S	S	S	S	S	S		-	-	=	mirrors, Black Ram tailgate badge, Black 4x4 badge (4x4 o
Nine amplified speakers with subwoofer (Surround Sound requires ADA and "M9 or higher seat)		1	0	0	0	0	S	s	S	s	projector headlamps and LED taillamps, Black painted from Black grille and 20-inch Black painted wheels with OWL til
requires ADA and *M9 or higher seat)		Ë	-	U	_	-	_	-	_	-	BOX DELETE — Regular Cab, Crew Cab, with 5.7L gas en
/STEM CONTROLS — Steering wheel-mounted audio controls (included in exury Group)	-	-	P	S	S	Р	S	S	S	S	CHROME APPEARANCE GROUP — Includes chrome burn
CONNECT SYSTEMS — Uconnect 3.0 AM / FM	S	S		-		-		-	-	-	grille surround and steel chrome-clad wheels (SRW) or s chrome finish (DRW)
Uconnect 5.0 AM / FM / SAT / Bluetooth® (5-inch touchscreen display) Uconnect 8.4A AM / FM / SAT / Bluetooth / Access ^(c) / NAV-ready	0	0	S	S	-	S		-	-	-	CHROME LIMITED APPEARANCE GROUP — Includes chr
Uconnect 8.4A AM / FM / SAT / Bluetooth / Access® / NAV-ready (8.4-inch touchscreen display)	-	-	0	0	S	0	S	S	-	-	hody-color wheel flares and chrome humners
- Uconnect 8.4AN AM / FM / SAT / Bluetooth / Access(ii) / NAV (8.4-inch				0	0	0	0	n	s	s	COLD WEATHER GROUP — Includes engine block heater cover (diesel only)
touchscreen display) ICONNECT VOICE COMMAND ^[4] (included with Uconnect 5.0, 8.4A		Ë		ř.	-	ř		-	-	-	COMEOUT COOLID - Includes heated slath costs and have
nd 8.4AN systems)	P	P	S	S	S	S	S	S	S	S	wheel (requires "M9 or "MJ seats; included with Luxury G remote start (with automatic transmission) and leather-w
TIRES AND WHEELS				8		10				= 7	
IRES — 2500 — LT245/70RI7E BSW All-Season tires	S	-	-	-	-	-	-	-	-	-	rain-sensing wipers (N / A with Cargo-View Camera (S) DOT-CERTIFIED ROADSIDE SAFETY KIT — Includes DOT
- LT285/70RI7D OWL All-Terrain tires	-	S	-	-	-	S		S	-	-	DUT-CERTIFIED RUADSIDE SAFETY KIT — Includes DUT three reflecting triangles, two red vinyl flags and spare fi
- LT275/70RI8E BSW All-Season tires (included with Chrome Appearance Group)	Р	Ξ	S	S	-	Ξ	S	-	S	-	DUAL REAR WHEEL GROUP — 3500 only; N / A with Cre (includes clearance lamps for the cab, box and fenders)
 LT275/70RI8E OWL On- / Off-Road tires (included with Popular Equipment Group) 	0	-	P/0	0	S	-	0	-	0	-	(includes clearance lamps for the cab, box and fenders) FIFTH-WHEEL / GOOSENECK TOWING PREP GROUP — In
- LT285/60R20E OWL On- / Off-Road tires (included with			P	Р	Р		Р		Р	s	harness connector and mounting provisions for 5th-wheel
optional 20-inch wheels)	Ę	-		1		15	100				LUXURY GROUP — Includes 7-inch EVIC, switchable dor
Full-size spare tire Add full-size spare (requires Box Delete)	S	S	S	S	S	S	S	S	S	S	illuminated vanity mirror, auto day / night mirror, exterio with signal and puddle lamps, overhead console with Un
500 Single Rear Wheel	S		S	S			s		s		Opener: for 2TG / 2TP only: leather-wrapped steering wh
- LT275/70RI8E BSW All-Season tires	2	Ē	2	2		Ē	3	-	2		glove box lamp, underhood lamp; for 2TY / 2TZ only: Com
LT275/70RISE OWL On- / Off-Road tires (included with Popular Equipment Group)	0	-	P/0	0	-	-	0	-	0	-	POPULAR EQUIPMENT GROUP — Includes 40 / 20 / 40 cl carpeted flooring, floor mats, remote keyless entry and Sir
- LT285/60R20E OWL On- / Off-Road tires (included with		-	0	0		-	0		0	s	carpeted flooring, floor mats, remote keyless entry and Sir POPULAR EQUIPMENT GROUP — Premium cloth 40 / 20
optional 20-inch wheels) 500 Dual Rear Wheel		-		0		-		_		-	seat, fog lamps, OWL tires (Regular Cab only)
— LT235/80RI7E BSW All-Season tires	S	-	S	S	-	-	S	-	S	S	POWER AND REMOTE ENTRY GROUP — Includes premiu remote keyless entry, power heated mirrors, power winds
- LT235/80RI7E OWL On- / Off-Road tires (included with	0	-	0/P	0	-	-	0	-	0	0	(Regular Cab only)
Popular Equipment Group) VHEELS — 2500				Ė		-				-	PROTECTION GROUP (4x4 ONLY) — Includes tow hooks case skid plate
- 17 x 7.5-inch steel painted	S	L	-	-		-		-	-	-	SMOKER'S GROUP - Includes removable ashtray and ci
— 17 x 8-inch polished forged aluminum	=	S	-	=	-	S	-	S	-	-	SNOW CHIEF GROUP - 4x4 SRW models only: includes
18 x 8-inch steel painted 18 x 8-inch steel chrome-clad (included with Chrome Appearance Group)	0 P	-	- S	-	-	-		-	-		5.7L HEMI* V8, 220-amp alternator for 6.4L HEMI V8 or antispin differential for 2500 models, transfer case skid
- 18 x 8-inch polished forged aluminum	-	=	0	S	S	Ē		-		=	ewitches for the instrument nanel center stack inshirles
- 18 x 8-inch polished aluminum	-	-	-	-	-	-	S	-	-	=	LT275/70RI8 OWL On- / Off-Road tires SNOWPLOW PREP GROUP — I80-amp alternator (gas),
- 18 x 8-inch polished aluminum with White Gold pockets	-	=	-	-	-	Ε	-	-	S	-	transfer case skid plate (4x4 models only)
- 18 x 8-inch polished aluminum with Silver pockets (included with Monotone paint)	-	-	-	-	-	-	-	-	P	-	
- 20 x 8-inch aluminum painted Black wheel (included with	-	-	-	Р	-	-	Р	-	-	-	
Black Appearance Group) — 20 x 8-inch aluminum painted Satin Carbon with chrome inserts		-	0	0	0		0			S	S = Standard. 0 = Optional. P = Part of package. — = Not avail Note: some features and/or applications may be late availability.

	TRADES MAN REG / CREW	POWER WASON TRADES MAN CREW	SLT REG / CREW / MEGA		OUTDODRSWAN CREW	POWER WASON CREW	CREW/MEGA	POWER WAGON LARAME OREW	CREW/MEGA	LASAME LAMETED
CPOS PACKAGE TIRES AND WHEELS (continued)	2TA	2TB	2TG	212/214		2TP	2TH	2TJ	2TK	2
— 20 x 8-inch polished aluminum with White Gold pockets	=	-				-		-	0	r
- 20 x 8-inch polished aluminum with Silver pockets (optional	-	_	_	-	-	-	_	-	0	Г
with Monotone paint) — Steel spare	S	S	S	S	S	S	S	S	S	t
3500 Single Rear Wheel	S	3	3	3	3	3	3	3	3	t
- 18 x 8-inch steel painted		_	_			<u> </u>	-	-	-	L
- 18 x 8-inch steel chrome-clad (included in Chrome Appearance Group)	Р	-	S	- S	-	-	-	-	-	Ł
— 18 x 8-inch polished forged aluminum — 18 x 8-inch polished aluminum		-	0	5		=	- S	-	-	ł
— 18 x 8-inch polished aluminum with White Gold pockets		-		-		-	-	-	S	t
- 18 x 8-inch polished aluminum with Silver pockets						т			Р	t
(included with Monotone paint)		_	_	-		Ľ	Ę.	Ē	r	Į.
- 20 x 8-inch aluminum painted Black (included with Black Appearance Group)	-	-	0	P 0	-	-	P 0	-	-	ł
20 x 8-inch aluminum painted Satin Carbon with chrome inserts 20 x 8-inch polished aluminum with White Gold pockets		÷	-	-		1	-	-	0	ł
- 20 x 8-inch polished aluminum with Silver pockets									0	t
(optional with Monotone paint)		_				_		_		Ł
- Steel spare	S	-	S	S	-	-	S	-	S	ļ.
3500 Dual Rear Wheel - I7 x 6-inch steel painted	S	-	-	-	=	-	-	-	-	ı
- 17 x 6-inch steel with chrome finish (included in Chrome Appearance Group)	Р	_	S	S	-	-	-	-	-	t
- 17 x 6-inch polished aluminum	=	-	0	0	-	-	S	-	-	Ī
— 17 x 6-inch polished aluminum with Laramie Longhorn cap	-	-	-	-	-	=	-	-	S	I
- 17-inch steel spare (included with DRW)	S	-	S	S	=	-	S	-	S	ı
SAFETY AND SECURITY AIR BAGS[17] — Multistage front and knee bolster	S	S	S	S	9	S	S	S	S	P
- Supplemental side-curtain	S	S	S	S	S	S	S	S	S	ł
- Supplemental front-seat side-mounted	S	S	S	S	S	S	S	S	S	t
BRAKES - Four-wheel antilock disc brakes	S	S	S	S	S	S	S	S	S	I
CARGO-VIEW CAMERA ⁽¹⁾ (requires Uconnect 8.4A or 8.4AN systems)	-	-	0	0	0	0	0	0	0	ı
ELECTRONIC STABILITY CONTROL [16] — Includes Brake Assist, Electronic Roll Mitigation, Hill Start Assist, Rain Brake Support, Ready Alert Braking,	s	s	s	s	s	s	s	s	S	ı
All-Speed Traction Control and Trailer Sway Control [10]	3	3	3	3	3	l °	3	3	3	ı
ELECTRONIC TRAILER BRAKE CONTROLLER	0	0	S	S	S	S	S	S	S	I
KEY ALIKE (3500 only; N / A with Keyless Enter 'n Go™; late availability)	0	0	0	0	0	0	0	0	0	4
PARKSENSE" REAR PARK ASSIST ⁽⁵⁾ PARKVIEW [®] REAR BACK-UP CAMERA ⁽⁵⁾ — Video displayed in rearriew mirror with	0	0	0	0	0	0	S	S	S	ł
Uconnect 3.0 system or on-screen with Cargo-View Camera ¹³ with other systems	0	0	0	0	0	0	S	S	S	ı
REMOTE KEYLESS ENTRY — Controls for power door locks, tailgate,										t
RamBox [®] System, illuminated entry system, panic alarm (included in	P	Р	S	S	S	S	S	S	S	ı
Tradesman Popular Equipment or Power and Remote Entry Group)		-	0	S	S	0	0	0	S	ł
REMOTE START (requires automatic transmission) SECURITY ALARM — Detects break-in		Ē	0	0	S	0	S	S	S	t
SENTRY KEY [®] THEFT-DETERRENT SYSTEM — Engine immobilizer	S	S	S	S	S	S	S	S	S	t
TIRE PRESSURE INFORMATION SYSTEM WITHOUT ALERT (3500 models only)	S	-	S	S	-	-	S	-	S	I
TIRE PRESSURE MONITORING (TPM) with EVIC display and alert (2500 only)	S	S	S	S	S	S	S	S	S	L
PACKAGES / EQUIPMENT GROUPS BLACK APPEARANCE GROUP — Includes Black door handles, Black exterior	_	-		_	_	_				ł
mirrors, Black Ram taileate badee, Black 4x4 badee (4x4 only), blacked-out				n			0			ı
projector headlamps and LED taillamps, Black painted front and rear bumpers,		_	-	U		-	U	-		ı
Black grille and 20-inch Black painted wheels with OWL tires (SRW models only)	0	_	0	0	-	-	-	-	-	ł
BOX DELETE — Regular Cab, Crew Cab, with 5.7L gas engine CHROME APPEARANCE GROUP — Includes chrome bumpers, chrome	U	-	U	U	-	-	-	-	-	ł
grille surround and steel chrome-clad wheels (SRW) or steel wheels with	0	-	_	-	_	-	-	-	-	ı
chrome finish (DRW)										L
CHROME LIMITED APPEARANCE GROUP — Includes chrome bodyside molding.	-	-	-	-	_	l -	-	-	-	ı
body-color wheel flares and chrome bumpers COLD WEATHER GROUP — Includes engine block heater and winter front grille		_			-	Н	-		-	ł
cover (diesel only)	0	-	0	0	0	-	0	-	0	ı
COMFORT GROUP — Includes heated cloth seats and heated leather steering										ī
wheel (requires "M9 or "MJ seats; included with Luxury Group); also includes remote start (with automatic transmission) and leather-wrapped steering wheel		-		0/P	0	0	-	-	-	ı
CONVENIENCE GROUP — Auto High-Beam Headlamo Control.								0		f
CONVENIENCE GROUP — Auto High-Beam Headlamp Control, rain-sensing wipers (N / A with Cargo-View Camera ^(S))		-		-		-	0	0	0	ı
DOT-CERTIFIED ROADSIDE SAFETY KIT — Includes DOT fire extinguisher,	0	0	0	0	0	0	0	0	0	ĺ
three reflecting triangles, two red vinyl flags and spare fuses DUAL REAR WHEEL GROUP — 3500 only; N / A with Crew Cab 6'4" box		-	-	-	-	ļ.	Ē	Ť	-	ł
(includes clearance lamps for the cab, box and fenders)	0	-	0	0	-	-	0	-	0	ı
FIFTH-WHEEL / GOOSENECK TOWING PREP GROUP — Includes in-bed 7-pin	0		0	0	0		0	_	0	ī
harness connector and mounting provisions for 5th-wheel or gooseneck hitches LUXURY GROUP — Includes 7-inch EVIC, switchable dome lamp, ashtray lamp,	0	_	0	0	0	Ë	0	-	0	Ł
LUXURY GROUP — Includes 7-inch EVIC, switchable dome lamp, ashtray lamp, fluminated vanity mirror, auto day / night mirror, exterior power-folding mirrors										ı
with signal and puddle lamps, overhead console with Universal Garage Door	-	-	0	0	S	0	-	-	-	ı
Opener; for 2TG / 2TP only: leather-wrapped steering wheel with audio controls,										ı
glove box lamp, underhood lamp; for 2TY / 2TZ only: Comfort Group POPULAR EQUIPMENT GROUP — Includes 40 / 20 / 40 cloth bench seat.		-				Н				ł
carpeted flooring, floor mats, remote keyless entry and SiriusXM Satellite Radio ⁽⁵⁾	0	0	-	-	-	-	-	-	-	ı
POPULAR EQUIPMENT GROUP — Premium cloth 40 / 20 / 40 bench		_	0	_		-		-		ı
seat, fog lamps, OWL tires (Regular Cab only)			0			Ē		Ē		4
POWER AND REMOTE ENTRY GROUP — Includes premium vinyl door trim, remote keyless entry, power heated mirrors, power windows and power locks	0	_				I .		l_		ı
(Regular Cab only)	ď	_		Ĩ		1		1		ı
	0		0	0	s		0		0	t
PHUTEGIUM GROUP (4x4 UNLY) — Includes tow hooks and transfer	0	_		-		-		-		ļ
case skid plate		0	0	0	0	0	0	0	0	f
case skid plate SMOKER'S GROUP — Includes removable ashtray and cigar lighter	U					1				ı
case skid plate SMOKER'S GROUP — Includes removable ashtray and cigar lighter SMOW CHIFF GROUP — #v4 SRW models only: includes IRD-amp alternator for	U									
SNOW CHIEF GROUP — 4x4 SRW models only; includes 180-amp alternator for 5.7L HEMI® V8, 220-amp alternator for 6.4L HEMI V8 or 6.7L Cummins,® antispin differential for 2500 models, transfer case skid plate, auxiliary	0	_	0	0	0	-	0	-	0	۱
case skid plate SMOKER'S GROUP — Includes removable ashtray and cigar lighter SNOW CHIEF GROUP — 4xd SRW models only: includes 160 -amp atternator for 5.7t. HEMI® V8, 220 -amp atternator for 6.4t. HEMI V8 or 6.7t. Cummins,® antispin differential for 2500 models, transfer case skid plata, succiliary switches for the instrument panel center stack, calc clearance lawas and		-	0	0	0	-	0	-	0	١
case skid plate SMOKER'S GROUP — Includes removable ashtray and cigar lighter SNOW CHIEF GROUP — 4x4 SRW models only; includes 180-amp alternator for 5.71. HEMI* V8, 220-amp alternator for G.41. HEMI V8 or 6.71. Cummins,*		-	0	0	0	-	0	-	0	l

S = Standard. O = Optional. P = Part of package. — = Not available.

Note: some features and/or applications may be late availability.



MOPAR. SUPPORTING YOU AND YOUR RAM—FOR THE LONG HAUL.

Make your new Ram truck the ideal ride—for today, and for years to come.

The Authentic Ram Parts and Accessories by Mopar are engineered by the same experts who designed your Ram, ensuring perfect fit, function and finish. You'll benefit from trained technicians who know your make and model best and use genuine parts to keep your Ram going strong.

Today, Mopar provides more than just Authentic Accessories for your Ram truck. Our all-inclusive advantages encompass Mopar Express Lane Service to minimize waiting and downtime, Mopar Vehicle Protection® Plans (the only extended protection backed by the manufacturer) and our state-of-the-art Mopar Owner Connect Web site: online access to your service records and vehicle information, with exclusive money-saving offers that give you the best from Mopar—for less. In every way, Mopar support is all about keeping you happy, and your Ram truck at its best. For more, visit us at MOPAR.COM











Ill Based on latest available competitive information. Class based on 250/2500 and 350/3500 pickups, [2] Always look before proceeding, electronic drive aid is not a substitute for conscientious divining, always be aware of your surroundings.

[3] Wif subscription required. Which must be registered with Liferance Access and fulfill minimum subscription required with Liferance and access and fulfill minimum subscription required. Which is must be properly equipped and in active and usable cellular range for Wife usage, Wiff elegand does not enable direct cellular taking. Wiff elegand does not enable direct cellular taking, with a subscription plant plant of the cellular range for Wife usage. Wiff elegand continued for usable cellular range for Wife usage, with the subscription plant collular range. Therit Narm Rolfficiation is only available on factory-installed alarms. [14] The situation fixed being data (state displays and molecular products for a factor land there is a service selfector by Situation. A contract contract of the service self-contract products. For a factor land the self-contract products. For a factor land factor as of factor will very language within an are for representative purposes and are not real factors as of factor and in the self-contract products. For a factor land factor is a valuable for report the self-contract products. For a factor land factor is a valuable for report the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor land factor is a valuable factor of the self-contract products. For a factor is a valuable factor of the self-contract products. For a factor is a valuable factor of the self-contract products. For a factor is a valuable factor of the self-contract products. For a factor is a valuable factor of the self-contract products. For a factor is a valuable factor of the self-contract products. For a factor is a valuable factor of the self-contract products. For a factor is a valuable factor of the self-contract products and factor of the self-contract products. For a factor is a valuable factor of the self

About this cataloge. Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this catalog may be available at extra cost. Specifications, descrip About this catalog. Since the time of printing, some of the information you? If find in this catalog may have been updated. Alsy surd color for for defails. Some of the engineent shown or described throughout this catalog may be a enabled as extract as a known in the internal to printing. Some of the engineent shown or described throughout this catalog may be a enabled as extract as a known in the time this policition was approved by manner of the printing of the contraction contained been as a a scaurat as known in the time this policition was approved by manner of the printing of the contraction contained been as a scaurat as known in the time this policition was approved by manner of the printing of the contraction contained been as the printing of the









THE RAM OUTFITTER

Owning a new 2015 Ram Heavy Duty opens up a world of new apparel, tools and a variety of equipment for work and play. The one place to find it all is the Ram Outfitter site.

This is the online shopping center for gear and gifts for the Ram enthusiast. With the Ram identity prominently featured, you can choos from authentic wear, sports equipment,













Research

BUILD & PRICE

COMPARE MODELS

SIGN-UP FOR UPDATES

Locate

FIND A DEALER

SCHEDULE A TEST DRIVE

Cost

VIEW INCENTIVES & OFFERS

