



SORTIMO ORIGINAL ACCESSORIES

Useful additions to the Sortimo in-vehicle equipment.

Original Accessories from Sortimo

Useful additions to the Sortimo in-vehicle equipment.

With original accessories from Sortimo, you can complement your utility vehicle sensibly with many practical helpers. From the stowage tray to the lashing strap, we guarantee uncompromising Sortimo quality.

The extensive programme includes solutions for each professional group and offers additions not only for the cargo bay, but also for the passenger compartment. Dive into the accessory world of Sortimo.

Symbols and their meaning



CarMo The product is compatible with CarMo and can be safely fastened onto the anchoring points of the floor plate.



Simpleco The product fits into the simpleco in-vehicle equipment for vans.



Trolley The product can be clicked onto the trolley with a single hand movement and therefore makes transport of the work equipment easier.



Multislide The product can be accommodated by the new drawer tray made from sturdy plastic



Crash-tested The product fulfils the highest safety requirements from Sortimo and has been crash-tested successfully in cooperation with TÜV, DEKRA or ADAC in simulated cases of emergency.



Clickable The product can be clicked together with another product with a single hand movement and can therefore be transported to the worksite with one hand.



CO₂ reduction due to lightweight construction The product is weight-reduced due to extremely modern lightweight construction, so that you will substantially save fuel and therefore contribute to CO₂ reduction.



Product warranty Sortimo guarantees a 3 years warranty for these products.




ProSafe In this product, the lashing points for the ProSafe hooks are already integrated and quickly ready for use.



M ready The product fits into the new in-vehicle equipment generation Globelyst M from Sortimo.


Contents

The Sortimo Accessory World	p. 4
Accessories for Globelyst M	p. 6
Dividers and anti-rattle mats for drawers	p. 8
Perforated tool panels and stowage trays	p. 14
Canisters	p. 16
Lashing tracks	p. 17
Cargo bars	p. 19
Lashing straps	p. 20
Accessories for load securing hooks ProSafe	p. 22
Cable holders	p. 24
Workbenches	p. 25
Sortimo original accessories	p. 26
Sortimo original accessories	p. 28
Holders	p. 30
Tailgate tent and folding table	p. 31
Warning accessories	p. 32
Fire extinguishers	p. 33
Cleaning accessories	p. 34
Telescopic ladders	p. 36
Hand-held work lamps and mountable work lamps	p. 38
Socket outlets and inverters	p. 43
Loading ramps	p. 44
Passenger compartment	p. 46
Automanager	p. 48
Office Bag	p. 50
Autoassistant	p. 51
Contacting Sortimo	p. 52



Original accessories

Our extensive Sortimo world of accessories offers you everything you need to make your in-vehicle equipment complete. All accessories have been designed to significantly increase the efficiency and safety you present in your daily work. Sortimo accessories are suitable for the entire range of Sortimo in-vehicle equipment. They're available in our branch offices or our partner stations.



Accessories for Globelyst M

Globelyst M is the latest generation of in-vehicle equipment from Sortimo and it meets all market requirements. Lightweight construction and CO₂ efficiency as well as effective and ergonomic use were always our focal point during development.

With original accessories from Sortimo, you design Globelyst M completely according to your own wishes. Customized partitioning and divider sets for drawers or trays, stowage trays, lashing tracks, workbenches and much more facilitate the best possible usage of your utility vehicle.



Dividers and anti-rattle mats for drawers



Slotted dividers / dividers

Tidiness for drawers		
SB 04-6 310	Ref. No. 411003659	Slotted dividers 62 x 310 mm
SB 04-8 310	Ref. No. 411003660	Slotted dividers 93 x 310 mm
SB 05-6 414	Ref. No. 411003695	Slotted dividers 62 x 414 mm
SB 05-8 414	Ref. No. 411003696	Slotted dividers 93 x 414 mm
SB 07-6 622	Ref. No. 411003697	Slotted dividers 62 x 622 mm
SB 07-8 622	Ref. No. 411003698	Slotted dividers 93 x 622 mm
divides the drawer crossways		
TB 20-6 154	Ref. No. 411003651	Cross divider 62 x 154.5 mm
TB 20-6 235	Ref. No. 411003652	Cross divider 62 x 235.5 mm
TB 20-8 154	Ref. No. 411003655	Cross divider 93 x 154.5 mm
TB 20-8 235	Ref. No. 411003656	Cross divider 93 x 235.5 mm
TB 30-6 424	Ref. No. 411003653	Cross divider 62 x 424.5 mm
TB 30-8 424	Ref. No. 411003657	Cross divider 93 x 424.5 mm
TB 40-6 559	Ref. No. 411003654	Cross divider 62 x 559.5 mm
TB 40-8 559	Ref. No. 411003658	Cross divider 93 x 559.5 mm
Small parts insert for drawers		
SBL TE 10	Ref. No. 411016008	Small parts insert drawer 24




Drawer divider holders

connects the divider and the drawer
SBLTB 00-6 2
Ref. No. 411014577 Drawer divider holder

SBLTB 00-8 2
Ref. No. 411014578 Drawer divider holder

connects the divider and the slotted divider
ATB 9
Ref. No. 491003938 Adapter for divider

DATB 9
Ref. No. 491003307 Double adapter for divider



Anti-rattle mats for drawer

ARM S 24-0
Ref. No. 651003661 Anti-rattle mat drawer 24-0

ARM S 34-0
Ref. No. 651003662 Anti-rattle mat drawer 34-0

ARM S 44-0
Ref. No. 651003663 Anti-rattle mat drawer 44-0

ARM S 25-0
Ref. No. 651003664 Anti-rattle mat drawer 25-0

ARM S 35-0
Ref. No. 651003665 Anti-rattle mat drawer 35-0

ARM S 45-0
Ref. No. 651003666 Anti-rattle mat drawer 45-0


ARM S 27-0
Ref. No. 651005159 Anti-rattle mat drawer 27-0

ARM S 37-0
Ref. No. 651005160 Anti-rattle mat drawer 37-0

ARM S 47-0
Ref. No. 651005161 Anti-rattle mat drawer 47-0

ARM TS 44-0
Ref. No. 651015817 Anti-rattle mat top drawer 44-0

ARM TS 45-0
Ref. No. 651015819 Anti-rattle mat top drawer 45-0



Tidiness for drawers


Drawers offer a lot of space for spare parts, tools and electric machines.
The dividers create a clear and easily accessible layout.

The division in small increments facilitates customized drawer design.

The anti-rattle mats made from rubber or recycled rubber protect the drawers and their contents from damage and dampen down the noise during travel.

**3
YEARS**

Sortimo guarantees a 3 years warranty for these products



ARM

ARMT

Anti-rattle mats for shelf trays / shelf floors with rim

ARM FW 13-0	Ref. No. 651002948	Anti-rattle mat 13-0	244 x 219 x 4 mm
ARM FW 14-0	Ref. No. 651002955	Anti-rattle mat 14-0	350 x 219 x 4 mm
ARM FW 15-0	Ref. No. 651002964	Anti-rattle mat 15-0	455 x 219 x 4 mm
ARM FW 23-0	Ref. No. 651002950	Anti-rattle mat 23-0	244 x 460 x 4 mm
ARM FW 24-0	Ref. No. 651002959	Anti-rattle mat 24-0	350 x 460 x 4 mm
ARM FW 25-0	Ref. No. 651002965	Anti-rattle mat 25-0	455 x 460 x 4 mm
ARM FW 33-0	Ref. No. 651002951	Anti-rattle mat 33-0	244 x 703 x 4 mm
ARM FW 34-0	Ref. No. 651002960	Anti-rattle mat 34-0	350 x 703 x 4 mm
ARM FW 35-0	Ref. No. 651002966	Anti-rattle mat 35-0	455 x 703 x 4 mm
ARM FW 43-0	Ref. No. 651002952	Anti-rattle mat 43-0	244 x 945 x 4 mm
ARM FW 44-0	Ref. No. 651002961	Anti-rattle mat 43-0	350 x 945 x 4 mm
ARM FW 45-0	Ref. No. 651002967	Anti-rattle mat 45-0	455 x 945 x 4 mm
ARM FW 53-0	Ref. No. 651002953	Anti-rattle mat 53-0	244 x 1187 x 4 mm
ARM FW 54-0	Ref. No. 651002962	Anti-rattle mat 54-0	350 x 1187 x 4 mm
ARM FW 55-0	Ref. No. 651002968	Anti-rattle mat 55-0	455 x 1187 x 4 mm
ARM FW 63-0	Ref. No. 651002954	Anti-rattle mat 63-0	244 x 1422 x 4 mm
ARM FW 64-0	Ref. No. 651002963	Anti-rattle mat 64-0	350 x 1422 x 4 mm
ARM FW 65-0	Ref. No. 651002969	Anti-rattle mat 65-0	455 x 1422 x 4 mm
ARM FW 17-0	Ref. No. 651005507	Anti-rattle mat 17-0	658 x 219 x 4 mm
ARM FW 27-0	Ref. No. 651005146	Anti-rattle mat 27-0	658 x 460 x 4 mm
ARM FW 37-0	Ref. No. 651005148	Anti-rattle mat 37-0	658 x 703 x 4 mm
ARM FW 47-0	Ref. No. 651005149	Anti-rattle mat 47-0	648 x 945 x 4 mm
ARMT FW 44-0	Ref. No. 651015820	Anti-rattle mat-Top 44-0	350 x 945 x 5 mm
ARMT FW 45-0	Ref. No. 651015821	Anti-rattle mat-Top 45-0	455 x 945 x 5 mm

Divider holder rear

TBH FW H
Ref. No. 401002974

Divider holder FW Blue rear
Necessary for all shelf trays



Divider holder front

TBH FW V
Ref. No. 401002972

Divider holder FW Blue front
Necessary for all shelf trays
and shelf floors with rim




Dividers for shelf trays

TB FW 3	Ref. No. 401002730	Divider FW 03-0
TB FW 4	Ref. No. 401002731	Divider FW 04-0
TB FW 5	Ref. No. 401002733	Divider FW 05-0
TB FW 7	Ref. No. 401005309	Divider FW 07-0



Dividers for shelves with rim

TB FR 3	Ref. No. 401010278	Divider FR 03-0
TB FR 4	Ref. No. 401010279	Divider FR 04-0
TB FR 5	Ref. No. 401010280	Divider FR 05-0
TB FR 7	Ref. No. 401010281	Divider FR 07-0



Dividers and anti-rattle mats for shelf trays and shelf floors with rim

The Sortimo shelf floors with rim and shelf trays offer a lot of space for spare parts, hand tools or electric tools. They can be freely inserted in small increments. In this way, the user can partition the space completely to suit his individual needs.

The anti-rattle mats protect both the bottoms of the shelf floors with rim and the shelf trays as well as their contents from damage and dampen down the noise during travel.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Aerosol spray holder

Simply plugged onto a divider, allows quick and safe storage of spray cans. The integrated bristles give flexible support.

SDH 04-0 Ref. No. 801012774
Dimensions (WxDxH): 311 x 33 x 18 mm

SDH 05-0 Ref. No. 801012775
Dimensions (WxDxH): 415 x 33 x 18 mm




Case clamp

Easy-to-use, variable clamp fixing for cases or containers. It is mounted variable in height into the in-vehicle equipment according to customer requirements. Available in all system widths. Please inquire individually.



Composite long components tray

Suited for the transport of long cargo in the vehicle interior. The composite long components tray is available in various lengths of up to 3 metres. You can get further information and your personal offer from our sales consultants.



Aluminium long components tray

ALGW 84-7 Ref. No. 181011489 Aluminium long components tray
Dimensions: 2017 x 335 x 115 mm

ALGWD 84-7 Ref. No. 181011490 lid aluminium long components tray

ALGWK 04-7 Ref. No. 181011491 console aluminium long components tray

ALGWTB 84-7 Ref. No. 181011492 divider aluminium long components tray 84-7



Case clamp and lightweight construction long components tray

The case clamp is the easy-to-use, variable clamp fixing for cases, boxes and containers of various sizes. It is mounted into the in-vehicle equipment. With the case clamp, even containers which were not originally designed for the Globelyst System can be integrated, transported and removed safely.

The long components tray consists of lightweight but sturdy composite material. By using an innovative production process, the long components tray can be manufactured in any desired length and be adjusted to any vehicle.

Due to its sliding mechanism, the new cover lid made from plastic opens towards the floor in a space saving way. No retaining bracket obstructs the loading access. Therefore, even bulky long components can be stored securely and effortlessly.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Perforated panels and stowage trays

Clamping strip for tools

ZWKL
Ref. No. 801012160
Dimensions (WxDxH): 340 x 30 x 45 mm

Screw mounted to the front wall of the in-vehicle equipment. The tools are securely stored during travel and quickly accessible for work.



Edging strip for panels

ZLPKS
Ref. No. 801010021


Edging strip, VPE 50 m suitable for sheet metal thickness of 1.0 – 1.5 mm. Protects the edges against damage and avoids injuries.



Bottle holder

FH 1.5 L
Ref. No. 801011367

Bottle holder for bottles up to 1.5 litres. Mounted to the perforated panel. Keeps your drinking bottle always within reach.



Cable holder Globelyst

ZSH
Ref. No. 801010976

Dimensions (WxDxH): 204 x 113 x 201 mm
Cable holder Globelyst made of plastic with business card pocket and address field. Electric cables or hoses can be quickly stowed and are easily ready at hand. It is hooked into the side panel or screw-mounted.



Aluminium perforated tool panel

ALP 1X1.25
Ref. No. 6000000246
Dim. (WxH) 1000 x 1250 mm

ALP 2X1
Art.Nr. 6000000247
Dim. (WxH) 2000 x 1000 mm



Cable holder

ZSHK Ref. No. 80713506
Dimensions (WxDxH): 188 x 70 x 147 mm
Cable holder small
ZSHM Ref. No. 80713599
Dimensions (WxDxH): 266 x 108 x 201 mm
Cable holder medium
ZSHG Ref. No. 80713513
Dimensions (WxDxH): 348 x 144 x 257 mm
Cable holder large



Stowage tray

AB 03-7
Ref. No. 801003699

Dimensions (WxDxH): 251 x 85 x 119 mm
Weight: 0.6 kg



Stowage tray

AB 04-7
Ref. No. 801003700

Dimensions (WxDxH): 355 x 85 x 119 mm
Weight: 0.7 kg



Stowage tray

AB 05-7
Ref. No. 801003701

Dimensions (WxDxH): 459 x 85 x 119 mm
Weight: 0.9 kg



Document pocket

Document pocket made of metal, screw mounted to the Multiwall at the face end of the in-vehicle equipment. Keep your brochures, job documents etc. in order and quickly accessible.

AB 03-17 Ref. No. 801003703
Dimensions (WxDxH): 241 x 75 x 327 mm
Weight: 0.6 kg



Stoway tray for paper

Document pocket made of plastic, screw mounted to the Multiwall at the face end of the in-vehicle equipment. Keep your brochures, job documents etc. in order and quickly accessible.

AB 04-12 Art.- Nr. 801016054
Dimensions (WxDxH): 345 x 75 x 253 mm
Weight: 0.6 kg



9 piece hook assortment for aluminium perforated tool panels

Ref. No. 6000000404



Perforated panel with new Sortimo hook system and stowage trays

The new aluminium plate with oblong holes for the front wall of the in-vehicle equipment or for the cargo bay wall not only looks elegant, but also forms the mounting plate for countless options from the Sortimo accessories programme.

It is particularly suitable for the efficient use of the block side panels to accessorize it with stowage trays, tool holders and towel dispensers.

This facilitates quick access during everyday work. The stowage trays from Sortimo also allow immediate access. Mounted on the new aluminium side panels, they are immediately accessible after opening the doors.

The new anthracite-coloured hooks made from sturdy ABS plastic are exactly designed to fit into the oblong holes. They securely snap into place through three parallel holes in the side wall and distribute the load perfectly onto the floor.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Canisters


Fuel canister 10 l TSK10 Ref. No. 801008042

Fuel canister 10 l incl. plastic spout.
Can be secured safely with the canister holder 10 l on the in-vehicle equipment.



Canister holder 10 l TSH10 Ref. No. 80779229

Fuel canister holder for 10 l canisters with integrated lashing strap.



Fuel canister 20 l TSK20 Ref. No. 801009986

Fuel canister 20 l steel, TÜV, GS certified.
Can be secured safely with the canister holder 20 l on the in-vehicle equipment.



Canister holder 20 l TSH20 Ref. No. 80779236

Fuel canister holder for 20 l canisters with integrated lashing strap.




Canister spout TSS Ref. No. 801009987

Suitable for Sortimo canister 20 l.
Assists in easy fuel fill-up.



Lashing tracks



Lashing tracks

VZS 20-3	Ref. No. 801003320	Lashing track 20-3	Dimensions: 443 x 43 x 15 mm
VZS 30-3	Ref. No. 801003321	Lashing track 30-3	Dimensions: 685 x 43 x 15 mm
VZS 40-3	Ref. No. 1000000245	Lashing track Prosafe 40-3	Dimensions: 927 x 47 x 27 mm
VZS 50-3	Ref. No. 1000000246	Lashing track Prosafe 50-3	Dimensions: 1169 x 47 x 27 mm
VZS 60-3	Ref. No. 1000000247	Lashing track Prosafe 60-3	Dimensions: 1410 x 47 x 27 mm
VZS 120-3	Ref. No. 1000000248	Lashing track Prosafe 120-3	Dimensions: 3004 x 47 x 27 mm
SSA VZS	Ref. No. 71013290	fitting set for lashing track	

The lashing tracks can be mounted to the side wall, dividing wall or to the in-vehicle equipment.

PRO SAFE

Lashing channels for gas bottles

This lashing channel can be mounted to the front of the in-vehicle equipment.
Compatible with the ratchet strap for the lashing of gas bottles.

VZS PS 03-3	Ref. No. 1000000241	Lashing channel Prosafe 03-3
Dimensions (WxLxH):	251 x 47 x 27 mm.	
VZS PS 04-3	Ref. No. 1000000242	Lashing channel Prosafe 04-3
Dimensions (WxLxH):	355 x 47 x 27 mm.	
VZS PS 05-3	Ref. No. 1000000243	Lashing channel Prosafe 05-3
Dimensions (WxLxH):	459 x 47 x 27 mm.	
VZS PS 07-3	Ref. No. 1000000244	Lashing channel Prosafe 07-3
Dimensions (WxLxH):	667 x 47 x 27 mm.	

PRO SAFE



For the secure transport of fuels, we have two different sizes of certified canisters with their respective holders on offer.

Lashing tracks

With the lashing tracks, straps or load security net, all kinds of load can be easily secured inside the vehicle. The lashing tracks can be fitted variably into the vehicle or the in-vehicle equipment. Flush-mounted into the floor plate, they are the mounting points for lashing straps and cargo bars.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Aluminium lashing track

4D (roof) Ref. No. 801012921
Dimensions (WxDxH): 940 x 50 x 11.5 mm
Weight: 0.8 kg

ZSC 6 Ref. No. 801009978
Dimensions (WxDxH): 1500 x 50 x 11.5 mm
Weight: 1.1 kg
ZSC 12 Ref. No. 80714350
Dimensions (WxDxH): 3000 x 50 x 11.5 mm
Weight: 2.2 kg

Screw mounted aluminium lashing track.
 Suitable for all aluminium cargo bars, lashing straps and lashing eyes.
 DIN 75410-1 compliant.

**Flush mounted aluminium lashing track**

AZV 10-2990 Ref. No. 801018023
Dimensions (WxDxH): 2990 x 65 x 10 mm
Weight: 2.3 kg

AZV 10-940 Ref. No. 801016060
Dimensions (WxDxH): 940 x 65 x 10 mm
Weight: 0.8 kg


Flush mounted aluminium lashing tracks for the Soboflex®-safety floor. Suitable for all aluminium cargo bars, lashing straps and eyes. DIN 75410-1 compliant

**Perforated track**

ZLC 6
 Ref. No. 801006651

Dimensions (WxDxH): 1585 x 45 x 2 mm
Weight: 0.45 kg

The flush mounted perforated track for mounting of aluminium cargo bars can be integrated into the Soboflex®- or Sobogrip® floor. It is also suitable for the original wood floors from the vehicle manufacturers.

**Load through hatch door**

ZTDK
 Ref. No. 801009674

Hatch opening (HxW): 233 x 248 mm

The load through hatch door is installed into the dividing wall between cargo bay and passenger compartment and extends the load length inside the vehicle, if required. In this way, even very long cargo can be stowed away inside the vehicle.



Cargo bars

Cargo bars

A cargo bar made of aluminium with gas pressure spring for locking and securing of loads.

ZSPALU 2000 Ref. No. 801010150 **Dimensions (WxDxH):** 2000 x 45 x 40 mm **Weight:** 3.79 kg

ZSPALU 3000 Ref. No. 801011361 **Dimensions (WxDxH):** 3000 x 45 x 40 mm **Weight:** 5.20 kg

ZSPALU 1860 Ref. No. 801012835 **Dimensions (WxDxH):** 1860 x 45 x 40 mm **Weight:** 4 x 3.59 kg

Suitable for the following vehicles: MB Sprinter high roof H2, VW Crafter high roof H2, Fiat Ducato high roof H2, Citroën Jumper high roof H2, Peugeot Boxer high roof H2
 Please note: this version is only available in a package with 4 pieces.

ZSPALUP 3 Ref. No. 801012285 **Dimensions (WxDxH):** 3000 x 45 x 40 mm **Weight:** 4.54 kg

Aluminium profiles for individual length adjustment usable as stop bars in connection with square brackets.


**Square bracket**

ZVKHL Ref. No. 801012339

for left aluminium lashing channels, stressable up to 450 daN
Inner dimensions: 42x46x36 mm

ZVKHR Ref. No. 801012338

for right aluminium lashing channels, stressable up to 450 daN
Inner dimensions: 42x46x36 mm



For loading wood or steel beams or plugging into a retractable aluminium lashing track as a pallet stopper.

Protection against torsion

ZSPALUVDS
 Ref. No. 801013386

Dimensions (WxDxH): 69 x 38 x 20 mm
Weight: 0.08 kg

Cargo bar aluminium.
 Protection against torsion in the cargo.



The Sortimo cargo bar is a universally deployable instrument for the securing of loads. It can be mounted inside the vehicle both horizontally and vertically if the lashing tracks and channels have been fitted correspondingly. With its square cross section, it safely secures the cargo. Additional lashing straps with lashing fittings can be mounted into the integrated tracks.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Lashing straps

Ratchet strap for gas and propane gas bottles

Lashing strap Prosafe for gas bottle storage
PSH GA
Art.Nr.1000000227

Ratchet strap with Prosafe hook for gas bottle storage.
Delivery without Prosafe lashing channel.

Lashing strap Prosafe for gas bottle storage
PSH GA
Art.Nr.1000000228

Ratchet strap with Prosafe hook for propane gas bottle storage.
Delivery without Prosafe lashing channel.



Ratchet strap for refrigerant bottles

Lashing strap with ratchet tension lock buckle and Prosafe hook
PSH RA 3,5
Ref. No. 1000000225
Strap length 3.5 m

PSH RA 6
Ref. No. 1000000226
Strap length 6 m


Permissible strain up to 600 daN



Lashing strap with lock buckle

ZVK
Ref. No. 80714114


Permissible strain up to 400 daN
Strap length ca. 3.5 m
Strap width 25 mm
100 % Polyester



Lashing strap with ratchet tension lock buckle and hook

ZVRH
Ref. No. 49717092

Permissible strain up to 650 daN
Strap length ca. 3.5 m
Strap width 25 mm
100 % Polyester




Lashing strap for tracks with ratchet tension lock buckle and fitting

ZVRF Ref. No. 80714343
Strap length ca. 3.5 m

ZVRF6 Ref. No. 801016218
Strap length ca. 6.0 m

Permissible strain up to 400 daN. Two sewn-in special fittings, suitable for Sortimo aluminium lashing track, strap width 25 mm, 100 % Polyester




Lashing strap with ratchet tension lock buckle and Prosafe hook

PSH RA 3,5 Ref. No. 1000000225
Strap length ca. 3.5 m

PSH RA 6 Ref. No. 1000000226
Strap length ca. 6.0 m

Permissible strain up to 600 daN., suitable for Sortimo Pro-Safe lashing track, strap width 25 mm, 100% Polyester




PRO SAFE

Lashing straps with lock buckle and Prosafe Hook

PSH KS 1,4 Ref. No. 1000000224
Strap length 1.4 m

PSH KS 1,4 Ref. No. 1000000222
Strap length 3 m

PSH KS 1,4 Ref. No. 1000000223
Strap length 6 m




Permissible strain up to 1200 daN

PRO SAFE

Lashing strap with ratchet tension lock buckle and snap hook

ZVRK Ref. No. 80714091
Strap length ca. 3.5 m


ZVRK6 Ref. No. 801016217
Strap length ca. 6.0 m
Permissible strain up to 800 daN,
Strap width 25 mm, 100 % Polyester



Lashing strap for lashing track with ratchet tension lock buckle and heavy load fitting

ZVRF 1000
Ref. No. 801012959

Strap length ca. 3.0 m
Permissible strain up to 1000 daN.
Two sewn-in special fittings, suitable for Sortimo aluminium lashing track, strap width 50 mm, 100 % Polyester



The lashing programme

Even heavy cargo such as e.g. gas or refrigerant bottles can be safely secured with the lashing straps and transported inside the vehicle. Sortimo offers a wide range of lashing equipment.



3 YEARS

Sortimo guarantees a 3 years warranty for these products

Accessories for load security

Bracket fitting

ZHF
Ref. No. 801007102

Weight: 0.16 kg
To be inserted into the aluminium lashing tracks. Lashing straps can be hooked in variably.



Fitting with handle clamp

ZSC G
Ref. No. 80778826

Weight: 0.11 kg
For use with track and channel



Fitting with stud and nut

ZSC M
Ref. No. 80778819

Weight: 0.04 kg
for aluminium lashing track



Fitting with clamp nut

ZSC S
Ref. No. 80715128


Weight: 0.08 kg
for lashing track and channel in MB Viano



Single lashing point

ZEZP
Ref. No. 801008097

Weight: 0.05 kg
Single lashing point to be screwed into upright, vehicle floor, aluminium cargo bar, etc.



Lashing eye

ZGF
Ref. No. 801009980

Weight: 0.04 kg
Lashing eye for variable usage with lashing straps on a track. Product can be used with ProSafe straps!




PRO SAFE

Floor lashing point set VP

VZA Ref. No. 80714244

For Soboflex®-safety floors. The safety floors are already fitted with drive-in nuts in the walkway. Pull out rating: 400 daN when using Soboflex®-safety floors. Kit includes 2 lashing points and 2 drive-in nuts



PRO SAFE

Flush lashing point

ZZM
Ref. No. 80714015

Dimensions (LxW): 104 x 70 mm
Pull out rating 350 daN. Flush-mounted into the Soboflex®-safety floor and firmly screwed to the vehicle floor. Delivery includes fixing set.



PRO SAFE

Fixing rails

ZFL
Ref. No. 80714206


Fixing rail made of plastic. Can be screwed to the vehicle floor and prevents cargo slipping on the vehicle floor.



Anti-slip protective corners

LSE
Ref. No. 801012678

Dimensions (WxHxD): 103 x 103 x 65 mm
Sturdy, powder-coated metal corner with non-slip surface. The 4 anti-slip protective corners secure your load against slipping



Lashing point

VZA2
Ref. No. 801009977

1 lashing point for mounting in Sortimo safety floor



PRO SAFE

Rubber strap

ZLEIGS Ref. No. 80778925
Dimensions (LxW): 2 m x 3 cm with 4 hooks

ZLEIG Ref. No. 801010020
Dimensions (LxW): 10 m x 3 cm

ZLEIGH Ref. No. 80778963
20 hook pack for rubber mesh strap




Load security net

ZLSN 1,7 x 1,1
Ref. No. 801002660
Dimensions (LxW): 1775 x 1150 mm
For usage in the aisle between in-vehicle equipment.

ZLSN 1,4 x 1
Ref. No. 801012744
Dimensions (LxW): 1400 x 1025 mm
Suitable for Renault Kangoo, VW Caddy, Citroen Berlingo etc.

ZLSN 2,2 x 1,6
Ref. No. 801012746
Dimensions (LxW): 2275 x 1650 mm
Suitable for VW T5, MB Sprinter etc.



mesh size: 100x100 mm

Professional load security

With the offered load security products, cargo can be secured quickly and easily. We deliver everything which is required to fulfil your duties as a vehicle driver. Starting with the small lashing eye up to the load security net which is available for transporters of each size, you can find extensive load security equipment.




3 YEARS

Sortimo guarantees a 3 years warranty for these products

Workbenches

Folding slide out workbench


Workbench foldable, without vice.
Available for all system widths and depths.



Workbench hinged

WB KL
Ref. No. 221003897


Plate dimensions (WxDxH): 195 x 583 x 30 mm
Workbench foldable, without vice.
Height from floor to bench 515 mm.



Heavy workbench

WB SKL
Ref. No. 22241016


Plate dimensions (WxDxH): 280 x 1000 x 36 mm
Heavy workbench, foldable with high foot, without vice. Height from floor to bench 265 mm. For vehicles with a low loading sill.



Short heavy workbench

WB SKLKF
Ref. No. 22241009

Plate dimensions (WxDxH): 280 x 1000 x 36 mm
Heavy workbench, foldable with short foot, without vice. Height from floor to bench 123 mm. For vehicles with a high loading sill!



Vices

Parallel vice

ZSP 120
Ref. No. 801008322

Weight: 9.7 kg
Parallel vice 120 mm jaw, opening width 150 mm, incl. pipe holder suitable for foldable workbenches and folding slide out workbench. Turns your workbench into a mobile workshop.



ZSP 140
Ref. No. 801008323

Weight: 16.0 kg
Parallel vice 140 mm jaw, opening width 215 mm, incl. pipe holder combined with rotating plate ZSD 140 is ideal for use with the heavy workbench WB SKL.

Rotating vice plate

ZSD 120
Ref. No. 801008324

Weight: 2.6 kg
Rotating plate for parallel vice 120




ZSD 140
Ref. No. 801008325

Weight: 4.5 kg
Rotating plate for parallel vice 140

Parallel vice

ZSP 75
Ref. No. 801010383

Weight: 1.9 kg
Rotating vice with 75 mm jaw width, opening width of 44 mm.
Rotating vice to be mounted to side panel of block. For quick execution of small work tasks.



Sortimo Accessories for the mobile workshop

Turn your vehicle into a mobile workshop. Only with one of our four workbench solutions is your in-vehicle equipment truly complete.

For your work at the customer, the installation of one of our sturdy and extremely durable workbenches might be just the ideal solution for you.

They can be completed with a parallel vice into a mobile work place. The workbenches are mounted onto the in-vehicle equipment or directly fixed into the vehicle floor for heavy-duty work.


For the secure transport of electric cables, hoses or chain hoists Sortimo offers holder fittings in various versions, depending on the requirements.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Sortimo original accessories

With the Sortimo original accessories, your in-vehicle equipment unfolds its full potential for you. From the cargo bar to the loading ramps, telescopic ladders, hand-held lamps and the fire extinguisher up to the surface mounted socket, you can find the required practical equipment for your branch.



Brackets and holders

Gripper hook

ZUG1
Ref. No. 801012161

Gripper hook ø 20 – 30 mm
The gripper hook can be mounted on the special aluminium strip or directly to the wall.

ZUG2
Ref. No. 801012162

Gripper hook ø 30 – 40 mm



Aluminium strip

ZUS
Ref. No. 801012166

Aluminium mounting strip for gripper hook. Length 90 cm. The gripper hooks can be flexibly placed.

Strap bracket

ZSG 1
Ref. No. 801009976

Strap bracket ø 15 – 30 mm
Zinc plated steel with rubber strap, can be mounted on the perforated panel.

ZSG 2
Ref. No. 80713858

Strap bracket ø 20 – 50 mm



Spare rubber strap


ZSG 1E
Ref. No. 491010015

ZSG 2E
Ref. No. 491010016

Ladder bracket

ZLH 1
Ref. No. 801009909


Screwed to upright on the Globelyst in-vehicle equipment.



Aluminium wall bracket

ZWH3
Ref. No. 801012165
Dimensions: 170 x 225 mm

Universally usable wall bracket, with wide supporting surface area.



Cable reel holder

ZKH
Ref. No. 80713094


Multi-purpose unit to secure hoses and extension cables to long component or shelf trays.



Overhead hook 1

ZDH1
Ref. No. 801012834

For mounting all long handled tools e.g. brooms and shovels on the in-vehicle equipment or the vehicle body.



Aluminium wall bracket

ZWH1
Ref. No. 801012163
Dimensions: 80 x 120 mm

ZWH2
Ref. No. 801012164
Dimensions: 115 x 140 mm

Universally usable wall bracket, available in two sizes



Coat hook

ZKH1
Ref. No. 80713087

Packaging unit with 3 pieces, screw-mounted into the side panel of the in-vehicle equipment.



Mounting accessories

With the practical mounting accessories for brooms, shovels, cables or clothes, we have the right products available you.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Holder


Tool Clips

ZTC10	Ref. No. 801013272	Tool Clip 10 mm
ZTC13	Ref. No. 801013273	Tool Clip 13 mm
ZTC16	Ref. No. 801013274	Tool Clip 16 mm
ZTC19	Ref. No. 801013275	Tool Clip 19 mm
ZTC22	Ref. No. 801013276	Tool Clip 22 mm
ZTC25	Ref. No. 801013277	Tool Clip 25 mm
ZTC28	Ref. No. 801013278	Tool Clip 28 mm
ZTC32	Ref. No. 801013279	Tool Clip 32 mm
ZTC38	Ref. No. 801013280	Tool Clip 38 mm
ZTC44	Ref. No. 801013281	Tool Clip 44 mm
ZTC64	Ref. No. 801013282	Tool Clip 64 mm
ZTC76	Ref. No. 801013283	Tool Clip 76 mm
ZTC89	Ref. No. 801013284	Tool Clip 89 mm
ZTC102	Ref. No. 801013285	Tool Clip 102 mm
ZTC114	Ref. No. 801013286	Tool Clip 114 mm



Pipe clamps

ZVSL 1
Ref. No. 801011062
Inner dimensions: 89 x 30 x 89 mm
 For the secure transport of circular or semicircular items such as e.g. standpipes, hydrant wrench, etc.




ZVSL 2
Ref. No. 801011063
Inner dim.: 59 x 30 x 63 mm

ZVSL 3
Ref. No. 801011064
Inner dim.: 50 x 30 x 50 mm

Threaded rod holder

ZGSH 04-10
Ref. No. 801012176

For secure and organized transport of threaded rods.



Clamping strip for tools

ZWKL
Ref. No. 801012160
Dimensions (WxHxD): 340 x 30 x 45 mm
 Screw-mounted to the face end of the in-vehicle equipment. The tools are safely secured during travel and quickly at hand for work.



Tailgate tent and folding table

Work tent for the tailgate

ZAH RETR Ref. No. 801012294 Renault Trafic

ZAH MBVI Ref. No. 801012295 Mercedes-Benz Vito

ZAH VWT5 Ref. No. 801012293 Volkswagen T5

The convenient rear tent makes work independent of the weather. It is quickly and easily mounted to the tailgate, and provides additional protection. Fasten with four loops on the ground.



Aluminium folding table

ZKLAPP
Ref. No. 801009387

Dimensions (LxW): 640 x 500 mm
 Carrying capacity bis 25 kg

Mounted to the side panel of the in-vehicle equipment. By unfolding the table, you can create a large resting surface.



Folding bracket

ZKK
Ref. No. 801013383

Dimensions (WxDxH): 300 x 25 x 30 mm
 Carrying capacity up to 200 kg
 VPE 2 pieces
 without table top

With the folding brackets, folding consoles in virtually any size and resting surface are possible.



Special tool clips

The tool clips, which can be mounted to the side panels, are particularly suitable for fastening tools which are needed for quick access at the workbench.



The folding table, the consoles for individual table sizes and also the tailgate tent conveniently facilitate work tasks outside of the vehicle.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Warning accessories

Traffic cone lashing set

ZLKS1
Ref. No. 80711137

Traffic cone lashing set for 1–5 cones
Strap length = 1.63 m
Cones not included in the delivery



Safety vest

WAVE
Ref. No. 80720009

Safety vest in accordance with
EN471 / DIN 30711



Warning triangle

WADR
Ref. No. 801009983

Warning triangle, foldable, acc. DIN 23641
Delivered in box.



Fire extinguisher and first aid kit

Auto fire extinguisher 6 kg

ZF6
Ref. No. 80713070

Auto fire extinguisher 6 kg
Powder extinguisher for fire classes A, B, C. High level
of functional safety due to interior pressure cartridge.
Operates from -20° to +60°



Auto fire extinguisher 2 kg

ZF2
Ref. No. 80713032

Auto fire extinguisher 2 kg
Powder extinguisher for fire classes A, B, C. High level
of functional safety due to interior pressure cartridge.
Operates from -20° to +60°



First Aid kit

VBK
Ref. No. 80720023

First Aid kit acc. DIN 13164



L-BOXX 102 First aid

LB 102 EH
Ref. No. 121018031

Contents acc. DIN 13157
Weight: 3.2 kg



Warning accessories

With our warning accessories, you have all the required products at hand in the case of a breakdown or accident. The driver of a commercially used vehicle is obligated by law to carry a safety vest, warning triangle and a first aid kit.

Fire extinguisher and first aid kit

It is highly recommended to carry a fire extinguisher in commercially used vehicles.

3
YEARS

Sortimo guarantees a 3 years warranty for these products

Cleaning accessories

Water tap set / wide necked water canister / accessories

ZWA 5

Ref. No. 80779205

Water tap set 5 l incl. holder and draincock

Dimensions: 295 x 165 x 295 mm

ZWA 10

Ref. No. 80779199

Water tap set 10 l incl. holder and draincock

Dimensions: 290 x 160 x 400 mm

ZWHK5

Ref. No. 801009995

Wide necked water canister 5 l

Dimensions: 290 x 160 x 290 mm

ZWHK10

Ref. No. 801009993

Wide necked water canister 10 l

Dimensions: 290 x 160 x 290 mm

ZHWK

Ref. No. 801009992

Draincock for wide necked canister

ZSPVC1

Ref. No. 80779212

PVC hose for the water tap set used to drain water out of the vehicle. 1 m



Paper dispenser

ZRG Ref. No. 801012833

Paper dispenser (large) (paper included). Rolling off during driving is prevented by the self-clipping function. Fit for all standard paper rolls 320 mm wide and 400 mm max. paper roll diameter. Screw-mounted to the in-vehicle equipment.

Paper roll blue

ZPRG Ref. No. 6000000076

Packaging unit 2 rolls, 255 metres each, double-layered, sheet size 24 x 35 cm



Paper towel dispenser

ZHA

Ref. No. 80711106

Screw-mounted to the in-vehicle equipment.

Dimensions (LxW): 285 x 130 mm

Paper towel green

ZPHA

Ref. No. 6000000077

Packaging unit 10 rolls, 56 metres each, double-layered, sheet size: 23 x 28 cm



Pump dispenser with hand cream

ZHSK

Ref. No. 80711007

Pump dispenser incl. wall holder and 3 l of hand cleaning cream.

Cleans without water! biodegradable, protects the skin, effective cleansing of oil, fats, tar, bitumen, printing ink etc.



Hand cleaning cream

ZHSK/ZHR

Ref. No. 801010017

3 l hand cleaning cream

Refill set

Cleans without water! biodegradable, protects the skin, effective cleansing of oil, fats, tar, bitumen, printing ink etc.



Tissue dispenser

ZREIT

Ref. No. 80778949

Dimensions (LxW): 110 x 195 mm

Tissue dispenser (no holder)



Waste bin

ABE

Ref. No. 80711144

Dimensions (WxDxH): 190 x 180 x 300 mm

Waste bin incl. wall holder

AB

Ref. No. 80711076

Waste bin bags, pack of 50 made from recycling material



Cleanliness in the workplace

With the Sortimo cleaning accessories, we offer you an extensive assortment for cleanliness at the mobile workplace.

3 YEARS

Sortimo guarantees a 3 years warranty for these products

Telescopic ladders

Telescopic combination ladder 2.3 m

ZTCL23
Ref. No. 801012159

Dimensions (WxDxH): 610 x 165 x 710 mm

Weight: 14.0 kg

Ladder length: closed 0.79 m
extended 2.3 m

Width: 0.48 m

Load capacity: 150 kg
Max. work height 3.7 m, 8 rungs



Telescopic ladder 3.3 m

ZTL33 / Ref. No. 80714909

Dimensions (WxDxH): 490 x 75 x 780 mm

Weight: 10.4 kg

Ladder length: closed 0.78 m
extended 3.3 m

Width: 0.49 m. **Load capacity:** 150 kg
Small during transport, but large in use.

The telescopic ladder with 11 rungs perfectly combines both advantages. Maximum working height is 4.4 m.



Telescopic combination ladder 1.7 m

ZTCL17
Ref. No. 6000000078

Dimensions (WxDxH): 610 x 165 x 680

Weight: 10 kg

Ladder length: closed 0.68 m
extended 1.7 m

Width: 0.48 m

Load capacity: 150 kg
Max. work height 3.0 m, 6 rungs

Ladder safety foot

ZTLF
Ref. No. 80714923

Weight: 0.96 kg

1 pair of safety feet for the telescopic ladder 3.3 m.

Height-adjustable up to max. 225 mm, suitable for stairs.

Non-slip foot, for use on slippery and uneven surfaces.

Two pieces are required.



Spare parts for telescopic ladders (no illus.)

ET TELE FÜ	Ref. No. 801013820	1 pair of replacement rubber shoes for the 3.3 m telescope ladder
ET TELE ZU	Ref. No. 801013821	1 pull ring for the telescope ladder
ET TELE AK	Ref. No. 801013822	1 protective cap fits both telescope ladders
ET TELECO FÜ	Ref. No. 801013823	1 pair of replacement rubber shoes for the 2.6 m telescope ladder
ET TELECO GRUFU	Ref. No. 801013824	1 complete base for the telescopic combination ladder

Ladder bracket

ZTLH4
Ref. No. 80779281

Weight: 0.50 kg

The ladder bracket is for the telescope ZTCL33. It can be easily mounted to the rear door of your vehicle for safe and quick use. Delivery does not include the ladder.



Ladder carry bag

ZTLT
Ref. No. 80714886

Weight: 0.54 kg

Carry bag for telescopic ladder up to 3.3 m. Easy to carry with strap, allows you to securely and neatly store your ladder.



Telescopic ladders

The telescopic ladders, in certified quality and manufactured in accordance with all norms, can be stowed away on a small space and extended up to 3.3 metres. These ladders even fit inside of every car boot and therefore spare the installation of a roof rack. Even narrow stairways or elevator shafts pose no problem to the telescopic ladder.

The telescopic combination ladder with a maximum work height of 3.7 metres is the ideal combination between stepladder and lean-to ladder.

3
YEARS

Sortimo guarantees a 3 years warranty for these products

Hand-held lamps

Professional hand-held 12 V

ZPHS12V
Ref. No. 801013999

Dimensions (WxDxH): 105 mm x 245 mm x 120 mm

Weight: 1.10 kg

Safety hand held lamp according to IP 64; dustproof and protected against splash water, tough plastic housing, swivel lamp head, also deployable as emergency lamp according to VDE 0108, maintenance free lead rechargeable battery incl. safety lamp charger, battery charging station, 220 V-power cable, 12 V-charging cable and attachment panel, clear and orange



Professional hand-held work lamp 12V explosion protected

ZPHS12VEX
Ref. No. 801013998

Dimensions (WxDxH): 105 mm x 245 mm x 120 mm

Weight: 1.10 kg

Safety hand-held lamp according to IP 64; dustproof and protected against splash water, tough plastic housing, swivel lamp head, also deployable as emergency lamp according to VDE 0108, maintenance free lead rechargeable battery incl. safety lamp charger, battery charging station, 220 V-power cable, 12 V-charging cable and attachment panel, clear and orange.



Spare parts for 12 Volt Professional hand-held lamp

ET GBPH12V
Ref. No. 801014000

Replacement bulb

ET AKKUPH12V
Ref. No. 801014001

Spare rechargeable battery

Rechargeable battery operated hand-held torch

ZAHSW
Ref. No. 80715104

Rechargeable battery operated torch incl. charger and mounting tray, 2 brightness settings, focus adjustment, flash mode, 6 V / 4 AH battery, mains charger for 230 / 12 V, splash-proof with lanyard, including 230 V power adaptor. Without warranty for battery



ET AKKU

Ref. No. 801013529 Spare rechargeable battery

Hand-held work lamps

ZHSW 12

Ref. No. 801009973

12 V, 1.2 m cable length, 55 Watt, with plug for cigarette lighter socket, magnetic base, swivel bracket 15° flood light

ZHSWV

Ref. No. 801009974

Extension cord 7 m, spiral



Work lamp

ZAS 12V

Ref. No. 801013764

Work lamp 12 Volt / 55 Watt

ZAS 24V

Ref. No. 801013765

Work lamp 24 Volt / 70 Watt

Exterior lamp for mounting on vehicle for better lighting.



On/off switch with control lamp

ZEASO

Ref. No. 801014906

On-off switch with control lamp for individual mounting and use.



Hand-held lamps

In mobile use, the rechargeable hand-held lamps present themselves as practical helpers in the darkness or in potentially explosive environments.

3
YEARS

Sortimo guarantees a 3 years warranty for these products


Mountable lighting

LED

LED lamp 12V
LA LED12V/1 Ref. No. 801013868
Dimensions (WxDxH): 150 x 150 x 25 mm

LED-STRIP 1000
LED-S 1000 Ref. No. 801018095
Length: 1 m

LED-STRIP 2000
LED-S 2000 Ref. No. 801018096
Length: 2 m




Mountable interior lamp

LASS 12/11 / Ref. No. 80778970
Dimensions (WxDxH): 425 x 42 x 43 mm. Mountable interior lamp 12 V, 11 Watt

LASS 24/11 / Ref. No. 80777911
Dimensions (WxDxH): 425 x 42 x 43 mm. Mountable interior lamp 24 V, 11 Watt

adjusts 270°, aluminium housing, easy installation, non-reflective, E1 compliant

LR11 / Ref. No. 80714930
Replacement tube 11 Watt



Mountable interior lamp

LAW6/12 / Ref. No. 80750013
Dimensions (WxDxH): 380 x 62 x 41 mm. Mountable interior lamp 12 V, 1x6 Watt


LR6 / Ref. No. 49750211
Replacement tube 6 Watt



Mountable interior lamp

LAS16/12 / Ref. No. 80750075
Dimensions (WxDxH): 380 x 75 x 25 mm. Mountable interior lamp 12 V, 2x8 Watt

LR8 / Ref. No. 49750204
Replacement bulb 8 Watt



Mountable interior lamp

LA2/220 / Ref. No. 80750099
Dimensions (WxDxH): 1280 x 120 x 110 mm. Mountable interior lamp 220 V, 36 Watt



With the mountable work lamps, your mobile workplace in the vehicle can be ideally illuminated. You can quickly orient yourself even in the darkness.

3
YEARS

Sortimo guarantees a 3 years warranty for these products

Surface mounted socket

ZSD12AB
Ref. No. 801009981

Dimensions (WxDxH): 58 x 37 x 25 mm
12 V Surface mounted socket for the interior with 2 screw terminals.



Plug for internal use

ZSD12AB2
Ref. No. 801005397

Dimensions (WxDxH): 75 x 50 x 35 mm
12 V Plug for internal use, large Vehicle cigarette lighter socket size



CEE feed-in socket outlet

ZCE 1
Ref. No. 80713643

Dimensions (WxDxH): 105 x 105 x 15 mm
vehicle exterior

Dimensions (WxDxH): 78 x 92 x 80 mm
vehicle interior

For exterior use only, 3 or 2 poles + PE, 16 A, 220 V, seal towards vehicle exterior, security lid, splash proof according to IP X4, tensile control for coupling.

Colour: white



Adaptor lead for external plug

ZCES
Ref. No. 80713667

1,5 with rubber fused plug for connection to an external plug, splash proof acc. to P X4, integrated SCHUKO socket 3 x 2,5 mm² SCHUKO rubber plug. For the connection of power cords with Schuko coupling to the CEE power supply socket.

CEE female right angle connector, splash-proof accord. P X4 with integrated Schuko socket.



Wave inverter

ZSW 300
Ref. No. 80714893

Dimensions (WxDxH): 116 x 185 x 73 mm
Wave inverter 12/250 V

Tough aluminium housing can be mounted in any position.

Technical details: input 12V, 22 A, output 230 V pure sine wave, power 300 VA, peak power output (4 sec) 400 VA



Sockets and inverters

Multiple socket outlet

ZSS 1
Ref. No. 801009971

Dimensions (WxDxH): 480 x 70 x 55 mm
220 V, 5 Schuko sockets, sturdy design, illuminated rocker switch



Safety multiple socket outlet

ZSS 2
Ref. No. 801009972

Dimensions (WxDxH): 480 x 70 x 80 mm
4 Schuko sockets
sturdy design, aluminium housing, circuit breaker to protect against overloads and short circuits.
Residual current breaker for personal protection 16 A / 10 mA



Safety multiple socket outlet

ZSS 3
Ref. No. 80713629

Dimensions (WxDxH): 480 x 70 x 55 mm
220 V, 5 Schuko sockets
Device protection surge filter with failure indicator and replaceable fine-wire fuse.



For the power supply of your electric devices, we offer numerous connection possibilities up to the wave inverter, which converts 12 Volt on-board DC voltage into 230 Volt AC voltage, to allow the use of chargers and computers, etc. For electric components, we also guarantee a 3 years warranty.

3
YEARS

Sortimo guarantees a 3 years warranty for these products

Loading ramps

Loading ramps

ZVS 2000

Ref. No. 801009243

Weight: 16,0 kg

1 pair loading rails 2000 mm, rigid

ZVSF 2000

Ref. No. 801009244

Weight: 18,0 kg

1 pair loading rails 2000 mm, collapsible

ZVS 2500

Ref. No. 801009245

Weight: 20,0 kg

1 pair loading rails 2500 mm, rigid

ZVSF 2500

Ref. No. 801009246

Weight: 22,0 kg

1 pair loading rails 2500 mm, collapsible

Aluminium loading rails with protective strip, non-slip surface P13, track width 150 mm, outer width 234 mm. Height of protective strips 30/42 mm, load capacity 300 daN with folding version, load capacity 380 daN non-folding version.



Loading ramps

Be it a washing machine or a lawn tractor. With the loading ramps, which are available in two sizes, each rigid and foldable, heavy and bulky cargo is conveniently stowed away in no time.

3
YEARS

Sortimo guarantees a 3 years warranty for these products




Products for the passenger compartment

Flexible solutions for your mobile office

Professionals spending a lot of time on the road need a mobile office on board. With the multi-functional automanager, your entire office equipment such as e.g. laptop, printer and documents are organized in the best possible way.

The autoassistant and the office bag complete the assortment for the passenger compartment.



Automanager

Automanager

AM OS

Ref. No. 601014453

Dimensions (WxDxH): 580 x 300 x 410 mm

Automanager with swivelling notebook table and storage pockets for small parts in the lid.

Weight: 7.4 kg

AM

Ref. No. 601009565

Automanager with power supply



Automanager trolley

AMT
Ref. No. 601009549

Practical transportation trolley for the automanager with telescopic handle.



Anti-theft device

AMD
Ref. No. 601009567

The anti-theft device facilitates additional securing of the automanager on the seat with a steel cable.

Weight: 0.2 kg



Voltage transformer 12 V

AMSW
Ref. No. 601009449

The 12 V voltage transformer can be connected to the cigarette lighter. Equipped with various connection adapters, the automanager allows operation of various printers and laptops. (please follow the manufacturer's advice!)



The mobile office for the road

Automanager

Being on the road a lot, you know the problem: you always need to have your files, samples and your notebook with you. With the automanager, Sortimo offers a practical solution for this problem.

Special features

- Storage pockets in the lid
- Secure fastening on the passenger seat with automatic strap
- Extendable swivelling notebook table
- Large inner compartment for additional hardware such as printer
- Available with integrated power supply

Accessories

- Trolley for easy transport
- Steel cable for theft protection
- Universal voltage transformer 12 Volt

3
YEARS

Sortimo guarantees a 3 years warranty for these products

Office bag and autoassistant

Office bag

OT

Ref. No. 601014026

Dimensions (WxHxD): 420 x 395 x 130 mm

The office bag is securely fastened to the head and seat rest with quickly detachable straps. All of your documents, pens, the mobile phone or your notebook are quickly at hand. Folding the office bag turns it into an easy-to-carry briefcase.



Autoassistant

AAS

Ref. No. 801013911

Dimensions (WxDxH): 362 x max. 661 x 480 mm

Autoassistant with two folder pockets, desk pad with clipboard and slot for a 1.5 l drinking bottle. Inside the box, there is ample room for various documents. Includes bracket for fastening on the back rest below head rest.

Weight: 6.9 kg



Office bag

The versatile office bag can be left open during travel, and the notebook is safely secured on the passenger seat in the bag. The bag offers lots of room for your mobile phone, pens, documents or writing pads. In a few steps, the office bag can be easily converted into a laptop bag or a briefcase.

Autoassistant

The autoassistant has everything which the mobile craftsman or service technician needs next to him or her on the passenger seat.

- Practical desk pad
- Bottle holder slot for a 1.5 l drinking bottle
- Rotatable clipboard for notes
- Ample room inside the box for various documents

- Two storage pockets for folders and brochures in the rear piece
- Secure fastening with safety belt

With the seat belt, the autoassistant is safely secured on the seating surface of the passenger seat. The back piece of the assistant is simply suspended into the back rest (the height is adjustable).

3
YEARS

Sortimo guarantees a 3 years warranty for these products



We are always close by!
Your Sortimo contact partners
in Germany and worldwide

On the following pages, you can find the addresses of our Sortimo branch offices and partners throughout Germany as well as our international subsidiaries and partners in 28 countries worldwide.

Sortimo DIRECT is pleased to assist you with all questions relating to Sortimo.

Contacting Sortimo

You can contact us free of charge in Germany by phone:

Tel. 0800 7678466

Fax 0800 7678499

E-Mail direct@sortimo.de

www.sortimo.com/direct



Sortimo in Germany

Branch offices and partners

Sortimo International GmbH

Headquarter

Dreilindenstraße 5

86441 Zusmarshausen

Tel. +49 8291 850-0

Fax +49 8291 850-250

E-Mail: info@sortimo.com

www.sortimo.com

Sortimo branch office Berlin

Gartenfelder Straße 29-37, Gebäude 44
13599 Berlin
Tel. +49 30 2005370-0
Fax +49 30 2005370-19
E-Mail: berlin@sortimo.de

Sortimo branch office Dresden

Hamburger Straße 14
01067 Dresden
Tel. +49 351 207362-0
Fax +49 351 207362-29
E-Mail: dresden@sortimo.de

Sortimo branch office Langenfeld

Lise-Meitner-Straße 19
40764 Langenfeld
Tel. +49 2173 10943-0
Fax +49 2173 10943-29
E-Mail: langenfeld@sortimo.de

Sortimo branch office Frankfurt/Main

Industriestraße 21
63150 Heusenstamm
Tel. +49 6104 64861-0
Fax +49 6104 64861-22
E-Mail: frankfurt@sortimo.de

Sortimo branch office Hamburg

Ausschläger Allee 178
20539 Hamburg
Tel. +49 40 571954-0
Fax +49 40 571954-54
E-Mail: hamburg@sortimo.de

Sortimo branch office München

Landshuter Straße 13
85716 Unterschleißheim
Tel. +49 89 37004560
Fax +49 89 37004589
E-Mail: muenchen@sortimo.de

Sortimo branch office Nürnberg

Benno-Strauß-Straße 37
90763 Fürth
Tel. +49 911 48035-35
Fax +49 911 48035-36
E-Mail: nuernberg@sortimo.de

Sortimo branch office Stuttgart

Nürtinger Straße 50
73257 Köngen
Tel. +49 7024 9726-0
Fax +49 7024 9726-10
E-Mail: stuttgart@sortimo.de

Sortimo branch office Zusmarshausen

Dreilindenstraße 5
86441 Zusmarshausen
Tel. +49 8291 850-149
Fax +49 8291 850-253
E-Mail: zusmarshausen@sortimo.de

Sortimo partner Bad Dübener

Rolf Frömmichen
Untere Hauptstraße 10
04849 Authausen
Tel. +49 34243 26234
Fax +49 34243 22114
E-Mail: sortimo-froemmichen@gmx.de

Sortimo partner Berlin

IFP GmbH
Buckower Chaussee 85
12277 Berlin
Tel. +49 30 72016005
Fax +49 30 89726753
E-Mail: ifp-berlin@t-online.de

Sortimo partneren Bremen, Braunschweig

Wilfried Klatt GmbH
Im Finigen 15
28832 Achim
Tel. +49 4202 521730
Fax +49 4202 521732
E-Mail: info@sortimo-station-bremen.de

Sortimo partner Brüggen

Bartsch + Feikes GmbH
Weiherfeld 18
41379 Brüggen
Tel. +49 2163 9997-0
Fax +49 2163 9997-77
E-Mail: info@bartsch-feikes.de

Sortimo partner Celle

Burger Landstraße 1 a
29229 Celle
Tel. +49 5414 9579-0
Fax +49 5414 9579-15
E-Mail: info@klatt-celle.de

Sortimo partner Erfurt

Firma Gregor
Inh. Mario Gregor
Kalkreife 14
99085 Erfurt
Tel. +49 361 550440-0
Fax +49 361 550440-10
E-Mail: info@gregor-erfurt.de

Sortimo partner Essen

Heiko Dworak GmbH & Co.
Verwaltungs KG
Johanniskirchstraße 98
45329 Essen
Tel. +49 201 747008-1
Fax +49 201 747008-3
E-Mail: hdworak@sortimo-essen.de

Sortimo partner Friesland-Oldenburg

Moritz Industrievertretungen -
Matthias Kruse
Färberstraße 2
26340 Zetel
Tel. +49 4453 4084
Fax +49 4453 6268
E-Mail: sortimo-station-friesland@ewetel.net

Sortimo partner Fulda

Josef Leibold GmbH
Philipp-Reis-Straße 19-21
36093 Künzell
Tel. +49 661 31019
Fax +49 661 36697
E-Mail: hojo@leibold-karosseriebau.de

Sortimo partner Gera

PFK Eickmeier GmbH & Co. KG
Wiesenring 8
07554 Korbußen
Tel. +49 36602 241-0
Fax +49 36602 241-23
E-Mail: pfk-eickmeier@t-online.de

Sortimo partner Gerstetten

Klaus Fries
Amselweg 5
89547 Gerstetten
Tel. +49 7323 3907
Fax +49 7323 921867
E-Mail: sortimo-station-gerstetten@t-online.de

Sortimo partner Halle (Saale)

Gruber Fahrzeugbau GmbH
Geltestraße 3
06184 Kabelsketal OT Dölbau
Tel. +49 172 34 24 567
E-Mail: info@gruber-sortimo.de

Sortimo partner Hannover

HIG GmbH
Molkereistraße 33
30826 Garbsen
Tel. +49 5131 451288
Fax +49 5131 451914
E-Mail: vertrieb@hig-hannover.de

Sortimo partner Heilbronn

Klaus & Hartmut Stöckel GbR
Sägmühlstraße 45
74930 Ittlingen
Tel. +49 7266 911555
Fax +49 7266 911557
Mobil 0173 3257383
E-Mail: stoeckel.fahrzeugbau@t-online.de

Sortimo partner Kaiserslautern

Soflex GmbH
Mainzer Straße 114
67657 Kaiserslautern
Tel. +49 631 3507545
Fax +49 631 3507776
E-Mail: soflex-kl@online.de

Sortimo partner Kassel-Göttingen

Peter Welsch GmbH
Ellenbacher Straße 6
34123 Kassel
Tel. +49 561 524300
Fax +49 561 5296810
E-Mail: info@sortimo-kassel.de

Sortimo partner Koblenz

L & S Fahrzeuginrichtungen GmbH
Hinter der Jungenstraße 9
56218 Mülheim-Kärlich
Tel. +49 261 9881570
Fax +49 261 9881578
E-Mail: info@ls-fahrzeuginrichtungen.de

Sortimo partner Magdeburg

Lohanser GmbH
Schulzenstraße 18
39249 Barby
Tel. +49 39298 257722
Fax +49 39298 257724
E-Mail: info@lohanser.de

Sortimo partner Mannheim

Soflex GmbH
Schildkrötstraße 29
68199 Mannheim
Tel. +49 621 84254-0
Fax +49 621 84254-29
E-Mail: contact@soflex-ma.de

Sortimo partner Marl

Gahlen Fahrzeuginrichtungen
and Anhänger Vertriebs GmbH
Boschstraße 6
45770 Marl
Tel. +49 2365 81911
Fax +49 2365 508161
E-Mail: gahlen-sortimo@t-online.de

Sortimo partner Ostwestfalen-Lippe

THL GmbH
Stadtheider Straße 1-3
33609 Bielefeld
Tel. +49 521 30443-0
Fax +49 521 30443-22
E-Mail: info@thl-bielefeld.de

Sortimo partner Pforzheim

HS Fahrzeug- and
Betriebseinrichtungen GmbH
Hohwiesenstraße 4
75217 Birkenfeld
Tel. +49 7231 911420
Fax +49 7231 358230
E-Mail: info@sspf.de

Sortimo partner Schweinfurt

Karl-Heinz Maar
Kreuzstraße 2
97532 Üchtelhausen
Tel. +49 9720 1882
Fax +49 9720 3923
E-Mail: karl-heinz.maar@t-online.de

Sortimo partner Schwerin

HGS Fahrzeug- u.
Betriebseinrichtungen GmbH
Lindenweg 1
19075 Pampow/Schwerin
Tel. +49 3865 829-0
Fax +49 3865 82922
E-Mail: sortimo.schwerin@t-online.de

Sortimo partner Solingen

Manfred Becker
Kyllmannweg 29
42699 Solingen
Tel. +49 212 320001
Fax +49 212 320003
E-Mail: info@sortimo-solingen.de

Sortimo partner Teningen

SiTraFa GmbH & Co. KG
Siemensstraße 15
79331 Teningen-Nimburg
Tel. +49 7663 913080
Fax +49 7663 913089
E-Mail: bzoller@sitrafafa.de

Sortimo partner Weser-Ems

C.A. Brill GmbH
Twentestraße 7
48527 Nordhorn
Tel. +49 5921 7800-341
Fax +49 5921 7800-10
E-Mail: manfred.jansen@ca-brill.de

Sortimo partner Wetzlar

Auto-Schach GmbH & Co. KG
Industriestraße 15-17
35582 Wetzlar-Dutenhofen
Tel. +49 641 97901-0
Fax +49 641 97901-10
E-Mail: info@auto-schach.de

You can also find your
local partner on the internet
by using our comfortable
postcode search at
www.sortimo.de

Worldwide at your service!

Sortimo International



Argentina

Sortimo
Adolfo E. Seifer
Francia 2545
1642 San Isidro
AR - Argentina
Tel. + 54 / 11 / 4723 8571
Fax + 54 / 11 / 4723 9112
seiferar@arnet.com.ar
www.sortimo.com

Austria

Sortimo GesmbH
Technologiezentrum Linz
Wiener Straße 131
Eingang A, 1.Stock
A - 4020 Linz
Tel. + 43 / 810 / 0810 45
Fax + 43 / 810 / 0810 46
office@sortimo.at
www.sortimo.at

Belgium

Sortimo BELUX bvba
Schaarbeeklei 207
B - 1800 Vilvoorde
Tel. + 32 / 2 / 3550 370
Fax + 32 / 2 / 3550 371
info@sortimo.be
www.sortimo.be

Czech Republic

FD servis Praha s.r.o.
Kuří 26
CZ - 251 01 Říčany u Prahy
Tel. + 420 / 323 / 6061 09
Fax + 420 / 323 / 6061 07
info@fdservispraha.cz
www.fdservispraha.cz

TOP CENTRUM
Jaroslav Novák
Rohovládova Bělá 91
CZ - 533 43 Rohovládova Bělá
Tel. + 420 / 466 / 9212 92
Fax + 420 / 466 / 9212 93
topcentrum@topcentrum.cz
www.topcentrum.cz

Denmark

Sortimo A/S
Greve Main 24
DK - 2670 Greve
Tel. + 45 / 43 / 5522 22
Fax + 45 / 43 / 5522 26
info@sortimo.dk
www.sortimo.dk

Finland

Suomen Autokaluste Oy
Ormuspellontie 9
FIN - 00700 Helsinki
Tel. + 358 / 207 558 816
panu.lahtinen@sortimo.fi
www.sortimo.fi

France

Sortimo S.A.R.L.
Aéropark
1 Rue Jean Mermoz Bât C6
95500 Gonesse
Tel. + 33 / 1 / 3987 44 66
Fax + 33 / 1 / 3987 51 68
info@sortimo.fr
www.sortimo.fr

Greece

Stathis
Transport Refrigeration
Dounas Theocharis & Co SA
Sindos Industrial Area, Entrance B
p.O. Box 11 34
GR - 570 22 SINDOS
Thessaloniki, Greece
Tel. + 30 / 23 / 1079 8300
Fax + 30 / 23 / 1079 8370
contact@stathis.com.gr
www.stathis.com.gr

Hungary

Hofmann Garázsipari Kft.
Budaörsi út 11.
H - 2092 Budakeszi
Tel. + 36 / 23 / 535 831
Fax + 36 / 23 / 535 849
ballun@t-online.hu
www.ballun.hu

Pappas Auto Magyarországi Kft.
Kárpát u. 21
1133 Budapest
Tel. +36 1 4637400
Fax +36 1 4637409
info@pappas.hu
www.pappas.hu

Iceland

RAFVER HF
Skeifan 3 E-F
p.O. Box 84 33
IS - 128 Reykjavik
Tel. + 35 / 4 / 5812 333
Fax + 35 / 4 / 5680 215
rafver@rafver.is
www.sortimo.com

Israel

Sortline Ltd.
17 Zvi Bergman St.
Industrial Zone Sgula
p.O. Box 4622
IL - 49277 Petach-Tikva
Tel. + 97 / 23 / 9052 102
Fax + 97 / 23 / 9052 110
info@pba.co.il
www.sortline.co.il

Italy

Sortimo Italia S.r.l.
Via Crivellin, 7
I - 37010 Affi (VR)
Tel. 045 / 48 58 180
Fax 045 / 72 38 248
info@sortimo.it
www.sortimo.it
Numero Verde 800 855 717

Japan

MURATEC – KDS Corporation
No. 39, Matsuda-cho
Higashi-kujo, Minami-ku,
JP - 601-8036 Kyoto
Tel. + 81 / 75 / 6812 761
Fax + 81 / 75 / 6612 764
workman@muratec-kds.jp
www.sortimo.com

Korea

Rocky Co. Ltd
Tool Storage Systems
4BL/4LT Namdong Industrial Complex
618-3 Namchon Dong Nandong-Gu
Incheon 405-846 Korea
Tel. + 82 / 328 / 115500
Fax + 82 / 328 / 136670
galantvr4@naver.com
www.rocky.co.kr.

Netherlands

Sortimo Nederland B.V.
Nijverheidstraat 11
NL - 2861 GX Bergambacht
Tel. + 31 / 182 / 35 60 60
Fax + 31 / 182 / 35 60 90
info@sortimo.nl
www.sortimo.nl

North America

(Kanada, USA, Mexiko)
Sortimo North America, Inc.
2815 Colonnades Court,
Norcross, GA 30071
USA
Phone 877/812/6994 (toll free)
Phone + 1 / 404 812 6994
Fax + 1 / 404 812 9940
info@sortimo.us
www.sortimo.com

Norway

Sortimo A/S
Ulvenveien 92 A
N - 0581 Oslo
Tel. + 47 / 22 / 72 92 70
Fax + 47 / 22 / 72 92 72
firmapost@sortimo.no
www.sortimo.no

Poland

MOBILCAR S.C.
Dobrzeń 26
PL - 56-410 Dobroszyce
Tel. +48 / 71 / 3153 532
Fax +48 / 71 / 3153 519
sortimo@mobilcar.pl
www.mobilcar.pl

Russia

Forward Service
Poklonnaya str. 11, build. 1, office 203
121170 Moscow
Tel +7 495 2294476
Fax 495 2294476
info@sortimo.ru
www.sortimo.ru

Slovakia

TECHNIA spol s.r.o.
Komárňanská cesta 72
940 01 Nové Zámky
Tel. + 421 / 35 / 6921 111
Fax + 421 / 35 / 6426 443
technia@technia.sk
www.technia.sk

Slovenia

Sorti d.o.o
Gerbiceva 114
SLO - 1000 Ljubljana
Tel. + 386 / 1 / 4231 880
Fax + 386 / 1 / 2565 200
sortimo@sortimo.net
www.sortimo.net

Spain / Portugal

Sortimo Ibérica
Comercia-Servicios, S.L.
p.l. Garza 2,
Nave 29, Ctra M-106, km 2
ES - 28110 Algete (Madrid)
Tel. + 34 / 902 448899
Fax + 34 / 91 6289100
info@sortimo.es
www.sortimo.es

Sweden

Sortimo AB
Box 9173
400 94 Göteborg
Tlf.: 031 / 761 45 20
Fax: 031 / 776 99 50
E-Mail: info@sortimo.se
www.sortimo.se

Switzerland

Walter Rüegg AG
Sortimo Zentrum
Grabenackerstr. 1
CH - 8156 Oberhasli
Tel. + 41 / 44 / 8525 060
Fax + 41 / 44 / 8525 070
info@sortimo.ch
www.sortimo.ch

UK & Ireland

Sortimo International Ltd
14 – 17 Ravenhurst Court
Birchwood
Warrington, Cheshire
WA3 6PN
FREEPHONE: 0800 027 5644
Phone + 44 / 1925 831636
Fax + 44 / 1925 848232
sales@sortimo.co.uk
www.sortimo.co.uk

Venezuela

Servibus de Venezuela C.A.
Avenida Los Parceleros
Calle N° 17-92
Zona Industrial, Aguas Calientes
YU - Ureña – Estado Táchira
Tel. + 58 / 276 / 7874 865
Fax + 58 / 276 / 7870 279
servibus.ca@gmail.com
www.sortimo.com

Don't delay, fax today?

Simply fill out the form and fax it back to Sortimo: +49 8291 850-250

Sortimo[®]

Intelligent Mobility!

As the market leader, we also have numerous services, information and interactive offers regarding the topic in-vehicle equipment on offer on the internet.

Please send me further information and catalogues free of charge and without obligation:

- Globelyst M brochure** **Sortimo Media DVD**
 Mobile accessories

Vehicle brochure with Sortimo in-vehicle equipment for:

- | | | | |
|--|---------------------------------|-------------------------------------|----------------------------------|
| <input type="checkbox"/> Citroën | <input type="checkbox"/> Fiat | <input type="checkbox"/> Ford | <input type="checkbox"/> Iveco |
| <input type="checkbox"/> Mercedes-Benz | <input type="checkbox"/> Nissan | <input type="checkbox"/> Opel | <input type="checkbox"/> Peugeot |
| <input type="checkbox"/> Renault | <input type="checkbox"/> Toyota | <input type="checkbox"/> Volkswagen | |

I would like a **consultation** in order to find out more about Sortimo in-vehicle equipment. Please call me back to arrange an appointment on the _____ at _____ o'clock.

I would like to subscribe to the **Sortimo Newsletter** free of charge.
My E-Mail address is: _____

Thank you for your interest and we are looking forward to hearing from you!

_____ Company

_____ Name, First name

_____ Street _____ Postcode _____ City

_____ Tel. _____ Fax

_____ E-Mail

_____ Branch of business

www.sortimo.de

For all products shown in our catalogue, you can find on our website:

- additional information
- design and equipment suggestions

For more details, please visit our extensive download area!

www.sortimo.de/newsletter

The newsletter regularly informs you about:

- current products
- trade shows and events
- worthwhile offers
- great prize draws

Order our free newsletter now!



VISIT



WWW.SORTIMO.COM

FOR FURTHER INFORMATION

Sortimo[®]
Intelligent Mobility

Sortimo International GmbH
Dreilindenstraße 5 · 86441 Zusmarshausen · DEUTSCHLAND
Tel. +49 8291 850-0 · Fax +49 8291 850-250
E-Mail: info@sortimo.com · www.sortimo.com