

KNAPHEIDE®

SINCE 1848

KUV®



KUV129SUK



KUV129SLK



KUV129SHK



KUV129D20LK



KUV153D20HK

Standard Features



Cargo area and conduit chute capacity:
10' in the 129" bodies and
12' in the 153" bodies

*Shown with optional equipment

New KUV129SHK Model Available

- A** Double panel rear cargo doors lock and seal into the body frame.
 - These 20 gauge galvaneal steel doors have nitrogen gas struts, slam latches, and 9"x30" glass windows with guards.
- B** Two conduit chutes to transport copper pipes, PVC, and conduit. (1 shelf per chute on 129SUK, 2 shelves per chute on all other bodies)
- C** Master Locking System for peace of mind, locks down all of the side compartments in one move.
- D** Rear vertical compartment contains 1 adjustable divider shelf warranted to hold up to 250lbs.
- E** Vertical compartment doors employ double spring-loaded, over-center retainers for elimination of involuntary swing.
- F** Horizontal compartment contains 1 adjustable divider shelf warranted to hold up to 250lbs. (passenger side only).
- G** Automotive door seals for protecting your tools and parts from the elements.
- H** Front vertical compartments contain 2 adjustable divider shelves warranted to hold up to 250lbs. each.
- I** "Pry-Proof" stainless steel hinges for security.
- J** Stainless steel latches:
 - Stainless steel paddle activated, rotary-style latches close easily and stay closed. Individually lockable bolt-on latches can be removed for repair or replacement. With Knapheide's exclusive six-year warranty.
 - Interior cover secures the latch to the door and protects latch mechanisms from being damaged.
- K** Aerodynamic wind deflector mounted on body above cab (all models except for the KUV129SUK & KUV129SLK).
- L** Spacious cargo storage area for transporting drywall, larger tools, water heaters and oversized items.
- M** Sliding cab access door with window can be locked from the cab and secured in either an open or closed position.
- N** Two interior dome lights in cargo area with light switch inside the cargo doors.
- O** And more (not pictured):
 - Rust protection from Knapheide's K-Coat System (complete immersion in electro-deposition prime paint).
 - All compartments can be locked independently for maximum security.
 - Aluminum fuel fill.
 - Grab handle (right rear).
 - Since 1848, The Knapheide Manufacturing Company has continued to be an industry leader, with a vast distribution network and expert staff ready to help.



KUV129SUK will fit inside an 8' tall residential garage.

Specifications

KUV Model
Ford Motor Company

	Chassis Model	Wheel Base (in.)	GVWR (lbs.)	Chassis Weight (lbs.) ¹	Body Weight (lbs.) ²	Total Unit Weight (lbs.)	Payload (lbs.) ³	Total Storage (cu. ft.)	Bulk Cargo Area (cu. ft.)	Compartment Area (cu.ft.)
KUV129SUK	E-350	138	9,600	4,782	2,297	7,079	2,521	335	265	70
KUV129SLK	E-350	138	9,600	4,782	2,549	7,331	2,269	388	318	70
KUV129SHK	E-350	138	9,600	4,898	2,636	7,534	2,066	473	403	70
KUV129DLK	E-350	138	11,500	5,059	2,649	7,708	3,792	425	355	70
KUV129D20LK	E-350	138	11,500	5,059	2,649	7,708	3,792	425	329	96
KUV129DHK	E-350	138	11,500	5,059	2,740	7,799	3,701	492	422	70
KUV129D20HK	E-350	138	11,500	5,059	2,740	7,799	3,701	492	396	96
KUV153DLK	E-450	158	14,500	5,467	3,038	8,505	5,995	506	421	85
KUV153D20LK	E-450	158	14,500	5,467	3,038	8,505	5,995	506	389	117
KUV153DHK	E-450	158	14,500	5,467	3,169	8,636	5,864	585	500	85
KUV153D20HK	E-450	158	14,500	5,467	3,169	8,636	5,864	585	468	117

(1) Chassis weight calculated with gas engine (5.4L in E-350 & 6.8L in E-450). Optional engines and other chassis may effect chassis weight.


(2) Body weight calculated with standard shelving and bumper. Body options will increase body weight.

(3) Final payload calculation subject to chassis and body options.

* "S" model denotes single rear wheel with 14.5" deep compartments.

** "D" model denotes dual rear wheel with 14.5" deep compartments.

*** "D20" model denotes dual rear wheel with 20" deep compartments.



Popular Options



Power Locks



SpitzLift Crane



Sortimo Storage System



LED Compartment Lighting



Cargo Management System



Knapliner Rear Bumper



Rear Vision Camera



Power Ladder Rack



Manual Ladder Rack



Mechanics Vise Bracket




Codeable Padlock



Side Access Doors



Power Liftgate



Class V Receiver Hitch



3 Bow Ladder Rack



Solid Rear Doors

Because Rust Never Sleeps

Rust shouldn't be a concern when you buy quality Knapheide products. To give you the best protection from rust and corrosion, we installed our state of the art, custom-designed electrodeposition prime paint system. Our E-coat system bonds paint to steel by an electroplating process, to give you a superior coat of primer resulting in better corrosion protection compared to spraying methods. Complete immersion in our E-coat results in a prime coat that provides the best chemical and solvent resistance. Rust never sleeps, and neither does our E-coat protection so you should never worry about the quality of your Knapheide products.



KUV

6 Year Limited Warranty

- No rust through
- Door hinges will not fail or come off body
- Latches and lock cylinders will not fail to operate
- Shelves will not bend under max. load of 250lbs.

The Knapheide Manufacturing Company
1848 Westphalia Strasse
Quincy, Illinois 62305

(217) 222-7131

www.knapheide.com

knapheide@knapheide.com


L63F 10M 0911H



SINCE 1848

Copyright© 2011 The Knapheide Manufacturing Company

For more information:



Specifications subject to change without notice.

Some models shown with optional equipment.