



MODELS

F-350

MAXIMUM CAPABILITIES1

5th-Wheel Towing: 16,500 lbs. Conventional Towing: 15,000 lbs.

Payload: 7220 lbs. GCWR: 24,500 lbs. GVWR: 13.000 lbs.

Front GAWR: 5250 lbs. (4x2); 6000 lbs. (4x4)

EQUIPMENT CONFIGURATIONS

Engines: 6.2L Gas V8 Flex Fuel E85-capable

6.7L Power Stroke® V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 ■ Single Rear Wheel or Dual Rear Wheel

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

F-450

MAXIMUM CAPABILITIES¹

5th-Wheel Towing: 21,400 lbs.

Conventional Towing: 16,000 lbs. Payload: 9976 lbs.

GCWR: 30,000 lbs. GVWR: 16,500 lbs. Front GAWR: 7000 lbs

EQUIPMENT CONFIGURATIONS

Engines: 6.8L Gas V10

6.7L Power Stroke V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 ■ Dual Rear Wheel Only

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

F-550

MAXIMUM CAPABILITIES1

5th-Wheel Towing: 26,400 lbs.

Conventional Towing: 16,000 lbs

Payload: 12,711 lbs.
GCWR: 35,000 lbs.

GVWR: 19,500 lbs. Front GAWR: 7000 lbs.

EQUIPMENT CONFIGURATIONS

Engines: 6.8L Gas V10

6.7L Power Stroke V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 ■ Dual Rear Wheel Only

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

PICKUP BOX DELETE

Available on F-250 and F-350 Pickups with long wheelbases only. Includes 16K trailer hitch receiver (trailer tow rating limited to 12.5K lbs.). Deletes pickup box, tie-down hooks, bodyside moldings, rear bumper, spare wheel, tire, carrier and jack.

STANDARD FEATURES

MECHANICAL

90,000-mile tune-up interval² (gas engines)

Auxiliary rear springs

Battery saver

Brakes — Hydro-boost (SRW diesel and all DRW)

Brakes — Vacuum-boost (SRW gas)

Engine-Only Traction Control (EOTC) (DRW only)

Fail-safe engine cooling system (gas engines)

Front and rear stabilizer bar

Fuel tank - 28-gallon midship (SRW)

Fuel tank — 40-gallon aft-of-axle (DRW)

Power steering

Stainless steel exhaust system (major components)

Stationary Elevated Idle Control (SEIC)3

Steering damper

Trailer Sway Control (SRW only)

Trailer tow prep includes 7-wire harness (blunt cut) with relays

INTERIOR

Assist and ride handles

Coat hooks — 1 (Regular Cab); 2 in rear of cab

(SuperCab and Crew Cab)

Dome light (front and rear with Crew Cab)

Flip-open rear quarter windows (SuperCab)

Overhead console with garage door opener storage and sunglasses storage (SuperCab and Crew Cab)

Power points located on instrument panel (2)

Tilting/telescoping steering column

Upfitter switches located on instrument panel (4)

EXTERIOR

"3-Blink" lane change signal

Dual-beam jewel-effect headlamps

Front step bumper

Front tow hooks (2)

Roof clearance lamps

Solar-tinted glass
Underhood service lamp

Windshield wipers — Intermittent

SAFETY & SECURITY

4-wheel power disc brakes with Anti-lock Brake System (ABS)

AdvanceTrac® with RSC® (Roll Stability Control™) (SRW only)

Belt-Minder® front safety belt reminder

Brake/shift interlock

Child-safety-seat top tether anchors

(Regular Cab front passenger and all rear-seat positions)

Driver and right-front-passenger front airbags⁴

Front-seat side airbags4

Fuel pump inertia shutoff switch

Headlamps-on, key-in-ignition and door ajar alert chimes

Height-adjustable safety belts at front-outboard positions

Passenger airbag deactivation switch (Regular Cab, SuperCab)

Safety belt energy-management retractors at

front-outboard positions

Safety Canopy® System with side-curtain airbags4

for all rows and rollover sensor Side-intrusion door beams

SOS Post-Crash Alert System™⁵

OPTIONAL PACKAGES

16,000-lb. GVWR Package (F-450 only)

Ambulance Prep Package (Fleet only) includes dual alternators (combined 357 amps), standard-width axle with F-350 SRW, and wide-track limited-slip axle with F-350 DRW (restrictions apply)

Extra-Heavy-Service Front Suspension Package includes 2-up front springs upgrade (unless maximum springs have been computer selected as included equipment; restrictions apply)

Heavy-Service Front Suspension Package includes 1-up front springs upgrade (unless maximum springs have been computer selected as included equipment; restrictions apply)

High-Capacity Trailer Tow Package (F-450/F-550 only) includes 30,000-lb. GCWR for F-450 and 35,000-lb. GCWR for F-550 and upgraded rear-axle gear set (trailer brake controller not included)

Low Deflection Package (F-450/F-550 only) includes 2" spacer blocks; recommended for rear-biased loading (restrictions apply)

Payload Downgrade Package (F-450/F-550 only) includes a 15,000-lb. GVWR rating for F-450 and a 17,500-lb. GVWR rating for F-550

Payload Upgrade Package (F-350 SRW only) increases GVWR for increased payload range (restrictions apply)

Payload Upgrade Package (F-550 with 141" WB and 6.8L gas engine only) increases GVWR to 19,000 lbs. and includes upgraded frame and rear axle

Payload Plus Upgrade Package (F-550 only) increases GVWR to 19,500 lbs. and includes upgraded frame, rear axle and springs (restrictions apply)


Snow Plow Prep Package includes computer-selected springs for

snow plow application and extra-heavy-duty alternator with diesel engine only

Trailer Tow Package includes aftermarket trailer brake wiring kit

(trailer brake controller not included; restrictions apply)

¹When properly equipped. ²Under normal driving conditions with routine fluid and filter changes. ³Final-stage manufacturer must supply control switches. ⁴Always wear your safety belt and always deactivate the passenger airbag when using a rear-facing child-safety seat in Regular Cab and SuperCab models. Always wear your safety belt and always secure children in the rear seat in Crew Cab models. Passenger airbag may be deleted. ⁵SOS hardware may become damaged or the battery may lose power in a crash, which could prevent operation. Not all crashes will activate an airbag or safety belt pretensioner.





STANDARD FEATURES



Includes all standard features, plus:

MECHANICAL

6.2L SOHC 2-valve Gas V8 Flex Fuel E85-capable engine (F-350)

6.8L SOHC 3-valve Gas V10 engine (F-450/F-550)

TorqShift® Heavy-Duty 6-speed SelectShift Automatic™ transmission

TorqShift 5-speed automatic transmission (F-450/F-550)

17" argent-painted steel wheels (F-350)

LT245/75R17 all-season BSW tires (F-350)

19.5" argent-painted steel wheels (F-450/F-550)

225/70Rx19.5G all-season BSW tires (F-450/F-550)

Manual 4-wheel-drive system with manual locking hubs (4x4 models only)

SEATING

HD vinyl 40/20/40 split front seat with armrest, cupholders and storage

60/40 split flip-up rear bench seat (SuperCab only)

60/40 flip-up/fold-down rear bench seat with outboard and center head restraints (Crew Cab only)

Manual lumbar support for driver seat

INTERIOR

AM/FM stereo with digital clock and 2 speakers

Black urethane steering wheel

Black vinyl floor covering

Manual air conditioning

Manual day/night rearview mirror

Manual door locks and windows

Multifunction message center plus trip computer includes 3-button steering wheel switch, odometer, trip odometer, engine-hour meter, distance to empty, average fuel economy, oil-life monitor, warning messages, system check, language selection and Ice Blue™ lighting

Visors with passenger mirror

EXTERIOR

Black bar-style grille

Black door handles

Black-painted front bumper with grained top cover

Manually telescoping trailer tow mirrors with 2-way fold and manual glass



Includes select XL features, plus:

MECHANICAL

Integrated Trailer Brake Controller

17" 5-spoke cast-aluminum wheels (F-350 SRW)

40/20/40 split front seat with center underseat lockable storage with 12v power point and center armrest with cupholders and storage

60/40 split flip-up/fold-down rear bench seat with bag hooks, dual integrated cupholders and tray, outboard head restraints, center head restraint and underseat partitioned lockable storage with 12v power point (Crew Cab only)

INTERIOR

Accessory delay for power features

AM/FM stereo/single-CD player with MP3 capability, digital clock and 4 speakers

Auxiliary audio input jack

Color-coordinated floor covering (carpet)

Color-coordinated floor mats (carpet)

Cruise control

MyKey® owner controls feature

Power door locks

Power windows with one-touch-down driver-window feature

Visors with covered driver and passenger mirrors

EXTERIOR

Chrome bar-style grille

Chrome front bumper with grained top cover

Manually telescoping trailer tow mirrors with 2-way fold, power/ heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals

Perimeter anti-theft alarm

Privacy glass (rear doors and rear window)

Remote keyless entry with 2 integrated keyhead transmitter remotes



LARIAT

Includes select XLT features, plus:

MECHANICAL

6.7L Power Stroke V8 Turbo Diesel B20-capable engine (F-450/F-550) TorqShift Heavy-Duty 6-speed SelectShift Automatic transmission

Electronic Shift-On-the-Fly (ESOF) 4-wheel-drive system with auto/manual locking hubs (4x4 models only)

18" 6-spoke cast-aluminum wheels (F-350 SRW)

17" forged polished-aluminum wheels (F-350 DRW)

19.5" forged polished-aluminum wheels (F-450/F-550)

SEATING

Premium leather-trimmed two-tone 40/console/40 front bucket seats and flow-thru center console with lockable storage, two 12v power points and a 110v power inverter

Power 10-way driver and front-passenger seats

INTERIOR

Auto-dimming rearview mirror with compass

Color-coordinated leather-wrapped steering wheel with secondary

Driver-configurable enhanced information center with 4.2" LCD Productivity Screen includes gauge setup, trip computer, fuel economy and towing/off-road applications, SelectShift controls, halo lighting, daytime illumination, and 5-button steering wheel-mounted switch

Dual-zone Electronic Automatic Temperature Control

Ford SYNC® voice-activated, in-vehicle communications and entertainment system

Premium Sound System AM/FM stereo/single-CD player with MP3 capability, digital clock and 8 speakers with subwoofer

SIRIUS Satellite Radio with 6-month trial subscription

Visors with illuminated driver and passenger mirrors

Woodgrain-style instrument panel accents

FXTFRIOR

Autolamp with rainlamp feature

Body-color door handles

Fog lamps

Power-sliding rear window with privacy glass

PowerScope™ power-telescoping/-folding trailer tow mirrors with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals

SecuriCode™ keyless-entry keypad

New Vehicle Limited Warranty. We want your Ford F-Series Super Duty * Chassis Cab ownership experience to be the best it can be. So under this warranty, your new vehicle comes with 3-year/36,000-mile Bumper-to-Bumper Coverage, 5-year/50,000-mile Powertrain Warranty Coverage, 5-year/50,000-mile Safety Restraint Coverage, and 5-year/unlimited-mile Corrosion (Perforation) Coverage – all with no deductible. The Power Stroke diesel engine gets 5-year/100,000-mile Warranty Coverage. Please ask your Ford Dealer for a copy of this limited warranty.

Roadside Assistance. Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help may be only a phone call away should you run out of fuel, lock yourself out of the vehicle, or need towing. Your Ford Dealer can provide complete details on all of these advantages.

Business Preferred Network. Each of the select dealerships in our Business Preferred Network (BPN) is committed to providing quality commercial-oriented products and service, as well as special financing and billing arrangements, to businesses that rely on Ford products. As a BPN customer, your business vehicles receive priority service at your BPN dealership to help get your vehicle back on the road quickly.

Financial Services. Our commercial purchase plans and lines of credit offer attractive rates, negotiable terms and business-friendly options. If you prefer to lease, our CommerciaLease™ programs offer a wide variety of package options to meet your needs. For additional information, please visit our website

Ford Extended Service Plan. For a purchase or lease, the Ford Extended Service Plan (ESP) gives you "Peace-of-Mind" protection designed to cover key vehicle components and protect you from the cost of unexpected repairs. Ask your dealer for a Ford ESP, the only service contract backed exclusively by Ford and honored at all Ford dealerships.

Comparisons based on 2010 competitive models (class is Chassis Cab trucks under 22,000 lbs. GVWR), publicly available information and Ford certification data at time of release. Some features discussed

may be optional. Vehicles shown may contain optional and aftermarket upfit equipment. Features shown

may be offered only in combination with other options or subject to additional ordering requirements or limitations. Dimensions and capability ratings shown may vary due to optional features and/or production variability. Following release of the PDF, certain changes in standard equipment, options and the like, or product delays may have occurred which would not be included in these pages. Your Ford Dealer is the best source for up-to-date information. Ford Division reserves the right to change product specifications at any time without incurring obligations. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.


Garmin is a registered trademark of Garmin Ltd.

Windows is a registered trademark of Microsoft Corporation.

Microlise Group Limited is a company registered in England and Wales with company number 1670983.

SIRIUS is a registered trademark of SIRIUS XM Radio Inc. Subscriptions governed by SIRIUS Terms and Conditions at sirius.com/serviceterms. Service available in the 48 contiguous states and D.C

© 2010 Ford Motor Company 11FCCWEBPDFSPEC









17" Argent-Painted Steel Standard on F-350 DRW




18" Argent-Painted Steel Optional on F-350 SRW



19.5" Argent-Painted Steel Standard on F-450/F-550 DRW









XI_ OPTIONAL FEATURES

MECHANICAL

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine

Electronic Shift-On-the-Fly (ESOF) 4-wheel-drive system with auto/manual locking hubs (4x4 models only; n/a with 6.8L gas engine)

18" argent-painted steel wheels - 4 (F-350 SRW)

LT245/75R17 all-terrain BSW tires - 6 (F-350 DRW)

LT275/65R18 all-season BSW tires - 4 (F-350 SRW)

LT275/70Rx18E all-terrain BSW tires — 4 (F-350 SRW 4x4 only)

225/70Rx19.5G BSW traction tires - 2 all-season tires and 4 traction tires (F-450/F-550)

225/70Rx19.5G max traction BSW tires — 6 (F-450/F-550 4x4 only)

Dual alternators with 357-amp total (diesel engine only)

Engine block heater (standard in 15 cold-weather states)

Fuel tank - 28-gallon midship (n/a w/189" WB Regular Cab or 200" WB Crew Cab with gas engines)

Fuel tank — Dual tanks (40-gallon aft-of-axle and 28-gallon midship; DRW diesel engine only)

Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)

Integrated Trailer Brake Controller

Power TakeOff (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live drive and stationary modes with diesel engine only)

Rear axle - Electronic-locking (F-350 SRW only)

Rear axle - Higher-ratio (F-350 only)

Rear axle — Limited-slip (DRW only)

Spare tire/wheel/jack

SEATING

40/mini-console/40 front bucket seats (HD vinyl or cloth)

INTERIOR

Accessory delay for power features1

Air conditioning delete (Fleet only)

AM/FM stereo/single-CD player with MP3 capability, digital clock and 4 speakers (Fleet only option; included with the XL Value Package)

Auxiliary audio input jack (requires CD player)

Cruise control (Fleet only)

Ford SYNC® voice-activated, in-vehicle communications and entertainment system (requires XL Value Package)

MyKey® owner controls feature (requires Power Equipment Group and CD player)

Power door locks1

Power windows with one-touch-down driver-window feature¹

Radio delete (Fleet only)

Rapid-Heat Supplemental Cab Heater (requires diesel engine and alternator upgrade)

EXTERIOR

6" angular Black molded cab steps

Chrome front bumper with grained top cover²

Daytime running lamps (Fleet only)

Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals1

Manual-sliding rear window with privacy glass (Fleet only)

Remote start system (requires Power Equipment Group)

Transfer case skid plate (4x4 SuperCab and Crew Cab only)

FORD WORK SOLUTIONS™

In-dash Windows® CE computer with touch screen navigation and hands-free calling (restrictions apply)

Crew Chief™ — Fleet tracking system (n/a with SYNC or in-dash computer)

PACKAGES

Power Equipment Group includes power door locks and front windows (plus rear on Crew Cab) with one-touch-down driver-window feature; power heated sideview mirrors; accessory delay; remote keyless entry with 2 integrated keyhead transmitter remotes; and perimeter anti-theft alarm

XL Value Package includes AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers, cruise control, chrome front bumper with grained top cover and bright hub covers and center ornaments (SRW only)

See OPTIONAL PACKAGES section on page 2 for content of the following packages:

16,000-lb. GVWR Package (F-450 only)

Ambulance Prep Package (Fleet only)

Extra-Heavy-Service Front Suspension Package

Heavy-Service Front Suspension Package

High-Capacity Trailer Tow Package (F-450/F-550 only)

Low Deflection Package (F-450/F-550 only)

Payload Downgrade Package (F-450/F-550 only)

Payload Upgrade Package (F-350 SRW only)

Payload Upgrade Package (F-550 with 141" WB and 6.8L gas engine only)


Payload Plus Upgrade Package (F-550 only)

Snow Plow Prep Package (restrictions apply)

Trailer Tow Package

¹Included as part of Power Equipment Group. ²Included as part of XL Value Package.

EXTERIOR



Vermillion Red





Dark Blue Pearl Metallic



Tuxedo Black Metallio

Pale Adobe Metallic (Fleet only)

EXTERIOR COLORS

Sterling Grey Metallic

INTERIOR



COLORS Oxford White Vermillion Red Dark Blue Pearl Metallic Forest Green Metallic Ingot Silver Metallic Sterling Grey Metallic Tuxedo Black Metallic Pale Adobe Metallic

INTERIOR

Steel HD Vinyl


INTERIORS: ■ Steel HD Vinyl ● Steel Cloth


CAB AND SEATING CONFIGURATIONS



split front seat







Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.







17" 5-Spoke Cast-Aluminum Standard on F-350 SRW





17" Forged Polished-Aluminum Optional on F-350 DRW







19.5" Forged Polished-Aluminum Optional on F-450/F-550 DRW









XLT OPTIONAL FEATURES

MECHANICAL

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine

Electronic Shift-On-the-Fly (ESOF) 4-wheel-drive system with auto/manual locking hubs (4x4 models only: n/a with 6.8L gas engine)

17" argent-painted steel wheels (F-350 SRW; Fleet only)

17" forged polished-aluminum wheels (F-350 DRW)

18" cast-aluminum wheels (F-350 SRW)

19.5" forged polished-aluminum wheels (F-450/F-550)

LT245/75R17 all-terrain BSW tires - 6 (F-350 DRW)

LT245/75R17 all-terrain OWL tires — 4 (F-350 DRW)

LT275/65R18 all-season BSW tires – 4 (F-350 SRW)

LT275/70R18 all-terrain BSW tires - 4 (F-350 SRW 4x4)

LT275/70R18 all-terrain OWL tires — 4 (F-350 SRW 4x4)

225/70Rx19.5G BSW traction tires - 2 all-season tires and 4 traction tires (F-450/F-550)

225/70Rx19.5G max traction BSW tires — 6 (F-450/F-550 4x4 only)

Dual alternators with 357-amp total (diesel engine only)

Engine block heater (standard in 15 cold-weather states)

Fuel tank — 28-gallon midship (n/a w/189" WB Regular Cab or 200" WB Crew Cab with gas engines)

Fuel tank — Dual tanks (40-gallon aft-of-axle and 28-gallon midship; DRW diesel engine only)

Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)

Power TakeOff (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live drive and stationary modes with diesel engine only)

Rear axle - Electronic-locking (F-350 SRW only)

Rear axle — Higher-ratio (F-350 only)

Rear axle — Limited-slip (DRW only)

Spare tire/wheel/jack

SEATING

Cloth 40/console/40 front bucket seats and flow-thru console with lockable storage, two 12v power points and a 110v power inverter (SuperCab and Crew Cab only)

INTERIOR

All-weather floor mats

Carpet delete (Fleet only)

Ford SYNC® voice-activated, in-vehicle communications and entertainment system (requires XLT Interior Package)

Power-adjustable pedals (included in the XLT Interior Package; Fleet only option)

Rapid-Heat Supplemental Cab Heater (requires diesel engine and alternator upgrade)

SIRIUS Satellite Radio with 6-month trial subscription

EXTERIOR

6" angular Black molded cab steps

Manual-sliding rear window with privacy glass (Regular Cab only)

PowerScope[™] power-telescoping/-folding trailer tow mirrors with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals

Remote start system

Transfer case skid plate (4x4 SuperCab and Crew Cab only)

FORD WORK SOLUTIONS™

In-dash Windows® CE computer with touch screen navigation and hands-free calling (restrictions apply)

Crew Chief[™] - Fleet tracking system (n/a with SYNC or in-dash computer)

PACKAGES

XLT Interior Package includes 6-way power driver seat, power-adjustable pedals, autolamp with rainlamp feature, autolock, auto-unlock and SecuriCode™ keyless-entry keypad

See OPTIONAL PACKAGES section on page 2 for content of the following packages:

16,000-lb. GVWR Package (F-450 only)

Ambulance Prep Package (Fleet only)

Extra-Heavy-Service Front Suspension Package

Heavy-Service Front Suspension Package

High-Capacity Trailer Tow Package (F-450/F-550 only)

Low Deflection Package (F-450/F-550 only)

Payload Downgrade Package (F-450/F-550 only)

Payload Upgrade Package (F-350 SRW only)

Payload Upgrade Package (F-550 with 141" WB and 6.8L gas engine only)

Payload Plus Upgrade Package (F-550 only)

Snow Plow Prep Package (restrictions apply)

EXTERIOR



Oxford White



Dark Blue Pearl Metallic



Ingot Silver Metallic



Tuxedo Black Metallic



Golden Bronze Metallic



Vermillion Red



Forest Green Metallic



Sterling Grey Metallic



Royal Red Metallic



INTERIOR

Pale Adobe Metallic (restrictions apply)

EXTERIOR COLORS

INTERIOR



Adobe Cloth



Steel Cloth

Oxford White Oxford White

veriiiiion keu	
Dark Blue Pearl Metallic	
Forest Green Metallic	
Ingot Silver Metallic	
Sterling Grey Metallic	
Tuxedo Black Metallic	
Royal Red Metallic	
Golden Bronze Metallic	
Pale Adobe Metallic	

INTERIORS: Adobe Cloth Steel Cloth


CAB AND SEATING CONFIGURATIONS



Standard 40/20/40 split front seat



Available 40/console/40 front bucket seats



Crew Cab

Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.





LARIAT











19.5" Forged Polished-Aluminum Standard on F-450/F-550 DRW







I ARIAT OPTIONAL FEATURES

MECHANICAL

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (F-350 only)

LT245/75R17 all-terrain BSW tires - 6 (F-350 DRW)

LT245/75R17 all-terrain OWL tires — 4 (F-350 DRW)

LT275/70R18 all-terrain BSW tires - 4 (F-350 SRW 4x4)

LT275/70R18 all-terrain OWL tires — 4 (F-350 SRW 4x4)

225/70Rx19.5G BSW traction tires - 2 all-season tires and 4 traction tires (F-450/F-550)

225/70Rx19.5G max traction BSW tires — 6 (F-450/F-550 4x4 only) Dual alternators with 357-amp total (diesel engine only)

Engine block heater (standard in 15 cold-weather states)

Fuel tank — 28-gallon midship (n/a w/189" WB Regular Cab or 200" WB Crew Cab with gas engines)

Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)

Power TakeOff (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live drive and stationary modes with diesel engine only)

Rear axle - Electronic-locking (F-350 SRW only)

Rear axle - Higher-ratio (F-350 only)

Rear axle — Limited-slip (DRW only)

Spare tire/wheel/jack

SEATING

Premium leather-trimmed two-tone 40/20/40 split front seat with center underseat lockable storage with 12v power point and center armrest with cupholders and storage

Heated and cooled driver and front-passenger seats (included with LARIAT Interior Package)

INTERIOR

All-weather floor mats

Rapid-Heat Supplemental Cab Heater (requires diesel engine and alternator upgrade)

EXTERIOR

6" angular Black molded cab steps

Remote start system (included with LARIAT Interior Package)

Transfer case skid plate (4x4 SuperCab and Crew Cab only)

PACKAGES

LARIAT Interior Package includes memory, power, heated/cooled driver seat; power, heated/cooled passenger seat; memory, power trailer tow mirrors; memory, power-adjustable pedals; and remote start system

See OPTIONAL PACKAGES section on page 2 for content of the following packages:

16,000-lb. GVWR Package (F-450 only)

Ambulance Prep Package (Fleet only)

Extra-Heavy-Service Front Suspension Package

Heavy-Service Front Suspension Package

High-Capacity Trailer Tow Package (F-450/F-550 only)


Low Deflection Package (F-450/F-550 only)

Payload Downgrade Package (F-450/F-550 only)

Payload Upgrade Package (F-350 SRW only) Payload Plus Upgrade Package (F-550 only)

Snow Plow Prep Package (restrictions apply)

EXTERIOR











Sterling Grey Metallic



Tuxedo Black Metallic



Royal Red Metallic



Golden Bronze Metallic



White Platinum Metallic Tri-Coat



Pale Adobe Metallic (restrictions apply)

INTERIOR





Black Two-Tone Leather

EXTERIOR COLORS Oxford White	INTERIOR COLORS
Vermillion Red	
Dark Blue Pearl Metallic	
Forest Green Metallic	
Ingot Silver Metallic	
Sterling Grey Metallic	
Tuxedo Black Metallic	
Royal Red Metallic	
Golden Bronze Metallic	
White Platinum Metallic	
Tri-Coat ¹	
Pale Adobe Metallic	
INTERIORS: Adobe Leather	■ Black Leather

¹Additional-cost option.


CAB AND SEATING CONFIGURATIONS



Standard 40/console/40 front bucket seats



Available 40/20/40 split front seat



Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.





TECHNICAL SPECIFICATIONS

5TH-WHEEL TOWING — MAXIMUM LOADED TRAILER WEIGHT RATINGS (LBS.)1

AUTOMATIC TRANS	MISSION	GCWR								
ENGINE	RATIO	(LBS.)	F-350 SRW 4x2	F-350 DRW 4x2	F-350 SRW 4x4	F-350 DRW 4x4	F-450 DRW 4x2	F-450 DRW 4x4	F-550 DRW 4x2	F-550 DRW 4x4
REGULAR CAB										
6.2L 2-valve Gas	3.73	19,000	12,300	_	11,800	_	_	_	_	_
/8 FFV		19,500	_	13,300	_	11,800	_	_	_	_
	4.30	22,000	15,300	_	14,800	_	-	_	-	_
		22,500	_	16,300	_	14,800	_	_	_	_
5.8L 3-valve Gas V10		26,000	_	_	_	-	18,300	17,900	18,200	17,900
5.7L Diesel V8	3.73	23,500	16,000	-	15,500	-	_	_	_	_
	4.10	24,500	_	16,500	_	16,100	_	_	_	_
	4.10	24,500 26,000	_	16,500	_	16,100	17,400	17,000	17,400	17,000
	4.30	30,000 ²	_	_	_	_	21,400	21,000	17,400	17,000
	4.30	35,000 ²	_	_	_	_	_	_	26,400	26,000
	4.88	26,000	_	_	_	_	_	_	17,200	16,900
		35,000 ²	_	_	_	_	_	_	26,200	25,900
SUPERCAB		,								
6.2L 2-valve Gas	3.73	19,000	12,000		11,500					
/8 FFV	3.73	19,500	12,000	12,000	11,300	11.500	_	_		_
10111	4.30	22,000	15,000	-	14,500	_	_	_	_	_
	1.00	22,500	-	15,000	-	14,500	_	_	_	_
6.8L 3-valve Gas V10	4.88	26,000	_	_	_	_	17,800	17,400	17,800	17,400
5.7L Diesel V8	3.73	23,500	15,500	_	15,000	_	_	_	_	_
		24,500		16,200	_	15,600	_	_	_	_
	4.10	24,500	_	16,200	_	15,600	_	_	_	_
		26,000	_	_	_	_	17,000	16,600	17,000	16,600
	4.30	30,000 ²	_	_	_	-	21,000	20,600	-	_
	4.00	35,000 ²	-	_	_	_	_	_	26,000	25,600
	4.88	26,000 35,000 ²	_	_	_	_	_	_	16,800 25,800	16,500 25,500
		33,000	_	_	_	_	_	_	23,600	23,300
CREW CAB										
5.2L 2-valve Gas	3.73	19,000	11,700	_	11,300	_	_	_	_	_
/8 FFV	4.00	19,500	-	11,700	-	11,300	_	_	_	_
	4.30	22,000 22,500	14,700	_ 14,700	14,200	14,300	_	_	_	_
(01 2 0 1/10	4.00		-		_		17 (00	17 200	17 (00	17 200
5.8L 3-valve Gas V10		26,000	45.000	_	-	_	17,600	17,200	17,600	17,200
5.7L Diesel V8	3.73	23,500 24,500	15,300	_ 15.900	14,800	_ 15.500	_		-	-
	4.10	24,500	_	15,900	_	15,500	_	-	_	_
	4.10	26.000	_	10,900		15,500	16.800	16.300	16.800	16,300
	4.30	30,000 ²	_	_	_	_	20,800	20,300	_	_
		35,000 ²	_	_	_	_	_	_	25,800	25,300
	4.88	26,000	_	_	_	_	_	_	16,600	16,300
		35,000 ²	_	_	_	_	_	_	25,600	25,300

¹F-350 DRW/F-450/F-550 weights shown are for 141" wheelbase Regular Cab or 176" wheelbase Crew Cab models. For 165," 189," 200" and 201" wheelbase models, weights may be somewhat less (usually not more than 200 lbs., or 400 lbs. with 201" wheelbase). ²Requires optional Payload Upgrade Package. **5th-Wheel Towing Notes:** Trailer weights shown assume 1000 lbs. second-unit body weight. Be sure combined weight of vehicle and trailer does not exceed listed GCWR. Trailer kingpin weight should be 15-25% of total loaded trailer weight. Make sure that the vehicle payload (reduced by option weight) will accommodate trailer kingpin weight and the weight of passengers and cargo, cannot cause vehicle weights to exceed the rear GAWR (Gross Axle Weight Rating) or GVWR (Gross Vehicle Weight Rating). These ratings can be found on the vehicle's Safety Compliance Certification Label. See your Ford Dealer for conventional trailer weights.

DIMENSIONS & WEIGHTS

	REGULAR CA F-350 SRW 4x2/4x4	F-350 DRW ³ 4x2/4x4	F-350 DRW ³ 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4
Wheelbase Cab-to-axle	140.8"	140.8" 60"	164.8" 84"	140.8" 60"	164.8" 84"	188.8" 108"	200.8" 120"	140.8"	164.8" 84"	188.8" 108"	200.8" 120"
EXTERIOR Height Top of cab to ground Top of frame to ground Width between frame rails Axle clearance Front track Rear tire outside width Overall length	76.9"/79.9" 32.0"/34.2" 34.1" 8.6" 68.3" 79.6" 226.5"	77.3"/80.3" 32.6"/34.7" 34.1" 8.2"/8.1" 68.3" 92.2" 226.5"	77.3"/80.3" 32.3"/34.2" 34.1" 8.2" 68.3" 92.2" 250.5"	80.3"/80.4" 33.2"/33.4" 34.2" 8.1"/8.0" 74.8" 93.9" 226.5"	80.4" 33.0" 34.2" 8.1" 74.8" 93.9" 250.5"	80.6"/80.4" 32.8"/32.9" 34.2" 8.1"/8.0" 74.8" 93.9" 274.5"	80.6"/80.5" 32.8" 34.2" 8.1" 74.8" 93.9" 286.5"	80.4"/80.5" 33.7"/33.8" 34.2" 8.4" 74.8" 93.9" 226.5"	80.7"/80.5" 33.4" 34.2" 8.4" 74.8" 93.9" 250.5"	80.7" 33.3"/33.2" 34.2" 8.4" 74.8" 93.9" 274.5"	80.9"/80.7" 33.2" 34.2" 8.4" 74.8" 93.9" 286.5"
INTERIOR (front/rear) Head room Shoulder room Hip room Leg room	40.7"/ — 68.0"/ — 67.6"/ — 41.1"/ —	40.7"/ – 68.0"/ – 67.6"/ – 41.1"/ –	40.7"/ — 68.0"/ — 67.6"/ — 41.1"/ —	40.7"/ — 68.0"/ — 67.6"/ — 41.1"/ —	40.7"/ – 68.0"/ – 67.6"/ – 41.1"/ –	40.7"/ – 68.0"/ – 67.6"/ – 41.1"/ –	40.7"/ – 68.0"/ – 67.6"/ – 41.1"/ –	40.7"/ — 68.0"/ — 67.6"/ — 41.1"/ —	40.7"/ – 68.0"/ – 67.6"/ – 41.1"/ –	40.7"/ – 68.0"/ – 67.6"/ – 41.1"/ –	40.7"/ — 68.0"/ — 67.6"/ — 41.1"/ —
WEIGHTS Max. GVWR ⁴ Max. payload ⁴	11,100 4762/4256	13,000 7220/6504	13,000 6819/6349	16,500 9976/9556	16,500 9801/9421	16,500 9551/9161	16,500 9501/9111	19,500 12,361/11,966	19,500 12,711/12,346	19,500 12,466/12,101	19,500 12,391/12,051

³Ambulance Prep Package F-350 DRW: tire front track is 74.1"; rear tire outside width is 95.2" ⁴When properly equipped.

Note: Load rating represents maximum allowable weight of people, cargo and body equipment and is reduced by the weight of optional equipment.

SRW = single rear wheel

DRW = dual rear wheel





MECHANICAL

FRONT SUSPENSION Type Axle (rating @ ground) Springs Shock absorbers Stabilizer bar	Twin-I-Beam (F-350 4x2); solid Twin-Coil Monobeam axle (F-350 4x4, F-450/F-550) 5250 lbs. (F-350 4x2); 6000 lbs. (F-350 4x4); 7000 lbs. (F-450/F-550) Coil 1.38" gas type Standard
REAR SUSPENSION Type Axle (rating @ ground) Springs Shock absorbers Stabilizer bar	Solid axle 7280 lbs. (F-350 SRW); 9750 lbs. (F-350 DRW); 12,000 lbs. (F-450); 13,660 lbs. (F-550) Leaf 1.38" gas type Standard
STEERING Type Assist Overall ratio	Parallel linkage (F-350 4x2); cross-tie linkage (4x4 and F-450/F-550 4x2) Power 20.49:1 (F-350 4x2); 20.41:1 (F-350 4x4); 17.8:1 average (F-450/F-550)
BRAKES Type Front Rotor diameter Lining area (sq. in.) Rear Rotor diameter Lining area (sq. in.)	4-wheel vented-disc ABS (standard) 13.66" (F-350); 14.53" (F-450/F-550) 34.9 (F-350); 55.6 (F-450/F-550) 13.39" (F-350); 15.35" (F-450/F-550) 38.2 (F-350); 55.6 (F-450/F-550)
WHEELS Type Size Number of studs Bolt-circle diameter	Steel (standard); aluminum (optional) 17"SRW/DRW, 18"SRW (F-350); 19.5" (F-450/F-550 8 (F-350); 10 (F-450/F-550) 6.7" (F-350 SRW); 7.87" (F-350 DRW); 8.85" (F-450/F-550)

POWERTRAINS

	6.7L V8 TURBO DIESEL	6.2L 2-VALVE GAS V8 FFV ¹	6.8L 3-VALVE GAS V10
Configuration	OHV (32-valve)	SOHC	SOHC
Fuel injection	High-pressure common-rail	Sequential electronic	Sequential electronic
Engine control system	Electronic	Electronic	Electronic
Induction system	Single-sequential turbocharger with charged air cooler	Specially tuned	Specially tuned
Battery	Dual 12-volt; 750-CCA/78-amp-hr	12-volt; 650-CCA/72-amp-hr	12-volt; 650-CCA/72-amp-h
Alternator	157-amp (single 200-amp or dual combined 357-amp, optional)	157-amp	157-amp
Cooling system	Pressurized series flow	Pressurized series flow	Pressurized series flow
Oil-life monitor	Intelligent Oil-Life Monitor™	Oil-minder system	Oil-minder system
Cylinders	8	8	10
Cylinder head	Aluminum	Aluminum	Aluminum
Block material	Compacted graphite iron	Cast iron	Cast iron
Valve operation	Push rod/rocker arms	Roller-rocker shaft	Hydraulic roller
Camshaft drive	Gear	Silent chain	Silent chain
Bore	3.90"	4.02"	3.55"
Stroke	4.25"	3.74"	4.17"
Compression ratio	16.2:1	9.8:1	9.2:1
Horsepower/rpm	300 @ 2800	385 @ 5500²/316 @ 4179³	362 @ 4750
Torque lbft./rpm	660 @ 1600	405 @ 4500²/397 @ 4179³	457 @ 3250
Recommended fuel	Ultra-Low-Sulfur Diesel or B20 (containing 20% or less biodiesel)	Regular unleaded or E85	Regular unleaded

¹Certified to SAE J1349. ²Under 10K GVWR. ³Over 10K GVWR.

TRANSMISSION

Туре	6-speed To (6.7L diese	rqShift® automatic with SelectShift I, 6.2L gas)	5-speed TorqShift automatic (6.8L gas V10)				
Case material	Aluminum	•	Aluminum				
PTO	Live-Drive a (diesel only	access on driver side)	Access on driver side				
Gear ratios	1st	3.97:1	3.11:1				
	2nd	2.32:1	2.20:1				
	3rd	1.52:1	1.55:1				
	4th	1.15:1	1.00:1				
	5th	0.86:1	0.71:1				
	6th	0.67:1	_				
	Reverse	3.13:1	2.88:1				

DIMENSIONS & WEIGHTS (cont.)

	SUPERCAB F-350 SRW 4x2/4x4	F-350 DRW ⁴ 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	CREW CAB F-350 SRW 4x2/4x4	F-350 DRW ⁴ 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4
Wheelbase	161.8"	161.8"	161.8"	185.8"	161.8"	185.8"	176.2"	176.2"	176.2"	200.2"	176.2"	200.2"
Cab-to-axle	60"	60"	60"	84"	60"	84"	60"	60"	60"	84"	60"	84"
EXTERIOR Height												
Top of cab to ground	76.7"/79.7"	77.0"/80.1"	80.3"	80.4"	80.4"	80.5"	77.7"/80.5"	78.0"/80.8"	80.6"	80.6"	80.8"	80.9"/80.8"
Top of frame to ground	31.7"/33.5"	32.2"/34.1"	32.9"/32.8"	32.8"/32.7"	33.4"/33.3"	33.3"/33.2"	31.4"/33.3"	32.1"/34.0"	32.9"/32.8"	32.8"/32.7"	33.3"	33.2"
Width between frame rails	34.1"	34.1"	34.2"	34.2"	34.2"	34.2"	34.1"	34.1"	34.2"	34.2"	34.2"	34.2"
Axle clearance	8.6"	8.2"	8.0"	8.0"	8.4"	8.4"	8.6"	8.2"	8.0"	8.0"	8.4"	8.4"
Front track	68.3"	68.3"	74.8"	74.8"	74.8"	74.8"	68.3"	68.3"	74.8"	74.8"	74.8"	74.8"
Rear tire outside width	79.6"	92.2"	93.9"	93.9"	93.9"	93.9"	79.6"	92.2"	93.9"	93.9"	93.9"	93.9"
Overall length	247.5"	247.5"	247.5"	271.5"	247.5"	271.5"	261.9"	261.9"	261.9"	285.9"	261.9"	285.9"
INTERIOR (front/rear)												
Head room '	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"
Shoulder room	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"	68.0"	68.0"	68.0"	68.0"	68.0"
Hip room	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"	67.6"	67.6"	67.6"	67.6"	67.6"
Leg room	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"
WEIGHTS	44.500	10.000	47.500	4,500	40.500	10.500	11.500	10.000	11 500	4, 500	10.500	40.500
Max. GVWR ⁵	11,500	13,000	16,500	16,500	19,500	19,500	11,500	13,000	16,500	16,500	19,500	19,500
Max. payload⁵	4725/4170	6654/6152	9511/9121	9121/8761	12,431/12,021	12,111/11,701	4468/4031	6351/5959	9326/8923	9171/8811	12,246/11,866	12,091/11,74

⁴Ambulance Prep Package F-350 DRW: tire front track is 74.1"; rear tire outside width is 95.2" ⁵When properly equipped.

