

2018 Pilot









This is the new chapter. Where alone time means family time. Adventure still calls, but now you answer with an entourage.

Overview 02 Exterior 04 Interior 06 Accessories 08 Versatility 12 Performance & Efficiency 14 Technology 16 Honda Sensing[™] Technologies 18 Safety 20 The Power of Dreams 22 Warranty 23 Specifications 24 Colours & Trims 28









Embark on epic adventures for up to eight.

Journeyers, meet the 2018 Pilot – the Honda paragon of utility and efficiency. Equipped with the Earth Dreams™ engine and available idle-stop, the Pilot thirsts for adventure, not fuel. Its roomy interior seats up to eight passengers¹, and third-row access has never been easier using the available one-touch second row seats. Plus, its cargo capacity makes any packing list just about limitless. Honda Sensing™ safety and driver-assistive technologies come standard, so you'll take confidence with you on every trip. With a refined interior inside the modern, sleek exterior, you won't just catch attention – you'll ride comfortably at the centre of it. The 2018 Pilot is confident, bold and ready for anything. Are you?

1. Seven passengers on the Touring model with second-row captain's chair.

Accessorized model shown

2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual. 3. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. connection to vehicle's built-in Wi-Fi hotspot, or 2. GPS satellite signal reception and available cellular data and/or voice connection; associated charges (incl. data plans, roaming charges and/or other amounts charged by your wireless carrier) may apply.

4. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

Key Features

- Honda Sensing™ Technologies
- Apple CarPlay^{™2,3}/Android Auto^{™2,3}

Intelligent Variable Torque Management (i-VTM4™) AWD system

Available seating for 8

Available Satellite-Linked Navigation System^{™2,4}

Available Blu-ray™ Honda Rear Entertainment System







• AVAILABLE PROJECTOR-BEAM LED HEADLIGHTS WITH AUTO HIGH BEAM TECHNOLOGY

All eyes on you.

You can either take the scenic route, or you can be the scene itself. In addition to its sleek body, the available projector-beam LED headlights with auto high beam technology blend style with function in the 2018 Pilot. And while others stare, you'll see clearly in virtually any condition using the available rain-sensing windshield wipers and standard front wiper de-icer, which heats up the bottom of the Pilot's windshield to help keep its wipers clear of slush and ice. But no matter what the forecast calls for, the available power tailgate makes getting at your cargo and hitting the road a breeze. So wherever you're headed, the Pilot makes looking confident look good.

Key Features


- Available 20" aluminumalloy wheels
- Available roof rails

Available projector-beam LED headlight with auto high beam technology

Available LED daytime running lights

Available fog lights







Get on the road to relaxation.

The interior of the 2018 Pilot surrounds you and your passengers in sophistication thanks to the available interior ambient lighting and soft-touch dash and door materials. And with the available perforated leather-trimmed seating surfaces and the available leather-wrapped steering wheel, every ride is steeped in refinement. While the available panoramic moonroof brightens the cabin, the heated front seats and available heated second-row outboard seats make it even cozier to ride in. When comfort meets style, the Pilot makes every ride worth savouring.

Key Features

Remote engine starter

Driver's seat with available 10-way power adjustment including power lumbar support

Proximity key entry system and pushbutton start

Tri-zone automatic climate control

Available panoramic moonroof

Available memory-linked side mirrors and driver's seat position

Adventures in accessories.



HOOD EDGE DEFLECTOR



ROOF RACK RAILS & CROSSBARS





FOG LIGHTS



20" ALLOY WHEEL, BLACK



BODY SIDE MOLDING & RUNNING BOARDS, CHROME



LOWER DOOR GARNISH

TRAILER HITCH BIKE ATTACHMENT







TENT





Other Accessories Available

Door visor Front and rear bumper garnish Moonroof visor Towing package


Accessories and packages are subject to inventory availability.

08

Customize your cabin.



HEATED STEERING WHEEL



CARGO COVER



REAR SEAT COVER





ALL-SEASON FLOOR MATS






ASHTRAY, CUP-HOLDER STYLE



DOOR SILL TRIM, ILLUMINATED



REAR BUMPER APPLIQUÉ







CARGO ORGANIZER




Other Accessories Available

Cargo liner

Cargo net

In-well storage dividers







Configure to your heart's content.

The 2018 Pilot has enough room for up to eight passengers (seven on the Touring model with the second-row captain's chairs) and includes effortless third-row access using the available one-touch second row seats. When you need to load gear, groceries or goodies, the Pilot is up to the task with easy fold-down 60/40 split-folding rear seats in both the second and third row. Plus, the rear cargo boasts ample space, easily fitting a 77.6-litre (82-quart) cooler for plenty of snacks and drinks. And with a reversible cargo lid, you can flip between the carpet and plastic side – no cargo is too messy to handle. There's even space for everyday essentials using the deep centre console with sliding smartphone tray. For those adventures with a lot going on, the Pilot has a lot to work with.



Key Features

8 passenger seating (7 passenger seating on Touring model)

60/40 split-folding second-row and third-row seats

Reversible cargo lid with hidden cargo mode


Centre console with smartphone sliding tray

Available one-touch second row seats

VERSATILITY







Performance for the whole family.

With the Earth Dreams[™] technology engine, the 2018 Pilot is designed to enhance fuel efficiency without sacrificing performance. And to help every litre go further, the Variable Cylinder Management[®] (VCM[®]) system is designed to automatically switch between 6 and 3 cylinders, depending on the driving conditions. The Pilot's Intelligent Variable Torque Management[™] (i-VTM4[™]) AWD system is designed to increase responsiveness and handling for a confident ride. And on snow, mud or sand, the Intelligent Traction Management system allows the driver to select the operating mode that best suits the driving conditions by simply pushing a button. Altogether, the Pilot boasts fuel economy ratings as low as 12.4/9.3/11.0¹ (city/highway/combined) for the Pilot Touring. When you're ready to ride, the Pilot has enough stop and go to handle the ups, downs and turns that virtually any adventure can offer.

Horsepower and torque calculations reflect SAE net, Rev. O8/04, SAE J1349 procedures.
 Accessory towing packages required, available at an additional cost as a dealer-installed item

See your Owner's Manual for proper towing operation.

Key Features

3.5-litre, 24-valve, Direct Injection, SOHC, i-VTEC* V6 engine with Variable Cylinder Management* (VCM*), 280 horsepower² and 262 lb.-ft of torque²

6-speed or available 9-speed automatic transmission


Intelligent Variable Torque Management (i-VTM4™) AWD system

Intelligent Traction Management System Available steering wheel-mounted


paddle shifters

Available idle-stop technology

Available 1,588 kg or 2,268 kg towing capacity³



^{1.} Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca



Road savvy meets tech savvy.

A road trip is the perfect way to unwind, sightsee, and get lost in the moment. And the Pilot is a multitasker loaded with sophisticated tech features designed to get you on your way, without losing your way.

With Apple CarPlay^{™1,2} and Android Auto^{™1,2}, your Pilot has the soul of a smartphone. The available Honda Satellite-Linked Navigation System^{™1,3} lets you plan as you go with arrival time and lane guidance, while the available Honda LaneWatch™ blind spot display¹ allows you to keep more of your right side in sight. And no matter where the adventure takes you, keep the gang entertained with the available DVD or Blu-ray^ ${}^{\mathrm{M}}$ Honda Rear Entertainment System with 9" display with integrated remote control and wireless headsets.

- 1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
- 2. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. connection to vehicle's built-in Wi-Fi hotspot, or 2. GPS satellite signal reception and available cellular data and/or voice connection; associated charges (incl. data plans, roaming charges and/or other amounts charged by your wireless carrier) may apply. 3. Map database covers major metropolitan areas in Canada and 48 contiguous U.S. states.













See the road's most important angles.

BRAKE

FORWARD COLLISION WARNING (FCW) SYSTEM

The FCW system¹ is integrated with CMBS[®] and designed to detect the presence of vehicles in front of you, issuing alerts if you're approaching with too much speed. If you fail to respond to the alerts, CMBS® is triggered into operation.

The Pilot comes standard with Honda

Sensing[™] technologies. These safety

and driver-assistive technologies are

designed to help improve the driver's

situational awareness, and, in some

cases, intervene to help avoid a

collision or lessen its severity.





COLLISION MITIGATION BRAKING SYSTEM[™] (CMBS[®])

To help reduce the likelihood or severity of a frontal impact, the CMBS^{®1} is engineered to apply brake pressure if you don't slow down when it detects you're at risk of a collision. If it still senses an imminent collision, CMBS[®] is designed to brake firmly.



LANE DEPARTURE WARNING (LDW) SYSTEM

The LDW system¹ is designed to monitor vehicle lane position and alert you if your vehicle drifts into a new lane when you haven't signaled.



a

LANE KEEPING ASSIST SYSTEM (LKAS)

The LKAS¹ is engineered to gently correct your steering when you begin to leave a detected lane without signaling, applying torque progressively to the steering to help guide you back to the centre of the lane.

ROAD DEPARTURE MITIGATION (RDM) SYSTEM

The RDM system¹ is designed to help steer and even apply the brakes to help keep the vehicle from leaving the road.

 None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual



ADAPTIVE CRUISE CONTROL (ACC)

The ACC system¹ is designed to keep a set speed and set following interval behind the vehicle detected ahead of yours.



Solid on safety.

At Honda, we strive to provide a high level of standard safety features to help ensure the safety of occupants, other drivers and even pedestrians. With this added peace of mind, our drivers have the confidence to enjoy every road to the fullest.

Active safety

Controlled Braking

To assist with safe stopping, the 4-wheel Anti-lock Braking System¹ (ABS) is designed to help you maintain control under hard braking conditions, while Electronic Brake-force Distribution (EBD) helps to optimize braking power based on weight distribution inside the vehicle. In addition, Brake Assist is engineered to help improve braking performance by applying brake pressure when a panic stop is detected.

Tire Pressure Monitoring System (TPMS)

To promote enhanced safety and fuel efficiency, the Tire Pressure Monitoring System² continually checks the air pressure in each tire. If pressure drops in any tire, the driver receives a dashboard alert.

Hill Start Assist¹

When you take your foot off the brake, this feature is engineered to temporarily maintain brake pressure to help prevent your Pilot from starting to roll backwards when stopped on an incline.

Passive safety

Child safety

The exceptional safety features in the Pilot also apply to your most precious cargo. Four (three on the Touring model) built-in, ready to use Lower Anchors and Tethers for Children (LATCH) give you a simple and convenient method to install compatible child safety seats without using the vehicle's seat belt system. The Pilot also features childproof rear door locks.

Pedestrian safety

Innovative pedestrian safety features include an energy-absorbing hood and front fenders and breakaway wiper pivots.

Solid frame structure

Like all Honda trucks, the Pilot is built with a rigid uni-body frame for added strength, stability and vehicle handling.

Advanced Compatibility Engineering[™] (ACE[™]) body structure

The highly innovative, next generation Advanced Compatibility Engineering™ (ACE[™]) body structure is engineered to help disperse frontal impact energy to enhance occupant protection, while more effectively controlling it in severe collisions to help prevent intrusion into the passenger cabin.

Six standard airbags

The cabin of the Pilot contains six standard airbags. It features i-SRS front airbags as well as three-row side curtain airbags with rollover sensors, which are designed to deploy the side curtain airbags in the event of a rollover. Plus, it has SmartVent[™] side airbags, which are designed to deploy safely in a manner that mitigates the risk of injury to out-of-position or smaller occupants.

Vehicle Stability Assist (VSA[®]) with Traction Control

Vehicle Stability Assist¹ is designed to sense and help correct oversteer and understeer scenarios to enhance handling and cornering stability, while Traction Control is designed to minimize wheel spin when accelerating on loose or slippery surfaces, helping to inspire greater driver confidence.

Auto high beam¹

The available auto high beam feature automatically changes the low beam headlights to high beam headlights in certain circumstances to help improve your vision.

Seat belt safety

The Pilot helps prepare you for the unexpected with 3-point heightadjustable front seat belts with automatic tensioning system and 3-point rear seat belts in the second and third rows.

HondaLink[™] Assist Automatic Emergency Response System

The HondaLink Assist Automatic Emergency Response System^{1,3,4} helps you get the help you need when you need it most. If the airbags deploy, your Display Audio System¹ is engineered to automatically attempt to put you on a call with an operator who will forward your location to first responders if needed. It works with any compatible Bluetooth[®]-paired phone as long as it has reception, does not require a subscription and gives you peace of mind while you're on the road.

n availability and GPS satellite signal reception

^{1.} None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manua

^{2.} For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system 3. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. connection to vehicle's built-in Wi-Fi hotspot, or 2. GPS satellite signal reception and available cellular data and/or voice connection; associated charges (incl. data plans, roaming charges and/or other amounts charged by your wireless carrier) may apply.

^{4.} Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice co



















The Power of Dreams, in all their forms.

At Honda, we're committed to being a leader in innovative thinking. It's part of everything we do, from the design of our vehicles to the way we work. We have a proud tradition of turning ideas into products and initiatives that help move and improve people's lives in every conceivable way. Today, our innovation manifests itself in many forms: our revolutionary Earth Dreams[™] technology; the race-inspired performance of our motorcycles and automobiles; the world's most advanced humanoid robot, ASIMO; HondaJet, the fastest, highest flying and most fuelefficient aircraft in its class; and the first full line of fuel-efficient, low-emission, 4-stroke outboard motors. We continually strive to do things others think can't be done, because true innovation comes from daring to dream.

Beyond dreaming up new products, Honda believes we have a responsibility to help preserve our planet. This belief is why we make significant efforts to help ensure preservation of the environment in virtually all of our company's activities. It's why our head office in Markham, Ontario was designed and built to be LEED[®] (Leadership in Energy and Environmental Design) Gold Certified. It's why our Alliston, Ontario plant is ISO 14001 certified. And it's why Honda, along with our associates and families, has helped plant more than 140,000 trees in Canada over the last 11 years.

As we move forward, we will continue to honour our responsibility and tradition of turning innovative ideas into products that help make our world a better place. That's what we do. That's The Power of Dreams.







We're Here. At Honda, assistance and support are always available. The team of trained technicians at your Honda dealership will help keep your vehicle in terrific shape. If you need more information or assistance relating to your warranty, call us at 1-888-9-HONDA-9. For all of the latest Honda information, including product specifications, pricing, photos and more, visit honda.ca. It has everything you need to "design" your Honda and personalize it with items from a list of quality accessories.

We're Ready to Help. When you purchase a new Honda, you automatically receive Honda Plus Roadside Assistance. This service is available to you, or any authorized driver, 24 hours a day, 7 days a week, anywhere in Canada or the continental United States. Coverage is for 3 years over an unlimited distance and includes a 24-hour toll-free Honda Plus Roadside Assistance number, mechanical breakdown towing, emergency roadside service and many other helpful features. Ask your dealer for more information.

Honda Plus Extended Warranty. Experience added protection with Honda Plus coverage that is behind you for the road ahead. With available coverage options of up to 8 years/200,000 km, you can choose the one that best suits your needs. With a plan this wide-ranging, the only thing that's uncertain is where it will take you.

Honda Financial Services. Whether you buy or lease a Honda, Honda Financial Services can assist you with the process. Ask your dealer which lease or purchase plan best suits your needs.

New Honda Vehicle Warranty. The Honda warranty protection makes Power Train components a minor concern with the Honda 5-year/100,000-km No Nonsense Warranty. In addition to the Honda 5-year/100,000-km No Nonsense Warranty, you and your new Honda are protected by a Honda 3-year/60,000-km Distributor's Warranty as well as an additional series of warranties for such items as emission controls, body corrosion and more.

Genuine Honda Accessories give you the opportunity to fine-tune your new Honda just how you like it. Whether you want to turn up the style, the versatility or the exclusivity, every accessory is designed and built to adhere to the strictest Honda standards. See your dealer for full details.

Genuine Honda Replacement Parts are made to the same exacting standards as original Honda components and are guaranteed by the Genuine Honda Parts Warranty. Using Genuine Honda Parts will help to maintain the quality, reliability and performance of your vehicle.

Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in a rear seat. Properly secure all items stored in cargo areas. Always read the vehicle owner's manual for detailed vehicle operation and feature information.

Honda reserves the right to terminate or change any of the services and/or features listed in this brochure at any time, for any reason. Some features require registration. Certain features may transmit to Honda and/or other service providers a vehicle's location, operating conditions or other information that may be tied to the vehicle identification number (VIN) and can be combined to track a vehicle. For Honda's data use and Privacy Policies, see www.honda.ca/privacy. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of publication. Although descriptions are believed to be correct, accuracy cannot be guaranteed. Honda reserves the right to make changes at any time, without notice or obligation, in colours, specifications, accessories, materials, models and trim availability. Some vehicles may be shown with optional equipment. Some vehicles shown may be U.S. models. Canadian specifications may vary. For Android Auto[™] data use and privacy policy, see Terms and Privacy Policy for Android Auto[™] app or contact Google Inc. at www.google.com. Android Auto is a trademark of Google Inc. For Apple CarPlay,[™] data use and privacy policy, see Terms and Privacy Policy for Apple CarPlay[™] or contact Apple Inc. at www.apple.com. Apple CarPlay, Siri and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. Aha, the Aha logo, and the Aha trade dress are trademarks or registered trademarks of HARMAN International Industries, used by permission. Bluetooth is a registered trademark of JIG Inc. Blu-ray is a trademark of Blu-ray Disc Association. HomeLink and HandsFreeLink are registered trademarks or trademarks of Johnson Controls Technology. HD Radio[™] is a proprietary trademark of Microsoft Corporation. LEED[®] is a registered trademark of the U.S. Green Building Council, licensed to the Canada Green Building Council for use in Canada. © 2017 Sirius XM Canada Inc. "SiriusXM", the SiriusXM logo, channel names

ENGINE	LX	EX	EX-L NAVI	EX-L RES	TOURING
5-litre, 24-valve, Direct Injection, SOHC, i-VTEC® V6	٠	•	٠	•	•
orsepower @ rpm ¹	280 @ 6000	280 @ 6000	280 @ 6000	280 @ 6000	280 @ 6000
prque (lbft. @ rpm) ¹	262 @ 4700	262 @ 4700	262 @ 4700	262 @ 4700	262 @ 4700
splacement (cc)	3471	3471	3471	3471	3471
nissions rating	Tier 3 Bin 125				
pre and stroke (mm)	89 x 93				
ompression ratio	11.5:1	11.5:1	11.5:1	11.5:1	11.5:1
ctive Control Engine Mount (ACM) system	11.5.1	11.0.1	•	11.0.1	11.0.1
	•	•	•	•	•
co Assist™ system	•	•	•	•	•
ile-stop					•
ariable Cylinder Management® (VCM®)	•	•	•	•	•
ecommended fuel	Regular	Regular	Regular	Regular	Regular
RIVETRAIN	LX	EX	EX-L NAVI	EX-L RES	TOURING
speed automatic transmission with Grade Logic Control	•	•	•	•	
speed automatic transmission with Grade Logic Control					•
eering wheel-mounted paddle shifters					•
CON mode button					
nal drive ratio	4.25	4.25	4.25	4.25	4.33
	4.23	4.23	4.23	4.23	4.33
telligent Variable Torque Management (i-VTM4™) AWD system	•	•	•	•	•
telligent Traction Management System	•	•	•	•	•
wing capacity ² (kg)	Available 1588 or 2268				
DDY/SUSPENSION/CHASSIS	LX	EX	EX-L NAVI	EX-L RES	TOURING
" aluminum-alloy wheels	•	•	•	•	
)" aluminum-alloy wheels					•
l-season tires	P245/60 R18 105H	P245/60 R18 105H	P245/60 R18 105H	P245/60 R18 105H	P245/50 R20 102H
pare tire	T165/80 D17				
zile Handle Assist	•	•	•	•	•
attery Management System	•	•	•	•	•
nplitude Reactive Dampers					
acPherson strut front suspension				•	
ulti-link independent rear suspension		•	•		•
	•	·	•	•	•
ectric power-assisted rack-and-pinion steering (EPS)	•	•	•	•	•
abilizer bars – front/rear (mm)	25/26.5	25/26.5	25/26.5	25/26.5	25/26.5
eering wheel turns, lock-to-lock	3.14	3.14	3.14	3.14	3.14
ower-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•	•
CTIVE SAFETY	LX	EX	EX-L NAVI	EX-L RES	TOURING
wheel Anti-lock Braking System ³ (ABS)	•	•	•	•	•
ake Assist					
ectronic Brake-force Distribution (EBD)	•	•	•	•	
· · · ·	•	•	•	•	•
bllision Mitigation Braking System™3 (CMBS®) (HS*)	•	•		•	•
prward Collision Warning ³ (FCW) system (HS*)	•	•	•	•	•
ne Departure Warning ³ (LDW) system (HS*)	•	•	•	•	•
bad Departure Mitigation ³ (RDM) system (HS*)	•	•	•	•	•
ll Start Assist ³	•	•	•	•	•
D daytime running lights		•	•	•	•
aytime running lights	•				
re Pressure Monitoring System⁴ (TPMS) with tire fill assist	•	•	•	•	•
ailer Stability Assist	•	•	•	•	•
hicle Stability Assist ³ (VSA®) with Traction Control	٠	•	٠	•	•
* = Feature is a component of the Honda Sensing™ suite of safety and driver a	issist features.				
		FV			TOUDING
	LX	EX	EX-L NAVI	EX-L RES	TOURING
point rear seat belts	•	•	•	•	•
ont 3-point seat belts with automatic tensioning system	•	•	•	•	•
nildproof rear door locks	•	•	•	•	•
SRS airbag system (front)	٠	•	•	•	•
	•	•	•	•	•
ndaLink™ Assist Automatic Emergency Response System ^{3,5,6}	•		4	4	3
	4	4			
wer Anchors and Tethers for Children (LATCH)		•	•	•	•
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™)	4		•	•	٠
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering''' (ACE''') ody structure	4		•	•	•
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) ody structure nartVent™ side airbags	4			•	•
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) ody structure nartVent™ side airbags nree-row side curtain airbags with rollover sensor system	4 • •	•	•	•	•
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) ody structure nartVent™ side airbags nree-row side curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY	4 •	•	• • EX-L NAVI	•	• • • TOURING
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) ody structure nartVent™ side airbags nree-row side curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY	4 • •	•	•	•	•
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) ody structure martVent™ side airbags nree-row side curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY daptive Cruise Control ³ (ACC) (HS*)	4 • • • LX	• • • EX	• • EX-L NAVI	• • EX-L RES	• • TOURING
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) ody structure nartVent™ side airbags mree-row side curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY daptive Cruise Control ³ (ACC) (HS*) ine Keeping Assist System ³ (LKAS) (HS*)	4 • • • LX	• • • EX	• • EX-L NAVI	• • EX-L RES	• • TOURING
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) ody structure martVent™ side airbags mree-row side curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY daptive Cruise Control ³ (ACC) (HS*) me Keeping Assist System ³ (LKAS) (HS*) uto high beam	4 • • • LX	• • • EX	• • EX-L NAVI	• • EX-L RES	• • TOURING
wer Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) ody structure martVent™ side airbags nree-row side curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY daptive Cruise Control ³ (ACC) (HS*) une Keeping Assist System ³ (LKAS) (HS*) to bigh beam ind Spot Information ³ (BSI) system	4 • • • LX	• • • EX	• • EX-L NAVI	• • EX-L RES	• • TOURING
In the set of the set	4 • • • LX	• • • EX	• • EX-L NAVI	• • EX-L RES	• • TOURING

EXTERIOR	LX	EX	EX-L NAVI	EX-L RES	TOURING
Auto-levelling front headlights					•
Body-coloured door handles	•	•	•	•	Chrome
Body-coloured heated power side mirrors	•	•	•	•	•
Fog lights		•	•	•	•
Front and rear splash guards	•	•	•	•	•
Front wiper de-icer	•	•	•	•	•
Intermittent rear window wiper/washer	•	•	•	•	•
LED taillights	•	•	•	•	•
Memory-linked side mirrors with reverse gear tilt-down					•
Mirror-integrated LED turn signal indicators		•	•	•	•
Projector-beam halogen headlights	With auto-on/off	With auto-on/off	With auto-on/off	With auto-on/off	
Projector-beam LED headlights					With auto-on/off
One-touch power moonroof with tilt feature		•	•	•	
Panoramic moonroof					•
Power folding mirrors					•
Power tailgate			•	•	•
Rain-sensing windshield wipers					•
Rear window defroster	•	•	•	•	•
Roof rails		•	•	•	•
Rear privacy-tinted glass	•	•	•	•	•
Variable intermittent windshield wipers	٠	٠	•	•	•
COMFORT & CONVENIENCE	LX	EX	EX-L NAVI	EX-L RES	TOURING
12-volt power outlets	2	3	3	3	3
115-volt power outlet	2	5	5	5	5
Acoustic windshield			•	•	•
Acoustic glass (front doors)			•	•	
Active Noise Cancellation (ANC)			•	•	•
Ambient lighting	•	•	•	•	
Auto-dimming rearview mirror			•	•	•
Body-coloured front and rear parking sensors			•	•	
Cargo area tie-down anchors (4)		•	•	•	•
Colour TFT multi-information display	•	•	•	•	•
Compass		•	Navi-based	•	Navi-based
Conversation mirror with sunglasses holder	•	•	Navi-Daseu	•	Navi-Daseu
Display Audio System ³ with Honda Satellite-Linked Navigation	•	•		•	
System™ ^{3,7} and bilingual Voice Recognition					
Door-pocket storage bins	•	•	•	•	•
Driver's and front passenger's seatback pockets		•	•	•	•
Driver's and front passenger's vanity mirrors	•	Illuminated	Illuminated	Illuminated	Illuminated
Electronic gear selector					•
Exterior temperature indicator	•	•	•	•	•
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone	•	•	•	•	•
interface ^{3,5} with steering-wheel mounted controls					
HomeLink [®] remote system ⁸		•	•	•	•
Immobilizer theft-deterrent system	•	•	•	•	•
Integrated second-row sunshades				•	•
Maintenance Minder™ system	•	•	•	•	•
Multi-angle rearview camera ³ with dynamic guidelines	•	•	•	•	•
One-touch turn signals	•	•	•	•	•
Power windows with auto-up/down driver and passenger window	•	•	•	•	•
Proximity key entry system with pushbutton start	•	•	•	•	•
Remote engine starter	•	•	•	•	•
Reversible cargo lid	•	•	•	•	•
Second-row folding centre armrest	•	•	•	•	•
Second- and third-row heater ducts	•	•	•	•	•
Second-row automatic HVAC controls	•	•	•	•	•
Security system	•	•	•	•	•
Steering wheel-mounted controls (cruise control, audio, telephone,	•	•	•	•	•
multi-information display) Tilt and telescoping steering column	•	•	•	•	•
Tri-zone automatic climate control with air-filtration system	•	•	•	•	•
Walk-away door lock	•	•	•	•	•
wain away UUUI IUCN	•	•	•	•	•

isasenger seat amment industriant industri	SEATING & TRIM	LX	EX	EX-L NAVI	EX-L RES	TOURING
where's access with 6-way manual adjustment including severel under support (with state potent inclusions and/) with state potent inclusions and/) with state potent inclusions and/) · · · · state potent inclusions and/ with state potent inclusions and/ inclusions inclusions and/ inclusions inclusions and/ inclusions and/ state and state potent inclusions and/ inclusions and/ inclusions particular state with 4-way manual adjustment inclusions and/ inclusions a	Driver's seat armrest	•	•	Adjustable	Adjustable	Adjustable
New SectorNew Sector	Passenger seat armrest	•	•	•	•	Adjustable
 New Section and Proceedings and Proceedings New Section and Proceedings an	Driver's seat with 6-way manual adjustment	•				,
black search processes (unknown particles and/) and particles and/) and particles and/) and particles and/or particles and/) and particles and/or particles	Driver's seat with 10-way power adjustment including		•	•	•	•
Interact organity orga						•
 stand a construm south (outboard positions only) stand a bandmark department on the stand and stand		•		•		
latead searber wegname data " interest basemage and searber week in the searber formed searber week in the searber formed searber week interest and basemage and searber week interest						
iatack anter-wanged sensing wheel···tasenage's seat with 4 way manual adjustment·····stangers and the way power adjustment··						
aukaler stransming aufgag affaga i even aufgag angle i even aufgag						
steering 's set with 4-way now and ulgiothmentSing and reclining 60,400 girlefolding second-row soutsisling and reclining 60,400 girlefolding second-row soutsher-touch south schaltinsouth 3240 girlefolding individues and schaltinsouth 3240 girlefolding individues and schaltinsouth 3240 girlefolding individues and schaltin						Porforated
Bisengen Sext with 4-way, power adjustment. • * * <td></td> <td></td> <td></td> <td>•</td> <td>•</td> <td>renorateu</td>				•	•	renorateu
skilling and reclining OQA90 galls-fidding second-row spats chainsnae-touch second row sets<		•	•			
jaiding and realining segond rive apatian's chairs •				•	•	•
bis-back second row seals . <td>0 0,1 0</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td></td>	0 0,1 0	•	•	•	•	
9/9/49 28/15/06/16/19/16/16/19/16/10/16/19/16/10/16/19/16/10/16/19/16/10/16/19/16/10/16/16/16/10/16/16/16/16/16/16/16/16/16/16/16/16/16/						•
ieaning garanty (MIAND Section 2007) (Institutional forth acaas Section 2007) Section 2007)				•	•	•
International content LX EX EX EX International content Shardt AM/RNENT EX	, , , , , , , , , , , , , , , , , , , ,	•	•	•	•	•
EXTERTAINMENT EX EX EX EX EX EX EX TOURING 25: watt AM/IM/CD attals speakers including subwoofer -	Seating capacity	8	8	8	8	7
25-watt AVFM/CD audio system with MP2/Windows Media" .	/entilated front seats					•
25-watt AVFM/CD audio system with MP2/Windows Media" .	INTERTAINMENT	LX	EX	EX-L NAVI	EX-L RES	TOURING
Undip Bystack Capability of 2 speakers including subwooler and 3 surround Source Mark Mark Mark Mark Mark Mark Mark Mark				•		
Undio playblick capability and 10 speakers including subworder and typpic arPhy ^{m1/4} Android Auro ^{m1.6} Including Navigation ¹⁰ Including Navigation Norder Meth HondLink ^{M24} Including Navigation Norder Methes HondLink ^{M24} Including Navigation Norder Methes HondLink ^{M24} Including Nav	Audio playback capability and 7 speakers including subwoofer					
tipping 211991 ^{m11} /Android Auto ^{m3} i i including Navigation ¹² including Navigation ¹² Nord Rear Enterlainment System with 9-inch display, integrated emote control and WiteRs indexises with personal surround sound surround sound	540-watt AM/FM/CD Premium audio system with MP3/Windows Media® Audio playback capability and 10 speakers including subwoofer and 1.5 Surroued Sound					٠
Spinglawanio • Including Navigation*3 BUU-ray** Build not wireless headsets with personal surround sound •						
bonds are Entertainment System with 9-inch display, integrated emote control and wireless headeats with personal surround sound taket onth' Streaming Audol ¹¹ DVD Blu-ray ^m emote control and wireless headeats with personal surround sound 149/Jauxiliay input Jack I I 108/double I I I I I 108/double I I I I I 108/double I I I I I I 108 double connection ¹ I I <td></td> <td>•</td> <td>•</td> <td>Including Navigation^{3,7}</td> <td>•</td> <td>Including Navigation</td>		•	•	Including Navigation ^{3,7}	•	Including Navigation
emote control and wireless headsets with personal surround sound + <		•				
Liketooth ⁵ Streaming Audol ⁵⁵ · · · #73/auxiliary input jack · · · · #73/auxiliary input jack · · · · #73/auxiliary input jack · · · · · #76 addro ⁵⁶ · · · · · · B6 device connectori 3 3 3 3 S · B6 device connectori · · · · · · B6 device connectori ·					DVD	Diu-Tay
472/durling-input jack • • • • DMM" (High-Definition Multimedia Interface) input jack • • • DMM" (High-Definition Multimedia Interface) input jack 3 3 3 3 DSR diewe connector [®] 3 3 3 3 5 ISP device connector [®] • • • • • ISP device connector [®] • •		•	•	•	•	•
HDM1* (High-Definition Multimedia Interface) input jack • ID Radio*** • SB device connector* 3 3 3 3 SB device connector* 0 • • • SB device connector* 0 • • • • SB text message*/ E-mail function*3 • <	0	•	•	•	•	•
4D Radio** 3 3 3 3 3 5 JSB device connector* 3 3 3 3 5 ISB device connector* - - - - MS text message*/ (E-mail function*5 - - - - ged-sensitive Volume Control (SVC) - - - - - wire terthering* - </td <td></td> <td></td> <td></td> <td></td> <td>•</td> <td>•</td>					•	•
JSB device connector ⁴ 3 3 3 3 3 3 5 Vir Ever serves/*/E-mail function ¹⁶ • •						
Sint Lyes Free compatibility ³⁵ · · · · · MS text message ²⁺ /E-mail function ^{13,4} · · <td></td> <td>2</td> <td>3</td> <td>2</td> <td>2</td> <td>5</td>		2	3	2	2	5
IMS fext message ¹⁵ /E-mail function ¹⁵ • • <td></td> <td>5</td> <td>5</td> <td>5</td> <td></td> <td>5</td>		5	5	5		5
speed-sensitive Volume Control (SVC) • • • • • Sirius XM ^{me} • •		•	•	•	•	•
SinusxXM***© SinusxXM***© Wi-Fi tethering ⁶ K K K K K UEL ECONDMY* (L/OD KM) LX EX EX-L NAVI EX-L RES TOURING V/TM4** AWD (City/Hwy/Combined) 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 12.4/9.3/11.0 DIMENSIONS LX EX EX-L NAVI EX-L RES TOURING Approach/departure angle (degrees) 18/19.7 19/73 19/73 19/73 19/73 19/73 19/73 19/73 19/78 19/74 19/74		•	•	•	•	•
Wi-Fi tethering ⁶ · · · · · ELE ECONOMY" (L/100 KM) LX EX EX-L NAVI EX-L RES TOURING V/TM4" AWD (Citly/Hwy/Combined) 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 12.4/9.3/10.0 DMENSIONS LX EX EX-L NAVI EX-L RES TOURING Sago volume behind fort row (L) 3087 3092 3092 3092 3092 3092 3092 3092 3092 3092 3092 3092 3072 3072 3090 3092 3092 3092 3092 3092 3092 3092 3092 3092 3092 3072		•	•	•	•	•
UEL ECONOMY" (L/100 KM) LX EX EX_L NAVI EX_L RES TOURING VUTM4" AWD (City/Hwy/Combined) 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 12.4/9.3/11.0 DIMENSIONS LX EX EX_L NAVI EX_L RES TOURING Approach/departure angle (degrees) 18/19.7				•	•	•
VTM4** AWD (City/Hwy/Combined) 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 13.0/9.3/11.3 12.4/9.3/11.0 DIMENSIONS LX EX EX EX-L NAVI EX-L RES TOURING Approach/departure angle (degrees) 18/19.7 19/73 19/73 19/73 19/73 19/73 19/73 19/73 19/73 18/53 18/5 18/5 18/5 18/5	NI-FI tethering"	•	•	•	•	•
LXEXEXEX-L REVTOURINGSpproach/departure angle (degrees)18/19.718/19.718/19.718/19.718/19.718/19.7Cargo volume behind front row (L)308730923092309230923072Cargo volume behind 2nd row (L)158315831583158315831553Cargo volume behind 3rd row (L)524524524524510521Curb weight (kg)193319491967197319781978Turb weight (kg)265026502650265026502650Sarou clearance (mm)185185185185185teadroom - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/104/049891004/104/049/976/810eight (mm)1773177817891789178917891789eight crown - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132eight (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132eight (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463eight (mm)1640/976/8101040/976/8101040/976/8101040/976/8101040/976/810eight (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463shoulder roo	FUEL ECONOMY ¹¹ (L/100 KM)	LX	EX	EX-L NAVI	EX-L RES	TOURING
LXEXEXEX-L REVTOURINGSpproach/departure angle (degrees)18/19.718/19.718/19.718/19.718/19.718/19.7Cargo volume behind front row (L)308730923092309230923072Cargo volume behind 2nd row (L)158315831583158315831553Cargo volume behind 3rd row (L)524524524524510521Curb weight (kg)193319491967197319781978Turb weight (kg)265026502650265026502650Sarou clearance (mm)185185185185185teadroom - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/104/049891004/104/049/976/810eight (mm)1773177817891789178917891789eight crown - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132eight (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132eight (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463eight (mm)1640/976/8101040/976/8101040/976/8101040/976/8101040/976/810eight (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463shoulder roo	-VTM4™ AWD (City/Hwy/Combined)	13.0/9.3/11.3	13.0/9.3/11.3	13.0/9.3/11.3	13.0/9.3/11.3	12.4/9.3/11.0
Approach/departure angle (degrees) 18/19.7 19/19.7 19/19.7	· · · · · ·					
Cargo volume behind front row (L)308730923092309230923092Cargo volume behind 2nd row (L)158315831583158315831557Cargo volume behind 3rd row (L)524524524524524576Curb weight (kg)19331949196719731978Curb weight rating (kg)26502650265026502650Saross vehicle weight rating (kg)26502650265026502650Ground clearance (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/989Headroom - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/989Heip room - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/1132Legroom - front/2nd row/3rd row (mm)1604/976/8101040/976/8101040/976/8101040/976/8101040/976/810Legroom - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463Legroom - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463Absenger volume (L)43304296429642964335Absoluter room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/1463Absoluter room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/1463Absoluter room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/1463157	DIMENSIONS				EX-L RES	
Cargo volume behind 2nd row (L)158315831583158315831583158315831557Cargo volume behind 3rd row (L)524524524524524510Curb weight (kg)19331949196719731978Curb weight (kg)73.873.873.873.873.873.8Stross vehicle weight rating (kg)26502650265026502650Saround clearance (mm)185185185185185teadroom - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/989teight (mm)1773178917891789178917891789tip room - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132tegroom - front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/810ergor out - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463track - front/rear (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463tr	Approach/departure angle (degrees)	18/19.7	18/19.7	18/19.7	18/19.7	18/19.7
Cargo volume behind 3rd row (L)524524524524524510Curb weight (kg)19331949196719731978cuel tank capacity (L)73.873.873.873.873.873.8Gross vehicle weight rating (kg)265026502650265026502650Ground clearance (mm)185185185185185185Headroom - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/989Height (mm)177317891789178917891789Hip room - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/1132Legroom - front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/810Length (mm)49414941494149414941Passenger volume (L)43304296429642964335Shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463Shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463Urrning radius (m)5.755.755.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.3Vheelbase (mm)282028202820282028202820	Cargo volume behind front row (L)	3087	3092	3092	3092	3072
Durb weight (kg)19331949196719731978uel tank capacity (L)73.873.873.873.873.873.8aross vehicle weight rating (kg)265026502650265026502650around clearance (mm)185185185185185185teadroom - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/104/989teip room - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/104/989teip room - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132egroom - front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/810ength (mm)49414941494149414941vasenger volume (L)43304296429642964335track - front/rear (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463track - front/rear (mm)1684/16841684/16841684/16841684/16841684/1684turing radius (m)5.755.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.35.3Vheelbase (mm)282028202820282028202820	Cargo volume behind 2nd row (L)	1583	1583	1583	1583	1557
Luel tank capacity (L)73.873.873.873.873.873.873.8Gross vehicle weight rating (kg)265026502650265026502650Ground clearance (mm)1851851851851851851854eadroom - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/9894eight (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/9891004/1014/9894eight (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/989178917894eight (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/989178917894eight (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11324eight (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104eight (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104eight (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104eight (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104eight (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104eight (mm)1576/15	Cargo volume behind 3rd row (L)	524	524	524	524	510
Saros vehicle weight rating (kg)265026502650265026502650Ground clearance (mm)1851851851851851854eadroom – front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/9894eight (mm)1773178917891789178917894ip room – front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11324egroom – front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104egroom – front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104egroom – front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631684/16844assenger volume (1)433042964296429643364rock – front/rear (mm)1584/16841684/16841684/16841684/16841684/168410 rang radius (m)5.755.755.755.755.75Nasher tank capacity (L)5.35.35.35.35.35.35.3Vheelbase (mm)2820282028202820282028202820	Curb weight (kg)	1933	1949	1967	1973	1978
Saros vehicle weight rating (kg)265026502650265026502650Ground clearance (mm)1851851851851851854eadroom – front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/9894eight (mm)1773178917891789178917894ip room – front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/11324egroom – front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104egroom – front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/8104egroom – front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631684/16844assenger volume (1)433042964296429643364rock – front/rear (mm)1584/16841684/16841684/16841684/16841684/168410 rang radius (m)5.755.755.755.755.75Nasher tank capacity (L)5.35.35.35.35.35.35.3Vheelbase (mm)2820282028202820282028202820	uel tank capacity (L)	73.8	73.8	73.8	73.8	73.8
Headroom - front/2nd row/3rd row (mm)1019/1020/9891004/1014/9891004/1014/9891004/1014/9891004/1014/989Height (mm)177317891789178917891789Hip room - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132Legroom - front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/810Length (mm)49414941494149414941Passenger volume (L)43304296429642964335Shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463Shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463Track - front/rear (mm)1684/16841684/16841684/16841684/16841684/1684Turning radius (m)5.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.3Vheelbase (mm)282028202820282028202820		2650	2650	2650	2650	2650
Height (mm)177317891789178917891789Hip room - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132Legroom - front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/810Length (mm)49414941494149414941Passenger volume (L)43304296429642964335Shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463Shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463Vinning radius (m)5.755.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.3Vheelbase (mm)282028202820282028202820	Ground clearance (mm)	185	185	185	185	185
Height (mm)177317891789178917891789tip room - front/2nd row/3rd row (mm)1501/1456/11321501/1456/11321501/1456/11321501/1456/11321501/1456/1132tip room - front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/810tegroom - front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/810tegroom - front/2nd row/3rd row (mm)49414941494149414941tassenger volume (L)43304296429642964335shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463track - front/rear (mm)1584/16841684/16841684/16841684/16841684/16841684/16841684/1684transpect task capacity (L)5.35.35.35.35.35.3Vasher tank capacity (L)2820282028202820282028202820	leadroom – front/2nd row/3rd row (mm)	1019/1020/989	1004/1014/989	1004/1014/989	1004/1014/989	1004/1040/989
Hip room - front/2nd row/3rd row (mm)1501/1456/11321040/976/8101076/1576/146						
egroom - front/2nd row/3rd row (mm)1040/976/8101040/976/8101040/976/8101040/976/8101040/976/810ength (mm)494149414941494149414941bassenger volume (L)43304296429642964335shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/1463bassenger volume (L)1684/16841684/16841684/16841684/16841684/16841684/1684chont/rear (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631684/1684urning radius (m)5.755.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.3Vheelbase (mm)282028202820282028202820						
Length (mm)49414941494149414941Passenger volume (L)43304296429642964335Shoulder room – front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463Track – front/rear (mm)1684/16841684/16841684/16841684/16841684/16841684/1684Turning radius (m)5.755.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.3Vheelbase (mm)282028202820282028202820						
Passenger volume (L)433042964296429642964335Shoulder room – front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463Track – front/rear (mm)1684/16841684/16841684/16841684/16841684/16841684/1684Turning radius (m)5.755.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.3Weelbase (mm)282028202820282028202820			7 1			
Shoulder room - front/2nd row/3rd row (mm)1576/1576/14631576/1576/14631576/1576/14631576/1576/14631576/1576/1463Track - front/rear (mm)1684/16841684/16841684/16841684/16841684/16841684/1684Turning radius (m)5.755.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.3Veelbase (mm)282028202820282028202820						
Track - front/rear (mm)1684/16841684/16841684/16841684/16841684/1684Turning radius (m)5.755.755.755.755.75Vasher tank capacity (L)5.35.35.35.35.3Weelbase (mm)282028202820282028202820	0 ()					
Turning radius (m) 5.75 5.75 5.75 5.75 5.75 Vasher tank capacity (L) 5.3 5.3 5.3 5.3 5.3 Wheelbase (mm) 2820 2820 2820 2820 2820 2820						, ,
Vasher tank capacity (L) 5.3 5.3 5.3 5.3 5.3 Wheelbase (mm) 2820 2820 2820 2820 2820 2820		,				
Vheelbase (mm) 2820						

Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE JI349 procedures.
 Accessory towing package required. Packages are available at an additional cost as a dealer-installed item. See your Owner's Manual for proper towing operation.
 None of the features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
 For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.
 Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply. including roaming charges and/or other amounts charged by your wireless carrier.
 Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
 Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
 HomeLink[®] can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.). Additional control devices on to provided by Honda may be required.
 Coverage varies by market.
 Only available in certain areas. Includes a no-charge trial of three months.
 Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca

Trims

PILOT LX

KEY FEATURES:

- 280 horsepower¹, 3.5-litre, 24-valve, Direct Injection, SOHC, i-VTEC® V6 engine
- 18" aluminum-alloy wheels
- 225-watt AM/FM/CD audio system with MP3/ Windows Media[®] Audio playback capability and 7 speakers including subwoofer
- 4-wheel Anti-lock Braking System² (ABS) with Brake Assist and Electronic Brake-force Distribution (EBD)
- 6-speed automatic transmission with Grade Logic Control Apple CarPlay^{™2,3}/Android Auto^{™2,3}
- Body-coloured heated power side mirrors Display Audio System² with HondaLink^{™2,3}
- Front wiper de-icer
- HandsFreeLink[™]-bilingual Bluetooth[®] wireless mobile phone interface^{2,3} with steering-wheel mounted controls Heated front seats
- HondaLink™ Assist Automatic
- Emergency Response System^{2,3,4}
- Intelligent Traction Management System
- Intelligent Variable Torque Management
- (i-VTM4[™]) AWD system
- Multi-angle rearview camera² with dynamic guidelines • Proximity key entry system with pushbutton start
- Remote engine starter
- Seating capacity: 8
- USB device connector² (3) Variable Cylinder Management[®] (VCM[®])

PILOT TOURING

- ADDS TO OR REPLACES EX-L RES FEATURES
- 20" aluminum-alloy wheels
- 540-watt AM/FM/CD Premium audio system with MP3/Windows Media[®] Audio playback capability and
- 10 speakers including subwoofer and 5.1 Surround Sound • 9-speed automatic transmission with Grade Logic Control
- Ambient lighting
- Auto high beam
- Auto-levelling front headlights
- Blind Spot Information (BSI) system² with Rear Cross Traffic Monitor² system (replaces Honda LaneWatch™ blind spot display)
- Blu-ray™ Honda Rear Entertainment System with 9" display, integrated remote control and wireless
- headsets with personal surround sound (replaces DVD Honda Rear Entertainment System)
- Display Audio System² with Honda Satellite-Linked
- Navigation System^{™2,7} and bilingual Voice Recognition • Driver's seat position memory
- Electronic gear selector
- Idle-stop
- Memory-linked side mirrors with reverse gear tilt-down
- Panoramic moonroof
- Power folding mirrors
- Projector-beam LED headlights with auto-on/off
- Rain-sensing windshield wipers
- USB device connector² (5)
- Ventilated front seats

HONDA SENSING[™] TECHNOLOGIES

- STANDARD ON ALL MODELS.
- Collision Mitigation Braking System^{™2} (CMBS[®])
- Forward Collision Warning (FCW) system²
- Lane Departure Warning (LDW) system²
- Road Departure Mitigation (RDM) system²
- Adaptive Cruise Control (ACC)²
- Lane Keeping Assist System (LKAS)²

Exterior & **Interior Colours**



1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

- 3. Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.
- 4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
- 5. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).

6. Only available in certain areas. Includes a no-charge trial of three months.

7. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

input jack³ • Integrated second-row sunshades

and bilingual Voice Recognition)

• Passenger's seat with 4-way power adjustment Power tailgate

• 115-volt power outlet

SiriusXM^{™6}

PILOT EX-L RES

PILOT EX

• Fog lights

Roof rails

PILOT EX-L NAVI

Acoustic windshield

ADDS TO OR REPLACES LX FEATURES • Driver's seat with 10-way power adjustment

including power lumbar support

• Honda LaneWatch™ blind spot display²

ADDS TO OR REPLACES EX FEATURES

• Auto-dimming rearview mirror

and bilingual Voice Recognition

• One-touch second row seats

• Leather-trimmed seating surfaces

Mirror-integrated LED turn signal indicators

• One-touch power moonroof with tilt feature

• Body-coloured front and rear parking sensors

Honda Satellite-Linked Navigation System^{™2,7}

ADDS TO OR REPLACES EX-L NAVI FEATURES

• DVD Honda Rear Entertainment System with

Honda Satellite-Linked Navigation System^{™2,}

• HDMI[®] (High-Definition Multimedia Interface)

9" display, integrated remote control and wireless

headsets with personal surround sound (replaces

• Heated second-row seats (outboard positions only)

Heated leather-wrapped steering wheel

HomeLink[®] remote system⁵

• LED daytime running lights

EX-L NAVI

EX-L RES

TOURIN

