

FORD
TRANSIT

2026



UPFIT GUIDE

RANGERTM
DESIGN

A Clariance Technologies Company

HELPING MOBILE TECHNICIANS WORK MORE EFFECTIVELY BY PROVIDING ORGANIZED STORAGE SOLUTIONS

AT RANGER DESIGN, WE BELIEVE MORE IS POSSIBLE.





We believe work vehicles and the technicians that drive them can become more organized, more efficient, more productive and more profitable. At Ranger Design we're committed to bringing you the products and services that make that possible.

More means helping you choose the right work van for your application, as well as giving you engineering support and expert advice to help design the most efficient work space in your new vehicle.

More also means getting that new van outfitted and on the road faster, so you can start using it for the reason you bought it.

We're committed to bringing you more, because we believe more is possible.

HOW TO BUY



Large Distributor Network Across the Continent

Buy

Ranger Design Quickship service is available through your local distributor. rangerdesign.com/find-distributor

Lead Time

Quickship orders placed before 1PM EST, will ship from our factory within 48 hours.

LAYOUT GUIDES

HOW TO USE THE LAYOUT GUIDE

INSIDE ROOF HEIGHT

To determine the maximum shelf height that can be used in the van.

PARTITION DEPTH

This indicates the space taken up by our partition for this vehicle. Please note that this measurement is determined by the partition that encroaches the most. Some partitions may take up less space. Take note that this measurement may not necessarily be on the floor.

DOOR OPENING


To determine where shelving will land in relation to the door opening. Use this measurement to determine the space available for drawer units.

DIMENSIONS IN RED

These dimensions indicate unique measurements for each wheelbase. Use red dimensions to determine the exact wheelbase of your van.

FLOOR SPACE

This area is usable floor space but due to curvature of the van there may not be the same available area at the roof. Please measure actual van for specific measurement at roof.





FORD
TRANSIT
Regular 130" Wheelbase



GETTING STARTED


FORD
TRANSIT

Long 148" Wheelbase

FORD
TRANSITLong 148" Wheelbase
Extended

CONTRACTOR PACKAGE


CONTRACTOR



FTL-10 CONTRACTOR

MATERIAL	Steel	WHEELBASE	130", 148"
WEIGHT	206 lbs	ROOF HEIGHT	Low
INSTALL TIME	3.3 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6070	6" Hook, 3" opening, painted
1	C20-FTL	Straight steel partition, perforated window, no access
1	N4-RS48-3	Steel shelving unit, 14" D x 48" W x 44.5" H
1	N4-RS84-3	Steel shelving unit, 14" D x 84" W x 44.5" H



FTR-10 CONTRACTOR

MATERIAL	Steel	WHEELBASE	130"
WEIGHT	268 lbs	ROOF HEIGHT	Medium
INSTALL TIME	3.8 hrs	QUICKSHIP	Yes


QTY	PART	DESCRIPTION
1	6070	6" Hook, 3" opening, painted
1	C20-FTM	Straight steel partition, perforated window, no access
1	N5-RS48-4	Steel shelving unit, 14" D x 48" W x 62" H
1	N5-RS84-4	Steel shelving unit, 14" D x 84" W x 62" H

VISIT
RANGERDESIGN.COM
TO VIEW OUR
SAFETY PARTITIONS:



CONTRACTOR PACKAGE


CONTRACTOR



FTM-10 CONTRACTOR

MATERIAL	Steel	WHEELBASE	148"
WEIGHT	288 lbs	ROOF HEIGHT	Medium
INSTALL TIME	3.8 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6070	6" Hook, 3" opening, painted
1	C20-FTM	Straight steel partition with perforated window, no access
1	N5-RS60-4	Steel shelving unit, 14" D x 60" W x 62" H
1	N5-RS96-4	Steel shelving unit, 14" D x 96" W x 62" H




FTH-10 CONTRACTOR

MATERIAL	Steel	WHEELBASE	148", 148" Ext.
WEIGHT	303 lbs	ROOF HEIGHT	High
INSTALL TIME	3.8 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6070	6" Hook, 3" opening, painted
1	C20-FTH	Straight steel partition with perforated window, no access
1	N5-RS60-4	Steel shelving unit, 14" D x 60" W x 62" H
1	N5-RS96-4	Steel shelving unit, 14" D x 96" W x 62" H

ELECTRICAL PACKAGE


ELECTRICAL



FTL-11 ELECTRICAL

MATERIAL	Steel	WHEELBASE	130", 148"
WEIGHT	314 lbs	ROOF HEIGHT	Low
INSTALL TIME	5.8 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6063	Paper holder, extra deep, 5 slots
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
7	62-UI112	12" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	7124	Reel holder with two 5/8" diameter rods
1	77-UI036	Adjustable shelving door unit - 33" W - for 36" and 72" shelves
1	77-UI048	Adjustable shelving door unit - 45" W - for 48" and 96" shelves
1	C20-FTL	Straight steel partition with perforated window, no access
1	N4-RS48-3	Steel shelving unit, 14" D x 48" W x 44.5" H
1	N4-RS84-3	Steel shelving unit, 14" D x 84" W x 44.5" H
1	X50-B	Compact 2-drawer unit
1	X50-C	Compact 3-drawer unit




FTR-11 ELECTRICAL

MATERIAL	Steel	WHEELBASE	130"
WEIGHT	377 lbs	ROOF HEIGHT	Medium
INSTALL TIME	6.3 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6063	Paper holder, extra deep, 5 slots
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
7	62-UI114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	7124	Reel holder with two 5/8" diameter rods
1	77-UI036	Adjustable shelving door unit - 33" W - for 36" and 72" shelves
1	77-UI048	Adjustable shelving door unit - 45" W - for 48" and 96" shelves
1	C20-FTM	Straight steel partition with perforated window, no access
1	N5-RS48-4	Steel shelving unit, 14" D x 48" W x 62" H
1	N5-RS84-4	Steel shelving unit, 14" D x 84" W x 62" H
1	X50-B	Compact 2-drawer unit
1	X50-C	Compact 3-drawer unit

ELECTRICAL PACKAGE


FTM-11 ELECTRICAL



MATERIAL	Steel	WHEELBASE	148"
WEIGHT	401 lbs	ROOF HEIGHT	Medium
INSTALL TIME	6.3 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6063	Paper holder, extra deep, 5 slots
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
8	62-UI114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	7124	Reel holder with two 5/8" diameter rods
2	77-UI048	Adjustable shelving door unit - 45" W - for 48" and 96" shelves
1	C20-FTM	Straight steel partition with perforated window, no access
1	N5-RS60-4	Steel shelving unit, 14"D x 60" W x 62"H
1	N5-RS96-4	Steel shelving unit, 14"D x 96" W x 62"H
1	X50-B	Compact 2-drawer unit
1	X50-C	Compact 3-drawer unit

FTH-11 ELECTRICAL




MATERIAL	Steel	WHEELBASE	148", 148" Ext.
WEIGHT	416 lbs	ROOF HEIGHT	High
INSTALL TIME	6.3 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6063	Paper holder, extra deep, 5 slots
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
8	62-UI114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	7124	Reel holder with two 5/8" diameter rods
2	77-UI048	Adjustable shelving door unit - 45" W - for 48" and 96" shelves
1	C20-FTH	Straight steel partition with perforated window, no access
1	N5-RS60-4	Steel shelving unit, 14"D x 60" W x 62"H
1	N5-RS96-4	Steel shelving unit, 14"D x 96" W x 62"H
1	X50-B	Compact 2-drawer unit
1	X50-C	Compact 3-drawer unit

HVAC PACKAGE


HVAC



FTL-12 HVAC

MATERIAL	Steel	WHEELBASE	130", 148"
WEIGHT	303 lbs	ROOF HEIGHT	Low
INSTALL TIME	5.6 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	C4-BA13-3	3-Tier refrigerant rack for large bottles
1	6063	Paper holder, extra deep, 5 slots
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
1	6088	Large aluminum bottle holder, with two black nylon straps
7	62-U1114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	77-UI048	Adjustable shelving door unit - 45" W - for 48" & 96" shelves
1	C20-FTL	Straight steel partition with perforated window, no access
1	N4-RS48-3	Steel shelving unit, 14"D x 48" W x 44.5"H
1	N4-RS84-3	Steel shelving unit, 14"D x 84" W x 44.5"H
2	X50-B	Compact 2-drawer unit




FTR-12 HVAC

MATERIAL	Steel	WHEELBASE	130"
WEIGHT	366 lbs	ROOF HEIGHT	Medium
INSTALL TIME	6.1 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	C4-BA13-3	3-Tier refrigerant rack for large bottles
1	6063	Paper holder, extra deep, 5 slots
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
1	6088	Large aluminum bottle holder, with two black nylon straps
7	62-U1114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	77-UI048	Adjustable shelving door unit - 45" W - for 48" & 96" shelves
1	C20-FTM	Straight steel partition with perforated window, no access
1	N5-RS48-4	Steel shelving unit, 14"D x 48" W x 62" H
1	N5-RS84-4	Steel shelving unit, 14"D x 84" W x 62" H
2	X50-B	Compact 2-drawer unit


HVAC PACKAGE



FTM-12 HVAC

MATERIAL	Steel	WHEELBASE	148"
WEIGHT	389 lbs	ROOF HEIGHT	Medium
INSTALL TIME	6.1 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	C4-BA13-3	3-Tier refrigerant rack for large bottles
1	6063	Paper holder, extra deep, 5 slots
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
1	6088	Large aluminum bottle holder, with two black nylon straps
8	62-U1114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	77-U1060	Adjustable shelving door unit - 57" W - for 60" shelves
1	C20-FTM	Straight steel partition with perforated window, no access
1	N5-RS60-4	Steel shelving unit, 14"D x 60" W x 62" H
1	N5-RS96-4	Steel shelving unit, 14"D x 96" W x 62" H
2	X50-B	Compact 2-drawer unit




FTH-12 HVAC

MATERIAL	Steel	WHEELBASE	148", 148" Ext.
WEIGHT	396 lbs	ROOF HEIGHT	High
INSTALL TIME	6.1 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	C4-BA13-3	3-Tier refrigerant rack for large bottles
1	6063	Paper holder, extra deep, 5 slots
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
1	6088	Large aluminum bottle holder, with two black nylon straps
8	62-U1114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	77-U1060	Adjustable shelving door unit - 57" W - for 60" shelves
1	C20-FTH	Straight steel partition with perforated window, no access
1	N5-RS60-4	Steel shelving unit, 14"D x 60" W x 62" H
1	N5-RS96-4	Steel shelving unit, 14"D x 96" W x 62" H
2	X50-B	Compact 2-drawer unit

SERVICE PACKAGE


SERVICE



FTL-16 SERVICE

MATERIAL	Steel	WHEELBASE	130", 148"
WEIGHT	273 lbs	ROOF HEIGHT	Low
INSTALL TIME	4.1 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
4	62-U1114	14" Deep plastic bin
1	62-UDR12	Set of 5 dividers for a 12" shelf
1	62-UDR14	Set of 5 dividers for a 14" shelf
1	C20-FTL	Straight steel partition with perforated window, no access
1	N4-RS48-3	Steel shelving unit, 14"D × 48" W × 44.5"H
1	N4-RS84-3	Steel shelving unit, 14"D × 84" W × 44.5"H
2	X50-B	Compact 2-drawer unit




FTR-16 SERVICE

MATERIAL	Steel	WHEELBASE	130"
WEIGHT	336 lbs	ROOF HEIGHT	Medium
INSTALL TIME	4.6 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
4	62-U1114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	C20-FTM	Straight steel partition with perforated window, no access
1	N5-RS48-4	Steel shelving unit, 14"D × 48" W × 62"H
1	N5-RS84-4	Steel shelving unit, 14"D × 84" W × 62"H
2	X50-B	Compact 2-drawer unit

SERVICE PACKAGE




FTM-16 SERVICE

MATERIAL	Steel	WHEELBASE	148"
WEIGHT	358 lbs	ROOF HEIGHT	Medium
INSTALL TIME	4.6 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
5	62-U1114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	C20-FTM	Straight steel partition with perforated window, no access
1	N5-RS60-4	Steel shelving unit, 14" D x 60" W x 62" H
1	N5-RS96-4	Steel shelving unit, 14" D x 96" W x 62" H
2	X50-B	Compact 2-drawer unit

SERVICE




FTH-16 SERVICE

MATERIAL	Steel	WHEELBASE	148", 148" Ext.
WEIGHT	373 lbs	ROOF HEIGHT	High
INSTALL TIME	4.6 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
5	62-U1114	14" Deep plastic bin
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	C20-FTH	Straight steel partition with perforated window, no access
1	N5-RS60-4	Steel shelving unit, 14" D x 60" W x 62" H
1	N5-RS96-4	Steel shelving unit, 14" D x 96" W x 62" H
2	X50-B	Compact 2-drawer unit

DELIVERY PACKAGE


DELIVERY



FTL-19 DELIVERY

MATERIAL	Aluminum	WHEELBASE	130", 148"
WEIGHT	196 lbs	ROOF HEIGHT	Low
INSTALL TIME	4.4 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	C24-FTL	Straight walk-through steel partition
1	F4-RA72-2	Fold-away unit, 2 levels, 22" D x 72" W x 47" H
1	F4-RA48-2	Fold-away unit, 2 levels, 22" D x 48" W x 47" H




FTR-19 DELIVERY

MATERIAL	Aluminum	WHEELBASE	130"
WEIGHT	257 lbs	ROOF HEIGHT	Medium
INSTALL TIME	5.5 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	84-U0063	Post assembly for fold-away shelving, 63"
2	84-U2036	Fold-away shelf tray, 20" D x 36" W
1	C24-FTM	Straight walk-through steel partition
2	F5-RA48-2	Fold-away unit, 2 levels, 25" D x 48" W x 63" H


DELIVERY PACKAGE



FTM-19 DELIVERY

MATERIAL	Aluminum	WHEELBASE	148"
WEIGHT	270 lbs	ROOF HEIGHT	Medium
INSTALL TIME	5.5 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	84-U0063	Post assembly for fold-away shelving, 63"
2	84-U2036	Fold-away shelf tray, 20" D x 36" W
1	C24-FTM	Straight walk-through steel partition
2	F5-RA60-2	Fold-away unit, 2 levels, 25" D x 60" W x 63" H




FTH-19 DELIVERY

MATERIAL	Aluminum	WHEELBASE	148", 148" Ext.
WEIGHT	277 lbs	ROOF HEIGHT	High
INSTALL TIME	5.5 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	84-U0063	Post assembly for fold-away shelving, 63"
2	84-U2036	Fold-away shelf tray, 20" D x 36" W
1	C24-FTH	Straight walk-through steel partition
2	F5-RA60-2	Fold-away unit, 2 levels, 25" D x 60" W x 63" H

ALUMINUM PACKAGE


FTL-27 ALUMINUM



MATERIAL	Aluminum	WHEELBASE	130", 148"
WEIGHT	343 lbs	ROOF HEIGHT	Low
INSTALL TIME	7.3 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	3320-FTL	Max View Contoured safety partition
1	5010	Partslider 48" D
1	5020	Tool drawer 48" D x 14" W x 16" H
1	5048	Top edge
1	5069-2	2-Drawer cabinet
2	62-U5070	Partskeeper carry case with holder
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
4	62-U1112	12" Deep plastic bin
8	62-U1114	14" Deep plastic bin
1	62-UDR12	Set of 5 dividers for a 12" shelf
1	62-UDR14	Set of 5 dividers for a 14" shelf
1	77-UI048	Adjustable shelving door unit - 45" W - for 48" & 96" shelves
1	N4-RA48-3	Aluminum shelving unit, 14"D x 48" W x 44.5" H
1	N4-RA84-3	Aluminum shelving unit, 14"D x 84" W x 44.5" H

FTR-27 ALUMINUM




MATERIAL	Aluminum	WHEELBASE	130"
WEIGHT	426 lbs	ROOF HEIGHT	Medium
INSTALL TIME	7.3 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	3020-FTM	Contoured safety partition with glass window
1	5010	Partslider 48" D
1	5020	Tool drawer 48" D x 14" W x 16" H
1	5048	Top edge
1	5069-2	2-Drawer cabinet
2	62-U5070	Partskeeper carry case with holder
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
4	62-U1112	12" Deep plastic bin
12	62-U1114	14" Deep plastic bin
1	62-UDR12	Set of 5 dividers for a 12" shelf
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	77-UI048	Adjustable shelving door unit - 45" W - for 48" & 96" shelves
1	N5-RA48-4	Aluminum shelving unit, 14"D x 48" W x 62" H
1	N5-RA84-4	Aluminum shelving unit, 14"D x 84" W x 62" H

ALUMINUM PACKAGE


FTM-27 ALUMINUM



MATERIAL	Aluminum	WHEELBASE	148"
WEIGHT	449 lbs	ROOF HEIGHT	Medium
INSTALL TIME	7.3 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	3020-FTM	Contoured safety partition with glass window
1	5010	Partslider 48" D
1	5020	Tool drawer 48" D x 14" W x 16" H
1	5048	Top edge
1	5069-2	2-Drawer cabinet
2	62-U5070	Partskeeper cabinets
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
5	62-U1112	12" Deep plastic bin
15	62-U1114	14" Deep plastic bin
1	62-UDR12	Set of 5 dividers for a 12" shelf
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	77-UI060	Adjustable shelving door unit - 57" W - for 60" shelves
1	N5-RA60-4	Aluminum shelving unit, 14" D x 60" W x 62" H
1	N5-RA96-4	Aluminum shelving unit, 14" D x 96" W x 62" H

FTH-27 ALUMINUM



MATERIAL	Aluminum	WHEELBASE	148", 148" Ext.
WEIGHT	454 lbs	ROOF HEIGHT	High
INSTALL TIME	7.3 hrs	QUICKSHIP	Yes

QTY	PART	DESCRIPTION
1	3020-FTH	Contoured safety partition with glass window
1	5010	Partslider 48" D
1	5020	Tool drawer 48" D x 14" W x 16" H
1	5048	Top edge
1	5069-2	2-Drawer cabinet
2	62-U5070	Partskeeper cabinets
1	6070	6" Hook, 3" opening, painted
1	6072	8" Swivel hook, 4" opening, painted
5	62-U1112	12" Deep plastic bin
15	62-U1114	14" Deep plastic bin
1	62-UDR12	Set of 5 dividers for a 12" shelf
2	62-UDR14	Set of 5 dividers for a 14" shelf
1	77-UI060	Adjustable shelving door unit - 57" W - for 60" shelves
1	N5-RA60-4	Aluminum shelving unit, 14" D x 60" W x 62" H
1	N5-RA96-4	Aluminum shelving unit, 14" D x 96" W x 62" H

E-FLOORS

Easy. Efficient. EV Ready. Compatible with both electric and gas powered vehicles.



6541-FTS

Ford Transit E-Floor

MARINE-GRADE PLYWOOD

WHEELBASE	130"
WEIGHT	77 lbs



6541-FTL

Ford Transit E-Floor

MARINE-GRADE PLYWOOD

WHEELBASE	148"
WEIGHT	90 lbs




6541-FTX

Ford Transit E-Floor

MARINE-GRADE PLYWOOD

WHEELBASE	148" Ext.
WEIGHT	111 lbs



TRANSIT E-FLOOR

DRAWERS

Increase storage and organization with Ranger Design's line of drawer units.

FLOORS



5010

Partslider drawer

ALUMINUM

DIMENSIONS	48" D x 12" W x 6" H
WEIGHT CAPACITY	150 lbs
WEIGHT	25 lbs



5020

Tool drawer

ALUMINUM

DIMENSIONS	48" D x 14" W x 16" H
WEIGHT CAPACITY	320 lbs
WEIGHT	70 lbs



5048

Top edge, for 5010 Partslider

ALUMINUM

DIMENSIONS	48" D x 12" W x 4" H
WEIGHT CAPACITY	—
WEIGHT	8 lbs



TOOL DRAWER TIP: Stack these drawers for maximum efficiency

STORAGE UNITS

Ergonomic storage solutions for the cargo space in your vehicle.



CABINET FOR MILWAUKEE ORGANIZERS



62-U5076

Shelf Mount for Milwaukee Organizers and Toolboxes

ALUMINUM	
DIMENSIONS	33" D × 22.8" W × 14.7" H
WEIGHT	3.6 lbs



C5-MA20-6

2-Shelf Cabinet for Milwaukee Packout Organizers

ALUMINUM	
DIMENSIONS	14.9" D × 21.8" W × 62" H
WEIGHT	40 lbs



C5-PA18-8

Partskeeper Cabinet with 8 Carry Cases and 2 shelves

ALUMINUM	
DIMENSIONS	14" D × 19" W × 62" H
WEIGHT	68 lbs



N5-PS20-8

Partskeeper Cabinet with 8 Carry Cases and 2 shelves

STEEL	
DIMENSIONS	16" D × 20" W × 62" H
WEIGHT	89 lbs



N5-LA16-1

Locker with top shelf and 2 hooks


ALUMINUM	
DIMENSIONS	16" D × 14" W × 62" H
WEIGHT	41 lbs



N5-LS16-1

Locker with top shelf and 2 hooks

STEEL	
DIMENSIONS	16" D × 14" W × 62" H
WEIGHT	54 lbs



Compatible Cabinets
5060-5, 5060-6, 5060-8
(Sold separately)

S3-WA48-0

Workbench with hardwood top, 1 end-panel

ALUMINUM	
DIMENSIONS	18" D × 48" W × 40" H
WEIGHT	49 lbs



S3-WA48-1

Workbench with hardwood top, 1 shelf tray

ALUMINUM	
DIMENSIONS	18" D × 48" W × 40" H
WEIGHT	66 lbs

ACCESSORIES

Choose the finishing details to tailor the upfit to your specific needs.

CARGO HOLDERS

Keep your equipment organized with a dedicated storage spot. No more loose reels or cans on the floor. Everything stays secure and easy to reach.



6057

Can Holder

ALUMINUM

DIMENSIONS 3" D × 8.5" W × 3" H

WEIGHT 1 lb



6061

2-Slot Paper Holder, extra deep

ALUMINUM

DIMENSIONS 3.75" D × 12.75" W × 12" H

WEIGHT 2 lbs



6063

5-Slot Paper Holder, extra deep

ALUMINUM

DIMENSIONS 3.75" D × 12.75" W × 24" H

WEIGHT 7 lbs



6068

Wire Hard Hat Holder

STEEL

DIMENSIONS —

WEIGHT 1 lb



7124

Reel Holder, two 5/8" rods

ALUMINUM

DIMENSIONS 7.25" D × 15" W × 24" H

WEIGHT 11 lbs



5-SLOT PAPER HOLDER ON STEEL SHELF UNIT

STORAGE HOOKS

Keep frequently used items such as hats, vests and extension cords hanging within easy reach in your vehicle.



6070

6" Hook, 3" opening

STEEL

DIMENSIONS 3" D

WEIGHT 2 lbs



6071

Triple 6" Hook, 3" opening

STEEL

DIMENSIONS 4" D

WEIGHT 1 lbs



6073

Large Movable Hook


ALUMINUM

DIMENSIONS 6.5" D × 2.75" W × 4" H

WEIGHT 1 lb

DRIVER SAFETY

Enhance road safety with accessories that improve visibility, ventilation, and overall awareness. From improved airflow to increased visibility, these features help create a safe driving environment.



6050

Flettner Vent, rotary design (4" H above and 1.4" H below)

PLASTIC	
DIAMETER	8.88"
WEIGHT	2 lbs



6082

Triangle Kit and Holder with 3 triangles

ALUMINUM	
DIMENSIONS	5.2" D x 6.4" W x 21.5" H
WEIGHT	15 lb



6090

Back up Alarm, die cast housing, encapsulated circuitry

OTHER	
DIMENSIONS	—
WEIGHT	1 lbs

LED LIGHTING

Keeps the cargo space bright and visible, no matter what time of day or night. Eliminate any chance of injury when searching through your tools in the dark.



6092-42

Universal LED Light Kit for vans (12V DC / 1200 Lm / 10W)

OTHER	
DIMENSIONS	42" L x 1" H
WEIGHT	1 lb

GRAB HANDLE

Install a Grab Handle for maximum support and stability when climbing into your van. Grab Handles can also act as tie downs for extra cargo during transport.



6093-27

Large Grab Handle

STEEL	
DIMENSIONS	18" W x 30" H x 3.5" D
WEIGHT	3 lbs

REAR MAX STEP

Climbing in and out of your van several times a day can put a strain on your legs and back. The Max Step gives tradespeople quick and easy access to their cargo space without the effort.



6550-FT

Max Step for the Ford Transit

STEEL	
DIMENSIONS	32" D x 56" W x 2.5" H
WEIGHT	48 lbs



VISIT OUR WEBSITE TO VIEW MORE ACCESSORIES

ROOF RACKS

Increase efficiency with the right roof rack for your job.



CARGO+ RACK

ALUMINUM			
PART	WHEELBASE	ROOF HEIGHT	LADDER LENGTH
1506-FTL	148"	Low / Medium	-
1506-FTR	130"	Low / Medium	-
1506-FTX	148" Ext	High	-



CARGO RACK

ALUMINUM			
PART	WHEELBASE	ROOF HEIGHT	LADDER LENGTH
1605-FTL	148", 148" Ext	Low / Medium / High	-
1605-FTR	130"	Low / Medium	-
1605-FTL3	148", 148" Ext	Low / Medium / High	-
1605-FTR3	130"	Low / Medium	-



COMBINATION RACK

ALUMINUM			
PART	WHEELBASE	ROOF HEIGHT	LADDER LENGTH
1625-FTL	148", 148" Ext	Low / Medium / High	32 ft
1625-FTR	130"	Low / Medium	32 ft



DOUBLE CLAMP RACK

ALUMINUM			
PART	WHEELBASE	ROOF HEIGHT	LADDER LENGTH
1630-FTL	148", 148" Ext	Low / Medium / High	32 ft
1630-FTR	130"	Low / Medium	32 ft
1630-FTL3	148", 148" Ext	Low / Medium / High	32 ft
1630-FTR3	130"	Low / Medium	32 ft



MAX RACK

ALUMINUM			
PART	WHEELBASE	ROOF HEIGHT	LADDER LENGTH
1870-FTL	148", 148" Ext	Medium / High	32 ft
1870-FTR	130"	Medium	32 ft
1880-FTL	148", 148" Ext	Medium / High	32 ft
1880-FTR	130"	Medium	32 ft
1880-FTL3	148", 148" Ext	Medium / High	32 ft
1880-FTR3	130"	Medium	32 ft



ACCESS STOW

ALUMINUM			
PART	WHEELBASE	ROOF HEIGHT	LADDER LENGTH
1920-FTL	148", 148" Ext	Low / Medium / High	32 ft
1920-FTR	130"	Low / Medium / High	32 ft
1930-FTL	148", 148" Ext	Low / Medium / High	32 ft
1930-FTR	130"	Low / Medium / High	32 ft



CHECK OUT OUR REAR ACCESS
LADDER BY PRIME DESIGN



TURNKEY FLEET SERVICES



Ship Through or Local Installation Across North America for all Types of Cargo Vans

We are pleased to offer an efficient, personalized service to answer all questions regarding:

1. Analysis

- › Cargo Needs Analysis
- › Custom 3D CAD Layouts
- › Hands-on Equipment Demo

2. Testing

- › Test Fitting
- › Pilot Build and Review
- › Package Optimization based on Technician Feedback

3. Delivery

- › Delivery, Production, Installation Planning and Scheduling
- › Vehicle Status Tracking

4. Service

- › Dedicated Fleet Account Management Team
- › Distributor Service Support Network
- › Live Customer Service



A Clariance Technologies Company

**MAXIMIZE YOUR VAN'S
STORAGE SPACE AND
ORGANIZATION WITH
RANGER DESIGN!**

For the ultimate upfit solution, you can count on Ranger Design to deliver. Engineered for unmatched toughness, our products are built with exceptional craftsmanship and a flawless fit.

The perfect fit for your toughest jobs!



CONTACT US

cs@rangerdesign.com

1-800-565-5321

rangerdesign.com



Transit2026