

JEEP® / RAM 18



# MOPAR PERFORMANCE TERMS AND CONDITIONS



## NOTICE

Federal and many state laws prohibit the removal, modification or rendering inoperative of any part or element of design affecting emissions or safety on motor vehicles used for transporting persons or property on a public street or highway. Violation may result in a fine of up to \$32,500 per vehicle. Mechanical and/or electronic performance parts listed in this catalog with a "1" cannot be used on vehicles used on public streets or highways.

These parts may be used only on vehicles used solely in sanctioned off-highway events. No other applications are intended or implied. Those parts that have been granted an exemption by the California Air Resources Board (CARB) or meet the EPA requirements of memorandum 1A are legal for highway use in California, New York, and Massachusetts and are noted as such.

## NO PARTS WARRANTY – "AS IS"

Mopar Performance parts beginning with a "P" prefix are sold "as is" unless otherwise noted. This means that parts sold by Mopar Performance carry no warranty whatsoever. Implied warranties, such as warranties of merchantability, are excluded. (An implied warranty of merchantability means that the part is reasonably fit for the general purpose for which it was sold). The entire risk as to quality and performance of such parts is with the buyer. Should such parts prove defective following their purchase, the buyer and not the manufacturer, distributor or retailer, assumes the entire cost of all necessary servicing or repair. Chrysler, Jeep®, Dodge and Ram vehicle and parts warranties are voided if the vehicle or parts are used for competition. The addition of performance parts does not by itself void a vehicle's warranty. However, added performance parts (parts not originally supplied on the vehicle from the factory) are not covered by the vehicle's warranty, and any failure that they may cause is also not covered by the vehicle's warranty.

## MOPAR PERFORMANCE CRATE ENGINE 90-DAY LIMITED WARRANTY

Mopar Performance Crate Engine Assemblies not used in competition are warranted for "parts only," AS DELIVERED against defects in materials or workmanship for 90 days from the date of purchase. The following parts, if defective, will be replaced on an exchange basis for 90 days: engine blocks and all internal parts; cylinder head assemblies; intake manifold; core plugs; valve covers; oil pan; timing gear; water pump; gaskets and seals. See your dealer for a copy of the limited warranty, which contains additional terms and limitations.

## MOPAR PARTS 12-MONTH LIMITED WARRANTY

Except parts as listed above, certain parts from Mopar Performance sold over the counter or wholesaled are warranted against defects in workmanship or materials for 12 months/unlimited miles for parts (exchange) only. These parts are identified in this catalog as having a specific part number structure. Part numbers starting with "P" are not covered under the 12-month warranty. Other parts listed in this catalog without a "P" prefix part number are covered under the 12-Month Limited Warranty described here. See your dealer for a copy of the limited warranty, which contains additional terms and limitations. Parts installed on a Chrysler, Plymouth, Jeep®, Dodge and Ram vehicle by an authorized Chrysler, Jeep®, Dodge and Ram dealer are warranted for 12 months/unlimited miles for parts (exchange) only. See your dealer for a copy of the limited warranty, which contains additional terms and limitations.

## **EMISSIONS STATEMENT**

Federal law requires emissions parts on new vehicles to be warranted for at least two years or 24,000 miles, whichever comes first. Federal and many state laws also prohibit the removal, modification or rendering inoperative any part that affects emissions or safety on motor vehicles used on public streets or highways. Many Mopar Performance parts are designated for track use or off-road use only. Installation of certain components may bring the vehicle out of compliance with safety and/or emissions standards. Mopar recommends that vehicles with parts designated in this fashion not be operated on public roads. Mopar Performance customers are responsible for complying with applicable state and local environmental regulations. Additionally, certain performance parts may affect the emissions characteristics of the vehicle. If you install them on the vehicle, and your vehicle consequently fails a required state or local I/M (inspection and maintenance) emissions test, including any test required to maintain or renew your vehicle's registration, or if your vehicle is subject to an emissions recall, Chrysler Group LLC may not be required to repair your vehicle under the emissions performance warranty, and you may be required to remove those parts at your own expense in order to obtain repairs necessary to pass the I/M test or to perform the recall.

## **NOTE — CALIFORNIA ONLY**

The emissions laws and regulations of the state of California apply to all non-racing vehicles operated in California. Consequently, those parts marked in this catalog with a "1" and appropriately marked on their packaging may legally be used in California only on a racing vehicle that will never be operated on public roads.

## **PARTS ORDERING AND INQUIRIES**

The parts in this catalog may be ordered from authorized Chrysler, Jeep®, Dodge and Ram dealerships or the speed shops carrying the Mopar Performance line of products. When a part ordered has been superseded, the replacing part will be shipped automatically. The price of the replacing part may differ from the ordered part. All products, illustrations and specifications are based upon current information at the time of publication approval. Although descriptions are believed correct, complete accuracy cannot be guaranteed. Chrysler Group LLC reserves the right to make changes at any time, without notice or obligation, to the information contained in this printed document, including and without limitation to prices, specifications, equipment, colors, materials, and to change or discontinue products.

*Select images in this catalog are used with permission of Mopar Nationals, Inc., Chrysler Historical Society, and the Walter P. Chrysler Museum.*

A decorative graphic at the bottom of the page consisting of three horizontal stripes. The top stripe is black, the middle stripe is bright yellow, and the bottom stripe is black.

# TABLE OF CONTENTS

## ENGINES ..... 10

<b>Hemi®, Gen III</b> .....	<b>10</b>
Crate Engines .....	10
Blocks .....	10
Engine Block Hardware .....	11
Crankshafts and Hardware .....	12
Vibration Dampers .....	12
Pistons and Connecting Rods .....	12
Camshafts, Lifters, and Hardware .....	12
Cylinder Heads, Gaskets, and Hardware .....	13
Valve Covers and Hardware .....	14
Intake Manifolds, Hardware, and Gaskets .....	14
Carburetors and Hardware .....	15
Ignition and Electronics .....	15
Oiling Components .....	17
Transmission and Drivetrain .....	17
Rocker Arms, Shafts, Supports, and Hardware .....	19
<b>Hemi®, Gen II</b> .....	<b>22</b>
Crate Engines .....	22
Blocks .....	24
Engine Installation Components .....	25
Engine Block Hardware .....	25
Crankshafts and Hardware .....	26
Vibration Dampers .....	26
Timing Chain and Sprockets .....	27
Pistons and Connecting Rods .....	27
Camshafts, Lifters, and Hardware .....	28
Cylinder Heads, Gaskets, and Hardware .....	29
Valve Covers and Hardware .....	30
Valves and Valve Train Hardware .....	32
Rocker Arms, Shafts, Supports, and Hardware .....	34
Intake Manifolds, Hardware, and Gaskets .....	35
Oiling Components .....	37
Cooling Systems .....	39
<b>Big Block</b> .....	<b>42</b>
Blocks .....	42
Engine Block Hardware .....	42
Crankshafts and Hardware .....	42
Vibration Dampers .....	43
Timing Chain and Sprockets .....	43
Camshafts, Lifters, and Hardware .....	44
Cylinder Heads, Gaskets, and Hardware .....	50
Valve Covers and Hardware .....	51
Valves and Valve Train Hardware .....	53

Rocker Arms, Shafts, Supports, and Hardware .....	54
Intake Manifolds, Hardware, and Gaskets .....	56
Oiling Components .....	57
Cooling Systems .....	60
<b>Small Block</b> .....	<b>64</b>
Crate Engines .....	64
Blocks .....	66
Engine Block Hardware .....	69
Crankshafts and Hardware .....	69
Vibration Dampers .....	70
Timing Chain and Sprockets .....	71
Camshafts, Lifters, and Hardware .....	74
Cylinder Heads, Gaskets, and Hardware .....	78
Valve Covers and Hardware .....	82
Valves and Valve Train Hardware .....	85
Rocker Arms, Shafts, Supports, and Hardware .....	87
Intake Manifolds, Hardware, and Gaskets .....	90
Oiling Components .....	93
Cooling Systems .....	95

## RESTORATION ..... 100

<b>Fuel Systems</b> .....	<b>100</b>
Carburetors and Hardware .....	100
Fuel Pumps and Hardware .....	101
Vapor Separator .....	102
Six Pack Induction Systems .....	102
Air Systems .....	104
Fuel Injection .....	106
<b>Ignition and Electronics</b> .....	<b>108</b>
Distributors and Hardware .....	108
Electronic Ignition Systems .....	109
Ballast Resistors .....	110
Ignition Wires and Spark Plugs .....	111
Coils .....	112
Starters .....	113
Voltage Regulators .....	113
Ignition and Electronics .....	114
Alternators .....	114
<b>Automatic Transmission</b> .....	<b>116</b>
Flex Plates and Hardware .....	116
Shifters and Shift Improvement Kits .....	116
Automatic Transmission Components .....	116
Transmission Overhaul Kits .....	118
Transmission Pans and Hardware .....	119



# TABLE OF CONTENTS

Torque Converters and Hardware . . . . .	119
<b>Manual Transmission . . . . .</b>	<b>122</b>
Flywheels and Hardware . . . . .	122
Bell Housing . . . . .	123
Clutch Discs, Pressure Plates and Hardware . . . . .	123
Shifters and Shift Improvement Kits . . . . .	125
<b>Drivetrain and Rear Axle Components . . . . .</b>	<b>128</b>
Universal Joint and Yoke Kits . . . . .	128
Rear Axle Components . . . . .	129
Differential Components . . . . .	130
<b>Steering, Suspension, and Brakes . . . . .</b>	<b>132</b>
Leaf Springs and Hardware . . . . .	132
Frame Components . . . . .	135
Torsion Bars and Hardware . . . . .	135
Suspension Seals and Bushings . . . . .	135
Manual Steering Hardware . . . . .	136
Shocks and Struts . . . . .	136
Brakes . . . . .	136
<b>Interior/Body . . . . .</b>	<b>140</b>
Underhood . . . . .	140
Interior . . . . .	145
Grilles and Headlamp Bezels . . . . .	147
Hoods and Hood Components . . . . .	148
Handles . . . . .	149
Mirrors . . . . .	150
Trunk . . . . .	151
Racks . . . . .	151
Bumpers/ Bumperettes . . . . .	151
Lamps and Lenses . . . . .	151
Sheetmetal . . . . .	153
Wheelhouse . . . . .	154
Valence . . . . .	154
Emblems and Decals . . . . .	155
Wheel Components . . . . .	158

## CHRYSLER/DODGE . . . . . 164

<b>Viper . . . . .</b>	<b>164</b>
Brakes . . . . .	164
Viper SRT10 Power Kit . . . . .	164
Valves and Valve Train Hardware . . . . .	165
Ignition and Electronics . . . . .	165
Cooling Systems . . . . .	166
Differential Components . . . . .	167

Transmission Components . . . . .	168
Suspension Upgrades and Components . . . . .	169
Air Systems . . . . .	170
Exhaust Systems . . . . .	171
GTS-R Engine Parts . . . . .	171
Exterior Body Components . . . . .	173
<b>Eight-Cylinder Late Model Vehicles . . . . .</b>	<b>176</b>
Electronic Control Modules . . . . .	176
Air Systems . . . . .	176
Exhaust Systems . . . . .	177
Exterior Body Components . . . . .	179
Interior . . . . .	180
Suspension Upgrades and Components . . . . .	180
Drivetrain and Rear Axle Components . . . . .	181
<b>Four- and Six-Cylinder Late Model Vehicles . . . . .</b>	<b>184</b>
Turbo Service Parts . . . . .	184
Camshafts, Lifters, and Hardware . . . . .	185
Rocker Arms, Shafts, Supports, and Hardware . . . . .	186
Cylinder Heads, Gaskets, and Hardware . . . . .	186
Engine Struts and Mounts . . . . .	186
Pistons and Connecting Rods . . . . .	186
Intake Manifolds, Hardware, and Gaskets . . . . .	187
Valve Train Hardware and Components . . . . .	187
Valve Covers and Hardware . . . . .	188
Suspension Upgrades and Components . . . . .	188
Ignition and Electronics . . . . .	192
Air Systems . . . . .	194
Oiling Components . . . . .	195
Exhaust Systems . . . . .	196
Transaxle Components . . . . .	197
Wheel Components . . . . .	197
Exterior Body Components . . . . .	198
Brakes . . . . .	198
Bearing . . . . .	198

## RACING . . . . . 202

<b>Drag Racing . . . . .</b>	<b>202</b>
LC22R Challenger Drag Pak Service Parts . . . . .	202
Blocks . . . . .	203
Gear Drives and Service Parts . . . . .	207
Crankshafts and Hardware . . . . .	207
Cylinder Heads, Gaskets, and Hardware . . . . .	207
Valve Covers and Hardware . . . . .	208
Hemi Pro Stock . . . . .	208
Race Bodies . . . . .	208

# TABLE OF CONTENTS

<b>Sprint Car / Midget / Dirt Late Model</b> .....	<b>212</b>
Blocks .....	212
Engine Block Hardware .....	212
Cylinder Heads, Gaskets, and Hardware .....	213
Intake Manifolds, Hardware, and Gaskets .....	214
Valve Covers .....	214
Camshafts, Lifters, and Hardware .....	215
Rocker Arms, Shafts, Supports, and Hardware .....	215
Crankshafts and Hardware .....	215
Gear Drives and Service Parts .....	216
Oiling Components .....	217
Books .....	217
<b>NASCAR® / Late Model</b> .....	<b>220</b>
Blocks .....	220
Engine Block Hardware .....	220
Crankshafts and Hardware .....	221
Camshafts, Lifters, and Hardware .....	221
Cylinder Heads, Gaskets, and Hardware .....	221
Exhaust Systems .....	223
Valve Covers and Hardware .....	223
Oil, Fuel, and Water Pumps .....	223
NASCAR .....	223
Books .....	224

## **JEEP/RAM** ..... **230**

<b>Jeep/Ram</b> .....	<b>230</b>
Blocks .....	230
Engine Block Hardware .....	230
Timing Chain and Sprockets .....	230
Vibration Dampers .....	230
Camshafts, Lifters, and Hardware .....	231
Cylinder Heads, Gaskets, and Hardware .....	231
Rocker Arms, Shafts, Supports, and Hardware .....	232
Valve Covers and Hardware .....	232
Valves and Valve Train Hardware .....	232
Intake Manifolds, Hardware, and Gaskets .....	233
Air Systems .....	234
Exhaust Systems .....	238
Oiling Components .....	241
Suspension Upgrades and Components .....	242
Ignition and Electronics .....	252
Automatic Transmission Components .....	253
Transmission/Transfer Cases .....	254
Drivetrain and Rear Axle Components .....	255
Axle Components .....	256

Exterior Body Components .....	257
Hoods and Hood Components .....	258
Off Road Tools and Accessories .....	258

## **MISCELLANEOUS** ..... **262**

<b>Performance Gauges</b> .....	<b>262</b>
Gauges .....	262
Gauge Pods .....	270
Gauge Components .....	270
<b>SilverStar Lighting</b> .....	<b>274</b>
Lamps .....	274
<b>Merchandise</b> .....	<b>278</b>
Diecast .....	278
Posters .....	280
Books .....	281
Fender Covers .....	282
Wheel Covers .....	282
Decals .....	283



JEEP/RAM

BLOCKS

A. Long Blocks

Need more power and low-end torque out of your 1991-06 Jeep Wrangler or Cherokee inline six-cylinder engine? Mopar's new 4.7L Stroker Long Block engine assembly is the solution to beef up the Jeep 4.0L I-6 for towing, offroading, or rock crawling.

- <sup>1</sup> P5155209
- Block, Long, 4.7L Stroker, I6, 1991-97 Jeeps, 1998 Cherokee/Wrangler
- <sup>1</sup> P5155627
- Block, Long, 4.7L Stroker, I6, 1999-04 Grand Cherokee, 2000-06 Wrangler
- <sup>1</sup> P5155210
- Block, Long, 4.7L Stroker, I6, 2000-01 Cherokee

ENGINE BLOCK HARDWARE

B. Engine Teardown Gasket Sets

All the gaskets needed for a complete engine teardown, including oil pan, cylinder head, valve cover, timing chain cover, intake manifold, exhaust and oil pump.

- P4529245
- Gasket, Engine Teardown, 4.0L Jeep Engines, up to 1998

TIMING CHAIN AND SPROCKETS

C. Timing Chain Tensioner

Stabilizes cam timing by reducing timing chain slack. Can be used instead of Thrust Plate P5249637.

- <sup>1</sup> P5007709
- Timing Chain Tensioner, Small Block/ 3.9L/ 5.2L/ 5.9L Truck/Magnum/Jeep Engines

D. Double Roller Chain and Sprocket

High-strength Double Roller Chain and Sprocket Sets provide added durability and decreased rotational friction compared to production silent chains. Sets include Magna-Fluxed sprockets and roller timing chain.

- <sup>1</sup> P5249519
- Roller Chain and Sprocket, Double, 1-Bolt Mount, One Keyway, 2.5L/4.0L Jeep Engines up to 1998

VIBRATION DAMPERS

E. Vibration Damper


Compatible with production crankshaft and piston rod weight.

- P5249535
- Vibration Damper, Production Replacement, V-Belt, 4.2L Jeep Engines

F. Damper Attachment Package

Contains all the parts necessary to attach the vibration damper to the crankshaft.

- P4529677
- Hardware Kit, Damper, 2.5L/4.0L Jeep Engines



A.

B.



C.

D.



E.

F.





A. Damper Not Included



B.



C.



D.



E.



F. P4529242



F. P4876048

## VIBRATION DAMPERS

### A. Damper Degree Timing Tape

Improve timing accuracy with this Damper Degree Timing Tape. Marked in 90° increments. Self-adhesive strip adheres to the crank vibration damper for clear identification of marks. Permits initial total spark advance up to 60° instead of only 10°-15° as on chain case timing tab.

**P4529070AB** Damper Degree Timing Tape

## CAMSHAFTS, LIFTERS, AND HARDWARE

### B. Camshafts

Mopar Performance Camshafts are designed and engineered exclusively for your engine. A wide range of profiles are available, from mild to wild. All camshafts are developed, dyno'd and track-tested by Mopar engineers for increased power and rpm potential while maintaining reliability and the best possible low-speed characteristics, including torque and idle quality. Mopar camshafts offer the best horsepower-to-dollar-spent value. Each package contains the camshaft, camshaft lube, instruction sheet, and tappets.

<sup>1</sup> **P4529228AD** Camshaft, Hydraulic, 4.0L Jeep Engines, up to 1998 .430/.430 Lift

<sup>1</sup> **P4529229AD** Camshaft, Hydraulic, 4.0L Jeep Engines, .440/.440 Lift

Note: For flat tappet camshafts, Mopar recommends the use of a high-zinc oil for maximum performance.

### C. Offset Camshaft Key

For centerlining your camshaft, these hardened keys are color coded in 1°, 2°, 3°, 4° and 5° increments. Production key is used for zero offset.

**P5249600** Camshaft Keys, Offset, 3.7L/ 3.9L/ 4.7L/ 5.2L/ 5.9L Truck Magnum/Jeep Engines

### D. Hydraulic Flat Tappets

<sup>1</sup> **P4529220AB** Tappet, Hydraulic, Small Block/ 2.5L/4.0L Jeep Engines, Sold Individually

### E. Pushrods

<sup>1</sup> **P4529675** Pushrod, 1987-89 4.0L Jeep Engines, Set of 12

## CYLINDER HEADS, GASKETS, AND HARDWARE

### F. Cylinder Head Gaskets

<sup>1</sup> **P4529242** Gasket, Cylinder Head, 4.0L Jeep Engines, Sold Individually

JEEP/RAM

ROCKER ARMS, SHAFTS, SUPPORTS, AND  
HARDWARE

A. Rocker Arms, Roller

This single cylinder Roller Rocker Arm Set for Jeep vehicles includes two rockers, two support stands, rocker shaft, and screws. Extruded, anodized aluminum rockers. Can be used with hydraulic, mechanical or roller camshafts. Roller tip and center pivot bearing reduce internal friction. Provides exact geometry and 1.6:1 ratio. Adjustable, oil-through-pushrod-style. 2.5L and 4.0L engines require aftermarket spacer for valve cover clearance.

<sup>1</sup> P4529885      Rocker Arm, Roller, 1.6:1 Ratio, Single Cylinder, 2.5L/ 4.0L/ 4.2L Jeep Engines

B. Rocker Arm, Heavy-Duty

Heavy-duty stamped rocker for use with hydraulic camshafts only. Can be used to service stock Jeep® engines. Sold individually.

<sup>1</sup> P4529221      Rocker Arm, Roller, 2.5L/4.0L Jeep Engines

VALVE COVERS AND HARDWARE

C. Valve Covers, Cast Aluminum, Black Wrinkle

Bold looking Black Wrinkle Cast Aluminum Valve Cover Sets for Mopar Magnum trucks and Jeep vehicles. Magnum valve covers feature the Mopar Pentastar Magnum logo, while the Jeep valve cover features the Jeep logo. Sets include attaching screws, grommets, baffle and oil filler cap. Gaskets must be purchased separately.

<sup>1</sup> P4876388      Valve Cover, Black Wrinkle, 1981-86 4.2L Jeep Engines

<sup>1</sup> P5007854      Gasket, Valve Cover, 4.2L Jeep Engines

VALVES AND VALVE TRAIN HARDWARE

D. Valve Spring Retainers

Restore worn or damaged valve train components to factory specifications with these durable Valve Spring Retainers. Use with 7° locks. Features an 8 mm valve stem diameter.

P4452032      Retainer, Valve Spring, Chrome Moly, 7 Degree, 8mm Stem Diameter, Single, 2.2L/2.5L SOHC and 5.2L/5.9L Magnum Engines

P4529616      Retainer, Valve Spring, Jeep 4.2L and 5.9L Engines

P4529217      Retainer, Valve Spring, Steel, use with Conical Springs P4529215, 2.5L/4.0L Jeep Engines

E. Valves

These stainless steel Valves have swirl-polished underheads that have no flat or ski jump areas. They feature an 8 mm stem and one square groove. Does not fit P5153847 head.

<sup>1</sup> P5249880      Valve, Exhaust, 1.56" Diameter, 4.93" Stem Length, 2.5L/4.0L Jeep Engines



A.

B.



C.

D.



E.

VALVES AND VALVE TRAIN HARDWARE

A. Valve Springs

High-pressure Valve Springs can be used on exhaust and intake valves for all high-performance applications. They feature a shorter fully-compressed height and allow for increased valve lift. Springs maintain spring load at higher rpms. A must for high-performance camshafts. With a single spring, the damper is installed inside the main spring; with a dual spring, the damper is installed between the inner and outer springs. There are no dampers in the triple springs. The retainers listed are the basic recommendation. Check the actual retainer listing for other options such as added installed height, materials and lock size. Sold individually.

- <sup>1</sup> P4529215 Valve Spring, Conical, 1988-02 2.5L/4.0L Jeep Engines
- <sup>1</sup> P4529214 Valve Spring, Cylindrical, 1981-87 2.5L/4.0L Jeep Engines

B. Valve Seals

Made of high-temperature Viton material, these Valve Seals feature a full, or semi-umbrella, shape for best dual-purpose use. Helps prevent oil seepage down the valve guides. Not recommended for use with dual valve springs. Sold in sets of 16.

- <sup>1</sup> P4529240 Valve Seals, 8 mm Stem, 4.0L Jeep Engines

C. Valve Keepers

These single-groove-style Valve Keepers are made from hardened steel. Each features an 8° angle and an 8 mm stem diameter single groove. Used with P4529616 and P4529217 retainers. They can be used for restoration or performance applications. Sold in cylinder head sets of 16 (note that two sets are required for all six-cylinder and V8 engines). Does not fit P5153847 Magnum cylinder head.






- <sup>1</sup> P4529218 Valve Keepers, For Retainers P4529216-17, 2.5/ 4.0L/ 5.2L/ 5.9L Truck Magnum/Jeep Engines

INTAKE MANIFOLDS, HARDWARE, AND GASKETS

D. Intake/Exhaust Gaskets

Jeep six-cylinder engines use a common intake/exhaust manifold gasket design. This gasket is designed for direct replacement (includes engine set).

- P4529243 Gasket, Intake/Exhaust Manifold, 4.0L Jeep Engines

	
A.	A.
	
B.	C.
	
D.	

JEEP/RAM

INTAKE MANIFOLDS, HARDWARE, AND GASKETS

A. MPI Conversion Kits

Designed to make your 1981-90 Jeep® vehicle more efficient and powerful. The kit replaces the stock carburetor, intake manifold and other major components with multi-point injection (MPI). Each cylinder has its own injector that is activated sequentially according to the firing order to precisely control individual fuel requirements. These MPI Conversion Kits are self-compensating and run equally well from sea level to terrain above 12,000 feet. Mechanical components are based on production 1995 Jeep vehicle parts.

- <sup>1</sup> P5249686AE    EFI Conversion Kit, Automatic Transmission, Emissions Exempt D-265-21\*\*, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5249610AE    EFI Conversion Kit, Manual Transmission, Emissions Exempt D-265-21\*\*, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007146       Engine Controller, Automatic Transmission, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007147       Engine Controller, Manual Transmission, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007150       Fuel Pump, Auto/Manual Transmission, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007148AB    Wiring Harness, 1981-90 4.2L Jeep Engines

B. MPI Conversion Service Parts

- <sup>1</sup> P5249687       Vibration Damper, V Belt, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5249688       Vibration Damper, Serpentine Belt, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007146       Engine Controller, Automatic Transmission, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007147       Engine Controller, Manual Transmission, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007150       Fuel Pump, Auto/Manual Transmission, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007148AB    Wiring Harness, 1981-90 4.2L Jeep Engines
- <sup>1</sup> P5007046       Crank Sensor Bracket, 4.2L Jeep Engines

AIR SYSTEMS


C. Cast Air Cleaner Systems

Cast aluminum lid is painted black, with Mopar Pentastar or Jeep logo to match the style of the Black Wrinkle Cast Aluminum Valve Covers. Includes 12-3/4" element.

- P5007067       Air Cleaner, Cast, Jeep Vehicles



A.



B.



C.    P5007067



## AIR SYSTEMS

## A. Cold Air Intake Systems - Jeep

Heat up your engine with a steady flow of cold air! These bolt-on systems are designed to allow cooler outside air through a directional cone filter, directly into the intake manifold. They provide noticeable horsepower and torque gains under varying atmospheric conditions. Kits include all mounting hardware and a washable/reusable filter. Do not oil dry media filters. CARB-approved E.O.#D-265-22.

- 77060007AB** Cold Air Intake System, Dry Media, 2004-06 Wrangler, 4.0L
- 77060013AB** Cold Air Intake System, Dry Media, 2005-06 Liberty, 3.7L
- 77060010AB** Cold Air Intake System, Dry Media, 2005-09 Grand Cherokee/Comander, 5.7L
- 77060011AB** Cold Air Intake System, Dry Media, 2006-09 Grand Cherokee, 6.1L
- 77060012AB** Cold Air Intake System, Dry Media, 2007-09 Caliber/Compass/Patriot, 1.8L/2.0L/2.4L, Non-Turbo
- 77060081** Cold Air Intake System, Dry Media, 2007-10 Wrangler 3.8L
- P5153368** Cold Air Intake System, Oiled Filter, 1997-03 Wrangler, 4.0L

## B. Cold Air Intake Systems - Truck

Heat up your engine with a steady flow of cold air! These bolt-on systems are designed to allow cooler outside air through a directional cone filter, directly into the intake manifold. They provide noticeable horsepower and torque gains under varying atmospheric conditions. Kits include all mounting hardware and a washable/reusable dry media filter. Do not oil dry media filters.

- 77060008AB** Cold Air Intake System, Dry Media, 1998-00 Dakota 5.2L, 1998-02 Dakota 5.9L
- 77060020AB** Cold Air Intake System, Dry Media, 2002-03 Ram, 4.7L
- 77060005AC** Cold Air Intake System, Dry Media, 2003-05 5.7L Ram 1500
- 77060009AB** Cold Air Intake System, Dry Media, 2004-06 5.7L Durango
- 77070006** Cold Air Intake System, Dry Media, 2006-08 5.7L Ram 1500
- 77070004** Cold Air Intake System, Dry Media, 2007-08 Durango/Aspen, 5.7L
- 77070023** Cold Air Intake System, Dry Media, 2009 5.7L Ram 1500

## C. Cold Air Intake Systems - Truck- Diesel

- 77070030** Cold Air Intake System, Dry Media, 2003-07 Ram (DR/DH) 2500/3500, 5.9L Diesel
- 77070028** Cold Air Intake System, Dry Media, 2007-09 Ram (DH/D1) 2500/3500, 6.7L Diesel
- 77070027** Cold Air Intake System, Dry Media, 2010 Ram (DJ/D2) 2500/3500, 6.7L Diesel



A.



B. 77070008



B. 77070005



B. 77060020AB



B. 77070006



B. 77070004



C. 77070030

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.

JEEP/RAM

AIR SYSTEMS

A. Air Filters- Cold Air Replacement

This filter offers high flow and low restriction, better throttle response, and increased filtration and horsepower. Filters are made of a Dry Media material and are washable and reusable. Do not oil dry media filters.

- 77070015     Air Filter, Cold Air Intake Replacement, Dry Media, Used to Service Kit 77060012AB
- 77070010     Air Filter, Cold Air Intake Replacement, Dry Media, Used to Service Kits 77060003AB, 77060006AB, 77060010AB, 77060011AB, 77070008
- 77070012     Air Filter, Cold Air Intake Replacement, Dry Media, Used to Service Kits 77060005AB, 77060009AB, 77070004, 77070006
- 77070013     Air Filter, Cold Air Intake Replacement, Dry Media, Used to Service Kits 77060007, 77060013AB, 77060021, 77060080
- 77070014     Air Filter, Cold Air Intake Replacement, Dry Media, Used to Service Kits 77060008, 77060020AB
- 77070018     Air Filter, Cold Air Intake Replacement, Dry Media, Used to Service Kits 77060081, 77070002
- 77070017     Air Filter, Cold Air Intake Replacement, Dry Media, Used to service P4510921AB

B. Air Filters- O.E. Performance Replacement-Jeep

Constructed with factory tight seals, engineering- level polyurethane, deep four-ply pleats of oiled cotton gauze and two layers of aluminum screen. This filter offers high flow and low restriction, better throttle response, and increased filtration and horsepower. Filters are washable and reusable and come pre-oiled.

- P4510474     Air Filter, High Flow, O. E. Replacement, 1991-01 4.0L Cherokee
- P4510473     Air Filter, High Flow, O. E. Replacement, 1997-03 4.0L Wrangler
- P4510475     Air Filter, High Flow, O. E. Replacement, 1999-04 4.7L Grand Cherokee
- P5153573     Air Filter, High Flow, O. E. Replacement, 2007-09 Compass/Patriot/Caliber, 2.4L/2.0L Non-Turbo
- P5155085     Air Filter, High Flow, O. E. Replacement, 2007-09 Wrangler 3.8L, 2002-07 Liberty 3.7L
- P4510472     Air Filter, High Flow, O. E. Replacement, Oiled, 2005-10 3.5L Magnum/300/Charger/Challenger, 2002-03 3.7L Liberty



A.



B.

## AIR SYSTEMS

### A. Air Filters- O.E. Performance Replacement-Truck

Constructed with factory tight seals, engineering- level polyurethane, deep four-ply pleats of oiled cotton gauze and two layers of aluminum screen. This filter offers high flow and low restriction, better throttle response, and increased filtration and horsepower. Filters are washable and reusable and come pre-oiled.

- P4510469** Air Filter, High Flow, O. E. Replacement, 1994-01 5.2L/5.9L Ram
- P4510467** Air Filter, High Flow, O. E. Replacement, 1997-99 5.2L/5.9L Dakota/Durango
- P4510466** Air Filter, High Flow, O. E. Replacement, 1999-03 4.7L Dakota/Durango
- P4510468** Air Filter, High Flow, O. E. Replacement, 2000-03 5.9L Dakota/Durango
- P5153573** Air Filter, High Flow, O. E. Replacement, 2007-09 Compass/Patriot/Caliber, 2.4L/2.0L Non-Turbo

### B. Air Filter Service Kit

Servises all Mopar oiled filters that are both washable and reusable.

- P5153376** Air Filter Service Kit, For "Oiled" Air Filters

### C. Ram Air Package

Creates a ram air effect at speeds of 40+ mph. Integrates seamlessly to the underside of an SRT10 Ram Air Hood to route cool outside air into the included Performance Cold Air Intake System. Constructed from lightweight material and installs directly with minor modifications. CARB EO#D-265-23.

- P4510921AB** Ram Air Induction System, 2004-05 Ram SRT10

### D. Ram Air Duct

This duct routes all the cool air your Ram can pull in through the SRT Ram Hood (82208702) over to the Cold Air Intake System (77060005) for maximum performance gains.

- P5153307** Ram Air Duct, 2003-08 Ram 5.7L

### E. Snorkels

Snorkel systems allow your engine to breathe in heavy dust or various water crossings. Attaches to the vehicle using existing factory hardware. Combine with the Heat Reduction Hood (P5155351) for a complete bolt-on package.

- <sup>1</sup> **P5155330** Snorkel, W/ Air Ram, 2007-09 Wrangler
- <sup>1</sup> **P5155422** Snorkel, W/ Pre-Filter, 2007-09 Wrangler



A.



B.



C.



D.



E. P5155330



E. P5155422

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.

JEEP/RAM

EXHAUST SYSTEMS

A. Exhaust Headers

Bolt on a set of Mopar Exhaust Headers and feel the power. Manufactured from heavy 14-gauge tubing with 3/8" thick flanges. True mandrel bends and triple nickel-chrome finish make these headers the most durable on the market. Each header is engineered to achieve maximum flow through minimum back pressure, resulting in increased horsepower and torque. Kits include all necessary installation hardware. No welding required.

- <sup>1</sup> P4510873
- Header, 2003-05 Ram 1500, 5.7L, Automatic Transmission, 4 Wheel Drive
- <sup>1</sup> P4510280
- Header, 2003-05 Ram, 5.7L, Automatic Transmission, 2 Wheel Drive
- <sup>1</sup> P5153566
- Header, 2007-09 Compass/Patriot/Caliber, FWD, Non-Turbo

Note: For P4510280, Mopar Y-Pipe Package (P4510829) must be used on 2004 models. It is recommended that Y-Pipe Package (P4510364) be used with 2003 models.

B. Exhaust Header Y-Pipe Packages

These high-flow, low-restriction Y-pipe Exhaust Header Packages will boost horsepower and torque by 10%. They feature T304 stainless steel construction and include dual high-flow catalytic converters, as well as dual 2.5" into "two-into-one" Y-connections and 0.065" thick walls. Packages use all factory sensors and require no welding for a direct, bolt-on fit. Kit includes all hardware, flanges and stainless steel band clamps necessary for installation.

- <sup>1</sup> P4510364
- Exhaust Y-Pipe, 2003 5.7L Hemi Ram, 1500, 2WD, Automatic Transmission
- <sup>1</sup> P4510872
- Exhaust Y-Pipe, 2003 5.7L Hemi Ram, 1500, 4WD, Automatic Transmission
- <sup>1</sup> P4510829
- Exhaust Y-Pipe, 2004-05 5.7L Hemi Ram 1500, 2WD, Automatic Transmission

C. Exhaust Headers- Ram SRT10

Headers with Mid-Pipes, Race, Fits Standard and Extended Cab. Eliminates catalyysts. Recommend engine control modules: 2004 - P4510918, 2005- P5153335, 2006-P5153591. Manual and Automatic Transmission, 2004-06 Ram SRT10.

- <sup>1</sup> P5153168
- Headers, 2004-06, Ram SRT10




A. P4510280



A. P5153566



B.



C.



## EXHAUST SYSTEMS

## A. Cat-Back Exhaust Systems - Jeep

These Cat-back Exhaust Systems feature T304 stainless steel construction (aircraft quality) with mandrel-bent tubing, stainless band Torca clamps, muffler, and polished tips. These free-flow systems provide a horsepower and torque gain, improved fuel economy and a deeper tone.

- <sup>1</sup> **P5007792** Cat-Back Exhaust System, Dual Rear Exit, 2002-05 Liberty 3.7L
- <sup>1</sup> **P5155035** Cat-Back Exhaust System, Dual Rear Exit, Square Tips, 2.5" Pipe, 2009 3.7L Liberty
- <sup>1</sup> **P4510858** Cat-Back Exhaust System, Rear Exit, 2.25" Pipe, 2004 Grand Cherokee 4.0L, 4.7L, 2/4 Wheel Drive
- <sup>1</sup> **P4510857** Cat-Back Exhaust System, Rear Exit, 2004-06 Wrangler, 4.0L
- <sup>1</sup> **P5155114** Cat Back Exhaust System, Single Exit With Square Tip, 2007-09 Compass/Patriot, AWD, 2.0L/2.4L
- <sup>1</sup> **P5153589** Cat-Back Exhaust System, Rear Exit, 2.5" Pipe, 2005 - 08 Commander, 5.7L, 2/4 Wheel Drive
- <sup>1</sup> **P5155113** Cat Back Exhaust System, Single Exit With Square Tip, 2007-09 Compass/Patriot, FWD, 2.0L/2.4L
- <sup>1</sup> **P5153858** Cat Back Exhaust System, Single Outlet, 2007-09 Wrangler 3.8L, 2/4 Door
- <sup>1</sup> **P5153364** Cat-Back Exhaust System, Rear Exit, 2.5" Pipe, 2005-08 Grand Cherokee, 5.7L, 2/4 Wheel Drive

## B. Cat-Back Exhaust Systems- Jeep SRT8

Cat-back exhaust systems feature RSC no-drone technology, with 2.75" 304L stainless steel mandrel bent tubing, stainless (Torca) clamps and polished 4" Pro-Series tips. The patented Power-Pulse RSC™ muffler design delivers the throaty exhaust tones that define your Hemi-Powered ride on the open road.

- <sup>1</sup> **P5153453** Cat-Back Exhaust System, Dual Center Rear Exit, 2006-2009 Grand Cherokee SRT8, 6.1L



A. P5153364



A. P5155113



A. P5153589



B. P5153453

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.

EXHAUST SYSTEMS

A. Cat-Back Exhaust Systems - Truck

These bolt-on systems feature heavy-wall 304 Stainless Steel tubing with true mandrel bends, allowing for maximum flow and minimum back pressure. Low restriction, aluminized case, and a flow-through muffler with a 3.0" core produce a deep mellow exhaust note. Includes straight through flow muffler.

- <sup>1</sup> P4510607
- Cat-Back Exhaust System, Rear Exit, 3.0" Pipe, 2004-08 Durango, 4.7/5.7L, 2/4 Wheel Drive
- <sup>1</sup> P5153365
- Cat-Back Exhaust System, 45 Degree Passenger Side Exit, 2.50" Pipe, 2005-08 Dakota 4.7L, 2/4 Wheel Drive
- <sup>1</sup> P5155280
- Cat Back Exhaust System, Dual Rear Exit, Round Chrome Tips, 2009 Ram 5.7L (With Bumper Cut-Outs), 6/8" Bed, 4WD
- <sup>1</sup> P5153641
- Cat-Back Exhaust System, 45 Degree Passenger Exit in Front of Rear Wheels, 2.5" Pipe, 2006-08 Ram 1500, 5.7L, Crew Cab, Short Bed, 2/4 Wheel Drive
- <sup>1</sup> P5153640
- Cat-Back Exhaust System, 45 Degree Passenger Exit in Front of Rear Wheels, 2.5" Pipe, 2006-08 Ram 1500, 5.7L, Regular Cab, Short Bed, 2/4 Wheel Drive
- <sup>1</sup> P5153696
- Cat-Back Exhaust System, 90 Degree Passenger and Driver Exit, 2.5" Pipe, 2006-08 Ram 1500, 5.7L, Crew Cab, Short Bed, 2/4 Wheel Drive
- <sup>1</sup> P5153695
- Cat-Back Exhaust System, 90 Degree Passenger and Driver Exit, 2.5" Pipe, 2006-08 Ram 1500, 5.7L, Regular Cab, Short Bed, 2/4 Wheel Drive
- <sup>1</sup> P5153674
- Cat-Back Exhaust System, Rear Exit, 2.25" Pipe, 2006- 08 Ram 1500, 5.7L, Regular Cab Short Bed, 2/4 Wheel Drive
- <sup>1</sup> P5155110
- Cat-Back Exhaust System, Single Rear Exit With Dual Square Tips, 2.5" Pipe, 2007-09 Nitro, 4.0L, V6
- <sup>1</sup> P5155111
- Cat Back Exhaust System, Single Rear Exit With Dual Square Tips, 2.5" Pipe, 2007-09 Nitro, 3.7L
- <sup>1</sup> P5153473
- Cat-Back Exhaust System, Rear Exit, 2.25" Pipe, 2006-08 Ram 1500, 5.7L, Crew Cab, Short Bed, 2/4 Wheel Drive
- <sup>1</sup> P5007851
- Cat-Back Exhaust System, 45 Degree Passenger and Driver Exit, 2.5 pipe, 2002-05 Ram 1500 Regular/ Extended/ Crew Cab, Short Bed, 2/4 Wheel Drive
- <sup>1</sup> P4510464
- Cat-Back Exhaust System, 45 Degree Passenger and Driver Exit, 2.5" Pipe, 2003 1500 Ram, Regular/Extended/Crew Cab, Short Bed, 2 Wheel Drive
- <sup>1</sup> P4510465
- Cat-Back Exhaust System, 45 Degree Passenger and Driver Exit, 2.5" Pipe, 2003-05 Ram 2500, 5.7L, Regular/Extended/Crew Cab, Short Bed, 2/4 Wheel Drive
- <sup>1</sup> P4510648
- Cat-Back Exhaust System, 45 Degree Passenger and Driver exit, 2.50" pipe, 2004 - 05 Ram 1500 Hemi 5.7L, Regular/Crew Cab, Short Bed, 2/4 Wheel Drive.
- <sup>1</sup> P4510856
- Cat-Back Exhaust System, Rear Exit, 2003-05 Ram SRT10, 8.3L, Regular Cab, Short Bed
- <sup>1</sup> P5153639
- Cat-Back Exhaust System, Rear Exit, 2006 Ram SRT 10, 8.3L, Regular/Crew Cab, Short Bed



A. P4510464



A. P5007851



A. P5153640



A. P5153674



A. P5153641



A. P5153695

## OILING COMPONENTS

### A. Oil Pump-High Volume

When the going gets tough, you'll want to be sure and supply as much oil to your engine as possible. This high-volume Oil Pump will do the job and take the most severe punishment. P4529241 requires pan rework for 4.0L applications.

<sup>1</sup> P4529241 Oil Pump, 4.0L/4.2L Jeep Vehicles

### B. Oil Pump-Heavy Duty

<sup>1</sup> P4529227 Oil Pump, Heavy Duty, 4.0L Jeep, 1962 and Up

### C. Oil Pump - Performance

This high-performance, high-output Oil Pump assembly provides a 25% increase in oil volume. Ideal replacement for stock pump in high performance applications.

<sup>1</sup> P4286740 Oil Pump, 225 Slant 6



A.



B.



C. P4286740

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.

SUSPENSION UPGRADES AND COMPONENTS

A. Lift Kits- JK (4WD)

Short Arm Lift Kits: 2" and 4"  
These Mopar lifts offer exceptional ride comfort and control, on-road or off. Both lift heights use the same basic components, except for coil springs, and yield all the suspension travel the factory JK driveline offers. Coil spring rate is wheelbase-specific (2 or 4-door), plus two Mopar shock absorber options allow you to tailor the kit to your performance aspirations. Both kits also include a replacement high-clearance, high capacity hydraulic steering stabilizer kit (white color). The 2" lift is ideal for 33" to 35" diameter tires; the 4" is best suited for 35" to 37" tires. Note that Rubicons (with 2" or 4" Lifts) require the Front Stabilizer Bar Link Kit (P5155512).

Long Arm Lift Kits: 4.5"  
The ultimate off-road performer. Mopar's Long Arm kit provides optimal suspension travel by using longer, high-articulation axle-to-frame link arms. Dampening is handled by Bilstein high-pressure monotube gas shocks. This kit contains a vast array of components, including replacement front / rear driveshafts. Best suited for 37" diameter tires.

Shock Options:  
Performance shock is a twin-tube, high capacity hydraulic shock that features ten-stage velocity sensitive valving. White enamel finish; includes black boot.

Mopar's premium shock, jointly tuned with Bilstein, allows you to realize the most performance gain. The seamless monotube body contains a patented piston design and a high-pressure gas charge to quickly dissipate heat and minimize shock fade. Silver Zinc plated finish; includes black boot.

- <sup>1</sup> P5155207 Lift Kit, 2" Lift, w/ Bilstein Shocks, 2007-11 Wrangler (JK), 4-Door
- <sup>1</sup> P5155789 Lift Kit, 2" Lift, w/ Performance Shocks, 2007-11 Wrangler (JK), 4-Door
- <sup>1</sup> P5155208 Lift Kit, 2" Lift, w/ Bilstein Shocks, 2007-11 Wrangler (JK), 2-Door
- <sup>1</sup> P5155790 Lift Kit, 2" Lift, w/ Performance Shocks, 2007-11 Wrangler (JK) 2-Door
- <sup>1</sup> P5155404AB Lift Kit, 4" Lift, Short Arm, w/ Bilstein Shocks, 2007-11 Wrangler (JK), 4-Door
- <sup>1</sup> P5155403AB Lift Kit, 4" Lift, Short Arm w/ Performance Shocks, 2007-11 Wrangler (JK), 4-Door
- <sup>1</sup> P5155075 Lift Kit, 4.5" Lift, Long Arm w/ Bilstein Shocks, 2007-11 Wrangler (JK), 4-Door
- <sup>1</sup> P5155512 Stabilizer Bar Link Kit, Front, Use with 2" and 4" Lift Kits, 2007-11 Wrangler (JK)



A. P5155075



A. P5155207



A. P5155404AB



## SUSPENSION UPGRADES AND COMPONENTS

### Lift Kits- JK (4WD)

**WARNING:** Lift Kits alter vehicle properties and affect handling. Lift kits are intended to be used for off-road driving only. Your kit will come with more detailed instructions and warnings. Contact the Mopar Direct Connection Tech Line (888-528-4364) to obtain a copy.

**NOTE:** Vehicle RPM and speedometer readings are based on the stock vehicle's tire and wheel combinations. Installing larger wheels and tires with your Mopar Performance lift kit could result in incorrect RPM, speedometer and odometer readings.

**WARRANTY:** Lift Kits work with all vehicle systems including the Electronic Stability Program, and are covered (except P5155075) by a Limited Lifetime Warranty. The warrantor is the Lift Kit manufacturer, not Mopar, Chrysler Group LLC, or the dealership selling the product. Contact the Mopar Direct Connection Tech Line (888-528-4364) for warranty details and installation instructions.

JEEP/RAM

SUSPENSION UPGRADES AND COMPONENTS

A. Lift Kits- WK/XK (4WD)

The front lift is accomplished with strut towers; rear lift via new coil springs. Thin preload plates install on top of the springs to boost spring rate slightly and offset the increased load / leverage generated by heavier and wider tires and wheels. The lower control arms and differential are relocated via bracketry then new steering knuckles span the increased distance from the relocated lower control arms to the upper arms, which remain in the stock location. Bracketry relocates the affected rear suspension components. Lift Kits include a plug-in module to ensure functionality of Jeep's Electronic Stability Program.

- <sup>1</sup> P5155383
- Lift Kit, 4" Lift w/ Shocks, 2005-07 Grand Cherokee/ Commander (WK/XK)
- <sup>1</sup> P5155384
- Lift Kit, 4" Lift w/ Shocks, 2008-10 Grand Cherokee/ Commander (WK/XK)

See chart for additional information.

WARNING: Lift Kits alter vehicle properties and affect handling. Lift kits are intended to be used for off-road driving only. Your kit will come with more detailed instructions and warnings. Contact the Mopar Direct Connection Tech Line (888-528-4364) to obtain a copy.

NOTE: Vehicle RPM and speedometer readings are based on the stock vehicle's tire and wheel combinations. Installing larger wheels and tires with your Mopar Performance lift kit could result in incorrect RPM, speedometer and odometer readings.

WARRANTY: Lift Kits work with all vehicle systems including the Electronic Stability Program, and are covered (except P5155075) by a Limited Lifetime Warranty. The warrantor is the Lift Kit manufacturer, not Mopar, Chrysler Group LLC, or the dealership selling the product. Contact the Mopar Direct Connection Tech Line (888-528-4364) for warranty details and installation instructions.



A. P5155384

JEEP LIFT KITS

Part Number	Description	Lift Height	Model*	Series	Engine	Bilstein Shocks	Performance Shocks	Model Year In	Model Year Out
P5155207	Lift Kit	2"	JK	Wrangler	All	X		2007	2011
P5155709	Lift Kit	2"	JK	Wrangler	All		X	2007	2011
P5155208	Lift Kit	2"	JK	Wrangler	All	X		2007	2011
P5155790	Lift Kit	2"	JK	Wrangler	All		X	2007	2011
P5155404AB	Lift Kit- Short Arm	4"	JK	Wrangler	All	X		2007	2011
P5155403AB	Lift Kit- Short Arm	4"	JK	Wrangler	All		X	2007	2011
P5155075	Lift Kit- Long Arm	4.5"	JK	Wrangler	3.8	X		2007	2011
P5155383	Lift Kit	4"	WK/XK	Grd.Cherokee/ Commander	All		X	2005	2007
P5155384	Lift Kit	4"	WK/XK	Grd.Cherokee/ Commander	All		X	2008	2010

\* Rubicon models require Front Stabilizer Bar Link Kit P5155512

## SUSPENSION UPGRADES AND COMPONENTS

### A. Lift Kits- Ram 1500 (4WD)

Lift Kits 2" (excluding TRX4)

Fits Crew, Quad and Regular cabs, and provides lift for up to 35" diameter tires. Front lift is via replacement Premium Performance Bilstein gas struts; new dual Rate coil springs provide rear lift. Also includes components to address rear stabilizer bar, brake hose length and compression travel, as well as Premium Performance Bilstein rear shocks. Compatible with all vehicle systems, including Electronic Stability Program.

Lift Kits 4" (excluding TRX4) and Lift Kits 3" (TRX4 models)

Fits Crew, Quad and Regular cabs, and provides lift for up to 37" diameter tires while retaining factory turning radius. Lift kits for both the standard DS and TRX4 models contain the same basic components; there are only a few minor differences. The TRX4 factory ride height is approximately 1" taller than the standard DS, so ride height of a 3" Mopar lift-equipped TRX4 is as tall as a 4" Mopar lift-equipped DS. Compatible with all vehicle systems, including Electronic Stability Program.

Shock Options:


Performance shock is a twin-tube, high capacity hydraulic shock that features ten-stage velocity sensitive valving. White enamel finish; includes black boot.

Mopar's premium shock, jointly tuned with Bilstein, allows you to realize the most performance gain. The seamless monotube body contains a patented piston design and a high-pressure gas charge to quickly dissipate heat and minimize shock fade. Silver Zinc plated finish; includes black boot.

- <sup>1</sup> P5155258 Lift Kit, Pre-Runner, Stage 1, 2009-11 Ram (DS), N/A for TRX
- <sup>1</sup> P5155662 Lift Kit, Pre-Runner, Stage 2, 2009-11 Ram (DS), N/A for TRX
- <sup>1</sup> P5155797 Lift Kit, 2" Lift, w/ Bilstein Struts and Rear Shocks, 2009-11 Ram (DS) 1500, N/A for TRX
- <sup>1</sup> P5155465 Lift Kit, 3" Lift w/ Bilstein Struts and Rear Shocks, 2009-11 Ram (DS) 1500, TRX Only
- <sup>1</sup> P5155466 Lift Kit, 3" Lift, w/ Strut Spacers and Performance Rear Shocks, 2009-11 Ram (DS) 1500, TRX Only
- <sup>1</sup> P5155212 Lift Kit, 4" Lift, w/Bilstein Struts and Rear Shocks, 2009-11 Ram (DS) 1500, N/A for TRX
- <sup>1</sup> P5155393 Lift Kit, 4." Lift w/ Strut Spacers and Performance Rear Shocks, 2009-11 Ram (DS) 1500, N/A for TRX

### B. Lowering Kit- Ram DR (2WD)

- <sup>1</sup> P5155066 Lowering Kit, Includes Springs, Shocks and Axle Flip Kit, Front= 1.50" and Rear= 4.30", 2006-08 Ram, 2WD, SWB



### RAM TRUCK 1500 LIFT KITS

Part Number	Description	Lift Height	Model	Series	Engine	Bilstein Shocks	Performance Shocks	Model Year In	Model Year Out
P5155391AB	Leveling Kit (Front)	2"	DR	1500	All			2006	2008
P5155388AB	Leveling Kit (Front)	2"	DR	1500	All			2002	2005
P5155387AB	Leveling Kit (Front)	2"	BE/BR	1500	All			1994	2001
P5155797	Lift Kit	2"	DS	1500	All	X		2009	2011
P5155258	Pre-Runner Stage 1	3"	DS	1500	All	X		2009	2011
P5155662	Pre-Runner Stage 2	3"	DS	1500	All	X		2009	2011
P5155465	Lift Kit	3"	DS (TRX)	1500	All	X		2009	2011
P5155466	Lift Kit	3"	DS (TRX)	1500	All		X	2009	2011
P5155212	Lift Kit	4"	DS	1500	All	X		2009	2011
P5155393	Lift Kit	4"	DS	1500	All		X	2009	2011

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.

## JEEP/RAM

### SUSPENSION UPGRADES AND COMPONENTS

#### Lift Kits- Ram 1500 (4WD)

See chart for additional information.

**WARNING:** Lift Kits alter vehicle properties and affect handling. Lift kits are intended to be used for off-road driving only. Your kit will come with more detailed instructions and warnings. Contact the Mopar Direct Connection Tech Line (888-528-4364) to obtain a copy.

**NOTE:** Vehicle RPM and speedometer readings are based on the stock vehicle's tire and wheel combinations. Installing larger wheels and tires with your Mopar Performance lift kit could result in incorrect RPM, speedometer and odometer readings.

**WARRANTY:** Lift Kits work with all vehicle systems including the Electronic Stability Program, and are covered (except P5155075) by a Limited Lifetime Warranty. The warrantor is the Lift Kit manufacturer, not Mopar, Chrysler Group LLC, or the dealership selling the product. Contact the Mopar Direct Connection Tech Line (888-528-4364) for warranty details and installation instructions.



## SUSPENSION UPGRADES AND COMPONENTS

### A. Leveling Kits- Ram (4WD)

Fits all cab and bed configurations, including Duallies (except TRX4 models). Leveling kits raise the front of the Ram, and eliminate the factory "nose low" rake, to make room for tires 1" to 2" taller than stock. For 2500 / 3500 models, a 2" rear block kit is offered for those who wish to retain the factory rake because of load hauling and towing.

#### LEVELING KIT FEATURES:

- Front lift, depending on application, is via either coil spacers, strut spacers or new torsion bar keys, so factory springs are retained and ride quality is unaffected.
- Very economical.
- Can use factory wheels and allows clearance for tires 1" to 2" taller than stock.
- Easy installation - Most kits install in no more than a couple of hours. Front end realignment is required.
- Ram 2500/3500 rear block kit (#P5155452) includes two U-bolt sets to applicate both axle types found in these pickups, plus brackets to prevent suspension over-compression.

- <sup>1</sup> **P5155394** Leveling Kit, 2" Lift, Front, 1994-11 Ram (BE/BR/DH/DJ/DR/D1/D2) 2500/3500
- <sup>1</sup> **P5155452** Lift Kit, 2" Block Lift, Rear, 2003-11 Ram (DR/DH/DJ/ D1/ D2) 2500/3500
- <sup>1</sup> **P5155388AB** Leveling Kit, 2.0" Lift, Front, 2002-05 Ram (DR) 1500, 4WD
- <sup>1</sup> **P5155387AB** Leveling Kit, 2.5" Lift, Front, 1994-01 Ram (BR/BE) 1500, 4WD
- <sup>1</sup> **P5155391AB** Leveling Kit, 2.5" Lift, Front, 2006-08 Ram (DR) 1500, 4WD

**WARNING:** Lift Kits alter vehicle properties and effect handling. Lift kits are intended to be used for off-road driving only. Your kit will come with more detailed instructions and warnings. Contact the Mopar Direct Connection Tech line (888-528-4364) to obtain a copy.

**NOTE:** Vehicle RPM and speedometer readings are based on the stock vehicle's tire and wheel combinations. Installing larger wheels and tires with your Mopar Performance lift kit could result in incorrect RPM, speedometer and odometer readings.

**WARRANTY:** Lift Kits work with all vehicle systems including the Electronic Stability Program, and are covered (except P5155075) by a Limited Lifetime Warranty. The warrantor is the Lift Kit manufacturer, not Mopar, Chrysler LLC, or the dealership selling the product. Refer to [www.Mopar.com](http://www.Mopar.com) for warranty details and installation instruction downloads.



A. P5155394



A. P5155452



A. P5155387AB



A. P5155391AB

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.

JEEP/RAM

SUSPENSION UPGRADES AND COMPONENTS

A. Lift Kits- Ram 2500/3500 (4WD)

New coil springs specifically rated for engine type, are matched with your choice of Performance shocks (gas front / hydraulic rear) in a white enamel finish, or our Bilstein monotube high-pressure gas shocks that feature a silver Zinc finish. Includes a dual steering stabilizer kit with cylinders matched to your choice of lift kit shocks.

Shock Options:

Performance shock is a twin-tube, high capacity hydraulic shock that features ten-stage velocity sensitive valving. White enamel finish; includes black boot.

Mopar's premium shock, jointly tuned with Bilstein, allows you to realize the most performance gain. The seamless monotube body contains a patented piston design and a high-pressure gas charge to quickly dissipate heat and minimize shock fade. Silver Zinc plated finish; includes black boot.

- <sup>1</sup> P5155496

Lift Kit, 4" Lift, w/ Bilstein Shocks, 2010-11 Ram (DJ/D2) 2500/3500, 6.7L
- <sup>1</sup> P5155497

Lift Kit, 4" Lift, w/ Performance Shocks, 2010-11 Ram (DJ/D2) 2500/3500, 6.7L
- <sup>1</sup> P5155498

Lift Kit, 4" Lift, w/ Bilstein Shocks, 2010-11 Ram (DJ/D2) 2500/3500, 5.7L
- <sup>1</sup> P5155499

Lift Kit, 4" Lift, w/ Performance Shocks, 2010-11 Ram (DJ/D2) 2500/3500, 5.7L
- <sup>1</sup> P5155398AB

Lift Kit, 4" Lift, w/ Bilstein Shocks, 2009 Ram (DH/D1) 2500/3500, 6.7L
- <sup>1</sup> P5155397AB

Lift Kit, 4" Lift, w/ Performance Shocks, 2009 Ram (DH/D1) 2500/3500, 6.7L
- <sup>1</sup> P5155402AB

Lift Kit, 4" Lift, w/ Bilstein Shocks, 2009 Ram (DH/D1) 2500/3500, 5.7L
- <sup>1</sup> P5155401AB

Lift Kit, 4" Lift, w/ Performance Shocks, 2009 Ram (DH/D1) 2500/3500, 5.7L
- <sup>1</sup> P5155641

Lift Kit, 4" Lift, w/ Bilstein Shocks, 2008 Ram (DH/D1) 2500/3500, 6.7L
- <sup>1</sup> P5155640

Lift Kit, 4" Lift, w/ Performance Shocks, 2008 Ram (DH/D1) 2500/3500, 6.7L
- <sup>1</sup> P5155643

Lift Kit, 4" Lift, w/ Bilstein Shocks, 2008 Ram (DH/D1) 2500/3500, 5.7L
- <sup>1</sup> P5155642

Lift Kit, 4" Lift, w/ Performance Shocks, 2008 Ram (DH/D1) 2500/3500, 5.7L
- <sup>1</sup> P5155396AB

Lift Kit, 4" Lift, w/ Bilstein Shocks, 2003-08 Ram (DR/DH/D1) 2500/3500, 5.9L/8.0L/6.7L
- <sup>1</sup> P5155395AB

Lift Kit, 4" Lift, w/ Performance Shocks, 2003-08 Ram (DR/DH/D1) 2500/3500, 5.9L/8.0L/6.7L
- <sup>1</sup> P5155400AB

Lift Kit, 4" Lift, w/ Bilstein Shocks, 2003-08 Ram (DH/DR/D1) 2500/3500, 5.7L
- <sup>1</sup> P5155399AB

Lift Kit, 4" Lift, w/ Performance Shocks, 2003-08 Ram (DH/DR/D1) 2500/3500, 5.7L

B. Prop Shafts- Jeep Lift Kits

- <sup>1</sup> P5155119

Prop Shaft, Front, 4.5" Lift Kit Service Part, 2007-11 Wrangler, 4-Door, 4WD
- <sup>1</sup> P5155120

Prop Shaft, Rear, 4.5" Lift Kit Service Part, 2007-11 Wrangler, 2-Door, 4WD
- <sup>1</sup> P5155118

Prop Shaft, Rear, 4.5" Lift Kit Service Part, 2007-11 Wrangler, 4-Door, 4WD



A. P5155496



A. P5155497



B. P5155118

## SUSPENSION UPGRADES AND COMPONENTS

### Lift Kits- Ram 2500/3500 (4WD)

See chart for additional information.

**WARNING:** Lift Kits alter vehicle properties and affect handling. Lift kits are intended to be used for off-road driving only. Your kit will come with more detailed instructions and warnings. Contact the Mopar Direct Connection Tech Line (888-528-4364) to obtain a copy.

**NOTE:** Vehicle RPM and speedometer readings are based on the stock vehicle's tire and wheel combinations. Installing larger wheels and tires with your Mopar Performance lift kit could result in incorrect RPM, speedometer and odometer readings.

**WARRANTY:** Lift Kits work with all vehicle systems including the Electronic Stability Program, and are covered (except P5155075) by a Limited Lifetime Warranty. The warrantor is the Lift Kit manufacturer, not Mopar, Chrysler Group LLC, or the dealership selling the product. Contact the Mopar Direct Connection Tech Line (888-528-4364) for warranty details and installation instructions.

JEEP/RAM

SUSPENSION UPGRADES AND COMPONENTS

A. Shocks- Jeep Lift Kits

These are the same Shocks packaged with Mopar's lift kits. Order when upgrading from Performance series to Premium Bilstein, or when needing service replacements. The Performance shock is a twin-tube, high capacity hydraulic shock that features ten-stage velocity sensitive valving. White enamel finish; includes black boot.

Mopar's premium shock, jointly tuned with Bilstein, allows you to realize the most performance gain. The seamless monotube body contains a patented piston design and a high-pressure gas charge to quickly dissipate heat and minimize shock fade. Silver Zinc plated finish; includes black boot.

- <sup>1</sup> P5155116 Shock, Front, Bilstein, 2007-11 Wrangler (JK), 4.5" Lift Kits
- <sup>1</sup> P5155117 Shock, Rear, Bilstein, 2007-11 Wrangler (JK), 4.5" Lift Kits
- <sup>1</sup> P5155262 Shock, Front, Bilstein, Replacement/ Upgrade for 2007-11 Wrangler (JK), 2" and 4" Lift Kits
- <sup>1</sup> P5155263 Shock, Rear, Bilstein, Replacement/ Upgrade for 2007-11 Wrangler (JK), 2" and 4" Lift Kits
- <sup>1</sup> P5155804 Shock, Front, Performance, Replacement for 2007-11 Wrangler (JK), 2" and 4" Lift Kits
- <sup>1</sup> P5155805 Shock, Rear, Performance, Replacement for 2007-11 Wrangler (JK), 2" and 4" Lift Kits

B. Steering Stabilizers







These are some of the same kits included with Mopar's Lift Kits. Fits trucks from stock height up to 4" of lift. Fits Jeep (JK) 2" and 4" lift kits. Available with Performance hydraulic cylinders, or Premium Bilstein gas cylinders.

- P5155413 Stabilizer Kit, Dual Steering, Bilstein Cylinders, 2003-08 (thru to 03/01/08) Ram 2500/3500, 4WD
- P5155415 Stabilizer Kit, Dual Steering, Bilstein Cylinders, 2008 (from 03/01/08) -11 Ram 2500/3500, 4WD
- P5155412 Stabilizer Kit, Dual Steering, Performance Cylinders, 2003-08 (thru 03/01/08) Ram 2500/3500, 4WD
- P5155414 Stabilizer Kit, Dual Steering, Performance Cylinders, 2008 (from 03/01/08) -11 Ram 2500/3500, 4WD
- P5155264 Stabilizer Kit, Steering, High-Clearance, High-Capacity, 2007-11 Wrangler (JK), 2" and 4" Lift Kits

C. Stabilizer Bar Disconnects- Jeep Lift Kits

Quick-Disconnects allow a considerable amount of increased front wheel travel while off-roading. With Mopar's Quick-Disconnects, simply pull the pin, unscrew the coupler, pivot it upward, strap it up and go! Do not operate the vehicle on-road with the stabilizer bar disconnected. Note that Quick-Disconnects are not needed on Rubicon models since they are factory-equipped with electronic disconnects.

- <sup>1</sup> P5155419 Stabilizer Bar Quick-Disconnects, Front, Use with 2007-11 Wrangler (JK) 2" and 4" Lift Kits

	
A. P5155117	A. P5155116
	
B. P5155264	B. P5155415
	
C. P5155419	



## SUSPENSION UPGRADES AND COMPONENTS

### A. Axle-to-Frame Links, High-Articulation

Mopar's replacement lower link arms coax the remaining twist out of your Mopar 2" or 4" lift kit. The tubular links incorporate a male / female threaded end that reduces bind during articulation. The threaded feature also allows additional driveline and steering alignment range. A combination of greasable Urethane bushings (axle end), and factory type, press-fit rubber bushings (frame end) provides superior durability, flexibility and service life compared to most other replacement links. This bushing combination also results in quieter operation, and less shock load transmission. Front Links feature an upwards bend for improved ground clearance.

- <sup>1</sup> **P5155420** Axle-to-Frame Lower Links, Front, High-Articulation, Use with 2007-11 Wrangler (JK) 2" and 4" Lift Kits, Pair
- <sup>1</sup> **P5155421** Axle-to-Frame Lower Links, Rear, High-Articulation, Use with 2007-11 Wrangler (JK) 2" and 4" Lift Kits, Pair

### B. Traction Bars- 4" Lift Kits

Designed to combat torque loads and the resulting axle wrap-up. Effective axle-wrap control starts with proper geometry. Leaf springs become longer as they compress, so in order to prevent suspension bind the Traction Bars' arc of travel must be in sync with the rear spring's movement. Mopar Traction Bars also incorporate a threaded swivel-end (at the frame mount) to prevent destructive torsional loads from stressing the truck's frame. Features a tubular main beam brace with a brushed stainless steel insert and Mopar logo.

- <sup>1</sup> **P5155416** Traction Bars, 2003-11 Ram 2500/3500, Quad Cab, Short Bed, 4" Mopar Lift Kits Only
- <sup>1</sup> **P5155417** Traction Bars, 2003-11 Ram 2500/3500, Quad/ Mega Cab, Long Bed, 4" Mopar Lift Kits Only

### C. Anti-Sway Bar Kit

Jeep Commander Anti-Sway Bar Kit includes both front and rear bars and bushing sets. Bars are made of a high-quality material that ensures durability and are powder-coated to protect them from the elements. Bars reduce body roll and help to keep the tires firmly planted on the ground. Dimensions: Front 35 mm, Rear 22 mm.

- <sup>1</sup> **P5153727** Anti-Sway Bar, Stage 1, 2006-08 Jeep Commander, 5.7L

### D. Lowering Springs







Lowering kit includes all four springs, made of high-tensile material, to increase spring performance without bind. These springs provide a .75" front drop and a 1.5" drop in the rear, to lower and even out your ride.

- <sup>1</sup> **P5153728** Lowering Springs, 2006-08, Jeep Commander, 5.7L

### E. Strut Tower Brace

Made of heavy gauge, powder coated steel, this MIG-welded Mopar Strut Tower Brace reduces body flex in the front end, improving handling and drivability. Easy bolt-on installation.

- <sup>1</sup> **P5153565** Strut Tower Brace, Front, Steel, 2007-09 Compass/Patriot/Caliber, Non-Turbo

 <p>A. P5155420</p>	 <p>A. P5155421</p>
 <p>B. P5155416</p>	 <p>C.</p>
 <p>D.</p>	 <p>E. P5153565</p>

JEEP/RAM

SUSPENSION UPGRADES AND COMPONENTS

A. Additional Rear Leaf Spring

Add-a-leaf kits allow for the installation of larger tires and help compensate for heavy accessories. These kits will increase the ride height and spring rate for a fraction of the cost of replacement springs. Sold individually.

- <sup>1</sup> P4349540 Leaf Spring, Additional, Rear, 4WD, W100/W150/W200/W300/Ramcharger/Trailduster

IGNITION AND ELECTRONICS

B. Engine Controllers- Jeep

Direct replacement for the production computers. Provide increases in both horsepower and torque without affecting driveability.

- <sup>1</sup> P5249518 Engine Controller, 1993-94 5.2L 4x4 Automatic Transmission Grand Cherokee
- <sup>1</sup> P5249702 Engine Controller, 1995 5.2L 4x4 Automatic Transmission Grand Cherokee

Note: Emissions exempt in California, Massachusetts and New York only. Requires the use of premium unleaded fuels (92 octane or better). 1998 and later models require Vehicle Identification Number (VIN) and Mileage encoding by a Chrysler franchised dealer. Not recommended for towing applications.

IMPORTANT NOTICE: This device is not legal for use on pollution-controlled vehicles certified for use on streets or highways. Once this device is installed, use of the vehicle on a street or highway is a violation of the Clean Air Act, potentially subjecting the operator and the installer to civil penalties of up to \$32,500 per vehicle depending on the circumstances.



A.



B.



A.



B.



C.

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.

## IGNITION AND ELECTRONICS

### A. Engine Controllers- Truck

Direct replacement for the production computers. Provide increases in both horsepower and torque without affecting driveability.

<sup>1</sup> P5249516	Engine Controller, 1992-93 5.2L Dakota
<sup>1</sup> P5249545	Engine Controller, 1994-95 5.2L Ram/Dakota, Automatic Transmission
<sup>1</sup> P5249546	Engine Controller, 1994-95 5.9L Ram, Automatic Transmission
<sup>1</sup> P5249548	Engine Controller, 1994-95 8.0L Ram, Automatic Transmission
<sup>1</sup> P5249955AB	Engine Controller, 1996 5.2L Ram, Automatic Transmission
<sup>1</sup> P5153734AC	Engine Controller, 360 MPI Kit, Automatic Transmission
<sup>1</sup> P5249935	Engine Controller, 5.9L Magnum, Automatic Transmission

NOTE: Emissions exempt in California, Massachusetts and New York only. Requires the use of premium unleaded fuels (92 octane or better). 1998 and later models require Vehicle Identification Number (VIN) and Mileage encoding by a Chrysler franchised dealer. Not recommended for towing applications.

IMPORTANT NOTICE: This device is not legal for use on pollution-controlled vehicles certified for use on streets or highways. Once this device is installed, use of the vehicle on a street or highway is a violation of the Clean Air Act, potentially subjecting the operator and the installer to civil penalties of up to \$32,500 per vehicle depending on the circumstances.

### B. Engine Controller- Ram SRT10

Plug in this performance-engineered Engine Controller and experience an immediate increase in horsepower and torque. Fuel and spark settings are adjusted for use with the required performance camshaft (P4510171) and exhaust headers (P4510844 or P5153168). Manual transmission only.

<sup>1</sup> P4510918	Engine Controller, 2004 SRT10 Ram 1500
<sup>1</sup> P5153335	Engine Controller, 2005 SRT10 Ram 1500

IMPORTANT NOTICE: This device is not legal for use on pollution-controlled vehicles certified for use on streets or highways. Once this device is installed, use of the vehicle on a street or highway is a violation of the Clean Air Act, potentially subjecting the operator and the installer to civil penalties of up to \$32,500 per vehicle depending on the circumstances.

## AUTOMATIC TRANSMISSION COMPONENTS

### C. Flywheel Hardware Kit

Contains all the bolts required to attach the flywheel and clutch to the engine assembly. Includes six flywheel bolts, six clutch bolts, pilot bearing and seal.

P4529636AB	Hardware Kit, Flywheel, 4.0L AMC 360 Jeep Manual Transmission
------------	---

JEEP/RAM

TRANSMISSION/TRANSFER CASES

Transfer Case (Not Shown)

- <sup>1</sup> P5155154 241 OR Transfer Case (Rubicon) Kit With Shift
- <sup>1</sup> P5155082 Yoke Kit, 1330 Double Cardan, w/ U-Joint
- <sup>1</sup> P5155079 Chain and Sprocket Kit, 231 HD

Yokes (Not Shown)

- <sup>1</sup> P5155081 Yoke Kit, 1310 Double Cardan, w/ U-Joint
- <sup>1</sup> P5155080 Yoke Kit, 1330 Single Cardan, w/ U-Joint
- <sup>1</sup> P5155082 Yoke Kit, 1330 Double Cardan, w/ U-Joint

## DRIVETRAIN AND REAR AXLE COMPONENTS

### A. Axle Assemblies

These New Generation axle assemblies will provide the next level of off-road performance for your Jeep or Ram vehicle. All axles are shipped with the current suspension mounting brackets installed. Adaptation of these units into previous models is the responsibility of the purchaser. These axles come completely assembled and may include features such as disc brakes, and a Tru-Lok® electric, selectable locking differential.

- <sup>1</sup> **P5153825AD** Axle, Front Assembly, Dana 44, 2007-10 Jeep Wrangler, 4.10 Ratio, Tru-Lok® electric, selectable locking differential, 5 on 5.0" JK Wheel Pattern, w/o Brakes
- <sup>1</sup> **P5155256** Axle, Front Assembly, Dana 44, JK Modified For 1997-2006 TJ, 4.10 Ratio, Tru-Lok® electric, selectable locking differential, 5 on 4.5" TJ Wheel Pattern, Includes JK Brakes
- <sup>1</sup> **P5155084** Axle, Front Assembly, Dana 44, Military J8 Wrangler, 4.10 Ratio, with Open Differential, 5 on 5.5" Hub, Includes J8 Military Brakes
- <sup>1</sup> **P5155087AB** Axle, Front Assembly, Stock Ram 2500 Power Wagon, 4.56 Ratio, With Electric Selectable Locker, 8 on 6.5" Wheel pattern, w/o Brakes
- <sup>1</sup> **P5155757** Axle, Partial Front Assembly, Dynatrac ProRock 44®, 2007-10 Jeep Wrangler. Includes 4.88 ratio, and Tru-Lok® electric, selectable, locking differential. Includes Differential Cover, OEM Ball Joints, HD 3" x 1/2" wall axle tubes and increased pinion angle and caster angle for lifted suspension. Ready To Accept Customer Supplied Wrangler JK knuckles, hubs, and brakes. Accepts Customer Supplied Wrangler Rubicon Dana 44 front axle shafts or P5155758 and P5155759 inner shafts.
- <sup>1</sup> **P5153826AB** Axle, Rear Assembly, 2007-10 Jeep Wrangler Rubicon, 4.10 Ratio, Tru-Lok® electric, selectable locking differential, 5 on 5.0" JK Wheel Pattern, w/ Brakes
- <sup>1</sup> **P5155257** Axle, Rear Assembly, Dana 44, JK Modified For 1997-2006 TJ, 4.10 Ratio, Tru-Lok® electric, selectable locking differential, 5 on 4.5" TJ Wheel Pattern, w/ Brakes
- <sup>1</sup> **P5155260** Axle, Rear Assembly, Dana 60, Military J8 Wrangler, 4.10 Ratio, Limited Slip Differential, 5 on 5.5" and 5 on 5.0" Wheel Pattern, Modified For JK, w/ J8 Military Brakes
- <sup>1</sup> **P5155083** Axle, Rear Assembly, Dana 60, Military J8 Wrangler, 4.10 Ratio, Limited Slip Differential, 5 on 5.5" Wheel Pattern, Leaf Spring, w/ J8 Brakes
- <sup>1</sup> **P5155088AB** Axle, Rear Assembly, Stock Ram 2500 Power Wagon, 4.56 Ratio, With Electric, Selectable Locker, 8 on 6.5" Wheel Pattern, w/o Brakes



A. P5155084



A. P5155256



A. P5155257



A. P5153826AB

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.



JEEP/RAM

DRIVETRAIN AND REAR AXLE COMPONENTS

Portal Axles (Not Shown)

Off road use only. These heavy duty axle assemblies increase vehicle lift to 5" and require 17" or greater size wheels. The bolt pattern is 8-lug and the track width will be increased by 8" on each side.

- <sup>1</sup> P5155670      Axle, Portal, Front, 8-Lug
- <sup>1</sup> P5155671      Axle, Portal, Rear, 8-Lug

A. Differential Covers- Heavy Duty

Mopar's extreme heavy duty Differential Covers offer upgraded protection for your axle's differential. Made from nodular castings, these covers provide increased strength and protect your differential from severe impacts such as rocks and off road obstacles. They also greatly enhance the rugged look of your axles. Each cover comes with exclusive "Jeep" badging.

- P5155445      Cover, Differential, Dana 30, "Jeep" Badging
- P5155446      Cover, Differential, Dana 44, "Jeep" Badging
- P5155447      Cover, Differential, Dana 60, "Jeep" Badging

B. Differential Cover Protectors

Rock rash insurance for your factory (O.E.) differential covers. Mopar's differential protectors are laser-cut from .250" steel then coated with a durable silver Zinc finish.

- P5155777      Guard, Differential, AMC 20, Laser Cut "Jeep"
- P5155442      Guard, Differential, Dana 30, Laser Cut "Jeep"
- P5155778      Guard, Differential, Dana 35, Laser Cut "Jeep"
- P5155443      Guard, Differential, Dana 44, Laser Cut "Jeep"
- P5155444      Guard, Differential, Dana 60 (J8), Laser Cut "Jeep"
- P5155780      Guard, Differential, Chrysler Axle, 8.25" Gear, w/o Electronic Limited Slip, Laser Cut "Jeep"
- P5155779      Guard, Differential, Chrysler Axle, 8.25" Gear, Electronic Limited Slip, Laser Cut "Jeep"
- P5155781      Guard, Differential, Chrysler Axle with 9.25" Gear, Laser Cut "Ram"
- P5155677      Guard, Differential, AAM Axle with 10.5" Gear, Laser Cut "RAM"
- P5155678      Guard, Differential, AAM Axle with 11.5" Gear, Laser Cut "RAM"

AXLE COMPONENTS

C. Locker Wiring Harness

Jeep Rubicon Tru-Lok® locking differential activation wire harness. Facilitates installation of axles equipped with Tru-Lok® in most vehicles.

- P5155359      Harness, Wiring, Allows Locker Axles To Be Powered



A.      P5155446



B.      P5155678



B.      P5155442



C.      P5155359

## AXLE COMPONENTS

### A. Dana 44 Components

- P5155759** Axle Shaft, DANA 44F, Left, Inner, 4340 Chrome Moly, JK
- P5155760** Axle Shaft, DANA 44F, Outer, 4340 Chrome Moly, JK
- P5155758** Axle Shaft, DANA 44F, Right Inner, 4340 Chrome Moly, JK
- P5155756** Housing Only, Front, Dynatrac ProRock 44®, 2007-10 Jeep Wrangler. Includes Differential Cover, OEM Ball Joints, HD 3" x ½" wall axle tubes, increased pinion angle and caster angle for lifted suspension. Accepts customer supplied Wrangler JK knuckles, hubs, and brakes. Also accepts stock Rubicon Dana 44 ring & pinion with Tru-Lok® electric, selectable, locking differential. Re-uses stock Rubicon 44 front axle shafts or P5155758 and P5155759 inner axle shafts.

### B. Ram Locking Hub Conversion Kit

Free Spin® Hub Conversion by Dynatrac, includes Warn lockout hubs. This kit reduces front axle wear and improves fuel efficiency by permitting the driver to disengage the front axle shafts and driveshaft rotation when operating in 2WD. For trucks with Single Rear Wheels (SRW).

- P5155762** Hub Conversion, Free Spin, 00-08 Ram 2500 4WD, SRW

## EXTERIOR BODY COMPONENTS

### C. Hemi Hockey Stick Graphics Kits

Kit includes Hemi® Hockey Stick Graphics (driver and passenger bed sides) and hood stripe. Fits both long and short bed trucks. Material is Avery two mil high-performance cast vinyl film, die-cut and pre-masked. Kit includes step-by-step installation instructions and application squeegee.

- P4510272** Graphics Kit, Hemi Hockey Stick, Black, 2007 Dodge Ram 6.5' and 8.0' Bed
- P4510274** Graphics Kit, Hemi Hockey Stick, Silver Metallic, 2007 Dodge Ram 6.5' and 8.0' Bed
- P4510273** Graphics Kit, Hemi Hockey Stick, White, 2007 Dodge Ram 6.5' and 8.0' Bed







### D. Hemi Billboard Graphics Kits

Kit includes Hemi® Billboard Graphics (driver and passenger bed sides) and hood stripe. For short bed trucks only. Material is Avery two mil high-performance cast vinyl film, die-cut and pre-masked. Kit includes step-by-step installation instructions and application squeegee.

- P4510275** Graphics Kit, Hemi Billboard, Black, 2007 Dodge Ram, 6.5' Bed
- P4510277** Graphics Kit, Hemi Billboard, Silver Metallic, 2007 Dodge Ram 6.5' Bed

### E. Grille Assembly, Wire Mesh, Stainless

- 77DUB01023** Grille, Chrome, Wire Mesh, 2006 Commander
- 77070001** Grille, Chrome, Wire Mesh, 2007-09 Wrangler, 2/4DR

 <p>A. P5155756</p>	 <p>B. P5155762</p>
 <p>C.</p>	 <p>D.</p>
 <p>E.</p>	 <p>E.</p>

Questions? Call the Mopar Direct Connection Techline at 1-888-528-HEMI (4364)

<sup>1</sup> Not legal on pollution-controlled vehicles or vehicles registered for highway use.

JEEP/RAM

EXTERIOR BODY COMPONENTS

A. Corner Guards

Help protect your wrangler's rear corners with these heavy duty Corner Guards. Stamped from 1/8" steel, these guards fit the contours of your Jeep. Available for 2-door or 4-door.

- P5155349     Corner Guards, Rear, 2007-09 Wrangler 2-Dr.
- P5155350     Corner Guards, Rear, 2007-09 Wrangler 4-Dr.

B. Bumpers

- P5155481     Bumper, Front, Integrated Winch Mount, 1982-01 Cherokee (XJ)
- P5155352     Bumper, Front, Integrated Winch Mount, 2007-10 Wrangler (JK)
- P5155353     Skid Plate, For Use With Bumper P5155352, 2007-10 Wrangler (JK)

Doors (Not Shown)

- <sup>1</sup> P5155495     Doors, Safari, 1984-01 Cherokee (XJ), 4-Dr.

Rock Rails (Not Shown)

- P5155494     Rock Rails, 1984-01 Cherokee (XJ), 4-Dr.

C. Pre-Runner Body Components

- <sup>1</sup> P5155663     Bumper, Front, 2009-10 Ram (DS) 1500, Pre-Runner
- <sup>1</sup> P5155665     Fenders, Front, 2009-10 Ram (DS) 1500, Pre-Runner
- <sup>1</sup> P5155666     Quarter Panels, 2009-10 Ram (DS) 1500, Pre-Runner
- <sup>1</sup> P5155664     Tire Carrier, 2009-10 Ram (DS) 1500, Pre-Runner

HOODS AND HOOD COMPONENTS

D. Hoods

Add style and functionality with this stamped steel hood. Heavy gauge galvanized hood is delivered E-coated and ready to paint. Complete bolt-on package uses existing factory hardware.

- <sup>1</sup> P5155351     Hood, Heat Reduction, 2007-09 Wrangler

OFF ROAD TOOLS AND ACCESSORIES

E. Jack Base

Provides needed extra lift to your factory scissor jack when changing taller tires. Stores neatly in your Wrangler's rear compartment.

- P5155336     Jack Base, 7.5" W x 10.5" L x 3.5" H



A.



A.



B.     P5155481



B.     P5155352



C.



C.



C.



D.



D.



E.     (Jack Not Included)





AUTHENTIC PERFORMANCE



PERFORMANCE



PERFORMANCE CATALOG