

WASTE HOLDING TANKS

In Section L:	Fresh Water Line	Filters	Winterizing	Pumps	Faucet & Shower	Sink & Drain	Holding Tanks	Drain Valves & Fittings	Drain Hose	Chemicals & Toilets
---------------	------------------	---------	-------------	-------	-----------------	--------------	---------------	-------------------------	------------	---------------------


POLY TANK INLET OR VENT

Rubber fittings for polyethylene (not ABS) tanks.




Polyethylene Tank Inlet:

- 21288 1 1/2" #OR-23 1
- 21289 2" #OR-24 10
- 21290 3" #OR-25 1




POLYETHYLENE WASTE HOLDING TANKS (order fittings separately)




8.7 GAL. HOLDING TANK WITHOUT FITTINGS

23715 8.7 Gallon Tank #H469 1




18.5 GAL. HOLDING TANK W/O FITTINGS

23719 18.5 Gallon Tank #H514 1





23 GAL. HOLDING TANK WITHOUT FITTINGS

23701 23 Gallon Tank #H136 1




24 GAL. HOLDING TANK WITHOUT FITTINGS

23727 24 Gallon Tank #H094 1




25 GAL. HOLDING TANK WITHOUT FITTINGS

23722 25 Gallon Tank #H537 1




26 GAL. HOLDING TANK WITHOUT FITTINGS

23712 26 Gallon Tank #H141 1



27 GAL. HOLDING TANK WITHOUT FITTINGS

23721 27 Gallon Tank #H052 1







27 GAL. HOLDING TANK WITHOUT FITTINGS

23726 27 Gallon Tank (3" outlet) #H086 1

POLYETHYLENE WASTE HOLDING TANKS WITHOUT FITTINGS

SEE PREVIOUS PAGE FOR POLYETHYLENE TANK FITTINGS. NOT INTERCHANGEABLE WITH ABS.



CP PRODUCTS TANK PROBE

Use this sensor with your tank monitor panel. The probe works with fresh or waste water tanks, and is easy to install—just drill a hole in the tank, insert the probe and screw closed for a water tight seal.



21886 Tank Probe Well Nut #MP5 **1**

BRI-RUS SPECIALTY RECREATION

BRI-RUS SELF-SEALING WATER TANK FITTING



- 1/2 inch barb. • Self-sealing fitting. • Fits in a 7/8 inch hole. • Made in the USA. Directions for Installation: • Drill a 7/8" hole at desired location. • Back the nut off to the end of threads. • Insert fitting into hole at a 45° angle, snap into place. • Pull down on fitting and slowly turn clockwise until snug and O ring is seated.

68655 Water Tank Fitting #TF-1 **1**



The Original - Popular since 1972.

NEW!



Garden Hose Thread Terminal



ZEBRA RV ACCESSORIES COVERED BUCKET



HOLDING TANK FOR SINK AND BATH WASTE WATER

The Covered Bucket collapses into 2" x 10" x 10" for storage, yet holds more than 5 gallons (20 liters) of sink (grey) waste water. A positive shut-off valve prevents spills and the collapsible design means no venting is required. It comes with a 4 foot hose that attaches to your RV's male garden hose thread outlet. It is the least expensive model that meets all State and Campground Regulations for grey waste water disposal.

Packaged in a slim, shrink wrap package, a convenient hanging tab is provided for display hanging. Weighs less than 1 lb when empty.

20160 Covered Bucket, Grey Water Tank #R7701 **12**

JR PRODUCTS HOLDING TANK HEATER




Holding tank heating element is an easy and practical way to winterize your RV tanks. Can be used on either fresh or septic tanks. Dual voltage ready for both 12 volt and 110 volt applications. Elements are thermostatically controlled and activate at approx. 34°F to stop the contents of your tank from freezing. 30" x 13" element is foil-covered heater; comes with a 24" ground wire for safety, 6' of 120 volt wiring for easy installation. Draws approx. 1-amp AC and 10-amperes DC current when in use. Multiple elements can be used where needed.



14083 Holding Tank Heater #HTH-A **2**

In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings Drain Hose Chemicals & Toilets




ABS WASTE HOLDING TANKS

Tough ABS plastic. Lightweight, uniform in size and design. 3" slip hub drain outlet. Lid flange standard with 1 1/4"- 1 1/2" all around.

- 28778** 18-Gallon Tank, 16" x 46" x 9"; End Drain Right #HT179 1
- 28780** 26-Gallon Tank, 28" x 40" x 9"; Side Drain Center #HT200B 1
- 28779** 31-Gallon Tank, 24" x 48" x 9"; End Drain Right #HT198 1

NOTE: Order fittings separately.



ABS TANK FITTINGS (not for polyethylene)

- 20481** 3" FPT Inlet; 3" Flush Threaded #154 1
- 21731** 1-1/2" Vent; 1.5" Raised Slip #146 1



JR PRODUCTS FLUSH SLIP FITTING

Flush fittings will bond directly to the surface of the tank. Packaged.

- 21670** 2" I.D. Hub Vent #217-A 5



AP PRODUCTS HOLDING TANK REPAIR KIT

Professional holding tank repair kit stops leaks. Permanent. No tank removal necessary. Complete in minutes. Contains 3 epoxy pouches, fiberglass cloth, sandpaper, and application brush.

- 27306** Holding Tank Repair Kit #002-90213 6



SHURflo MACERATOR 12V DC PUMP

Designed specifically for sanitation waste and fish box evacuation, SHURflo's Macerator pump features a premium impeller design with run-dry capability and includes our seamless shell e-coated motor with o-ring sealed end bells and sealed manual turn key. SHURflo's unique dual blade and housing construction ensures problem free pumping, providing superior performance in harsh marine environments.

Performance: 0 psi: 13 GPM, 4 psi: 8 GPM, 8 psi: 6 GPM, 12 psi: 4 GPM, 16 psi: 0.0 GPM
 • Pump Type: Centrifugal • Inlet Port: 1-1/2" Barb/1-1/2 NPT • Outlet Port: 1.0" Barb
 • Liquid: 130 °F [54 °C] max • Prime: 4' [1.21 M]
 • Inlet PSI: 30 psi [2.1 bar] max • Run Dry: Yes - 3 minutes • 1-yr. Limited Warranty • Net Weight (Boxed): 6 Lbs.

- 28109** Macerator Pump 12V #3200-001 6



FLOJET RV MACERATOR WASTE PUMP

- Neat and clean way to quickly evacuate waste tanks.
- Empty black-water and gray-water holding tanks at home.
- Grinds waste as it pumps.
- Built-in impeller protection device for longer life.
- Flow of up to 13 gpm for fast, clean holding tank evacuation.

The RV macerator pump from Flojet is designed to add flexibility to holding tank service. With the Flojet waste pump you can not only empty the black and grey water tanks at a conventional dump station, but also down a toilet, into your house sewer clean-out, septic tank or into a mobile waste wagon. The Flojet RV macerator pump will empty a typical 30-gallon holding tank in less than three minutes. The time increases somewhat as the distance pumped is increased beyond 25'. The pump will macerate and pump all waste and tissue normally found in RV waste systems. Put an end to handling and rinsing a dirty 3" sewer hose; instead use a cleaner, easier-to-handle garden hose. Now you can pump up-hill, and around corners. The RV waste pump will simplify and improve your RV experience!

- Empty holding tanks and avoid dump stations.
- Transfer waste from recirculating toilets to main holding tank. Easy to install: because it is self-priming, it may be located up to 4' above the tank liquid level. The intake port is designed to accept a 3" ID slip-on hose and the discharge port will accept a 1" ID hose. When installed, the macerator can be used to empty the holding tank into any convenient sewer receiver such as a sewer clean-out at your home. 3" hose inlet port; 1" hose barb outlet port.

- 20535** 12-Volt RV Macerator Pump; 8-1/4" L #18550000A 24



PLASTIC TANK & RADIATOR REPAIR KIT

With a Seal-N-Place Repair Kit, ABS, polyethylene, or plastic tanks can be repaired permanently in minutes. Can also be used for skin or roof repairs on all types of RVs and mobile homes.



- 21326** Tank Repair Kit #002-90214 6

ETERNABOND TANK REPAIR KIT

This is the only product that fixes your leak the moment it makes contact with the repair area, grabbing all types of surfaces including steel, aluminum, fiberglass, polyethylene, rubber, ABS. Eternabond can be used with perfect results the first time you use it. No other product is as effective or as easy to use!



- 46468** 6" x 6" Aluminum Patch Kit #60009 12



TEKNOR APEX AQUA DRAIN HOSE

For flushing out gray and black water tanks. Not for drinking water.



- 28046** 5/8" x 25' Hose #828VR-25 10



DURAFLEX SEWER FITTINGS



24627



24628
(sold each;
both ends shown)



24629



24654,
24650



24653,
24649



24654



24630



24656



27902



27899



27905



24656, 24652

24655, 24651

DURAFLEX PLUMBING ADAPTERS FOR THETFORD-STYLE BAYONETS

PLAIN TERMINATION CAP

Positive seal dust cap protects drainage system.

24627 Plain Termination Cap
#24627 10

ANGLED HOSE ADAPTER

Connects 3" sewer hose to drainage system.

24628 Angled Hose Adapter
#24628 40

CAP WITH HOSE ADAPTER

For draining into portable waste holding tanks.

24629 Cap With Hose Adapter
#24629 6

STRAIGHT HOSE ADAPTER

Fits in standard 4" trailer hose bumper for convenient storage while attached to 3" sewer hose.

24630 Straight Hose Adapter
#24630 6



24630



27797,
20099

DURAFLEX SEWER AND DRAIN FITTINGS

- All DuraFlex adapters, caps & fittings interchange with Valterra, Anonda & Larden fittings.
- Slip sockets and spigots with flanges for attaching to drain valves.
- Bayonet end for attaching 3" bayonet fittings to drain valves.
- Made of durable, UV-stabilized ABS.

Slip Socket Flanges:

- 27899** 3" Flange #27899 144
- 27900** 2" Flange #27900 1
- 27901** 1-1/2" Flange #27901 40

Spigot Flanges:

- 27905** 3" Flange #27905 144
- 27904** 2" Flange #27904 1
- 27903** 1-1/2" Flange #27903 1

Bayonet Flange:

27902 3" Flange #27902 144

3/4" Hose Cap with Strap:

- 27797** 1/Card #27797 1
- 20099** Bulk #20099 100



DURAFLEX HOSE COUPLER

Couple 2 or more 3" sewer hoses together, for extended reach.

27906 3" Sewer Hose-to-Hose Coupler
#27906 150

DURAFLEX CLEAR 45° SEWER FITTING

45° angle eliminates hose kinks. Clear adapter allows you to see when your tank is rinsed clean.



27669 Clear 45° Sewer Fitting
#27669 10

DRAIN VALVES & ACCESSORIES

PLUMBING

L

In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings Drain Hose Chemicals & Toilets



DURAFLEX BASIC WASTE VALVES

- Threaded handles for easy replacement.
- Stainless steel shafts. • Buna-n-rubber seals provide positive protection from leaks.
- Valves, handles & fittings made of long-lasting ABS plastic.

Duraflex Basic Waste Valve:

- 24646** 1 1/2" #T24646 1
24647 2" #T24647 40
24648 3" #T24648 38



THETFORD PRODUCTS

BASIC VALVES (MOLDED ABS)

Flat top for direct mount 3" spigot on bottom [#01457 seal and (4) #08737 mounting screws included].

- 27448** Valve f/Ext Handle #08709 1
 3" socket on top. 3" spigot on bottom.
27451 Basic Valve 3" x Spigot (with handle) #08669 1

BAYONET RING

Solvent cements to any 3" male nipple 3" DWV pipe.



- 27402** Bayonet Ring #01639 6



VALTERRA EZ-VALVE ELECTRIC WASTE VALVE SYSTEM

- Powered by a durable, high torque, water resistant electric motor.
- Built-in 5 amp breaker protects the entire system and is easily re-set without the need to replace fuses.
- Switch light activates immediately upon valve opening, and stays illuminated until valve closes completely.
- Built-in limit switches eliminate the need to "listen" for activation.
- 3 year warranty.

EZ-VALVE SPECIFICATIONS

- Voltage: 12-V DC.
- AMP Rating: 2.5 Amps per valve.
- Valve Size: 3".
- Open Cycle Time: 1.3 seconds.
- Closed Cycle Time: 1.3 seconds.
- Open/Close Cycle Tested: 6,000 cycles.
- Valve Length Open: 15-1/4".
- Valve Length Closed: 11-1/2".
- Flow Direction: Either direction.
- Operating Temp: 35-120°.
- Harness Length: 84".

- 28417** 3" Bladex Electric Valve #E1003VP 1



THETFORD SLIDE-EZ VALVE REPAIR PACKAGE

Slide-EZ Valve Repair Kit contains all seals to repair Thetford Termination Valves with stainless steel or bronze covers.

- 27458** SEV Service Repair Package #09872 1

JR PRODUCTS DRAIN HOSE WRENCH



A tool for quick and easy hook-up and removal of most 3" drain hoses, caps and termination valve fittings.

- 25307** Drain Hose Wrench #04154 6



VALTERRA TWIST-ON VALVE

Have you ever delayed fixing an old valve problem? Now just twist a new one onto your current waste valve bayonet fitting and eliminate messy replacements or a trip to the service department.

- 28293** Twist-On Valve #T58 16

BLADEX™ DOUBLE WASTE VALVE ASSEMBLIES



1 1/2" and 3" rotating valves on one collector fitting. Provides greater flexibility in waste plumbing design. Eliminates the need for extra fittings. All assemblies are 100% factory tested to ensure leakproof reliability.

- 24444** 3" x 1 1/2" Rotating Sanitary Double Valve Assembly, 3" Hub x 1 1/2" Hub x 3" Bayonet with Cap #T18 6
24445 3" Rotating Wye Double Valve Assembly, 3" Hub x 1 1/2" Hub x 3" Bayonet with Cap #TR38 6
24446 3" Heel Inlet, 1/4 Bend Double Rotating Valve Assembly, 3" Hub x 1 1/2" Hub x 3" Bayonet with Cap #T68 6
23545 3" Double Elbow Double Rotating Valve Assembly, 3" Hub x 1 1/2" Hub x 3" Bayonet with Cap #T80 6



Plastic Handles



Metal Handles

BLADEX™ VALVES

Bladex™ valves are interchangeable with Valterra, Grentec, Anonda, Larden & Bristol.

WITH PLASTIC HANDLES

With Plastic Handles:

- 20453** 1½", Carded #T1001VP 28
- 20017** 2", Carded #T1002VP 28
- 20097** 3", Carded #T1003VP 28

WITH METAL HANDLES

Bladex™ waste valves come with durable, die-cast aluminum handles. Aluminum handles offer reliable strength that you can trust.

With Metal Handle, 1/Card:

- 24447** 1½" #T1001VPM 28
- 24448** 2" #T1002VPM 28
- 24449** 3" #T1003VPM 28



21283



24478

VALVE REPLACEMENT HANDLES

All replacement handles are threaded for easy attachment. Fits Bladex or Valterra old style valves.

Valve Handles, Carded:

- 21283** Plastic #T1003-6VP 1
- 24478** Metal #T1003-6MVP 1

**VALTERRA
BLADEX™ WASTE VALVES**



Bladex;
27160



Old Style;
21284

REPLACEMENT SEALS

FOR BLADEX™ VALVE

Seals are made of high-quality Santoprene for chemical-resistance and maximum durability. Bladex™ seals are specially designed to eliminate leaks, gate seal pinching, and misalignment during movement of rotation on valve fittings. Fits Bladex™ style valves. Carded with nuts and bolts.

Two Bladex™ Seals:


- 27158** 1½" #T1001-9VP 40
- 27159** 2" #T1002-9VP 1
- 27160** 3" #T1003-9VP 40

FOR VALTERRA VALVE

Fits Valterra old style valves. Carded with nuts and bolts.

Two Valterra Seals:

- 21464** 1½" #T1001-7VP 40
- 20492** 2" #T1002-7VP 1
- 21284** 3" #T1003-7VP 40



25743



26015

CABLE ACTUATED WASTE VALVES

Cable allows waste valves to be in a location protected from damage normally occurring in low and exposed areas. Easy-to-access cable handle permits a simple push/pull motion to operate the waste valves, eliminating difficult side pulls. Patented.

6' Flexible Cable Kit with :

- 26015** 1½" Valve #TC172 4
- 26016** 3" Valve #TC372 4

EXTENSION ROD KIT

Adjustable 10"-12" extension rod kit comes with handle, locking tab, extension rod and coupler.

- 25743** Adjustable Extension Rod Kit, CD/1 #T1046-10VP 46



**VALTERRA
CAPS & ACCESSORIES**

Allows your caps to twist on and off easily. Reinforced ears give longer lasting durability.



20493



20494

3" TERMINATION CAPS

Caps fit round bayonet lugs, Valterra, Anonda and Larden fittings.

With Bayonet Hooks with Cap, Black:

- 20493** Carded #T1020VP 1
- 20494** Carded #T1020-1VP 36



**VALVE CAP
WITH HANDLE**



Coupler cap with grip handle eliminates the difficulty of removing valve caps. Also features ¾" FPT hose connection for draining gray water.

- 24611** Valve Cap with handle, Bulk #F02-3106BK 1

**BAYONET
DRIP CAP
SET**



Clean hose storage! No more compartment mess! Facilitates easy storage when caps are installed while hose is compressed. Just twist them on and you're ready to go.



- 28349** Bayonet Drip Cap Set, Carded #T1020-3VP 1

DRAIN VALVES & ACCESSORIES

PLUMBING

L

In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings Drain Hose Chemicals & Toilets



VALTERRA VENTED WASTE VALVE CAP



Simply attaches onto your valve, for venting the waste tank during storage. Venting the tank helps ensure an odor-free RV at the start of the season. CD/1.

27920 Vented Cap #T1024-4VP 30



VALTERRA BAYONET DRIP CAP

Keeps storage compartments clean and prevents messy drips. Fits all 3" bayonet fittings and includes a simple twist-on connection.

27712 Drip Cap #T1020-2VP 5



VALTERRA GRAY WATER DRAIN ADAPTER



Allows for gray water sewer hook-up using 1/2" & 5/8" waste water hose. Use in conjunction with bayonet sewer fittings. Includes 3/4" garden hose connection with cap and easy thumb grip.

Gray Water Drain Adapter w/3/4" Plug:

28415 Bulk #T1020-5 1

28416 Carded #T1020-5VP 1

VALTERRA UNIVERSAL ADAPTER

Lets you use any Anonda or Valterra fitting on a Thetford system. Converts your Anonda or Valterra elbow, straight adapter, or cap with 3/4" drain to fit a Thetford hub fitting.



21498 Universal Adapter, Carded #T05-2285VP 30

20495



VALTERRA HOSE ADAPTERS

STRAIGHT AND 45° HOSE ADAPTERS

Allows your adapters to twist on and off easily. Reinforced ears give longer lasting durability. Straight hose adapters fit inside standard hose bumpers.

3" Hose x 3" Bayonet Hooks, Black:

20495 Carded #T1024VP 30

45° Hose Adapter:

20496 Carded #T1025VP 20

DELUXE HOSE ADAPTER

4-hook for the strongest connections. Swivel fitting stops any hose from twisting and kinking. Wire retainer keeps the end of the hose wire tucked away and safe.



3" Straight Bay Hose Adapter:

28351 Bulk #T1024-2 6

28352 Carded #T1024-2VP 1



Brings drain connection out from underneath the RV

VALTERRA 10" HOSE ADAPTER

- 3" bay hooks x 3" bay lugs.
- No hose clamps need with bayonet lug adapter; twists on current hose adapter.



28727 10" Hose Adapter #T1022BK 6

20496



VALTERRA CLEARVIEW FITTINGS & ADAPTERS



Clear fittings for every application inside or outside the sewer compartment. Extends drain hose connections to a more convenient position and includes bayonet attachment. Fittings are clear so you know when your tank is clean.

Clearview Fittings:

27655 5" #T1021 27

27656 10" #T1022 12

27657 90° #T1023 32

26013



26109

26107

45° Clearview Hose Adapter: Easy viewing with this clear 45° hose adapter. Great when used with tank cleaners that attach directly to the tank or enter through the toilet.

26013 45° Clearview Hose Adapter #T1026 1

Bayonet Hose Adapter: No need to re-attach hose and mess with clamps. These hose adapters simply twist on. Clear, so you know when it's clean. Extra strong material prevents breakage.

26107 45° Clearview Hose Adapter w/Bayonet Lugs #T1026-1 36


45° Clear Hose Adapter with EZ Coupler Threads: Lets you see when it's clean. 45° adapter reduces stress on your hose while dumping. EZ Coupler threads let you twist your hose right on—no hose clamps needed.

26109 EZ 45° Adapter, Clear #F02-3111 22



FLANGED VALVE FITTINGS

For Valve Attachments.



Slip Socket

SLIP SOCKET FLANGE

Slip socket with flange for valve attachment.

Slip Hub:

20461 1½" (Also used as a 2" spigot)
#T1005-1 1

20018 2" #T1005-2 1

20093 3" #T1005 1

SPIGOT FLANGE

Spigot (male slip) flange for valve attachment.

Spigot Flange, Black:

20095 3" #T1006 1

20462 1½" #T1006-1 1

20019 2" #T1006-2 10



Spigot




27926

WYE REDUCING

3" Wye Reducing:

27926 3" Bayonet End x 3" Stationary Flange x 1½" Rotating Flange #T1014 10

27927 3" Bayonet End x 3" Rotating Flange x 1½" Rotating Flange #T1014-1 8



20096

FEMALE THREAD FLANGE

Female thread with flange for valve attachment.

20094 3", Black #T1007 48

MALE THREAD FLANGE

Male thread with flange for valve attachment.

MPT Flange, Black:

20096 3" #T1008 42



BAYONET END FLANGE

3" bayonet end with flange for valve attachment.

20105 Bayonet End Flange, Black
#T1009 1

SANITARY "T" COLLECTOR FITTINGS

3" San Tee Reducing:

20100 3" Bayonet End x 3" Rotating Flange x 1½" Slip Hub #T1011 12

20468 3" Bayonet End x 3" Rotating Flange x 2" Slip Hub #T1012 12

3" Double San Tee Reducing:

20101 3" Bayonet End x 3" Rotating Flange x 2" Slip Hub x 1½" Slip Hub
#T1013 8



20109

20108

3" WYE COLLECTOR FITTINGS

3" Wye Reducing:

20109 3" Bayonet End x 3" Stationary Flange x 2" Slip Hub #T1015 8

20108 3" Bayonet End x 3" Rotating Flange x 2" Slip Hub #T1015-1 7



20100

20468



20101



20116

27928

21462

HEEL INLET QUARTER BEND

20116 3" Bayonet End x 3" Rotating Flange x 2" Slip Hub #T1030 1

21462 3" Slip Hub x 3" Rotating Flange x 2" Slip Hub #T1030-1 1

27928 3" Bayonet End x 3" Rotating Flange x 1½" Rotating Flange #T1031 1



21549

27930

TWO-WAY ELL

21549 3" Bayonet End x 3" Rotating Flange x 1½" Rotating Flange #T1036 16

27930 3" Spigot x 3" Rotating Flange x 1½" Rotating Flange #T1036-1 1



20117

21463

90° ELL WITH 3" ROTATING FLANGE

20117 3" Bayonet End #T1035 1

21463 3" Slip Hub #T1035-1 1

**SEE PAGES 317-320
FOR MORE ABS DRAIN FITTINGS**

DRAIN FITTINGS

PLUMBING

L

In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings Drain Hose Chemicals & Toilets

VALTERRA ADAPTERS



20113

20107



20106

21461



25533

TERMINATION ADAPTERS

WYE

20113 3" Wye, 3" Bayonet End x 3" Slip Hub x 2" Slip Hub #T1015-2 1

BAYONET

20107 3" Bayonet End x 3" Spigot #T1029-1 1

20106 3" Bayonet End x 3" Slip Hub #T1029-2 1

21461 3" Bayonet End x 3" Male Thread #T1029-4 10

ROTATING RIGID PIPE ADAPTER

For parks that require rigid piping at semi-permanent sites. Thread adapter into female fittings and twist the other end onto your valve fitting. Rotates for easy connection.

25533 3" Male Thread x Bayonet Hooks #T1027 40



20490



20491

VALTERRA TANK ADAPTERS – ECCENTRIC GRAY WATER TANK REDUCER ABS

3" Spigot x Hub:

20490 1 1/2" Hub #T1041-1 1

20491 2" Hub #T1041-2 5



2-piece set

Shown assembled

SPEEDI SEWER ADAPTER

Two-piece adapter allows hose fitting to remain with hose during storage. Funnel section makes for a quick connection to your RV sewer.

24557 Speedi Adapter #F04-0100 24



28009



21340

SEWER SPONGE RINGS

For RV parks requiring a gas-tight sewer connection. 4" x 3" sponge ring.

Sponge Ring:

21340 Hard #F02-4500 1

28009 Soft #F02-4600 1



20073



20074



20072

DRAIN HOSE COUPLERS

20072 90°, 3" hose x 3" hose, Black #F02-2023 45

20073 45°, 3" x 3", Black #F02-2024 1

20074 Straight, 3" Slip x 3" Slip, Yellow #F02-2025 1



20076



28350

3" BAYONET WYE, HOOK x HOOK x LUG

Joins two outlet hoses to one sewer hose line. Required when RV (usually a 5th wheel) has a second gray water tank that terminates separately from main black/gray tanks. Allows RVer to easily hook-up both drain lines to the sewer. Uses standard Bayonet connections.

20076 Wye, 3" Hose X 3" Hose X 3" Hose, Black #F02-2027 25

28350 Wye Rotating Bayonet Fitting #F02-2030 9

SEWER ADAPTERS & ACCESSORIES



20059



20062



20061

SEWER INLET FITTINGS

CLOSE ELBOW

Female Close Elbow:

20059 90°, 3" Hose x 3" FPT #F02-2000 1

Male Close Elbow:

20061 90°, 3" Hose x 3" MPT #F02-2002 1

20062 60°, 3" Hose x 3" MPT #F02-2003 45



20063



20064

ADAPTER

20063 Female, 3" Hose x 3" FPT #F02-2004 5

20064 Male, 3" Hose x 3" MPT #F02-2005 1

DRAIN CAP ADAPTER



Reduces 3" pipe thread to 3/4" male hose thread, to fit any water hose.

20065 LS 3" Female Drain Adapter x 3/4" Male Garden Hose Thread #F02-2019 1



ULTIMATE SEWER KIT



Contains everything you need for the most simple, secure hookup up to 20 feet! Nine-piece kit contains: one Universal Elbow, one Hose Adapter, two Ultimate Sewer Hoses (10'), one Hose Coupler and four Sewer Seals. Universal Elbow securely fits most park sewer openings. Hose Adapter has four bayonet hooks and an "X-ring" seal for a leak-free connection to most waste-valve outlets. Ultimate Sewer Hoses have Pushover Quick Connectors installed for simple, "push-on" connections without the need for clamps. Hose Coupler easily extends hoses up to 20 feet. Sewer Seals create a secure, air-tight seal with hoses and fittings, eliminating unwanted odor and drainage.

28377 Ultimate Sewer Kit #1-0203 *g*



QUICK CONNECT SEWER KIT



Contains everything you need for the most simple, secure hookup! Five-piece kit contains: one Universal Elbow, one Hose Adapter, one Ultimate Sewer Hose (10') and two Sewer Seals. Universal Elbow securely fits most park sewer openings. Hose Adapter has four bayonet hooks and an "X-ring" seal for a leak-free connection to most waste-valve outlets. Ultimate Sewer Hose has Pushover Quick Connectors installed for a simple, "push-on" connection without the need for clamps. Sewer Seals create a secure, air-tight seal with hoses and fittings, eliminating unwanted odor and drainage.

28378 Quick Connect Sewer Kit #1-0202 *g*



DURAFORM™ PREMIUM SEWER HOSE



Bends and retains its shape! Made of long-lasting, UV-protected, heavy-duty polyolefin. Reinforced with steel wire. Pushover Quick Connectors are installed for a simple, "push-on" connection to BlueLine fittings. Fits inside standard 4" bumpers.

28731 Duraform 5' #1-0068 *1*
28445 Duraform 10' #1-0067 *20*



ULTIMATE SEWER HOSE



Comes with Pushover Quick Connectors installed for a simple, "push-on" connection to other BlueLine fittings. No more clamps, tools, or threading your hoses! Made of superior, heavy-duty vinyl for all-weather durability.

26027 Ultimate Sewer Hose 5' #1-0062 *20*
25619 Ultimate Sewer Hose 10' #1-0061 *15*
27645 Ultimate Sewer Hose 17' #1-0064 *7*
27583 Ultimate Sewer Hose 25' #1-0065 *7*