



Basic Kit



Deluxe Kit

CP PRODUCTS RV STARTER KITS

BASIC KIT INCLUDES:

- 1 10231 30A-15A Electrical Adapter
 - 1 20138 3" Hose Clamp
 - 1 24650 Sewer Hose Adapter
 - 1 25760 10' Sewer Hose
 - 2 26078 2-Oz. Aqua Kem Dry
 - 1 27294 1/2" x 15' Water Hose
 - 1 27586 1 Roll C/P Tissue
 - 2 98303 Latex Gloves
- All are packaged together in a color box.

27588 Basic RV Starter Kit
#27588 1

DELUXE KIT INCLUDES:

- 1 10231 30A-15A Electrical Adapter
 - 1 20138 3" Hose Clamp
 - 1 20150 1/2" x 25' Water Hose
 - 1 24650 Sewer Hose Adapter
 - 1 25760 10' Sewer Hose
 - 2 26078 2-Oz. Aqua Kem Dry
 - 1 27550 Water Regulator
 - 1 27586 1 Roll C/P Tissue
 - 1 40482 Cd/1 5Way Level
 - 2 98303 Latex Gloves
- All are packaged together in a color box.


27589 Deluxe RV Starter Kit
#27589 1

BRD SUPPLY SEWER HOSE BUMPER




4" square x 96" long sewer hose bumper, welded steel, unpainted, without brackets.

85457 Bumper
#P099 ◆1



Ultra-unique mounting bracket.



ULTRA TRAIL-EZE II

Ultra-Fab's Trail-Eze II is a fully adjustable fiberglass wind deflector for use with 5th wheels or travel trailers. Supplied spring-loaded struts are used when towing 5th wheels; they allow the deflector to stand straight up to low speeds to provide the necessary clearance in tight turns. At higher speeds the wind deflector tilts back to match the angle of the windshield for maximum fuel economy. When not towing, the deflector can be lowered to horizontal position in seconds. The heavy metal frame attaches to most full size pickups without drilling or modifying the vehicle in any way. Special brackets that bolt into the forward stake pockets hold the frame in position. Mileage increases of up to 26% have been reported using the Trail-Eze II. Size: 33" x 60".

- FEATURES:**
- Fiberglass.
 - Lightweight.
 - Installs in minutes.
 - No holes to drill.
 - Fits most full size pickup trucks — Chevrolet, GMC, Ford, Dodge.
 - Saves fuel.
 - Keeps bugs off trailer.
 - Can be removed in minutes.
 - Lays flat in seconds.
 - Looks great.
 - 1-yr. limited mfr. warranty.

77014 Trail-Eze II #35-946200 ◆1

THE INSULATOR

INSULATING FOIL

INSULATION & SOUND BARRIER FOR RVs!

Suppresses noise, heat, cold and moisture that can interfere with the comfort and quiet of your motorhome. An excellent lightweight, easy-to-install insulation for generator compartments, engine covers/compartments and under carpets or floor mats (does not affect the fit of any component that it is installed under). 3/8" thickness is made up of a dense packing of recycled cloth material, a highly effective fire-retardant coating and a space-age aluminized outer layer. Trim to any shape with household scissors and adhere in place with "Sticky Stuff" spray adhesive (#49897). Seal edges with "Insul-Tape" (#40592). Conforms to FMVSS safety standard 302. Coast Guard, F.A.A. approved (aircraft grade only). *Install with foil side toward source of heat or noise.*



49896 Single-Side Foil Insulation, 4' x 6' Sheet #3000-22 4

40592 30' Insul-Tape™ #3330 12

STICKY STUFF™ SPRAY ADHESIVE

Specially formulated to ensure proper bonding when installing single-sided foil insulation. Even sticks to metal. One can adheres each 4' x 6' sheet of "Insulator" insulation. There are many other uses for this spray adhesive. 16-fluid ounce can (net wt. 10-Oz.).




49897 Spray Adhesive #4000 12

BRI-RUS SKYLIGHT DOMES

• Skylights are made of high performance thermoformed polycarbonate to be long lasting and easy to clean. • When choosing a Skylight, measure your rough hole opening as well as the overall exterior size. • There is a size to replace most manufacturer's original equipment. • Skylights include care instructions. • Skylights include a tube of approved urethane sealant that must be used when installing.



Order #	Mfr. #	Color	Hole Size (a x b)	Flange size (c x d)	Height
SKYLIGHTS - RECTANGULAR					
S/O	SL1414S	Smoke	14" x 14"	18.5" x 18.5"	4"
68653	SL1414W	White	14" x 14"	18.5" x 18.5"	4"
68650	SL1422C	Clear	14" x 22"	17.5" x 25.5"	5"
65887	SL1422S	Smoke	14" x 22"	17.5" x 25.5"	5"
65889	SL1422W	White	14" x 22"	17.5" x 25.5"	5"
S/O	SL1430C	Clear	14" x 30"	17.5" x 33.5"	5"
65895	SL1430S	Smoke	14" x 30"	17.5" x 33.5"	5"
67267	SL1430W	White	14" x 30"	17.5" x 33.5"	5"
69289	SL1434S	Smoke	14" x 30"	17.5" x 37.5"	4.5"
68652	SL1518C	Clear	15" x 18"	19" x 21.5"	4.5"
68651	SL1518W	White	15" x 18"	19" x 21.5"	4.5"
67269	SL1626W	White	16" x 26"	20" x 30"	4.5"
69290	SL1630S	Smoke	16" x 30"	19" x 35"	2.5"
67270	SL1824S	Smoke	18" x 24"	21.5" x 27.5"	5"
65891	SL1824W	White	18" x 24"	21.5" x 27.5"	5"
65897	SL1830S	Smoke	18" x 30"	21.5" x 33.5"	5"
67271	SL1830W	White	18" x 30"	21.5" x 33.5"	5"
68654	SL2222C	Clear	22" x 22"	25.5" x 25.5"	4.5"
65899	SL2222S	Smoke	22" x 22"	25.5" x 25.5"	4.5"
65901	SL2222W	White	22" x 22"	25.5" x 25.5"	4.5"
67272	SL2230S	Smoke	22" x 30"	25.5" x 33.5"	5"
69291	SL2234S	Smoke	22" x 34"	25.5" x 37.75"	4.5"
69292	SL3030S	Smoke	30" x 30"	34" x 34"	5"
SKYLIGHTS - NEO ANGLE					
68649	NSL208S	Smoke	20" x 8"	24" x 11"	5"
65854	NSL208W	White	20" x 8"	24" x 11"	4"
69853	NEW! NSL2412S	Smoke	24" x 12"	27" x 14.5"	4"
65855	NSL2412W	White	24" x 12"	27" x 14.5"	5"
69855	NEW! NSL279S	Smoke	27" x 9"	31" x 12"	5"
69851	NEW! NSL2810S	Smoke	28" x 10"	32" x 13"	5"
65863	NSL2810W	White	28" x 10"	32" x 13"	5"
69854	NEW! NSL3013S	Smoke	30" x 13"	34" x 16"	5"




Measure Rough Hole for Inside Measurement.

Measure Outside Flange-Flange for Outside Measurement.



To determine what skylight you need...

Measure the size of the rough hole opening in your roof. Skylights sit directly on your RV roof. If necessary an inner garnish is available to finish the inside hole. No metal flange is used with these single pane skylights. Use a skylight size that is equal to or greater than your hole dimensions. Always use included sealant. Note, inners must be the exact size as the hole you are working with.



OP PRODUCTS EXTERIOR AND INTERIOR WINDOW FRAMES

Replace your RV's interior and/or exterior entrance door window frames with exact factory authorized replacement parts! Quick & easy installation; no special tools required. Note: Glass window is held in position by frames only! Beware of sharp edges on glass during replacement process. Glass & replacement screws sold separately. Overall frame dim.: 15-3/4" x 24-3/4". Glass dim.: 12"W x 21"H



- Exterior Window Frame:*
65572 Nu Tru White #77006 1
65573 Ivory #77007 1
65574 Black #77008 1
65575 Brown #77009 1
- Interior Window Frame:*
65576 Nu Tru White #77010 1
65577 Ivory #77011 1
65578 Black #77012 1
65579 Brown #77013 1

In Section M: Starter Kits Vehicle Items Window & Door Interior Accessories Mats Steps Camper Tie Downs Wheel Chocks Ladders Carriers Winches Levelers Jacks

BRI-RUS SKYLIGHT DOMES

• Skylights are made of high performance thermoformed polycarbonate to be long lasting and easy to clean. • When choosing a Skylight, measure your rough hole opening as well as the overall exterior size. • There is a size to replace most manufacturer's original equipment. • Skylights include care instructions. • Skylights include a tube of approved urethane sealant that must be used when installing.

Order #	Mfr. #	Color	Hole Size (a x b)	Flange size (c x d)	Height
INNER GARNISH - RECTANGULAR					
66390	N1422	White	14" x 22"	16" x 24"	4"
66387	N1422D	Clear	14" x 22"	16" x 24"	5"
69293	N1430D	Clear	14" x 30"	26.5" x 32"	4.5"
67273	N1626	White	16" x 26"	18.25" x 28.5"	4"
69294	N1824D	Clear	18" x 24"	20" x 26"	6"
67274	N1830	White	18" x 30"	20.5" x 32"	4"
66386	N1830D	Clear	18" x 30"	20" x 32"	7"
66388	N2222	White	22" x 22"	24" x 24"	4"
66385	N2222D	Clear	22" x 22"	24" x 24"	6"
S/O	N2230D	Clear	22" x 30"	25" x 33"	4"
INNER GARNISH - NEO ANGLE					
S/O	NN208	White	20" x 8"	24" x 11"	4"
S/O	NN208D	Clear	20" x 8"	22.5" x 10"	8"
S/O	NN2412	White	24" x 12"	26" x 14"	5"
S/O	NN2412D	Clear	24" x 12"	26" x 13.5"	5"
69856	NEW! NN2610D	Clear	26" x 10"	29" x 11"	5"
69852	NEW! NN2810	White	28" x 10"	30" x 13.5"	5"
67275	NN2810D	Clear	28" x 10"	29.5" x 12"	9"

BRI-RUS
SPECIALTY RECREATION



66387, Clear Dome*

66390, White

NN2412D, Clear Dome*

Note: Inner garnish part numbers ending in D have a clear polycarbonate top. Picture is not an exact representation.

Denotes Limited Supply! (In Visalia only)



UP
Ultra-Fab Products, Inc.

31793, Closed
ULTRA-FAB PRODUCTS UNIVERSAL ACCESS DOOR

- Built-in lock secures important cargo areas.
- For use on all RVs, trucks, cargo haulers, trailers, and specialty vehicles of all types.
- Easy installation. • 5" x 5" opening and 8" x 7" frame. • 1-yr. Warranty.

Universal Access Door:
31793 White #48-979009 1
31794 Chrome #48-979010 1

OP PRODUCTS
RV DOOR
GLASS WITH
BLACK FRAME,
12"X21"



- One Exterior & one Interior entry door frame, assembled with Glass & screws installed.
- Measures 12" wide x 21" high.
- Easy to replace, no special tools required.
- Other colours available: Nu Tru White, Ivory and Brown via special order.

69846 RV Door Glass With Black Frame, 12"x21" #77051 1

SEE HARDWARE SECTION "G" FOR MORE DOOR AND WINDOW ACCESSORIES



MOTORHOME DOOR

Right-hand hinge only. Outside of door is Colonial White, inside is a Dark Brown (to Polar White as a running change). Comes complete with screen door, flush mount lock and an obscure window (10" x 21") that's made from safety glass.

65402 24" x 72" RH Door, Colonial White #5050SQ24X72RHC/WSL 1

As a running change, the interior color will change from Brown to Polar White.



61022 Shown



As a running change, the interior color will change from Brown to Polar White.

EXTERIOR RV DOORS WITH SCREEN DOOR

Outer doors are built with all the strength of one piece construction. Rugged stucco fiberglass panels are bonded securely to both sides of a solid foam core. The heavy fiberglass panels are damage resistant. Interior door side is brown (to Polar White as a running change). For a consistently-secure closing, the lock stile is pre-cambered to seal the door tightly to the frame. A combination bulb-flap vinyl seal on all four sides insures a weather-tight seal. Three strong aluminum hinges with permanently lubricated bronze bushings secure the door to the frame.

When ordering doors specify either right or left-hand door; determine by facing door from outside: if door hinges are on the right, order a right-hand door; if door hinges are on the left, order a left-hand door.

NOTE: To determine "rough opening" size, measure the opening which the door goes in. Sizes shown are "rough opening" sizes.

COLONIAL WHITE, WITH SCREEN DOOR

Obscure Picture Window size: 12" x 21"

- 65394 22" x 68" Right-Hand Door #5050SQ 22X68RHC/W ◆1
- 61022 24" x 68" Right-Hand Door #5050SQ 24X68CWRH ◆1
- 61035 24" x 70" Right-Hand Door #5050SQ 24X70CWRH ◆1
- 61025 24" x 70" Left-Hand Door #5050SQ 24X70CWLH ◆1
- 65395 24" x 72" Right-Hand Door #5050SQ 24X72RHC/W ◆1
- 61023 26" x 68" Right-Hand Door #5050SQ 26X68CWRH ◆1
- 65397 26" x 72" Right-Hand Door #5050SQ 26X72RHC/W ◆1

POLAR WHITE, WITH SCREEN DOOR

Obscure Picture Window size: 12" x 21"

- 65396 24" x 72" Right-Hand Door #5050SQ 24X72RHP/W ◆1
- 65401 LS US only 24" x 68" Right-Hand Door #5050SQ 24X68RHP/W ◆1
- 65398 26" x 72" Right-Hand Door #5050SQ 26X72RHP/W ◆1



61803 Shown



As a running change, the interior color will change from Brown to Polar White.

COMBINATION RV DOORS

For cab-overs, travel trailers and mobile homes. • Full-sized screen door attached. • Knob and lever lock. Rugged solid foam core construction with full perimeter wood framing. Extruded aluminum surrounds for strength and durability. Delivered pre-hung and pre-squared with frame. Pre-punched, ready for installation. Colonial White or Polar White exterior; Brown interior (to Polar White as a running change). Order as replacement for a mobile home door as this model includes a screen door.

RIGHT HAND COMBO DOORS

14" x 27" Vertical Slider Window, Clear Glass:

- 61804 30" x 72" Colonial White Door #5050SQ CW30X72RH V/S ◆1
- 61803 30" x 72" Polar White Door #5050SQ PW30X72RH V/S ◆1
- 61801 32" x 72" Colonial White Door #5050SQ CW32X72RH V/S ◆1
- 61800 32" x 72" Polar White Door #5050SQ PW32X72RH V/S ◆1

STROMBERG – SOFT TOUCH RV ASSIST HANDLE

The Soft Touch rail is friendlier to your hand than a hard slippery acrylic post. And, the molded finger grips are a nice touch to a product you'll use a dozen times a day leaving and entering your coach. Features: • **Safety** - traction for your hand. • **Comfort** - soft touch material greets your hand. • **Security** - strength in design, room for one or two hands. • **Confidence** - 1-1/4" dia. rail and knuckles don't scrape the coach. • Dim.: 18-5/8" H x 1-1/4" Dia. x 3-3/4" Deep.



77548 RV Assist Handle #AH-100 6



TOPLINE FOLDING GRAB HANDLE

Simple "pinch to activate" NIKKI CLIP folding system. High-density foam grip stays in position.

Folding Grab Handle:

- 74468 White Powder Coated Aluminum #FH3200 6
- 74470 Stainless Steel #FH3300 6



STROMBERG CARLSON FOAM GRIP WRAP

• Installs with out taking your rail apart. • Works on any 1" dia. rail to provide 12" grip.

87266 Foam Grip Wrap #FP-1002-R 6



JR PRODUCTS GRAB HANDLE

Deluxe styled assist handle, chrome finished 9 3/4" L x 1" W.

42249 Grab Handle #9482-000-023 30

In Section M: Starter Kits Vehicle Items Window & Door Interior Accessories Mats Steps Camper Tie Downs Wheel Chocks Ladders Carriers Winches Levelers Jacks



FOLDING ASSIST HANDLE WITH FOAM GRIP

Folds and locks to the side of the RV without tools. Locks open to make entering or exiting your RV easier. Ships pre-assembled. Available finishes in Stainless or White with foam grip.

Folding Assist Handle, 14" W x 24" L:

- 87599** **NEW!** Black #AM-800 6
- 85658** Stainless Steel #AM-300 6
- 85657** White #AM-200 6



R Designer
RV DESIGNER HANDLES

Big Grab Handle, Plastic:

- 40418** White, 18" #E220 1

Soft Grab Handle, Clamshell:

- 41782** Black, 18" #E219 48
- 41783** White, 18" #E216 48



GRAB HANDLE

Provides hand hold at entry door or RV. 9" hole to hole. Pk/1.

- 46094** Chrome, 10" #E221 36
8 3/4" Long, Plastic:
- 40428** Black, 8-3/4" #E223 1
- 40427** White, 8-3/4" #E222 1

JR PRODUCTS GRAB HANDLE



An entry door assist handle made of Rovel that is paintable, fade resistant and impact resistant. Easy installation. 10 3/8" L x 1 5/8" W.

- 49779** Polar White Grab Handle, Without Light #288-CPW-A 1



PLASTIC ENTRY DOOR GRAB HANDLE

Original equipment entry door handles. Made of quality plastic that resists fading, temperature changes, and road acids. Sure grip design and ample hand clearance make this handle perfect for many uses besides entry doors. Easy installation with mounting screws supplied (pkg. only). 9-7/8" overall length; 8-7/8" hole-to-hole.

Entry Door Grab Handle:

- 65839** Black #482-A-3-A 1
- 78840** Colonial White #482-A-1-A 3
- 78841** Polar White #482-A-2-A 1

ILLUMAGRIP™ ACRYLIC ASSIST HANDLE



• 20" long handle. • 1" diameter solid acrylic handle. • Exceeds 400 pound pull test. • Available with 304 stainless steel highly polished finish end caps or in powder coated white ends, in the 4 screw hole style.

Grab Bar, 20" Acrylic, Non-Lighted:

- 46953** White Ends #86420-WH/00 12



INTERTEK SEAT BELTS

Universal length lap belt with automotive style buckle has fully adjustable mounting anchor brackets (2 pairs) and a complete mounting hardware kit. Kit includes two 7/16"-20 x 2 hex tap zinc bolts, two 7/16"-20 automotive grade nylon & zinc lock nut, four 7/16" automotive grade U.S. flat zinc washer and two 7/16 x 2 1/2" automotive grade zinc fender washers.

Seat (Lap) Belt with Hardware:

- 70707** 60" #60W-02 1
- 70708** 74" #74W-02 1
- 70709** 90" #90W-02 24



HICKORY SPRINGS RV BED

• Designed with springs to support mattress versus plywood for better support. • Folds up against the wall for maximum storage space. • Includes ladder and safety rails as required by the Consumer Product Safety Commission. • Totally removable. • Safety tested to support 1,000 pounds per bed. • Ladder can be rotated from left to right (universal positions). • Easy one hand operation. • Adults can sit on bottom bunk with plenty of head clearance.

- 57423** Folding Bed 54"x76" #RV25005476AM 1



ATTWOOD TRAILER DOLLY

Makes trailer maneuvering easy. Dual tire, wide-span wheels lighten the trailer load.

1-7/8" coupler ball for 200-lb. tongue weight capacity. Tubular-steel dolly has black EDC coating. Heavy-duty molded ABS wheels with molded tires. Handle grips are molded plastic; handle breaks down for storage and shipping. Assembly required. • Dimensions: Handle, 45" long; • Wheel span: 20-1/2"; • Wheel diameter: 6-1/2".

- 72582** Trailer Dolly #11160-4 1



SMART SOLUTIONS ADD-A-DRAWER™

Looking for more space? Add-a-Drawer™ is the perfect addition to your RV or Motorhome!

• Mounts easily under tables or cupboards. • Double rail design accommodates flat or lipped table styles. • 8" x 14" x 2" drawer tray. • Self locking sliding channels. • Includes mounting hardware.

- 44183** Add-a-Drawer™ #814 12



PLEATED SHADES

Save energy with pleated shades from United Shade.

- Variety of types, styles and colors; • Crisp 1" pleats, with E-Z Lift or Residential Style mechanisms; • Choose from Night Only or Day/Night shades (shown); • Optional Blackout Liner — increases room darkening and UV protection, must specify at ordering; • Mounting hardware and installation instructions are included; • One year Warranty; • 3-4 weeks for delivery; • MADE IN THE USA.

Measuring Instructions: If mounting Pleated Shades inside window frame, measure the exact opening size-width and drop. If mounting outside the window frame, measure the exact size you desire outside the frame side to side and top to bottom. If placing under drapes or valance, make sure Shade fits underneath. **Note:** Please measure carefully. Custom-sized Shades or Blinds may not be returned if measured incorrectly. **SPECIAL ORDER ONLY. To Order:** Choose Night-Only or Day/Night style, plus order both Shade Width and Drop. **Shade Width:** • Up to 24"; • 24-1/8" to 30"; • 30-1/8" to 36"; • 36-1/8" to 42"; • 42-1/8" to 48"; • 48-1/8" to 60"; • 60-1/8" to 72". **Drop:** • Up to 30"; • 30-1/8" to 48"; • 48-1/8" to 60".



Day/Night Shade (White/Linen)

ALUMINUM MINI BLINDS

- Control light, protect your privacy and add a decorative touch; • 1" wide aluminum slats with a baked enamel finish; • Mounting hardware and installation instructions included; • One year warranty; • 3-4 weeks for delivery; • MADE IN THE USA.

Specify size and color when ordering.




Measuring Instructions: If mounting Mini Blinds inside window frame, measure the exact opening size-width and drop. If mounting outside the window frame, measure the exact size you desire outside the frame side to side and top to bottom. If placing under drapes or valance, make sure Blinds fit underneath.


SPECIAL ORDER ONLY. To Order: Order both Blind Width and Drop. **Blind Width:** • Up to 30"; • 30-1/2" to 42"; • 42-1/2" to 48"; • 48-1/2" to 72". **Drop:** • Up to 30"; • 30-1/2" to 48"; • 48-1/2" to 60".



Almond Iris Glow Ash Gray



Snow Teal Wedgewood



DECO (DAY SHADES)



Buff Silver Alabaster



Dusty Rose White Sky Blue

STITCHBOND (NIGHT SHADES)



Linen Ash Gray Cotton Iris Glow




Snow Teal Wedgewood

TUSCANY (NIGHT SHADES)



Bone Camel Celery

CHENILLE (NIGHT SHADES)



Thistle Chrome Mushroom Latte



Pearl Gingerbread Brocade

CREPE (NIGHT SHADES WITH BLACKOUT LINER); CALL FOR PRICING.



Eggshell

WINDSHIELD WRAP

- Coordinate your Pleated Windshield Wrap with your Pleated Window Shades; • Available in a soft-pleat cotton material that allows for a smooth flowing wrap; • Less "stacking" at the driver and passenger windows than cumbersome drapery wraps; • Ceiling or wall mount bendable aluminum I-beam track and installation hardware included; • One year warranty; • 3-4 weeks for delivery; • MADE IN THE USA.

Measuring Instructions: Measure the width of track needed for adequate coverage. Allow for Wrap to stack behind driver and passenger windows. Determine if you will use a ceiling mount or a wall-mount. If your existing track is for I-beam rollers, just measure existing track. Measure drop from track to base of window.

Note: Some driver door and passenger windows may be longer than windshield. Use the longest length as drop measurement.

SPECIAL ORDER ONLY. To Order: Order both Wrap Width and Drop. **Wrap Width:** • Up to 100"; • 101" to 150"; • 151" to 200"; • 201" to 250"; • 251" to 300". **Drop:** • Up to 27"; • 28" to 42"; • 43" to 54".



Almond Ash Gray

PLEATED FOLDING DOOR

- For Privacy and style in your RV; • Heavy-duty soil- and water-resistant pleated fabrics; • Custom-designed, color coordinated hardware, the light-weight construction guarantees easy operation; • Mounting hardware and installation instructions included; • One year warranty; • 3-4 weeks for delivery.

SPECIAL ORDER ONLY. To Order: Order both Door Width and Drop. **Door Width:** • up to 24"; • 25" to 60"; • 61" to 80". **Drop:** • 49" to 60"; • 61" to 72".

IRVINE SHADE & DOOR FABRIC FOLDING DOORS

This heavy duty fabric folding door can be used to divide any inside partition or room. Designed for privacy, it comes standard with a snap-lock catch and matching head-rail track. Can be easily shortened with standard tools.



ANTIQUÉ IVORY

- 77570** 30" x 75" #3075F1 1
- 77571** 36" x 75" #3675F1 1

WHITE

- 73466** 36" x 75" #3675FW 1



Tiebacks Included

Special Order
RV Designer Custom Windshield Drape

RV DESIGNER CUSTOM WINDSHIELD DRAPES

- Custom made to your measurements; • Fully lined; • Dry cleaning recommended; • Carriers included; • Custom order; Delivery 3 weeks.

Width	up to 150"	150-1/4" to 170"	170" to 190"
Length:			
up to 36"	S/O	S/O	S/O
36-1/4" to 48"	S/O	S/O	S/O

RV DESIGNER CUSTOM WINDSHIELD DRAPE STORE DISPLAY

- (18" x 40") includes:
- An actual curtain sample;
 - 4 color product literature;
 - Customer-friendly order forms.
- S/O #DISP-WDI



OUTRIGGER RADIUS RV STEP RUGS

Outrigger Radius RV Step Rugs are specifically designed to fit curved or "radius" RV steps. Micro-ribbed textured olefin fibers provide better traction. UV protected for all-weather durability. Attaches to most radius RV steps with springs included.

- Step Rug Outrigger 22" wide:
- 44793** Walnut Brown #2-0371 32
 - 44795** Atlantic Blue #2-0372 32
 - 44802** Castle Gray #2-0373 32
 - 44823** Black Onyx #2-0374 32



Micro-ribbed texture provides better traction.

Designed to Fit Radius Steps




OUTRIGGER RV STEP RUGS

Micro-ribbed texture provides better traction. Each durable rug is made of olefin fibers with solid rubber backing. UV protected for all-weather durability. Easy to install - fits most manual & electric steps with springs included.

- Step Rug Outrigger 18" wide:
- 48145** Walnut Brown #2-0311 48
 - 48146** Atlantic Blue #2-0312 48
 - 48147** Castle Gray #2-0313 48
 - 44790** Black Onyx #2-0314 48



Micro-ribbed texture provides better traction.



- Step Rug Outrigger 23" wide:
- 40554** Walnut Brown #2-0351 32
 - 40555** Atlantic Blue #2-0352 32
 - 40556** Castle Gray #2-0353 32
 - 44791** Black Onyx #2-0354 32

RUGGIDS RV STEP RUGS

Ruggids RV Step Rugs have deep treads that trap dirt at the door. These rugs are made of high quality olefin with a solid rubber backing. UV protected for all-weather durability. Easy to install with zip-ties (included). Fits most manual & electric steps.

- Ruggids RV Step Rug 23" wide:
- 40557** Black Granite #2-0420 32
 - 40558** Sierra Brown #2-0421 32
 - 44039** Midnight Blue #2-0422 32
 - 44040** Tuscan Wine #2-0423 32



Deep treads trap dirt at the door.

Black Granite Sierra Brown Midnight Blue Tuscan Wine

RUGGIDS RV DOOR MATS

Ruggids Door Mats have deep treads that trap dirt at the door. These rugs are made of high quality olefin with a solid rubber backing. UV protected for all-weather durability. Finished on all edges. 19" x 30".

- Ruggids RV Door Mat:
- 44025** Black Granite #2-0450 24
 - 44034** Sierra Brown #2-0451 24
 - 44032** Midnight Blue #2-0452 24
 - 44036** Tuscan Wine #2-0453 24



Deep treads trap dirt at the door.

Black Granite Sierra Brown Midnight Blue Tuscan Wine

The first step to every great trip is on a **WRAPAROUND!**

Wraparound Brand Step Rugs protect your interior while accenting your exterior. Made of durable, weather-resistant, easy-to-clean outdoor turf with marine backing. Easy to install, fitting manual and electric steps with springs included.



22" wide. Finished edges.

WRAPAROUND RADIUS STEP RUGS

- 44782 Harvest Gold #2-0202 ²⁴
- 44787 Stone Gray #2-0206 ²⁴
- 44781 Brown #2-0201 ²⁴
- 44780 Green #2-0200 ²⁴
- 44784 Imperial Blue #2-0204 ²⁴
- 44789 Burgundy Wine #2-0207 ²⁴
- 44783 Espresso #2-0203 ²⁴
- 44786 Black #2-0205 ²⁴

from **Prest-o-Fit**



WRAPAROUND STEP RUGS

- 48323 Harvest Gold #2-0049 ⁴⁸
- 44752 Stone Gray #2-1043 ⁴⁸
- 49586 Brown #2-0041 ⁴⁸
- 49585 Green #2-0040 ⁴⁸
- 48325 Imperial Blue #2-1041 ⁴⁸
- 44756 Burg. Wine #2-1044 ⁴⁸
- 48324 Espresso #2-1040 ⁴⁸
- 44059 Black #2-1042 ⁴⁸

WRAPAROUND+PLUS STEP RUGS

- 48326 Harvest Gold #2-0079 ²⁴
- 44753 Stone Gray #2-1073 ¹⁶
- 45841 Brown #2-0071 ²⁴
- 45840 Green #2-0070 ²⁴
- 48328 Imperial Blue #2-1071 ²⁴
- 44758 Burg. Wine #2-1074 ²⁴
- 48327 Espresso #2-1070 ²⁴
- 44043 Black #2-1072 ²⁴

JUMBO WRAPAROUND+PLUS STEP RUGS

- 48329 Harvest Gold #2-0059 ³²
- 44754 Stone Gray #2-1053 ³²
- 46665 Brown #2-0051 ³²
- 46672 Green #2-0058 ³²
- 48331 Imperial Blue #2-1051 ³²
- 44777 Burg. Wine #2-1054 ³²
- 48330 Espresso #2-1050 ³²
- 46664 Black #2-0050 ³²



Harvest Gold



Stone Gray



Brown



Green



Imperial Blue



Burgundy Wine



Espresso



Black

PATIO RUGS

Create an attractive outdoor living area anywhere you go. Each rug is made of durable, easy-to-clean outdoor turf that is UV protected to prevent weather damage and fading. All edges are finished to prevent fraying. Each corner is reinforced for added durability and has rust-proof grommets for easy stake-down. Solid marine backing prevents dirt and mud from coming through. With Patio Rugs from Prest-O-Fit, The World is Your Backyard!

from **Prest-o-Fit**

Patio Rug Stakes



Patio Rug Stakes easily secure your patio rug to the ground. Low profile ensures a smooth walking surface. Made of rust-resistant nickel-plated steel.

40570 Patio Rug Stakes, pk/6 #2-2001 50

Create an attractive outdoor living area!

Patio Rug

from **Prest-o-Fit**

- Made of durable outdoor turf
- Solid marine backing prevents dirt & mud from coming through
- Finished edges prevent fraying
- UV protected against weather & fading
- Reinforced corners with rustproof grommets for easy stake-down



6' X 9' PATIO RUGS

- 44825** Stone Gray #2-1083 5
- 40513** Brown #2-0081 5
- 40512** Green #2-0080 5

6' X 15' PATIO RUGS

- 44827** Stone Gray #2-1153 5
- 40511** Brown #2-0151 5
- 40510** Green #2-0150 5
- 48337** Imperial Blue #2-1151 2

AERO-WEAVE™ Breathable Outdoor Mat

Better on Grass than Ordinary Patio Mats!

- Allows air and sunlight to pass through
- Made of PVC-coated polyester mesh
- UV Protected to resist sun damage and fading
- Brass grommets for easy stake-down
- Comes in a reusable zipper-bag for storage




from **Prest-o-Fit**


- 44075** 6' x 15' Aero-Weave Mat #2-3000 4
- 44077** 7-1/2' x 20' Aero-Weave Mat #2-3030 2

Reversible Patio Mats

- Light weight material that dries quickly (6 x 9 weighs 5 lbs and 9 x 12 weighs 10 lbs)
 - Two color patterns in one – turn over for a different look
- Corner tie-downs to secure the mat in windy areas. • UV stabilized for increased sun exposure



48496 (6'x9'),
44152 (8'x20')
48509 (9'x12')



48508
Patriotic
(9'x12' ONLY)

Royal Patio Mats 6' x 9':

- 43277** Royal Beige #203 12
- 43273** Royal Black/Silver #201 12
- 43276** Royal Blue #202 12
- 43278** Royal Burgundy #204 12
- 43267** Royal Green #200 12

Royal Patio Mats 9' x 12':

- 43299** Royal Beige #213 12
- 43287** Royal Black/Silver #211 12
- 43297** Royal Blue #212 12
- 43311** Royal Burgundy #214 12
- 43281** Royal Green #210 12

Royal Patio Mats 8' x 20':

- 44980** Royal Beige #173 7
- 44973** Royal Blue #172 7
- 44970** Royal Green #170 7

Racing Mats:

- 48496** Racing 6' x 9' #005-B 1
- 48509** Racing 9' x 12' #015-B 12
- 44152** Racing 8' x 20' #076 7

Patriotic Patio Mats:

- 48508** Patriotic 9' x 12' #014 1
- 46770** **NEW!** Patriotic 8' x 20' #054 1

Reversible Patio Mats

- Light weight material that dries quickly (6 x 9 weighs 5 lbs and 9 x 12 weighs 10 lbs)
- Two color patterns in one – turn over for a different look
- Corner tie-downs to secure the mat in windy areas. • UV stabilized for increased sun exposure



Patio Mats, 8' x16':

- 46686** **NEW!** Black Flare #063 1
- 46687** **NEW!** Burgundy Swirl #064 1
- 40492** Green Blue Flare #061 g
- 40493** Tan Gold Flare #062 g
- 40496** Silver Gold Swirl #065 g

Patio Mats, 8' x20':

- 46688** **NEW!** Black Flare #073 z
- 44969** Burgundy Swirl #074 z
- 40497** Green Blue Flare #071 z
- 40501** Tan Gold Flare #072 z
- 40519** Silver Gold Swirl #075 z



2 New colors:
Burgundy Swirl & Black Flare!



Floral Patio Mats 6' x 9':

- 48495** Beige #003 1
- 48492** Blue #002 1
- 48491** Burgundy #001 1
- 48490** Green #000 1

Floral Patio Mats 9' x 12':

- 48501** Beige #013 1
- 46685** **NEW!** Black #016 1
- 48500** Blue #012 1
- 48499** Burgundy #011 1
- 48498** Green #010 1



Horse Design Patio Mats

CARRY AND STORAGE BAG

Convenient Storage Bag is made of sturdy nylon with easy to open zippers. A front pocket provides easy access to stakes or pegs that might be used for securing your mat. Made to hold up to 1-8x20, 2-8x16 or 2-9x12 mats.



43944 Carry/Storage Bag #101 12

Horse Design Patio Mats 9' x 12':

- 43945** Black/Silver #084 12
- 46689** **NEW!** Blue #087 1
- 44164** Brown #083 12
- 40888** Burgundy #086 12
- 40887** Green #085 12



**KWIKKEE
AUTOMATIC
ELECTRIC STEP**

Kwikkee 12-volt automatic steps are designed to take the work out of entering or exiting from recreational vehicles. Just open the door, the step goes down and locks; close the door, the step goes up and locks. An automatic safety stops the extension or retraction if the step meets resistance. The engine does not have to be running to activate the step. When in the down position, the platform is lighted, and the long-lasting anti-skid top provides for maximum safety. The power switch allows the step to be locked in either the open or closed position, whether the door is open or closed. Automatically retracts when the ignition is turned on. Step features rugged, welded steel construction with sealed electronic control. Easy to install, for simple, trouble-free operation. Durable powder coated finish. This series has been re-designed to increase performance, reliability, and longevity of step operation.

Improved linkage and gear box Investment cast zinc plated steel linkage assembly is strong and more resistant to corrosion. Brass spherical outer cage hardened ball in linkage is stronger, wears longer, and will not oblong. Improved gear box has fully sealed dual ball bearing for greater efficiency and no maintenance. Case halves seal for consistent alignment and gear protection from the elements.

Improved motor 40% more motor torque gives step a strong lock-out and solid feel.

Improved control unit logic Step is always open when door is open. Step can be locked in the extended position. Step cannot be locked in retracted position. Automatic ignition override makes step follow the door.

HOW TO SELECT THE PROPER KWIKKEE STEP:

1. Determine the proper width available under your entry door;
2. Determine the overall distance from step mounting-surface to ground;
3. Determine floor threshold thickness and add this to 1st step distance (total should be under 10");
4. Compare measurements to select the appropriate step by using the Electric Step Chart below.

KWIKKEE ELECTRIC STEP CHART

4. Order #	Mfr. #	Model Series	1. Step Width	2. Mounting Surface to Ground	3. Step Drop from Mounting Surface	Tread Area
AUTOMATIC SINGLE STEPS:						
65744	#902809025	28	24"	14-18"	7 ³ / ₈ "	10 ³ / ₈ "
65746	#903909025	39	23 ³ / ₄ "	14-18"	6 ¹ / ₈ "	10 ³ / ₈ "
AUTOMATIC DOUBLE STEPS:						
65745	#903209025	32	24"	19-23"	4 ¹ / ₈ " 7 ³ / ₄ "	10 ³ / ₄ " 9 ³ / ₈ "
65747	#904009025	40	24 ³ / ₄ "	24-28"	7 ¹ / ₈ " 8 ¹ / ₂ "	10 ³ / ₈ " 8 ¹ / ₂ "

SERIES 28 SPECIFICATIONS:

Extended: 24¹/₄" W x 21⁵/₁₆" D x 9³/₈" H;
Retracted: 24¹/₄" W x 16⁵/₁₆" D x 5⁷/₈" H.

SERIES 39 SPECIFICATIONS:

Extended: 24³/₄" W x 23⁷/₈" D x 10¹⁵/₁₆" H;
Retracted: 24³/₄" W x 15⁷/₈" D x 4¹/₄" H.

SERIES 32 SPECIFICATIONS:

Extended: 25¹/₂" W x 32¹/₄" D x 13⁵/₈" H;
Retracted: 25¹/₂" W x 18¹/₈" D x 7⁷/₈" H.

SERIES 40 SPECIFICATIONS:

Extended: 25³/₄" W x 33⁵/₈" D x 17³/₈" H;
Retracted: 25³/₄" W x 20¹/₂" D x 6¹/₂" H.

REPLACEMENTS PARTS KITS

IMGL (Integrated Motor/Gear Box Linkage Kit:

65763 "A" Linkage IMGL and Control Unit; Replacement Parts Kit for Step Series 22, 23, 30, 32, 33,34, 35, 36, 38 and 40 #909770000 1

65768 "B" Linkage IMGL and Control Unit; Replacement Parts Kits for Step Series 28, 31, 37 and 39 #909772000 1

65769 "C" Linkage IMGL and Control Unit; Replacement Parts Kits for Step Series 26 #909774000 1

KWIKKEE STEP PARTS

76949 Motor Replacement Kit (all steps but 23 series) #909520000 1

69239 Motor F/24" Double Step #1101428 1

69240 Step Control w/Over-Ride #909510000 1

72191 Linkage Assembly Kit (for 22, 23, 27, 30, 32, 33, 34, 35, 36, 38 & 40 series step) #909534000 1

72190 Linkage Assembly Kit (for 28, 29, 31, 37 & 39 series step) #909533000 1

78935 Mag Door Switch (open), 3/8" Core Round Magnetic Door Switch (works only with black control unit) #905327000 1

78936 Min Mag Door Switch (open), Miniature Rectangular Magnetic Door Switch (works only with black control unit) #905323000 1

72188 Heavy-Duty Rectangular Magnetic Switch Pack, White(not for use with black control unit) #905312000 1

75077 Door Switch Kit (push button, with 2 prongs for plug) #905302000 1

78934 Blk Control Unit, w/ "Last Out" Feature - Univ. Replacement (requires open switches; replaces the orange control unit & has switches included) #909506003 1

72193 *LS US only* Kwik Test Box #909518000 1

**KWIK LUBE
SPRAY GREASE**

Specially formulated to lubricate Kwikkee Electric Steps, and for all moving parts.

40601 Spray Grease #905069000 12



**GLOW IN THE DARK
STEP TREAD REPLACEMENT**

Non-Slip Tread with Both Reflective and Phosphorus Stripes. Features a luminescent system, which glows in the dark once it has been exposed to natural or artificial light. Methods of excitations include incandescent, fluorescent and black lighting as well as direct or indirect sunlight. Glows the brightest during the first 30 minutes after activation has ceased, and remains visible to the night (darkness) adapted eye for up to 10 hours. 6" W x 21" L.


40008 Nite Glow Step Tread Replacement, with Dual Stripes #909342000 1

STEP STOOL • NON-SKID TAPES • STEP TREAD

RV ACCESSORIES

M

In Section M: Starter Kits Vehicle Items Window & Door Interior Accessories Mats Steps Camper Tie Downs Wheel Chocks Ladders Carriers Winches Levelers Jacks



STEP STOOL

Easy Display

E-Z FOLDZ 9" FOLDING STEP STOOL

For stepping up or sitting down.

Folds from a 9" high step stool with a 300 lb. weight capacity to an easy-to-store 2" width!

- Convenient carrying handle.
- Skid resistant top.
- Stable design.
- Plastic construction.
- Skid resistant feet. Great for every room in the house and more!

E-Z Foldz Step Stool:

- 47956** Black #101-6BK 6
- 47953** Blue #101-6B 6
- 47955** Green #101-6G 6
- 47952** Red #101-6R 6
- 47951** White #101-6 6
- 47954** Yellow #101-6Y 6

Standard Assortment: Includes one each of white, red, blue, yellow, green & black.

95712 E-Z Foldz Stool Standard Assortment, Display/6 #101-6AS 1

Fashion Assortment: Includes one each of black, white, sapphire blue, beige, burgundy & forest green.

95858 E-Z Foldz Stool Fashion Assortment, Display/6 #101-6FA 1



E-Z FOLDZ 12" FOLDING STEP STOOL

Folds from a 12" high step stool with a 300 lb. weight capacity to an easy-to-store 2" width!

12" Folding Step Stool:

- 40061** Beige #104-6BG 6
- 40874** Black #104-6BK 6
- 40870** White #104-6WH 1



TWO-STEP FOLDING STEP STOOL

Folds from a 17" high step stool with a 300 lb. weight capacity to an easy-to-store 5" width!

2-Step Folding Step Stool:

- 40062** Beige #105-4BG 4
- 40875** Black #105-4BK 4
- 40876** White #105-4WH 4



Holds up to 300 lbs!



- Step Dim.: 9" L x 11.5" W x 8" H
- Case Dim.: 19.625" x 13.75" x 16.5"; 15.12 lbs.



ADAMS QUIK-FOLD STEP STOOL

- Diamond Hole Slots for easy, peggable storage
- 8" Standard Step Height
- Arched Foot Guides for Safety
- Super-Grip Step Tread
- Non-slip Floor Protectors.

Step Stool:

- 43500** Black #8530-02-3730 6
- 44491** Desert Clay #8530-23-3730 6
- 43502** LS White #8530-48-3730 6



VALTERRA NON-SLIP GRIP TAPE

Improves footing on steps, ladders and trailers. Can be cut to any shape, adheres to any clean, dry surface and is durable in wet or dry conditions. Grit surface on top. Black.

Non-Slip Grip Tape, 60 ft. Roll: **49511** 2" x 60 ft. #A10-2260 20

Non-Slip Grip Tape, Carded: **49698** 2" x 10 ft. #A10-2210VP 48



LIFESAFE ANTI-SLIP SAFETY GRIT STRIPS

Durable in wet or dry conditions. Self-adhesive strips are easy to use. Each strip has been pre-cut to fit most manufactured RV step applications. For RV's, boats, snowmobiles, docks, utility vehicles, ramps, skateboards, steps, farm equipment, ladders.

Black Anti-Slip Grit (Size, Strip by Pack):

- 44237** 2" x 12", 4 #RE624BLRV 12
- 44245** 3" x 16", 1 #RE627BLRV 12
- 44253** 6" x 21", 1 #RE629BLRV 6

Yellow/Black Safety Grit Strips:

- 44261** 6" x 21", 1 Strip #RE630YBRV 6

LIFESAFE INDOOR/OUTDOOR ANTI-SLIP SELF-ADHESIVE TAPE

- Safer footing for smaller applications on:
- Steps.
 - Ladders.
 - Ramps.
 - Decks.
 - Docks.
 - Farm machinery.
 - Trucks.
 - Trailers.
 - RV equipment.
 - Utility vehicles.
 - Campers.
 - Lawn mowers.
 - Skateboards.
 - Playground equipment.



- 47877** 2" x 5 ft. #RE172 12



LIFESAPE PRODUCTS
ANTI-SLIP SAFETY GRIT TAPES

For safer footing on: steps, ladders, ramps, decks, docks, farm machinery, trucks, trailers, RV equipment, utility vehicles, campers lawn mowers, skateboards, playground equipment, etc.

Black Safety Grit Tape, Bulk (Self-Adhesive):

- 47865** 2" x 60 ft. #RE142 6
- 47866** 4" x 60 ft. #RE160 3
- 47867** 6" x 60 ft. #RE161 2

ANTI-SLIP SAFETY TAPE MERCHANDISER DISPLAY

Lets dealers display 3 bulk rolls and dispense by the foot. Contains: 1 Roll 1" x 60' Black (**47864**); 1 Roll 2" x 60' Black (**47865**) and 1 Roll 4" x 60' Black (**47866**).

- 47869** Merchandiser #MR120 1




CP PRODUCTS STEP STABILIZER

Does your RV rock when someone enters the door?

RV Step Stabilizer provides stability and firmness. Features quick-release self-locking pin, and is fully adjustable from 5 1/4" to 12". Durable black powder-coated steel for long life.

- 65264** Step Stabilizer #65264 50



HIJACKER CAMPER STEP by VICTORIA INDUSTRIES LTD

Scissor-style steps are lightweight, heavy-gauge brushed aluminum with inset non-slip tread. Easy to fold for storage while traveling. 22" wide for overall stability. Mounts on camper; optional bracket fits tailgate.

300 LBS. CAPACITY

- Camper Step, 22" Wide:
- 70201** 3-Step, 28" Ext. Vertical Travel, 20 lbs. #CSN003 1
 - 70202** 4-Step, 36" Ext. Vertical Travel, 25 lbs. #CSN004 1

225 LBS. CAPACITY

- Triple-Strapped Camper Step, 22" Wide:
- 85720** 5-Step, 44" Ext. Vertical Travel, 33 lbs. #CSN005 1
 - 85721** 6-Step, 52" Ext. Vertical Travel, 38 lbs. #CSN006 1



CAMCO RV EXTRA STEP

Heavy-duty steel-frame stool. Folding legs lock open to 7" height. Extra-wide 8" x 19" platform with angled legs to provide stability. Gripper strips on platform. Folds to only 2" wide for storage. Supports up to 350 lbs.

- 87577** RV Extra Step #43675 4



FOLDAWAY STEPS

Self-storing Standard Steps pull out and extend with one fluid motion. Steps can be bolted to floor or welded to frame. Perforated tread with anti-slip safety strip for added traction. Solid steel finished with durable black E-coat finish. The Leisure Step features extra-smooth performance that takes just one fluid motion to easily pull and extend the step.

Standard Single Step, 5.25" drop from frame:

- 70405** 20" W Tread; 20-3/4" x 5-1/4" x 10-1/2" Overall; Bolt Pattern is 4.5" x 18.75" (Bulk) #120 1
- 77415** 24" W Tread; 24-3/4" x 5-1/4" x 10-1/2" Overall; Bolt Pattern is 4.5" x 22.75" #124 BOXED 1

Standard Single Step, 7.25" drop from frame:

- 79059** 20" W Tread; 20-3/4" x 7-1/4" x 10-1/2" Overall; Bolt Pattern is 4.5" x 18.75" #720 BOXED 1
- 79060** 24" W Tread; 24-3/4" x 7-1/4" x 10-1/2" Overall; Bolt Pattern is 4.5" x 22.75" #724 BOXED 1

Standard Double Step, 11-3/4" total drop from frame, only 7.25" when folded:

- 77412** 20" W Tread; 21-1/2" x 7-1/4" x 12" Overall #920 BOXED 1
- 77414** 24" W Tread; 25-1/2" x 7-1/4" x 12" Overall #924 BOXED 1

"LEISURE STEP"

Triple Step, 17-3/4" total drop from frame:

- 79088** 24" W Tread; 27" x 12-3/16" x 15-3/4" Overall #1224 BOXED 1

"QUADRA-STEP" "Quadra-Step"

Throw those 9" + rise RV steps away if you are having trouble lifting your legs that high! Rise between treads is approximately 7". 26" total drop when opened. Outside edge of bottom step will sit approximately 32" from the outside wall when opened for a gradual incline. Extra-smooth performance, with superior strength. Features 24" wide, perforated tread with anti-slip safety strips for added traction. The unit is virtually "bounce-out proof," requiring more than a 35 degree angle to open by itself. Bolt hole pattern fits that of all major competitors for easy replacement of existing steps. Durable black E-coat finish.

- 79087** 25" Drop; 24" W Tread; 27" x 12-3/16" x 15-3/4" Overall #1424 BOXED 1

STEPS • CAMPER TIE-DOWNS

RV ACCESSORIES

M

In Section M: Starter Kits Vehicle Items Window & Door Interior Accessories Mats Steps Camper Tie Downs Wheel Chocks Ladders Carriers Winches Levelers Jacks

STROMBERG CARLSON PRODUCTS INC.



STROMBERG CARLSON

ALUMINUM PLATFORM STEP

- Platform size 19" x 14" x 3" or 8" multi heights
- Supports 1,000 lbs. • Light weight aluminum will not rust • Rubber feet won't slip.

87173 Aluminum Platform Step #PA-100 1



STEEL PLATFORM STEP

Features include 24" L x 16" W platform. • Step stands 8" H, folds without tools to 1" high for easy storage. • Platform is galvanized steel prior to powder coating the step black for corrosion protection. • Its steel construction can support 300 lbs. • Four lock open braces secure the legs.


86834 Steel Platform Step #S-100 1



FOLDING PLATFORM STEP

Take a step in the right direction with a self-cleaning, injection molded platform step. Non-skid surface has self-cleaning design that won't allow dirt and mud to track into your RV. Features include 24" W x 16" D platform. • Treads are a no rust composite with 4 steel stringers that can support 500 lbs. • Legs lock open and closed on a ball bearing, and nylon bushing are provided for easy movement. • Step stands 8 1/4" H, folds without tools to 4 1/2" tall.

86913 Platform Step #P-102 1



70047

70048-9, 72344

75627

75626

TITE-LOK CLAMPS FOR TRUCK CAPS

70047 Set/4, 1 7/8" Clamps for Mounting Aluminum Rail Truck Caps or Covers #TL117-4 12

70048 ^{LS} One 2" Clamp for Shipping or Mounting Aluminum Rail Truck Caps or Covers #TL120-1 12

70049 One 3" Clamp for Shipping or Mounting Truck Caps or Covers with Wood or Fiberglass Rails #TL130-1 12

72344 Set/4, 1 3/4" Clamps for General Use #TL118-4 12

75626 Set/4, 5/8" Clamps for Truck Caps with Aluminum Rails #TL191-4 24

75627 Set/4, 1 3/8" Clamps for Truck Caps with Fiberglass Rails #TL192-4 12

QWIK-LOAD STAINLESS TURNBUCKLE SET

HAPPIJAC
A Division of Lippert Components Inc.

Load and unload your camper easier than ever before with the Qwik-Load lever-action turnbuckles from Happijac. These strong, lever-action turnbuckles provide quick installation. There is no need to remove the turnbuckle to make tension adjustments. Featuring a stainless steel barrel and a comfortable, removable handle. The FM-QLTB includes 2 ea. front spring-loaded Qwik-Load turnbuckles with 11" hooks, 2 ea. rear stress-guard Qwik-Load turnbuckles with 24" hooks, 4 ea. removable handles, and 4 ea. locking pins.

86295 Qwik-Load Stainless Turnbuckle Set, FM-QLTB #182895 1



HAPPIJAC TURNBUCKLES

QWIK-LOAD LEVER-ACTION TURNBUCKLE UPGRADE

Upgrade your existing turnbuckles to lever-action with the FM-QL. The Qwik-Load upgrade (FM-QL) comes with 4 Qwik-Load adapters, 4 ea. locking pins, and 4 ea. removable handles. The Qwik-Load upgrade is compatible with any turnbuckles using 1/2" threaded rod.


85722 Qwik-Load Turnbuckle Upgrade, FM-QL #182894 1

TURNBUCKLES

The time tested, industry standard, Happijac turnbuckles (FM-TB) are proven performers. It includes 2 ea. spring-loaded front turnbuckles and 2 ea. stress-guard rear turnbuckles with stainless steel components for superior corrosion protection.

73636 Stainless Turnbuckle Set, FM-TB #182898 1

73660 Single Stainless Front Turnbuckle, FM-TBS #182901 4



LONG-ACTION TURNBUCKLES

Happijac now offers reach below the side of the truck turnbuckles in 40" Long Action. The FM-QLLA includes 2 Qwik-Load lever action, spring loaded, stainless steel turnbuckles. The FM-TBLA includes 2 spring loaded, stainless steel turnbuckles. For other than Happijac tiedown applications.

87094 Qwik-Load Long Action, FM-QLLA #191380 1

87093 Spring-Loaded Turnbuckle Set, FM-TBLA #191431 1