Interior Lights

## BULBS • ID LIGHT BARS • TOWING LIGHTS Porch & Exterior Lights

Patio Lights Flashlights Spot & Flood Lights Vehicle Lights Bulbs Towing Lights Reflectors



## **REPLACEMENT BULB ONLY**

For Progressive Dynamics Vanity Light

Soft white 15-CP bulb is not harsh to the eyes.

14659 12-Volt Bulb only; 1-amp, 3.5" long x 2.5" dia. #107006 25



## DRY LAUNCH ID LIGHT BAR, SUBMERSIBLE, OVER 80"

Low profile, Lexan. Meets all requirements for trailers over 80". One-piece design. 14" W x 1-1/2" H x 7/8" D. Bulb #168

19368 Over 80" Light Bar #327RBX-9964 1



#### **SEALED 3-PIECE ID LIGHT BAR**

Sealed stainless ID light bar for over 80" applications. Features sonically sealed, waterproof light capsules. 50" lead wire. Single wire design grounds through mounting hardware. Mounts on 8.5" centers. Polypack. Dim.: 1-3/16"W x 14-1/4"L x 1-5/16"D.

12343 ID Light Bar #MC-97RBP 20



#### **SEALED 3-PIECE LED ID LIGHT BARS**

ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" applications. Features sonically sealed, waterproof light capsules. Contains both lead wire and ground wire for mounting to all surfaces. Features all-weather molded plastic housing and durable lens to protect against corrosion. 9-diode. Carded. Dim.: 1-3/8"W x 16-1/2"L x 1-5/8"D.

#### 12289 LED Identification Light Bar #MCL-93RK 6

Sealed stainless ID light bar for over 80" applications. Features sonically sealed, waterproof light capsules. Single wire design grounds through mounting hardware. 9-diode. Carded. Dim.: 1-3/16"W x 14-1/4"L x 1-5/16"D.

12297 LED Identification Light Bar #MCL-97RK 6

76



## **HUSKY DELUXE** MAGNETIC **TOWING LIGHT KIT**

Made for RV, commercial and agricultural use. Includes heavy duty 4-way zinc plug and socket, wiring instructions, plus a blow molded protective storage and carrying case.





30' shielded cable. Features commercial grade magnets with vinyl protective covers. No need to tap into towed vehicle's electrical system. Can be used on multiple vehicles.

11314 Deluxe Tow Light Kit #11314 6

## HUSKY MAGNETIC TOWING LIGHTS

The Husky towing lights have over 35% more holding power and larger magnets than competitive models. They include a plug cover to keep dirt and corrosion out. The magnets come with an e-coated magnet cap to eliminate rust and protect the vehicle from scratches. Wired to industry standard 4-way flat connector.



Comes in a clam shell that can be used as a storage container. Includes tow vehicle hook-up plug and long 20' cord. Useful for RV, agricultural, industrial, marine and automotive needs. Complete with instructions.

17929 Magnetic Towing Lights #17929 10

## HUSKY LED MAGNETIC TOWING LIGHTS

#### Consumes 85% less power than traditional incandescent lights and has an average life of 100,000 hours!

LED Magnetic lights are SAE approved. LED lights consume 85% less power than incandescent versions, and have a service life rated at 100,000 hours. The shock and vibrationresistant design make them less susceptible to damage from dropping and

vibration. The head assembly is encapsulated in resin for long-lasting, waterproof, trouble-free use. Husky towing lights have over 35% more holding power and larger magnets than competitive models. They include a plug cover to keep dirt and corrosion out. The magnets come with an e-coated magnet cap to eliminate rust and protect the vehicle from scratches. Wired to industry standard 4-way flat connector. Comes in a clam shell that can be used as a storage container. Includes tow vehicle hook-up plug and long 20' cord. Useful for RV, agricultural, industrial, marine and automotive needs. Complete with instructions.

13818 LED Tow Lights #13818 1

## **HUSKY Incandescent Pre-Wired Fender Light Assembly**

Functions as both amber front clearance light and red rear clearance light for over-80" applications. Features a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Mount on top or side of most fenders to mark widest point on trailer. Assembly contains two MC-44 lights and fender-mount bracket.



In Section C:

## LED TRAILER LIGHTS

Porch & Exterior Lights

Patio Lights Flashlights


Spot & Flood Lights Bulbs

## **HUSKY LED Trailer Lights**

LEDs are brighter than conventional lights. No bulbs to replace—ever! Use 90% less energy. Safe, dependable service. 100% maintenance free. All products conform to DOT/SAE/FMVSS/CMVSS 108 requirements where applicable.

Description	Part #	
HUSKY Waterproof LED Stop/Turn/Tail & Parking		nal Liahts
10-Diode 6" Oval Lights for Recess Mount	,	
Features sonically sealed, waterproof lens and housing in a single unit. All and durable lens protect against corrosion. Accepts industry standard 3-pr descent lights. Requires mounting grommet and plug for complete installa	ong plug for easy retr	ofit of incan-
Red Stop/Turn/Tail Light, Bulk	17806	
Red Stop/Turn/Tail Light, 6-Diode Only, Packaged Limited Supply	17988	
Amber Parking/Rear Turn Signal, Bulk	17802	
10-Diode 4" Round Stop/Turn/Tail Light, Recess N Accepts industry standard 3-prong plug for easy retrofit of incandescent li waterproof lens and housing in a single unit. All-weather molded plastic hu against corrosion. Requires mounting grommet and plug for complete instr	ghts. Features sonicall ousing and durable lei	ns protect
Stop/Turn/Tail Light, Bulk	17734	
Stop/Turn/Tail Light, 7-Diode Only, Packaged	18037	
Sealed, surface mount, over 80" LED stop/turn/tail lights with sleek low-p Includes 11 diodes for bright, dependable performance. Polycarbonate len durability. All-weather molded plastic housing and durable lens protect age wire. Features red LED's and red lens. Dim.:15" x 1-3/8" x 5/8".	is is sonic welded to he	ousing for
Thin Line Stop/Turn/Tail Light, Bulk	17807	
<b>10-Diode 6" Oval Flange Mount Lights</b> Sealed, flange mount. 10 super diodes for bright, dependable performanc ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16"	inel cutout. Features so plastic housing and du " with contour. 3/4" tl	onically rable lens
Sealed, flange mount. 10 super diodes for bright, dependable performanc ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light	nel cutout. Features so plastic housing and du " with contour. 3/4" tl 17832	onically rable lens
Sealed, flange mount. 10 super diodes for bright, dependable performanc ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light Amber Parking/Rear Turn Signal	inel cutout. Features so plastic housing and du " with contour. 3/4" tl	onically rable lens
Sealed, flange mount. 10 super diodes for bright, dependable performanc ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light	Inel cutout. Features so plastic housing and dur with contour. 3/4" tl 17832 17813 n: stop, turn, tail, rear cense illuminator as w sion. Both include sepc	onically rable lens hick.
Sealed, flange mount. 10 super diodes for bright, dependable performance ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light Amber Parking/Rear Turn Signal <b>7- &amp; 8-Function Over 80" Combination Tail Lights</b> Waterproof universal mount for over 80" applications. 17732 is 7-function rear reflex, side marker, and side reflex; eight-function 17733 includes lic All-weather molded plastic housing and durable lens protect against corros	Inel cutout. Features so plastic housing and dur with contour. 3/4" tl 17832 17813 n: stop, turn, tail, rear cense illuminator as w sion. Both include sepc	onically rable lens hick.
Sealed, flange mount. 10 super diodes for bright, dependable performance ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light Amber Parking/Rear Turn Signal <b>7- &amp; 8-Function Over 80" Combination Tail Lights</b> Waterproof universal mount for over 80" applications. 17732 is 7-function rear reflex, side marker, and side reflex; eight-function 17733 includes lic All-weather molded plastic housing and durable lens protect against corros ground wire and screw-on, replaceable lens. Dim.: 8-1/16"L x 2-7/8"H x Passenger Side 7-Function Driver Side 8-Function	nel cutout. Features so lastic housing and duu " with contour. 3/4" tl 17832 17813 n: stop, turn, tail, rear tense illuminator as w sion. Both include sept 2-13/16"deep.	onically rable lens hick.
Sealed, flange mount. 10 super diodes for bright, dependable performance ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light Amber Parking/Rear Turn Signal <b>7- &amp; 8-Function Over 80" Combination Tail Lights</b> Waterproof universal mount for over 80" applications. 17732 is 7-function rear reflex, side marker, and side reflex; eight-function 17733 includes lic All-weather molded plastic housing and durable lens protect against corros ground wire and screw-on, replaceable lens. Dim.: 8-1/16"L x 2-7/8"H x Passenger Side 7-Function	nel cutout. Features so lastic housing and duu " with contour. 3/4" tl 17832 17813 n: stop, turn, tail, rear tense illuminator as w sion. Both include sept 2-13/16"deep. 17732 17733 333 is 6-function: stop s 17833 plus license il	onically rable lens hick. clearance, ell. prate , turn, tail, luminator.
Sealed, flange mount. 10 super diodes for bright, dependable performance ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light Amber Parking/Rear Turn Signal <b>7- &amp; 8-Function Over 80" Combination Tail Lights</b> Waterproof universal mount for over 80" applications. 17732 is 7-function rear reflex, side marker, and side reflex; eight-function 17733 includes lia All-weather molded plastic housing and durable lens protect against corros ground wire and screw-on, replaceable lens. Dim.: 8-1/16"L x 2-7/8"H x Passenger Side 7-Function Driver Side 8-Function <b>6- &amp; 7-Function Combination Tail Lights</b> Universal stud-mount stop/turn/tail lights for under 80" applications. 1778 rear reflex, side marker, and side reflex. Seven-function 17834 is same as All-weather molded plastic housing and durable lens protect against corros ilens. Mounts on 2" centers, includes separate ground wire.	nel cutout. Features so lastic housing and duu " with contour. 3/4" tl 17832 17813 n: stop, turn, tail, rear tense illuminator as w sion. Both include sept 2-13/16"deep. 17732 17733 333 is 6-function: stop s 17833 plus license il	onically rable lens hick. clearance, ell. prate , turn, tail, luminator.
Sealed, flange mount. 10 super diodes for bright, dependable performance ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light Amber Parking/Rear Turn Signal <b>7- &amp; 8-Function Over 80" Combination Tail Lights</b> Waterproof universal mount for over 80" applications. 17732 is 7-function rear reflex, side marker, and side reflex; eight-function 17733 includes lic All-weather molded plastic housing and durable lens protect against corros ground wire and screw-on, replaceable lens. Dim.: 8-1/16"L x 2-7/8"H x Passenger Side 7-Function Driver Side 8-Function <b>6- &amp; 7-Function Combination Tail Lights</b> Universal stud-mount stop/turn/tail lights for under 80" applications. 178 rear reflex, side marker, and side reflex. Seven-function 17834 is same ar All-weather molded plastic housing and durable lens protect against corrosi lens. Mounts on 2" centers, includes separate ground wire. Dim.: 4-3/4" square; 5-3/16" with side marker; 2-5/16" deep.	nel cutout. Features so lastic housing and dur " with contour. 3/4" tl 17832 17813 n: stop, turn, tail, rear tense illuminator as w sion. Both include sept 2-13/16"deep. 17732 17733 333 is 6-function: stop s 17833 plus license il ion. Features screw-on	onically rable lens hick. clearance, ell. prate , turn, tail, luminator.
Sealed, flange mount. 10 super diodes for bright, dependable performance ments in any 360 degree position. Surface mount unit does not require pa sealed, waterproof lens and housing in a single unit. All-weather molded p protect against corrosion. Separate ground wire. Dim.: 7-9/16" x 3-5/16" Red Stop/Turn/Tail Light Amber Parking/Rear Turn Signal <b>7- &amp; 8-Function Over 80" Combination Tail Lights</b> Waterproof universal mount for over 80" applications. 17732 is 7-function rear reflex, side marker, and side reflex; eight-function 17733 includes lic All-weather molded plastic housing and durable lens protect against corros ground wire and screw-on, replaceable lens. Dim.: 8-1/16"L x 2-7/8"H x Passenger Side 7-Function Driver Side 8-Function <b>6- &amp; 7-Function Combination Tail Lights</b> Universal stud-mount stop/turn/tail lights for under 80" applications. 1782 rear reflex, side marker, and side reflex. Seven-function 17834 is same at All-weather molded plastic housing and durable lens protect against corros ilens. Mounts on 2" centers, includes separate ground wire. Dim.: 4-3/4" square; 5-3/16" with side marker; 2-5/16" deep. Passenger Side 6-Function (Lens Coast#13786)	Inel cutout. Features so leastic housing and dui " with contour. 3/4" th 17832 17813 In: stop, turn, tail, rear tense illuminator as w sion. Both include sept 2-13/16"deep. 17732 17733 333 is 6-function: stop s 17833 plus license il ion. Features screw-on 17833	onically rable lens hick. clearance, ell. prate , turn, tail, luminator.





1000

Reflectors

LIGHTS

Vehicle Lights

Towing Lights

77

## **OPTRONICS PREMIUM LIGHT KIT**

Has all the components necessary to bring a trailer up to DOT lighting requirements for both under and over 80" applications. Full 3-year warranty. Specific DOT installation instructions. Trilingual packaging and instructions (English, French, Spanish). 1-800 Technical assistance hot-line number.

### WATERPROOF LED TRAILER LIGHT KIT

2 LED stud-mount tail lights, red side marker/reflectors, license bracket, 25' wiring harness and hardware. Clam pack. Lifetime warranty.

<u>s</u> = Std. Carton Qty.



In Section C: Interior Lights Interior Lights Porch & I

**HUSKY LED TRAILER LIGHTS** 

Porch & Exterior Lights Patio Lights Flashlights Spot & Flood Lights Bulbs Towing Lights Vehicle Lights Reflectors

## HUSKY LED Marker/Clearance Lights

LEDs are brighter than conventional lights. No bulbs to replace—ever! Use 90% less energy. Safe, dependable service. 100% maintenance free. All products conform to DOT/SAE/FMVSS/CMVSS 108 requirements where applicable.

		Description	Part #
		HUSKY Sealed LED Marker/Clearance Lights	
17459		2-1/2" Marker Clearance Lights, Surface Aerodynamic design is not only brighter than its predecessor, but also has a light output. Surface mount design in amber or red for clearance, side mark sonically sealed, waterproof lens and housing in a single unit. Single wire d hardware. Two-wire design includes both lead wire and ground wire for mo	er or identification light. Features esign grounds through mounting
	TOWING PRODUCTS	2-Diode Amber LED Clearance Light, Bulk	17459
		2-Diode Red LED Clearance Light, Bulk	17463
17464 18038	17472	2" Round Sealed LED Marker/Clearance Lights Multiple diode LED clearance or side marker light. Features sonically sealed, single unit. Accepts industry standard 2-prong plug for easy retrofit of incan	waterproof lens and housing in a descent lights. Requires mounting
		grommet and plug for complete installation.	17464
	Lease -	4-Diode Amber LED Clearance Light, Bulk	17464
		4-Diode Amber LED Clearance Light, Packaged w/Grommet & Plug	18038
		4-Diode Red LED Clearance Light, Bulk	17472
		4-Diode Red LED Clearance Light, Packaged w/Grommet & Plug	18096
1 + O -		2-1/2" Round Sealed LED Marker/Clearance Light Same features as the 2" listed above.	S
17473	17477		17473
18117	18118	4-Diode Amber LED Clearance Light, Bulk	18117
		4-Diode Amber LED Clearance Light, Packaged w/Grommet & Plug	17477
17480	17400	4-Diode Red LED Clearance Light, Bulk	18118
ALC: NO PORT	17492	4-Diode Red LED Clearance Light, Packaged w/Grommet & Plug 2-1/2" Round LED Marker/Clearance Lights with F	
Section 201	Crease W	to meet DOT requirements. Sonically sealed, waterproof lens and housing co industry standard 2-prong plug for easy retrofit of incandescent lights. Requ for complete installation. 8-Diode Amber LED Clearance Light, Bulk	ires mounting grommet and plug
Manual Andrews	1756-	4 8-Diode Red LED Clearance Light, Bulk	17492
17548	A CONTRACTOR OF THE CONTRACTOR	2-1/2" x 1-3/16" Mini Thin Lite Sealed LED Market LED clearance or side marker light. Features sonically sealed, waterproof le Accepts industry standard 2-prong plug for easy retrofit of incandescent lig through mounting hardware. Two-wire design contains both lead wire and g surfaces.	ns and housing in a single unit. hts. Single wire design grounds
		3-Diode Amber LED Clearance Light w/Chrome Base, Bulk	
			17548
17575	and the second s	3-Diode Red LED Clearance Light w/Chrome Base, Bulk	17548 17564
		3-Diode Red LED Clearance Light w/Chrome Base, Bulk Sealed 3-Piece Identification Light Bars ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire Features all-weather molded plastic housing and durable lens to protect ago	17564 applications. Features sonically for mounting to all surfaces.
	17576	Sealed 3-Piece Identification Light Bars 1D light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire	17564 applications. Features sonically for mounting to all surfaces.
	17576	Sealed 3-Piece Identification Light Bars ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire Features all-weather molded plastic housing and durable lens to protect age	17564 applications. Features sonically for mounting to all surfaces. sinst corrosion.
17373	17576	Sealed 3-Piece Identification Light Bars ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire Features all-weather molded plastic housing and durable lens to protect age 9-Diode LED ID Light Bar w/Black Polymer Base 16-1/2", Bulk	17564         applications. Features sonically for mounting to all surfaces. sinst corrosion.         17575         17576         or Surface Mount         ight output. Mounts on industry e. Select 17495, 17496 or 17497
		Sealed 3-Piece Identification Light Bars ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire Features all-weather molded plastic housing and durable lens to protect ago 9-Diode LED ID Light Bar w/Black Polymer Base 16-1/2", Bulk 9-Diode LED ID Light Bar w/Stainless Steel Base 14-1/4", Bulk Thin Lite 4" Sealed LED Marker/Clearance Lights for 17495/17497 and 17533/17540 six diode LED clearance or side marker 1 waterproof lens and housing in a single unit. Multi-diode design optimizes standard 3" centers. Single wire design grounds through mounting hardwar version for light only or choose 17533, 17537 or 17540 versions for light	17564         applications. Features sonically for mounting to all surfaces. sinst corrosion.         17575         17576         or Surface Mount         ight output. Mounts on industry e. Select 17495, 17496 or 17497
17495	17497	Sealed 3-Piece Identification Light Bars ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire Features all-weather molded plastic housing and durable lens to protect age 9-Diode LED ID Light Bar w/Black Polymer Base 16-1/2", Bulk 9-Diode LED ID Light Bar w/Stainless Steel Base 14-1/4", Bulk Thin Lite 4" Sealed LED Marker/Clearance Lights for 17495/17497 and 17533/17540 six diode LED clearance or side marker waterproof lens and housing in a single unit. Multi-diode design optimizes standard 3" centers. Single wire design grounds through mounting hardwar version for light only or choose 17533, 17537 or 17540 versions for light assembly. Dim.: 4-1/8"L x 1-1/4"W x 1-3/16"D.	17564         applications. Features sonically for mounting to all surfaces. ainst corrosion.         17575         17576         or Surface Mount         ight. Features sonically sealed, ight output. Mounts on industry         e. Select 17495, 17496 or 17497         with A-65PB bracket/plug
17495		Sealed 3-Piece Identification Light Bars ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire Features all-weather molded plastic housing and durable lens to protect agu 9-Diode LED ID Light Bar w/Black Polymer Base 16-1/2", Bulk 9-Diode LED ID Light Bar w/Stainless Steel Base 14-1/4", Bulk Thin Lite 4" Sealed LED Marker/Clearance Lights for 17495/17497 and 17533/17540 six diode LED clearance or side marker I waterproof lens and housing in a single unit. Multi-diode design optimizes standard 3" centers. Single wire design grounds through mounting hardwar version for light only or choose 17533, 17537 or 17540 versions for light assembly. Dim.: 4-1/8"L x 1-1/4"W x 1-3/16"D. 6-Diode Amber Light Only, Bulk	17564         applications. Features sonically for mounting to all surfaces. sinst corrosion.         17575         17576         or Surface Mount         ight. Features sonically sealed, ight output. Mounts on industry e. Select 17495, 17496 or 17497 with A-65PB bracket/plug         17495
17495 17533	17497	Sealed 3-Piece Identification Light Bars ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire Features all-weather molded plastic housing and durable lens to protect age 9-Diode LED ID Light Bar w/Black Polymer Base 16-1/2", Bulk 9-Diode LED ID Light Bar w/Stainless Steel Base 14-1/4", Bulk Thin Lite 4" Sealed LED Marker/Clearance Lights for 17495/17497 and 17533/17540 six diode LED clearance or side marker waterproof lens and housing in a single unit. Multi-diode design optimizes standard 3" centers. Single wire design grounds through mounting hardwar version for light only or choose 17533, 17537 or 17540 versions for light assembly. Dim.: 4-1/8"L x 1-1/4"W x 1-3/16"D. 6-Diode Amber Light Only, Bulk 6-Diode Amber Light w/Base & Plug, Bulk	17564       applications. Features sonically for mounting to all surfaces. ainst corrosion.       17575       17576       or Surface Mount ight. Features sonically sealed, ight output. Mounts on industry e. Select 17495, 17496 or 17497 with A-65PB bracket/plug       17495       17533
17495	17497	Sealed 3-Piece Identification Light Bars ID light bar with (3) replaceable AL-91RB and 50" lead wire, for over 80" sealed, waterproof light capsules. Contains both lead wire and ground wire Features all-weather molded plastic housing and durable lens to protect age 9-Diode LED ID Light Bar w/Black Polymer Base 16-1/2", Bulk 9-Diode LED ID Light Bar w/Stainless Steel Base 14-1/4", Bulk Thin Lite 4" Sealed LED Marker/Clearance Lights for 17495/17497 and 17533/17540 six diode LED clearance or side marker waterproof lens and housing in a single unit. Multi-diode design optimizes standard 3" centers. Single wire design grounds through mounting hardwar version for light only or choose 17533, 17537 or 17540 versions for light assembly. Dim.: 4-1/8"L x 1-1/4"W x 1-3/16"D. 6-Diode Amber Light Only, Bulk 6-Diode Red Light Only, Bulk	17564       applications. Features sonically for mounting to all surfaces. ainst corrosion.       17575       17576       or Surface Mount ight. Features sonically sealed, ight output. Mounts on industry e. Select 17495, 17496 or 17497 with A-65PB bracket/plug       17495       17533       17497



Patio Lights

Flashlights

Spot & Flood Lights

Bulbs

Towing Lights

HUSKY TRAILER LIGHTS

Porch & Exterior Lights

Reflectors

LIGHTS

Vehicle Lights

In Section C:

Interior Lights

-----

LIGHTS

Interior Lights Porch & Exterior Lights

**HUSKY TRAILER LIGHTS** 

hts Patio Lights Flashlights Spot & Flood Lights Bulbs Towing Lights Vehicle Lights Reflectors

## **HUSKY Incandescent Truck & Trailer Lighting**

All lights in the Husky program are tested to FMVSS 108 requirements. Certification documentation verifying compliance is provided for all products are is readily available. The Husky/Optronics lights use a three-tier compliance program: • All products are tested at the point of manufacture to FMVSS 108.



C

Towing Lights

#### **HUSKY TRAILER LIGHTS** Porch & Exterior Lights Patio Lights Flashlights

Spot & Flood Lights Bulbs Vehicle Lights Reflectors C

## **HUSKY Truck & Trailer Lighting**

Interior Lights

In Section C:

All lights in the Husky program are manufactured to ISO/TS-16949 quality standards to ensure dependable performance. • Popular 4" round and 6" oval sealed stop/turn/tail lights feature bulb shock mounts to prolong bulb life. • Waterproof, submersible and traditional combination tail lights offered in singles and kits.

	Part #	
HUSKY Back-Up Lights and Trailer Light Kits		
iealed 4″ Round Back-Up Light		
Flush mount sealed back-up light. Features sonically sealed, waterproof lens and ho shock proof socket guarantees long bulb life. All-weather molded plastic housing an against corrosion. Accepts industry standard 2-prong plug. Requires mounting gromu complete installation. 17421 kit includes the 17408 grommet and A-45CB straight p Dim.: 4-1/4″L x 2-1/16″W.	d durable le met and plu	ins protect
Clear Kit with Grommet and Plug, Bulk	17421	
5" Oval Back-Up Lights		
Flush mount back-up light. Features sonically sealed, waterproof lens and housing ir proof socket guarantees long bulb life. All-weather molded plastic housing and dura corrosion. Accepts industry standard 2-prong plug. Requires mounting grommet and nstallation. 17423 kit includes the 17416 grommet and A-45CB straight pigtail.Dim	ble lens pro plug for co	tect against mplete
Clear Back-Up Light Only, Bulk	17422	
lear Kit with Grommet and Pigtail, Bulk	17423	
4" Round Sealed Clear DOT LED Back-Up Light		
Sealed, flush mount, clear LED back-up light. 36 diodes. Meets DOT FMVSS 108 requ 360 degree position. Features sonically sealed, waterproof lens and housing in a sin molded plastic housing and durable lens protect against corrosion. Accepts industry si easy retrofit of incandescent lights. Requires mounting grommet and plug for compl Certified for back-up light function.	gle unit. All tandard 2-p	-weather rong plug for
36-Diode 4″ Flush Mount LED Back-Up Light, Bulk	17424	
Stud-Mount Trailer Light Kits Bulk kits (17838 and 17859) include two universal stud mount tail lights, a corrosic bracket and two amber stud mount marker clearance lights. Contents: (1) 17727 an 80' Combination Tail Lights, and (1) license plate bracket. 17838 and 17859 (not 1 17427 Amber Stud Mount Reflector Marker/Clearance Lights.	ıd (1) 17728 8119) also i	B under
Stud-Mount Trailer Light Kit with 20' Harness, two 17427 <i>Limited Supply</i>	17838	
Stud-Mount Trailer Light Kit with 25' Harness, two 17427 <i>Limited Supply</i>	17859	
HUSKY Mounting & Wiring Accessories Grommets and Plugs		
Rubber Grommet for 4" Round Lights.	17408	
Rubber Grommet for 6" Oval Lights.	17416	
Rubber Grommet for 2-1/2" Mini Marker/Clearance Lights. Fits 17418 and 17420.	17419	
Chrome Flange Cover, Snap-On. Fits 17813 and 17832.	17417	
Rubber Grommet and Plug for 2" Round Lights. Flush Mount Grommet with Dpen Back and 6" Straight Plug. Fits 17430, 17432, 17464 and 17472,	17413	
Rubber Grommet and Plug for 2-1/2" Round Lights. Flush Mount Grommet with Open Back and 6" Straight Plug. Fits 17433, 17434, 17473, 17477, 17480 and 17492.	17414	
Rubber Grommet and Plug for 2-1/2" Round Lights. Recessed Mount Grommet	17415	
with Open Back and 6" Straight Plug. Fits 17433, 17434, 17473, 17477,		
with Open Back and 6" Straight Plug. Fits 17433, 17434, 17473, 17477, 17480 and 17492. Three-Wire Molded Plug for Double Contact Sealed Lights. Ideal for use with Stop/Turn/Tail Lights. Includes #10 Ring Terminal on Ground Wire. Hot Wires are Bare.	17411	

## **CLEARANCE & SIDE MARKER LIGHTS**

Patio Lights Flashlights Spot & Flood Lights Bulbs Towing Lights Vehicle Lights Reflectors



Porch & Exterior Lights

LIGHTS

Interior Lights

## SEALED LED CLEARANCE LIGHT

100,000 hour rated life. SAE approved, FMVSS-108. Includes base mount bracket with two wires used to surface mount lights.

*LED Clearance, 3-13/16" x 1-3/64" x 3/4":* **13356** Red *#003-1274R <u>6</u>* 



#### LED CLEARANCE LIGHT

100,000 hour rated life. SAE approved, FMVSS-108. Includes base mount bracket with two wires used to surface mount lights.

*LED Clearance Light, 3-7/8" x 1-7/8" x 1-3/8":* **17331** Amber *#003-58L* <u>4</u>

17332 Red #003-59L 4

Replacement Parts:


 12433
 Amber Lens only #89-237A 24

 12431
 Red Lens only #89-237R 24

 16800
 #194 Bulb, CD/2 #16800 10

 16318
 #194 Bulb LED, Each #145803150-194-CW-12V 12

 16762
 #194 Bulb, BX/10 #16762 400



## SEALED RECTANGULAR MARKER/CLEARANCE LIGHT KITS

Mini thin-line rectangular clearance or side marker light. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Features sonically sealed, waterproof lens and housing in a single unit. MC-91 kits include the A-91 light, A-91CB chrome base and A-91LW single wire plug. MC-92 kits include the A-91 light, A-91BB black base and A-91LW single wire plug. Single wire design grounds through mounting hardware. Dim.: 1-1/2"W x 2-7/8"L x 1"D.

Sealed Marker/Clearance Light Kit, Clam pack (Includes Chrome Base and Single Wire Plug): 12834 Amber Light Kit #MC-91AS <u>12</u> 12835 Red Light Kit #MC-91RS <u>12</u> Sealed Marker/Clearance Light Kit, Clam pack (Includes Black Base and Single Wire Plug): 12491 Amber Light Kit #MC-92AS <u>12</u> 12475 Red Light Kit #MC-92RS <u>12</u> Sealed Marker/Clearance Light, Clam pack: 13300 Amber Light Only #MC-90AS <u>12</u> 13204 Red Light Only #MC-90RS <u>12</u>



## LED MINI RECTANGULAR MARKER/CLEARANCE LIGHTS

Stud mount 3-diode LED clearance or side marker light. Features sonically sealed, waterproof lens and housing in a single unit. Single wire design grounds through mounting stud. Clam pack. Dim.: 1-1/8"W x 2-1/8"L x 1-1/16"D.

*Sealed Mini LED Marker/Clearance Light:*  **12211** Amber *#MCL-95AS* <u>12</u> **12187** Red *#MCL-95RS* <u>12</u>



## OPTRONICS SEALED TWO-BULB MARKER/CLEARANCE LIGHTS

Two-bulb clearance or side marker light. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Two-bulb design for optimized light output. Features sonically sealed, waterproof lens and housing in a single unit. Mounts on industry standard 3" centers. Single wire design grounds through mounting hardware. Two-wire design contains both lead wire and ground wire for mounting to all surfaces. Dim.; 1-1/4"W x 3-15/16"L x 7/8"D. Clam pack.

Sealed Marker/Clearance Light Kit: **12586** Amber Kit w/Bracket and Plug *#MC-67AK* <u>12</u> **12585** Red Kit w/Bracket and Plug *#MC-67RK* <u>12</u>

## OPTRONICS SEALED STUD MOUNT MARKER/CLEARANCE LIGHTS



marker light with stainless steel/black base. Features sonically sealed, waterproof lens and housing in a single unit. Single wire design grounds through mounting stud. Clam pack. Dim.: 1-1/16"W x 2-1/16"L x 1"D.

*Sealed Stud Mount Marker/Clearance Light:* **12925** Amber *#MC-95AS* <u>12</u> **12926** Red *#MC-95RS* <u>12</u>

## OPTRONICS LED MARKER/CLEARANCE LIGHTS

## MCL-31 SERIES; OVAL

Oval LED light with reflector for clearance, side marker or identification light. Features snapon, replaceable lens. Surface mount white base mounts on industry standard 3" centers. Features all-weather molded plastic housing and durable lens to protect against corrosion. Reflectorized lens eliminates the need for a separate reflector to meet DOT requirements. Design includes both lead and ground wires for mounting to all surfaces. Dim.: 2-1/16"W x 4"L x 1"D. Polypack.

*Oval LED Marker/Clearance Light:* **12182** Amber *#MCL-31ABP* <u>20</u> **12181** Red *#MCL-31RBP* 20

## MCL-36 SERIES; SQUARE

Square LED clearance or side marker light with reflector. Reflectorized lens eliminates the need for a separate reflector to meet DOT requirements. Features screw-on, replaceable lens. Stud mount black base. All-weather molded plastic housing and durable lens protect against corrosion. Design includes both lead and ground wires for mounting to all surfaces. Dim.: 2-1/8"W x 2-7/8"L x 15/16"D. Polypack.

*Square LED Marker/Clearance Light:* **12262** Amber *#MCL-36AS* <u>12</u> **12254** Red *#MCL-36RBP* <u>20</u>

82







In Section C:

## LIGHTS

Vehicle Lights

## **CLEARANCE & SIDE MARKER LIGHTS**

Porch & Exterior Lights Interior Lights Patio Lights Flashlights Spot & Flood Lights

# 



## **COMMAND LIGHTS**

In Section C:

Socket is water resistant and is assembled with slight but firm rotating motion. Polar White.

## **CLASSIC 12V CLEARANCE LIGHT**

SAE approved. 4" x 2" x 1-13/16". Replacement lens is 4" x 2" x 3/4".

Classic Clearance Light: 12425 Amber Light #003-53P 12 12428 Red Light #003-54P 12

Replacement Bulbs & Lenses: 12426 Amber Lens only #89-121A 24 12429 Red Lens only #89-121R 24 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400



#### **RECTANGULAR CLEARANCE LIGHT** W/ROUNDED CORNERS

SAE approved. 3-7/8" x 1-7/8" x 1-3/4". Replacement lens is 3-7/8" x 1-7/8" x 5/8". 12 Volt.

Rectangular Clearance Light (Round Corners): 12432 Amber Light #003-59 12 12430 Red Light #003-58 12

Replacement Bulbs & Lenses: 12433 Amber Lens only #89-237A 24 12431 Red Lens only #89-237R 24 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED. Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400



### **RECTANGULAR 12V CLEARANCE LIGHT**

SAE approved. 3-7/8" x 1-7/8" x 1-3/4". Replacement lens is 3-7/8" x 1-7/8" x 5/8". 12 Volt.

Rectangular Clearance Light (Square Corners): 12434 Amber Light #003-55 12 12436 Red Light #003-56 12

Replacement Bulbs & Lenses: 12435 Amber Lens only #89-181A 24 12437 Red Lens only #89-181R 24 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400



Marker light commonly used by Fleetwood and many other RV manufacturers. 1-3/4" x 4". Screws included, Pk/1.

12325 Amber Light #E397 48 12324 Red Light #E395 48

#### WINNEBAGO STYLE

Weather-tight marker light used on late model Winnebago motorhomes & other RVs. 1-3/8" x 4". Screws included, Pk/1.

12323 Amber Light #E387 48 12322 Red Light #E385 48



· Rectangular clearance and side marker light. · Popular for RV applications. • Lens and housing welded to form a single sealed unit. • Includes .175"-thick closed cell cushion for mounting. • Twist-out bulb socket for easy bulb replacement. • Light size: 3-7/8" W x 1-7/8" H x 3/4" D (without the bulb socket).

Clearance/Marker Light wit Reflex, Viz Pack: 13623 Amber #V2548A 10 13582 Red #V2548R 10

Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED. Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400



 Surface-mount light functions as combination clearance and side marker. • Durable base and acrylic lens provides high quality at economical price. . Grounds through mounting screw with single lead wire for electrical connection. • Light size: 2-7/8" Dia. x 1-1/8" D.

## PETERSON COMBINATION **CLEARANCE** LIGHTS

Towing Lights

Bulbs



Acrylic lens has built-in reflex reflector and "cross optics" for brilliant signal. Eliminates separately mounting a reflector. Vibar socket prolongs bulb life. 4 1/8" L x 2" W x 11/32" H. Mounts with two screws on 3" centers. Oval shaped. Uses #194 bulb.

13324 Amber Light #V108WA 6 **13325** Red Light *#V108WR* 6

Replacement Lens only: 13272 Amber Lens #108-15A 10 13273 Red Lens #108-15R 10

## PETERSON OVAL COMBINATION **CLEARANCE/SIDE MARKER LIGHTS**

Acrylic lens features builtin reflector which eliminates the need for a separate reflector. Mounts on 3" centers. The twist-in socket assembly contains both lead and ground wires for mounting to all surfaces. Carded. Uses replacement bulbs 193/194.

79037 Amber Light #V128A 6 79038 Red Light #V128R 6

Replacement Lens only: 13272 Amber Lens #108-15A 10 **13273** Red Lens #108-15R 10

## DRY O LAUNCH DRY LAUNCH **SUBMERSIBLE** COMBINATION CLEARANCE/



Side marker and clearance light combination. 360° viewing. Submersible, air-trap design, Lexan lens. With twist-out socket to change bulbs. Use red for rear lighting and amber for front lighting. Skin packs.

746171 Amber Light #202A2R-9913 10 S/O Red Light #202R2R-9913 #198 Bulb S/0

**PETERSON** 

Viz Pack: 13471 Amber #V102A <u>6</u> 13476 Red #V102R 6 Replacement Lens Only, Poly Pack: 13525 Amber #102-15A 10

13553 Red #102-15R 10 Replacement Bulb:

Surface Mount Light,

13476

16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400

Reflectors

optronics.

Patio Lights Flashlights Spot & Flood Lights Bulbs Towing Lights Vehicle Lights Reflectors

## Interior Lights **OPTRONICS CLEARANCE LIGHTS**

LIGHTS

Optronics signal lights meet or exceed DOT specifications and include detailed installation instructions. User friendly packaging includes all the required

mounting instructions.



Porch & Exterior Lights

#### SEALED MARKER/CLEARANCE LIGHTS

Single sealed light mounts on stylish chrome base. Clam pack.

12834 Amber #MC-91AS 12 12835 Red #MC-91RS 12



12839 Amber LED #MCL-91AK 12 12840 Red LED #MCL-91RK 1



#### LED CLEARANCE/ MARKER LIGHTS

Waterproof 2-1/2" marker/ clearance lights. Grommet and pigtail included.

12837 Amber #MCL-57AK 6 12838 Red #MCL-57RK 1

### PETERSON MANUFACTURING **#138 CLEARANCE AND MARKER LIGHT**

Peterson rectangular style dual bulb clearance and marker

light. 4" L x 2" W x 1 1/8" H. Bulk.

11303 Amber Light #V138A 6 **11302** Red Light *#V138R* 6

Replacement Lens only, CD/2: 14598 Amber Lens #V138-15A 6 14599 Red Lens #V138-15R 6

Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED. Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400



## **OPTRONICS**

## LIGHTS MARKER/CLEARANCE LIGHT

All these clearance/marker lights need the following replacement bulbs.

Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400

## MC-31 SERIES; OBLONG REFLECTOR

Oblong clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Single wire design grounds through mounting screw. All-weather molded plastic housing and durable lens protect against corrosion. Features snap-on, replaceable lens and easy to change replaceable bulb. Mounts on industry standard 3" centers. Packaged.

**Oblong Reflector Marker/Clearance Light:** 10076 Amber, Clam #MC-31AS 12 10077 Red, Clam #MC-31RS 12 12150 Amber, Polypack #MC-31ABP 50 12157 Red, Polypack #MC-31RBP 50 10041 Repl. Lens f/10077 #A-31RB 50 Replacement Lens only, Polypack: 12165 Amber Lens #A-31ABP 50 12169 Red Lens #A-31RBP 50

### MC-58 SERIES; 2.5" ROUND SIDE MARKER

Round clearance or side marker light for surface mount. PC-Rated light that functions as both a clearance and side marker light when pro-perly mounted on a 45 degree angle. Allweather molded plastic housing and durable lens protect against corrosion. Single wire design arounds through mounting hardware. Features snap-on, replaceable lens and easy to change replaceable bulb.

2.5" Round Side Marker, Packaged: 10114 Amber #MC-58AS 12 10119 Red #MC-58RS 12

Single stud, 2<sup>3</sup>/<sub>4</sub>" x 2<sup>1</sup>/<sub>8</sub>" x 1" combination side marker light and reflector. Red or amber lens, black housing. 752795 Amber Light #E114A 6 752794 Red Light #E114R 6 Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400



### MC-11 SERIES; MINI MARKER

Mini rectangular light with black base for clearance, side marker or identification light. Durable plastic base with external mounting holes. Snap-on lens. Single wire design grounds through mounting screw. Packaged.

Mini Marker/Clearance Light: 10087 Amber #MC-11AS 12 10088 Red #MC-11RS 12



#### MC-66 SERIES; OVAL TWO-BULB

Two-bulb clearance or side marker light. PC-Rated light functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Two-bulb design optimizes light output. Features snap-on, replaceable lens and easy to change replaceable bulb. Mounts on industry standard 3" centers. All-weather molded plastic housing and durable lens protect against corrosion. Contains both lead wire and ground wire for mounting to all surfaces.

Oval Two-bulb Marker/Clearance Light, Clamshell: 10071 Amber #MC-66AS 12 10073 Red #MC-66RS 12 Oval Two-bulb Marker/Clearance Light, Polypack: 11914 Amber #MC-66ABP 50 11916 Red #MC-66RBP 50 Replacement Lens only, Polypack: 12140 Amber Lens #A-66ABP 50 12139 Red Lens #A-66RBP 50



#### MC-81 SERIES; CHROME PLATED

Clearance or side marker light with polished, chrome-plated housing. Features snap-on, replaceable lens and easy to change replaceable bulb. Single wire design grounds through mounting hardware. Packaged.

Chrome Plated Marker/Clearance Light: 10069 Amber #MC-81AS 12 10070 Red #MC-81RS 12

In Section C:

C

## LIGHTS

ſ.

Reflectors

## **CLEARANCE & SIDE MARKER LIGHTS**

In Section C: Interior Lights Porch & Exterior Lights Patio Lights Flashlights Spot & Flood Lights

### **OPTRONICS** 2.5" ROUND SEALED SIDE MARKER/ **CLEARANCE** LIGHTS



Round clearance or side marker light. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Features sonically sealed, waterproof lens and housing



## **OPTRONICS DOUBLE BULLSEYE** MARKER/CLEARANCE LIGHTS

Dual bulb, bullseye marker/clearance light with black base. Two-bulb design optimizes light output. Features snap-on, replaceable lens and easy to change replaceable bulbs. All-weather molded plastic housing and durable lens protect against corrosion. Mounts on industry standard 3" centers. Grounds through mounting hardware. Dim.: 2-1/8" x 4-1/16" x 1-1/8"D.

Marker/Clearance Light, Clamshell: 12572 Amber #MC-42AS 12 12583 Red #MC-42RS 12 Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED. Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400

## **OptroNICS**

## **OPTRONICS** RECTANGULAR REFLECTOR MARKER/CLEARANCE LIGHTS

Rectangular clearance or side marker light with reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Earmount black base, replaceable lens and easy to change replaceable bulb. Single wire design grounds through mounting screw. Mounts on 2-3/8" centers. Features all-weather molded plastic housing and durable lens to protect against corrosion. Dim.: 3-7/8"L x 2-3/8"H x 1-1/16"D.

Reflector Marker/Clearance Light, Clamshell: 13327 Amber #MC-35AS 12

13329 Red #MC-35RS 12 Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED. Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400

## COTONICS

in a single unit. Accepts industry standard 2-prong plug. Requires mounting grommet and plug for complete installation. Dim.: 2-1/2"W x 11/16"D.

Marker/Clearance Light, Polypack: 12400 Amber #MC-55ABP 50 12394 Red #MC-55RBP 50



## **OPTRONICS** 2-3/4" STUD MOUNT REFLECTOR



Square clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Single wire design grounds through mounting stud. Features replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens to protect against corrosion. Dim.: 2-3/4"L x 2-1/8"W x 1"D.

Reflector Marker/Clearance Light, Clam: 13315 Amber #MC-36AS 12 13323 Red #MC-36RS 12

Replacement Lens Only:

13285 Amber Lens, Poly #A-36ABP 50 13801 Red Lens, Bulk #A-36RBP 50

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12


16762 #194 Bulb, BX/10 #16762 400

### **OPTRONICS** SQUARE REFLECTOR MARKER/ CLEARANCE LIGHT W/SIDE REFLEX



Stud-mount light functions as side marker with side reflex or clearance light. Light functions as both a clearance and side marker light when properly mounted on a 45 degree angle, and features a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Single wire design grounds through mounting stud. Amber only, Polypack. Dim.: 2-1/8"W x 2-7/8"L x 15/16"D.

12955 Amber Marker #MC-37ABP 50 Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400



## **OPTRONICS** WATERPROOF **2**" ROUND SEALED LEDMARKER/ **CLEARANCE LIGHTS**

Flush-mount, waterproof 4-diode clearance or side marker lights with grommet and 2-way plug. Features sonically sealed, waterproof lens and housing in a single unit. 2" dia. (w/o mounting grommet) x 1"deep. Clamshell

12173 Amber #MCL-55AK 12 12172 Red #MCL-55RK 12



## THIN LINE SEALED LED MARKER/CLEARANCE LIGHTS

12180/12179 six diode LED clearance or side marker light. Features sonically sealed, waterproof lens and housing in a single unit. Multidiode design optimizes light output. Mounts on industry standard 3" centers. Single wire design grounds through mounting hardware. Clampack. Dim.: 1-1/4"W x 3-15/16"L x 7/8"D.

Thin Line LED Marker/Clearance Light Kit: 12180 Amber Light Kit #MCL-67AK 12 12179 Red Light Kit #MCL-67RK 12

Rectangular clearance or side marker light with reflectorized lens, eliminating

Bulbs



the need for a separate reflector to meet DOT requirements. Features snap-on, replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens protect against corrosion. Mounts on industry standard 3" centers. Assembly contains both lead and ground wire for mounting to all surfaces. Dim.: 4"L x 1-1/2"H x 15/16"D.

Reflector Marker/Clearance Light, Polypack: 12017 Amber #MC-44ABP 50 12025 Red #MC-44RBP 50 Replacement Lens Only, Polypack:

12022 Amber Lens #A-44ABP 50 12033 Red Lens #A-44RBP 60

Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED. Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400 Interior Lights

## CLEARANCE LIGHTS • TAIL LIGHTS

Patio Lights Flashlights Spot & Flood Lights Bulbs Towing Lights Vehicle Lights

### COMMAND ECONOMY **OVAL LED TAILLIGHT**

• Stop, Turn and Tail Light. • SAE approved. • 10 LED's.

Porch & Exterior Lights

III Command



17399 Economy Oval LED Taillight #003-5504R 3



## **OPTRONICS 6" OVAL SEALED** LED STOP/TURN/TAIL LIGHTS

Sealed, flange mount, red LED stop/turn/tail light. 10 super diodes for bright, dependable performance. Meets DOT FMVSS 108 requirements in any 360 degree position. Features sonically sealed, waterproof lens and housing in a single unit. All-weather molded plastic housing and durable lens protect against corrosion. Surface mount unit (12312) does not require panel cutout. Dimensions with housing (12312): 3-5/16"W x 7-9/16"L x 3/4"D.

6" Oval LED Stop/Turn/Tail Light, Clam pack: 12312 Surface Mount #STL-78RK 6

Accepts industry standard 3-prong plug for easy retrofit of incandescent lights. Requires mounting grommet and plug for complete installation. Dim. (12319): 2-5/16"W x 6-7/16"L x 2-7/8"D

6" Oval LED Stop/Turn/Tail Light, Clam Pack: 12319 Red LED #STL-72RS 6

## optronics.

## **OPTRONICS MIRO-FLEX™** RECTANGULAR LED STOP/TURN/ TAIL LIGHTS

Sealed red stop/turn/tail light for flush mount. Features sonically sealed, waterproof lens and housing in a single unit. Features all-weather molded plastic housing and durable lens to protect against corrosion. Requires mounting grommet and plug for complete installation. Accepts industry standard 3-prong plug for easy retrofit of incandescent lights. 16 diodes. Dim.: 3-7/16"W x 5-5/16"L x 1-7/16"D

(without arommet).

LED Stop/Turn/Tail Light, Polypack: 12823 Red LED #STL-35RBP 10

> MIRO-FLEX™ RECTANGULAR LED PARKING/REAR TURN SIGNAL

LED Parking/Rear Turn Signal. Polypack: 12831 Amber LED #STL-35ABP 10



Rectangular clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Twist-in socket contains both lead wire and ground wire for mounting to all surfaces. Features snap-on, replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens protect against corrosion. Dim.: 2" x 4" x 1-1/8" deep.

Reflector Marker/Clearance Light, Polypack: 12141 Amber #MC-32ABP 100 13331 Red #MC-32RBP 1 Replacement Lens Only, Polypack: 12144 Amber Lens #A-32ABP 50 12143 Red Lens #A-32RBP 50 Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400

## optronics



## **OPTRONICS RECTANGULAR** MARKER/CLEARANCE LIGHTS

Rectangular clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Features all-weather molded plastic housing and durable lens to protect against corrosion. Twist-in socket contains both lead and ground wires for mounting to all surfaces. Mounts on 3-3/8" centers. Features replaceable lens and easy to change replaceable bulb. Dim.: 1-27/32"W x 3-29/32"L x 1-1/32"D.

Marker/Clearance Light, Polypack: 12147 Amber #MC-48ABP 50 12145 Red #MC-48RBP 50 Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED. Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400 optronics

### **OPTRONICS** TAIL LIGHTS ST-4/5 SERIES SUBMERSIBLE **OVER 80**" COMBINATION TAIL LIGHTS



Reflectors

Submersible stud-mount stop/turn/tail lights for over 80" applications. ST-4RS is 7-function: stop, turn, tail, rear clearance, rear reflex, side marker, and side reflex. Eight-function ST-5RS is same as ST-4RS plus license illuminator. Feature built-in rear clearance light, eliminating the need for a separate light to meet DOT requirements. Mounts on 2" centers. Grounds through mounting studs. Features screw-on. replaceable lens and easy to change replaceable bulb. Shock proof socket guarantees long bulb life. All-weather molded plastic housing and durable lens protect against corrosion. Includes gasket for weather-tight seal. Retail packaging.

Submersible Over 80" Combination Tail Lights: 10123 W/o License Light #ST-4RS 6

10106 With license Light #ST-5RS 6 Replacement Bulb:


16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb, LED, Each #145803125-1157-12V 12 16784 #1157 Bulb, BX/10 #16784 500 S/O #168 Bulb (Side)

#### ST-8/9 SERIES UNIVERSAL **UNDER 80**" COMBINATION TAIL LIGHTS



Universal stud-mount stop/turn/tail lights for under 80" applications. ST-8RS is 6-function: stop, turn, tail, rear reflex, side marker, and side reflex. Seven-function ST-9RS is same as ST-8RS plus license illuminator. Grounds through mounting studs. Mounts on 2" centers. Features screw-on, replaceable lens and easy to change replaceable bulb. Shock proof socket guarantees long bulb life. All-weather molded plastic housing and durable lens protect against corrosion. Designed with plug-n-go connections for quick connect wiring. Retail packaging.

Under 80" Combination Tail Lights: 10121 W/o License Light #ST-8RS 6 **10105** With License Light #ST-9RS 6 Replacement Bulb: 16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb, LED, Each #145803125-1157-12V 12 16784 #1157 Bulb, BX/10 #16784 500 S/O #168 Bulb (Side)



In Section C:

Towing Lights

Bulbs

Porch & Exterior Lights Patio Lights Flashlights

TAIL LIGHTS

## **OPTRONICS SUBMERSIBLE UNDER 80**" COMBINATION TAIL LIGHTS



Submersible stud-mount stop/turn/tail lights for under 80" applications. 13042 is 6-function: stop, turn, tail, rear reflex, side marker, and side reflex. Seven-function 13326 is same as 13042 plus license illuminator. Grounds through mounting studs. Mounts on 2" centers. Features screw-on, replaceable lens and easy to change replaceable bulb. Shock proof socket guarantees long bulb life. All-weather molded plastic housing and durable lens protect against corrosion. Includes gasket for weather-tight seal. Dim.: 4-9/16"W x 4-9/16"L x 2-7/8"D.

Waterproof Under 80 Tail Lights, Clam pack: 13042 Passenger Side #ST-6RS 6 13326 Driver Side #ST-7RS 6

## **OPTRONICS** SUBMERSIBLE **OVER 80**" COMBINATION TAIL LIGHTS



Submersible stop/turn/tail lights for over 80" applications. 12170 is 7-function: stop, turn, tail, rear reflex, side marker, rear clearance and side reflex. Eight-function 12171 is same as 12170 plus license illuminator. Include separate ground wire with eyelet. Shock proof socket guarantees long bulb life. All-weather molded plastic housing and durable lens protect against corrosion. Dim.: 3-3/4"W x 6-1/16"L x 2-1/4"D.

Submersible Over 80 Tail Lights. Clam pack: 12170 Passenger Side #ST-56RS 6

12171 Driver Side #ST-57RS 6 Replacement Bulb (Side):

16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED. Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400

Replacement Bulb (Tail): 16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb, LED, Each #145803125-1157-12V 12 16784 #1157 Bulb, BX/10 #16784 500



Spot & Flood Lights

Waterproof light for custom trailers. Oval, stop/turn/tail light. Legal in vertical or horizontal mounting positions. Wedge base bulb is protected from vibration with the patented Vibar® socket. Black grommet and plug are required for installation, and are not included except in complete kit. 7<sup>5</sup>/<sub>8</sub>" x 3<sup>5</sup>/<sub>16</sub>" x 2<sup>5</sup>/<sub>8</sub>".

761790 Submersible Oval Light only, Pk/1 #E421R 6


761791 Plug Only for #421, #431, #491 #431-491 12

## SUBMERSIBLE STOP/TURN/TAIL LIGHT KIT

Complete kit includes 421R light, 421-18 grommet and 431-491 standard plug. In Viz Pack.

79957 Submersible Stop/Turn/Tail Light Kit #E421KR <u>12</u>

## PETERSON PETERSON SURFACE MOUNT COMBINATION TAIL LIGHT



Complete Stop, Turn Tail Light, Bulk: 15828 Tail Light, Bulk #M457 48 15829 Tail Light with License Illuminator & Bracket, Bulk #M457L 48

Complete Stop, Turn Tail Light, Carded 79039 Tail Light, Carded #V457 6 79040 Tail Light with License Illuminator & Bracket, Carded #V457L 6

Replacement Lens only 15830 w/o Illuminator #B457-15 40 15831 w/License Illum. #B457L-15 40

**GOTONICS** 

## **OPTRONICS 4.5" ROUND STOP/TURN/ TAIL LIGHT**

Flush-mount stop/turn/tail light with acrylic lens, durable black steel housing and snap-in lens ring. Flange-mount design. ST-40RS includes two wire leads; unit grounds through mounting hardware. Lights feature snap-on, replaceable lens and easy to change replaceable bulb. Shock proof socket guarantees long bulb life. Rugged, all-environment steel housing. Retail packaging.

10060 4.5" Round Stop/Turn/Tail Light #ST-40RS 1 S/0 #A-2057 Bullb



## PETERSON RV STOP, TURN, & TAIL & LICENSE LIGHT WITH REFLEX

- · Surface mount rear combination tail light.
- Includes license plate bracket and license light.
- · Popular for RV applications.
- Self-service Viz Pack packaging.
- Lens size: 8-9/16" W x 4-5/8" H x 1-15/16" D.

Red w/License Light & Bracket: 13374 Without Back-Up #V25913 10 13382 With Back-Up #V25914 10 Replacement Lens Only: 13439 W/out Back-Up #V25913-25 10 13447 With Back-Up #V25914-25 10

### Replacement Bulb:

16783 #1156 Bulb, CD/2 #16783 1500 16296 #1156 Bulb, LED, Each #145803121-1156-12V 12 16782 #1156 Bulb, BX/10 #16782 500 16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb, LED, Each #145803125-1157-12V <u>12</u> 16784 #1157 Bulb, BX/10 #16784 500

#### **PETERSON**



- · Surface mount rear combination tail light.
- Popular for RV applications.
- Self-service Viz Pack packaging.
- Lens size: 8-9/16" W x 4-5/8" H x 1-15/16" D.

#### Red w/Tail Light:

13404 Without Back-Up #V25911 10 13412 With Back-Up #V25912 10 Replacement Lens Only: 13455 W/out Back-Up #V25911-25 10 13463 With Back-Up #V25912-25 10 Replacement Bulb: 16783 #1156 Bulb, CD/2 #16783 1500 16296 #1156 Bulb, LED, Each #145803121-1156-12V 12 16782 #1156 Bulb, BX/10 #16782 500 16785 #1157 Bulb, CD/2 #16785 1500

16311 #1157 Bulb, LED, Each

#145803125-1157-12V <u>12</u>

16784 #1157 Bulb, BX/10 #16784 500

Reflectors



LIGHTS


Vehicle Lights

#### Interior Lights In Section C:

Porch & Exterior Lights

## TAIL LIGHTS

Flashlights Spot & Flood Lights Bulbs Towing Lights Vehicle Lights



## **RV STOP/TURN/TAIL LIGHTS**

### WITHOUT BACK-UP LIGHTS

Combination stop/turn/tail light with white base. 12696 includes license plate illuminator and mounting bracket. Features snap-on, replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens protect against corrosion. Replacement bulb #2057. White base. Ground wire. Light dimensions: 4-5/8"W x 8-5/8"L x 2-1/16"D.

RV Stop/Turn/Tail Lights, Polypack: 12688 Tail Light #RV-ST50P 48 12696 Tail Light w/License Plate Bracket #RV-ST51P 48 Replacement Lens Only, Polypack: 12777 Lens f/12688 #A-ST50BP 10

12793 Lens f/12696 #A-ST51BP 10



Corrosion free design (including sockets) utilizes S-8 style lamp maintaining high reliability in demanding environments. Available with license plate bracket. Bulb #3157. SAE Approved. Dim.: light 8-5/8" x 3-3/4" x 2-1/8"

12708 Surface Tail Light #003-81 12 12709 Surface Tail Light w/License Plate Bracket #003-81L 8

12710 Red Lens only; 8-5/8" x 3-3/4" x 1-3/4" #89-187 <u>16</u>

12711 Clear Lens only; 5-1/4" x 1-1/4" x 1/8" #89-188 <u>12</u>

16798 #3157 Bulb, CD/2 #16798 10 19264 #3157 Bulb, LED, Each #145803164-3157-12V 1

## ANDERSON OVER 80" SUBMERSIBLE LIGHT

A combination clearance/marker/reflector light. 31/16" x 21/4" x 11/4" lens and housing sonically welded for a totally sealed light. The bulb is shock mounted in a patented Vibar<sup>®</sup> socket.

757316 Amber Light #E147A 6 S/O Red Light #E174R



Patio Lights

## WITH BACK-UP LIGHT

Combination stop/turn/tail light with back-up light and white base. 12769 includes license plate illuminator and mounting bracket. Features snap-on lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens protect against corrosion. Replacement bulb #2057. White base. Ground wire. Light dimensions: 4-5/8"W x 8-5/8"L x 2-1/16"D.

RV Stop/Turn/Tail/Back-Up Lights, Polypack: 12734 Tail Light #RV-ST55P 48 12769 Tail Light w/License Plate Bracket #RV-ST56P 48 Replacement Lens Only, Polypack: 12785 Lens f/12734 #A-ST55BP 10 12801 Lens f/12769 #A-ST56BP 10

## DRY Q LAUNCH **SP8 8-FUNCTION** TAIL LIGHT -**OVER 80**"



Tail light with extended right end. A different look! Tens of thousands used by Shoreland'r, E-Z Loader and other top quality trailers. Waterproof, air trapping, submersible design compresses air, like an inverted water glass. Bulb slide has built-in dust and splash guard, with Hi & Dry Terminals: snaps out for "Serviceable, no tools required" bulb replacement. Comply with Federal legal requirements. "Sonically" sealed, no gaskets to leak or inventory. Use with trailers over 80" W. Replace any standard 2" mount. 5-year submersible warranty. Hardware included. 3.5" H x 6" W x 2" D.

With Curved Side: 10645 Left #SP8RBW-EL13 10 10646 Right #SP8RBW-ER13 10

Replacement Parts: 16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb, LED, Each #145803125-1157-12V <u>12</u> 16784 #1157 Bulb, BX/10 #16784 500 S/O #198 Bulb






Classic surface mount styling and ease of installation in an LED format. Includes Class "A" reflex. License plate lighting is incandescent. Unit is supplied with straight wire leads. SAE approved, FMVSS-108, Made in the USA. Surface Mount Tail Light 8 5/8" X 3 3/4" X 2 1/8".

13802 LED Surface Mount Tail Light #003-81M1 3

13803 LED Surface Mount Tail Light w/License Plate Bracket #003-81LM1 3

## **OptroNICS**

## **OPTRONICS** WATERPROOF **OVER 80" LIGHTS**





Waterproof universal mount stop/turn/tail lights for over 80" applications. 12843 is 7-function: stop, turn, tail, rear clearance, rear reflex, side marker, and side reflex; eight-function 12844 include license illuminator as well. Features screw-on, replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens protect against corrosion. 12843/12844 include separate ground wire. Dim.: 8-1/16" L x 2-7/8" H x 2-13/16"deep.

Waterproof Over 80 Tail Lights, Clamshell: 12843 Passenger Side #ST-16RS 6

12844 Driver Side #ST-17RS 6

Replacement Lens Only: 13799 Tail Light Lens, Bag #A-16RBP 50

13800 Side Marker Lens, Bag #A-17RBP 50

13366 Kit of Tail & Side Marker Lenses, Carded #A-16R 12 Replacement Bulbs:

#2057 Bulb (Tail) and #168 Bulb (Side) S/0



Packaged kit includes two LED universal mount tail lights and a corrosion proof license plate bracket. Equipped with a 25' wire harness and stainless steel mounting hardware. Light dimensions: 2-7/8"W x 8-1/16"L x 2-13/16"D.

12923 Over 80" LED Trailer Light Kit, Clam pack #TLL-16RK 2



Waterproof universal mount stop/turn/tail lights for over 80" applications. Sleek, contemporary housing design. 12947 is 7-function: stop, turn, tail, rear clearance, rear reflex, side marker, and side reflex; 8-function 12939 also has license illuminator. Features screw-on, replaceable lens and easy to change replaceable bulb. Shock proof socket for long bulb life. All-weather molded plastic housing and durable lens protect against corrosion. 3-1/4"W x 7-7/8"L x 2-7/8"D.

LIGHTS

ſ.

Waterproof Over 80 Tail Lights, Clam pack: 12947 Passenger Side #ST-36RS 6 12939 Driver Side #ST-37RS 6



## RUST PROOF LICENSE PLATE BRACKET

Angled license plate bracket, made of rust proof black polymer. For use with stud mount license lights. Polypack.

12084 Rust Proof License Plate Bracket #LP-10SBP 50

#### HEAVY DUTY LICENSE PLATE BRACKET

Zinc plated steel license plate bracket, designed for durability. For use with stud mount license lights. Polypack.

12041 Heavy Duty License Plate Bracket #LP-15SBP 12

## **OPTRONICS LICENSE PLATE LIGHT**

License plate light with coated plastic housing. Mounting ears for surface mount.

Design includes both lead and ground wires for mounting to all surfaces. Replaceable bulb. Dim.: 1-9/16"W x 4"L x 2-5/8"D.



12924 License Plate Light, Black, Polypack #LP-81BBP 50

Replacement Bulb: 16800 #194 Bulb, CD/2 #16800 10 16318 #194 Bulb LED, Each #145803150-194-CW-12V 12 16762 #194 Bulb, BX/10 #16762 400

Combination license plate light with molded bracket. Unbreakable lens. Bulb #168. SAE Approved. Dim.: 8-3/8" x 2-1/2" x 2-9/16".

License Plate Light: 12712 Black #003-70B 8 14386 Polar White #003-70P 8

## **←2 5/8"**→ PETERSON MANUFACTURING UNIVERSAL STUD-MOUNT **STOP, TURN & TAIL LIGHT**

· Stud-mount, combination tail light that functions as stop, turn, tail, and license light (428 or 428W only). • Features 3 3/4" diameter wrap-over lens retained by two screws. black plastic housing, and two 10" lead wires. • Mounts with two 1/4" studs on 2" centers. · Grounds through mounting hardware. Viz Pack.

10125 Stud-Mount w/License Light #V428

Replacement Bulb: 16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb, LED, Each #145803125-1157-12V <u>12</u> 16784 #1157 Bulb, BX/10 #16784 500

### **ANDERSON MARINE 7-FUNCTION** TAIL LIGHT — Under 80"

Tough molded housings and phosphor bronze electrical contacts. Lights exceed DOT requirements for: stop, tail, turn signal, rear and side reflector, side marker light and license illuminator. Black housing. 5" L x  $4^{1/2}$ " W x  $2^{3/4}$ " D.

10277 Without License Illumination #E440 6 749933 With License Illumination #E440L 6 Replacement Bulb: 16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb, LED, Each #145803125-1157-12V <u>12</u> 16784 #1157 Bulb, BX/10 #16784 500





"Belljar" submersible stop and tail lights with gasketed lenses which provide seal to prevent water from entering lamp. The 79960 kit includes 441 & 441L tail lights, two 108WA marker lights, license bracket, 20' split harness, mounting hardware and instructions. Viz packed.

79960 PWC Trailer Light Kit #E546 4 Replacement Bulb: 16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb, LED, Each #145803125-1157-12V 12 16784 #1157 Bulb. BX/10 #16784 500

## **DRY LAUNCH** SPLL SUBMERSIBLE UNIVERSAL TOUGH DUTY LIGHTING KIT

7 Function SP-LLs: • Seven Federally Required Lighting/Reflector functions. • Universal. Tough Duty or Submersible Applications.

• Entire Non Fading GE Lexan® Construction. • Famous "Snap Out" - No Tools - Bulb Slides. Latest, Detroit Rustproof, Sylvania #3157 Wedge Bulbs. • Anytime, Anywhere... by Anyone... Serviceability. • All needed Mounting and Hook Up Hardware, etc. • Standard 2" mounting pattern. • Dim.: 6" x 3-1/2" x 2-1/2".

13878 SPLL Tail Light Kit, Pair #SP7LLR-8X13 10 16798 #3157 Bulb, CD/2 #16798 10 19264 #3157 Bulb. LED. Each #145803164-3157-12V 1





## DRY LAUNCH SP7 SUBMERSIBLE TRAILER LIGHT

All Lexan universal (right or left) use. Millions in use! Waterproof, air trapping, submersible design compresses air, like an inverted water glass. Bulb slide has built-in dust and splash guard, with Hi & Dry Terminals: snaps out for "no tools required" bulb replacement. Complies with Federal legal requirements. "Sonically" sealed. no gaskets to leak or inventory. Use with trailers under 80" W. Replace any standard 2" mount. 5-year submersible warranty. Hardware included. 3.5" H x 6" W x 2" D.

753313 Left/Right Tail Light #SP7RBW-LR13 20

Replacement Bulb Slide: 755186 Right #SP7RSA-9911 4 755187 Left #SP7LSA-9911 4

Replacement Parts: 16785 #1157 Bulb, CD/2 #16785 1500 16311 #1157 Bulb. LED. Each #145803125-1157-12V 12 16784 #1157 Bulb, BX/10 #16784 500

#### **FASTENERS UNLIMITED** MODERN LICENSE PLATE LIGHT



Interior Lights

## LICENSE & BACK-UP LIGHTS • REFLECTORS

Porch & Exterior Lights Patio Lights Flashlights Spot & Flood Lights Bulbs Towing Lights Vehicle Lights Reflectors



## OPTRONICS BACK-UP LIGHT

Clear, surface mount back-up light with polished, chrome-plated housing.


Features snap-on, replaceable lens and easy to change replaceable bulb. Retail packaging.

 10102
 Back-Up Light
 #BU-11CS
 12

 Replacement Bulb:
 16783
 #1156
 Bulb, CD/2
 #16783
 1500

 16296
 #1156
 Bulb, LED, Each
 #145803121-1156-12V
 12

16782 #1156 Bulb, BX/10 #16782 500



**RE-10 SERIES** 

**RECTANGULAR REFLECTORS** 

Acrylic rectangular reflectors for surface mount.

Self-adhesive. Dim.: 3-3/16" x 1-7/16". Polypack.

**RE-11 & 12 SERIES** 

**OBLONG REFLECTORS** 

Acrylic oblong reflectors for surface mount.

Mount with adhesive backing and/or screws.

RE-12 Series Oblong Reflector, Clam/2

RE-10 Series Rectangular Reflector, Each:

12106 Amber #RE-10ABP 100

12114 Red #RE-10RBP 100

Dim.: 4-7/16" x 1-15/16".

Polypack, Each:

90

RE-11 Series Oblong Reflector,

12122 Amber #RE-11ABP 100

12846 Amber, Pair #RE-12AK 12

12134 Red #RE-11RBP 100



optronics

LICENSE PLATE LIGHT Armored license plate light,

constructed of durable, chrome plated steel. Mounting ears for surface mount. Mounts on 2" centers. Single wire design grounds through mounting hardware. Replaceable bulb. Retail packaging.

**10044** Heavy Duty License Plate Light, Each #LP-21CS <u>12</u>

#### REFLECTIVE SAFETY PRODUCTS – DOTC2 Products made to provide added night-time safety through reflectivity.

Manufactured to a minimum 700 candlepower brightness, typically 1000 candlepower.
Long distance visibility allows motorist time to take corrective action much sooner.
Seven plus years durability.
Stays clean, withstands brushing, dirt, grime and high pressure steam sprayers.
Easy to apply, rub firmly into place.
FOR: Automotive, recreational vehicles, trailers, farm machinery, marine, sign marking, general household and workplace uses, mail boxes, post markers, door markers.

Highly Reflective Tape, Single Pack: **47884** Red, 1.5" x 4 ft. #RE804 <u>1</u> **47882** Red/Silver, 1.5" x 4 ft. #RE800 <u>12</u>

Highly Reflective Strips: **47887** Red, 2" x 12", 4 Strips/Pack #RE207 <u>1</u> **47886** Red/Silver, 2" x 12", 4 Strips/Pack #RE206 <u>12</u>





## OPTRONICS LICENSE PLATE/ UTILITY/DASH LIGHT

**OptroNICS** 

Snap-in license plate/utility/ dash light, chrome plated. Mounts in 1-1/4" diameter hole. Replaceable bulb. Single wire design grounds through mounting hardware. Two units required for legal license illumination. **10047** License Plate/Utility/Dash Light, Each, Retail packaging #LP-11CS <u>12</u>

LIFESAFE

LIFESAFE HIGHLY REFLECTIVE STICK-ON REFLECTORS



 Stick-on reflectors mount to any

clean surface. • Meets and exceeds DOT and SAE requirements for reflectors. • Low profile - can't be knocked off like molded reflectors.

 Stick-On Lens Reflectors, Pk/2:

 44266
 Amber, 2" x 3.5"
 #RE7070RV
 12

 44288
 Red, 2" x 3.5"
 #RE7071RV
 12

## **EMERGENCY WARNING TRIANGLES**

Design reduces wind resistance; meets all DOT specs and FMVSS 125 requirements. Red plastic case.



Size, Each Triangle: 17-1/4" W x 16-1/2" H.

30141 Set of 3 Triangles #1005-1 12

## OPTRONICS REFLECTORS



## RE-13 SERIES ROUND REFLECTORS

3-3/16" round reflectors for surface mount. Mount with single center screw. Polypack.

*RE-13 Series Round Reflector, Each:* **12971** Amber *#RE-13ABP* <u>100</u> **12963** Red *#RE-13RBP* <u>100</u>

## **RE-21 SERIES ROUND REFLECTORS**

3-3/16" round acrylic reflectors for surface mount. Self-adhesive.Calmshell.

 RE-21 Series Round Reflector, Each:


 12873 Amber #RE-21AS 12

 12845 Red #RE-21RS 12

## **RE-35 SERIES ROUND REFLECTORS**

Center mount, 2-3/16" round acrylic reflectors for surface mount where space is limited.

*RE-35 Series Round Reflector, Polypack, Each:* **13005** Amber *#RE-35ABP* <u>100</u> **12998** Red *#RE-35RBP* <u>100</u>



In Section C:

C