



GAS PROP JUST GOT EASY!



Select Replacement Prop

Use the chart below to locate the length and force of your prop to select the right replacement.

Example: Length is 14" and Force is 40 pounds or 175-185 newtons select prop 9.

Note: If there are 2 props, replace them both to keep door lift balanced.

		FORCE														
		POUNDS	10	20	25	30	35	40	50	60	75	80	90	100	120	150
LENGTH	10"		1							2						
	12"			3	4		6									
	14"			7		8	9									
	15"				10		11									
	16"								12							
	17"				14	15	16		19		20					
	20"	21	22				23		25		26	27	27	29		
	26"										33		34		35	



Gas Prop #	Order #	Mfr #	Gas Prop	Price
1	45646	#G1	10 inch, 20 lbs	
2	45647	#G2	10 inch, 60 lbs	
3	45692	#G3	12 inch, 25 lbs	
4	45702	#G4	12 inch, 30 lbs	
6	45721	#G6	12 inch, 40 lbs	
7	45733	#G7	14 inch, 25 lbs	
8	45737	#G8	14 inch, 35 lbs	
9	45756	#G9	14 inch, 40 lbs	
10	45808	#G10	15 inch, 30 lbs	
11	45830	#G11	15 inch, 40 lbs	
12	45846	#G12	16 inch, 60 lbs	
14	45848	#G14	17 inch, 30 lbs	
15	45849	#G15	17 inch, 35 lbs	
16	45916	#G16	17 inch, 40 lbs	
19	45918	#G19	17 inch, 60 lbs	
20	45919	#G20	17 inch, 90 lbs	
21	45921	#G21	20 inch, 10 lbs	
22	45924	#G22	20 inch, 20 lbs	
23	45929	#G23	20 inch, 40 lbs	
25	45930	#G25	20 inch, 60 lbs	
26	45931	#G26	20 inch, 80 lbs	
27	45932	#G27	20 inch, 90 lbs	
28	45933	#G28	20 inch, 100 lbs	
29	45934	#G29	20 inch, 120 lbs	
33	45935	#G33	26 inch, 75 lbs	
34	45939	#G34	26 inch, 100 lbs	
35	45940	#G35	26 inch, 150 lbs	

GAS PROP ACCESSORIES



Refer to the Selector Guide Booklet for more detailed information, including installation.

GAS PROP BRACKETS

- 45942** Gas Prop Bracket, Flat #G815 12
- 45943** Gas Prop Bracket, 3/4 inch #G825 12
- 45944** Gas Prop Bracket, 1 inch #G835 12
- 45946** Gas Prop Bracket, 1 inch Offset #G845 12

GAS PROP BALL STUD

- 45947** Gas Prop Ball Stud #G855 12

SELECTOR GUIDE BOOKLET

- S/O Selector Guide Booklet #G100


Gas Spring Fit and Selection

If you already have a gas spring installed selecting a replacement can be as simple as A-B-C.

Remove the spring from it's mounting brackets.

A. Measure the extended length from center mounting hole to center mounting hole (See "A" in diagram).

B. Measure the amount of piston that is exposed while extended. This is called the stroke of the gas spring (See "C" in diagram).

C. Using our simple to read chart, find the extended length that is the closest to your current unit. Then use either the stroke measurement or subtract the stroke from extended and select the compressed sizes that are closest to your current spring.

(The measurements do not have to be exact but the closer you can match the original the easier it will be to install.)


Selecting the force - If your current spring has a stamped label the force should be listed within that number. Usually the last 2 digits or often followed by the letter N which is Newtons. 1 pound equals 4.4482 Newtons. This is the pounds of force being exerted to open or hold open the door or platform. It does not equal the weight of the item being lifted. Trial and error is not the best way to find that number.

Selecting a gas spring for a project that does not already have brackets installed can be a much harder task. This normally requires a computer program and numerous measurements to make sure they operate properly.

Proper Disposal Requirements:

- Caution**, safety glasses and protective gloves should be worn for this procedure.
- Secure the gas spring using a vise with the piston end tilted down at least 30 degrees, let stand in this position for 30-60 seconds to allow the oil to settle in the lower section of the tube.
- Caution**, a gas substance will escape during this procedure. Using a tubing cutter or hacksaw, cut the top end of the tube 1/2" down from the welded end fitting or stud.
- Place the tube open end down in an approved container to drain the remaining oil.
- Once tube has drained, discard the gas spring as approved for other metal objects.

Feel free to contact JR Products at 800-269-7622 for assistance on selecting or replacing your gas spring.

Black Nitride Shaft Gas Springs


* Used on Truck Caps

Order #	Mfr #	Ext'd Length (inches)	Comp'd Length (inches)	Stroke (inches)	Rod Dia. (mm)	Tube Dia. (mm)	Force (lbs.)	Type Of End (Mfr#)
45426	GSNI-2200-90	17	10.41	6.59	8	18	90	EF-PS30
45453	GSNI-2300-80	20	11.41	8.59	8	18	80	EF-PS30
45454	GSNI-2300-90	20	11.41	8.59	8	18	90	EF-PS30
45431	GSNI-2300-100	20	11.41	8.59	8	18	100	EF-PS30
45440	GSNI-2300-120	20	11.41	8.59	8	18	120	EF-PS30
45447	GSNI-2300-150	20	11.41	8.59	8	18	150	EF-PS30
47957	GSNI-2600-100	26.3	15.3	11	8	18	100	EF-PS100
47798	GSNI-4032-28	17.13	11.22	6.3	6	8	28	EF-PS30
47793	GSNI-4033-30	17.48	10.59	6.89	6	8	30	EF-PS30
47950	GSNI-4688-40	13.98	8.9	5	6	15	40	EF-PS90 and EF-PS30
47917	GSNI-4983-35	12.2	8.66	3.94	6	8	35	EF-PS30
47800	GSNI-4991-60	15.98	9.92	6.46	6	8	60	EF-PS30
45455	GSNI-5000-20	10	6.41	3.59	6	15	20	EF-PS30
45456	GSNI-5000-60	10	6.41	3.59	6	15	60	EF-PS30
45457	GSNI-5100-30	12	7.91	4.09	6	15	30	EF-PS30
45458	GSNI-5100-40*	12	7.91	4.09	6	15	40	EF-PS30
42940	NEW! GSNI-5150-20	15	8.91	6.09	6	15	20	EF-PS30
45459	GSNI-5150-40	15	8.91	6.09	6	15	40	EF-PS30
42942	NEW! GSNI-5150-60	15	8.91	6.09	6	15	60	EF-PS30
45460	GSNI-5200-30	17	9.66	7.34	6	15	30	EF-PS30
45483	GSNI-5200-40	17	9.66	7.34	6	15	40	EF-PS30
45489	GSNI-5200-50*	17	9.66	7.34	6	15	50	EF-PS30
45494	GSNI-5200-60	17	9.66	7.34	6	15	60	EF-PS30
42951	NEW! GSNI-5200-75	17	9.66	7.34	6	15	75	EF-PS30
45505	GSNI-5300-10	20	11.41	8.59	6	15	10	EF-PS30
45518	GSNI-5300-20	20	11.41	8.59	6	15	20	EF-PS30
42952	NEW! GSNI-5300-30	20	11.41	8.59	6	15	30	EF-PS30
45524	GSNI-5300-40	20	11.41	8.59	6	15	40	EF-PS30
45534	GSNI-5300-50	20	11.41	8.59	6	15	50	EF-PS30
45539	GSNI-5300-60	20	11.41	8.59	6	15	60	EF-PS30
45543	GSNI-6624	14	8.03	5.97	6	15	24	EF-PS30
45555	GSNI-6642*	14.5	8.91	5.59	6	15	35	EF-PS30
45556	GSNI-6687	26.32	15.82	10.50	8	18	74	EF-PS30
45557	GSNI-7145	26.32	15.82	10.50	8	18	150	EF-PS30
45558	GSNI-7901	20	11.30	8.70	6	15	60	Non-replaceable
45570	GSNI-7903	20	11.42	8.58	8	18	110	Non-replaceable



Replacement End Fittings For Gas Springs



Replacement end fittings for gas spring with steel spring.


45423 End Fitting, Pk/2
#EF-PS30 24




Replacement end fittings for gas spring with snap-on cap.

45403 End Fitting, Pk/2
#EF-PS130 24


Gas Spring Mounting Brackets




45379 Bracket, Pk/2 #BR-1020 1




45390 Bracket, Pk/2 #BR-12553 36




45380 Bracket, Pk/2 #BR-10336 24




45389 Bracket, Pk/2 #BR-12552 36



45378 Bracket, Pk/2 #BR-1015 24



45391 Bracket, Pk/2 #BR-12695 24





45381 Bracket, Pk/2 #BR-1060 36



Used for your entry door. Made of high quality steel and is rust resistant. Gas spring sold separately.

45382 Bracket, Each, Packaged
#BR-1120 24



45392 Ball Stud, Pk/2 #BS-1005 1


**JR PRODUCTS
REPLACEMENT END FITTINGS
FOR GAS PROPS**

48810 Replacement End Fitting, H.D. with safety clip, Pk/2
#EF-PS100-BP 24

48780 Replacement Safety Clips ONLY for Coast#48810, Pk/2
#SC-1006 24

48778 Replacement End Fitting, Clevis Swivel, Pk/2 #EF-PS200 24

48811 Replacement End Fitting, Composite Angled, Pk/2
#EF-PS90A 24


JR PRODUCTS DOOR HOLDERS
LOW PROFILE DOOR HOLDER

A unique door holder made of polymer plastic. It will not rust or fade and provides a secure catch when connected. Since it is a flexible polymer, it also works as a bumper when not in the catch position, reducing damage to your unit from the door. It can be used in any application from entry doors to small uses such as compartments.

47840 Low Profile Bumper Door Holder
#10665 1

**UNIVERSAL BUMPER
FOR T-STYLE DOOR
HOLDER**

Add this bumper to your door holder and it will prevent your door from hitting your RV.
1-1/4"H x 1-5/8"W x 5/8" D.

Universal Bumper, Pk/1:

43032 Colonial White #10675 1

40579 Polar White #10685 1


**JR PRODUCTS
UNIVERSAL DOOR
SECURITY STRAP**


Designed to keep doors in the open position while traveling. Strap is 18" long and can be cut to fit. Comes complete with everything you need to make a professional installation.

45201 Universal Door Security Strap,
Packaged #20615 24


**RV DESIGNER
TIEBACK STRAP**

Clear plastic strap, 3/4" wide x 18" long with screw fastener at one end and snap fastener at the other. Use as a holdback for folding doors, curtains, etc. May be cut to desired length. Pk/1.

46233 Tieback Strap #H750 1


**RV DESIGNER
ENTRY DOOR BUMPERS**

White plastic bumper. 2-7/8" long.

40440 Entry Door Bumper #E229 1

Black rubber bumper only from E225.
1" diameter x 2-1/4" long. Screw included, Pk/1.

46818 Entry Door Bumper #E227 1



41809 Entry Door Bumper, White,
1-1/4", CD/1
#E230 1


**JR PRODUCTS
ADJUSTABLE SHELF BRACKETS**

Simple to install, these shelf brackets will add space to any cabinet, closet or compartment. You can combine these units to provide as many additional shelves as you need. Comes with 6 metal shelf supports.

43250 Brown, 9-7/8", 1 Set/Package
#20875 32


**JR PRODUCTS
CLOSET VALET HANGER**

Universal closet valet replaces the common closet rod. Constructed of stamped steel for durable use. Specially designed hanger holes will keep your clothes hangers in place while traveling. This unit is usually installed on the top of the closet or to a shelf inside the closet.

43201 Closet Valet Hanger, 96"
#20525 1


**JR PRODUCTS
CLOSET POLE SOCKET SET**

Holds any style closet rod. Screws included.

45198 Socket Set with screws, Packaged
#20535 24

**RV DESIGNER
SLIDING DOOR
WHEELS &
HANGER**


43999 Sliding Door Wheels & Hanger,
Clamshell, Pk/2 #H530 12

DOOR HARDWARE


In Section G:	Tools	Fasteners	Window	Screen	Door Hardware	Locks	Baggage Door	Cabinet	Shelf & Table	Tie Downs	Trim/Molding	Seals	Gutter
---------------	-------	-----------	--------	--------	---------------	-------	--------------	---------	---------------	-----------	--------------	-------	--------



JR PRODUCTS SLIDING MIRROR DOOR CATCH

Universal factory replacement catch found on most RV sliding mirrored wardrobe doors. It mounts easily to the door frame and clips around the metal portion of the door when closed providing a secure catch while traveling. Replaces both small and large catches.


45216 Sliding Door Catch, with mounting screws, Pk/1 #20665 36



RV DESIGNER MIRRORED DOOR LATCH

• Universal sliding mirrored door latch. • Secures doors for travel.

40360 Mirrored Door Latch Univ, Pk/2 #H527 1



JR PRODUCTS DOOR HANGERS

TOP WARDROBE DOOR HANGER

These are factory replacement wardrobe rollers that are installed on the upper portion of most mirrored RV closet doors. They are fully adjustable to provide the proper alignment and tension for the doors to operate smoothly.

43210 Top Wardrobe Door Hanger #20575 36

SLIDING DOOR HANGER

Used most commonly on pocket style and sliding doors. The unit is mounted to the top of the door to provide a smooth operation.

43205 Sliding Door Hanger, with mounting screws #20565 24



JR PRODUCTS DOOR GUIDES

BOTTOM WARDROBE DOOR GUIDE

These are factory replacement bottom door guides for most mirrored wardrobe doors. They are installed in the floor track and on the bottom of the doors to provide smooth operations.

43220 Bottom Wardrobe Door Hanger #20585 24

UNIVERSAL IN-FRAME DOOR GUIDE

This door guide is found on most pocket style or sliding doors. It is used to keep the bottom of the doors aligned for smooth operation and to lessen the noise or wear caused by the wall or pockets. Adjustable for a variety of door sizes.

43222 Universal In-Frame Pocket Door Guide, with mounting screws #20595 24


DELUXE IN-FRAME POCKET DOOR GUIDE

• Fits any door up to 1-3/8" thick. • Non-adjustable. • Includes mounting screws.

43225 Deluxe In-Frame Pocket Door Guide #20605 1


BY-PASS DOOR GUIDE

Adjustable floor guides. Extra high profile for carpeting. CD/1.




41183 Closet Door Guide #1044C 10

RV DESIGNER SLIDING DOOR GUIDE



43986 Sliding Door Guide, Clam Shell, Each #H528 12



JR PRODUCTS DOOR GUIDES

EXTERIOR FRAME POCKET DOOR GUIDE

• Fits any door up to 1-3/8" thick. • Made of vinyl plastic. • Can be drilled for a screw-in application.

48770 Pocket Door Guide, Pk/1 #20915 24

UNIVERSAL DOOR GUIDE

• Fits any door of any thickness & type. • Mounting screws included.

48771 Door Guide, Pk/2 #20925 24

FLOOR MOUNTED DOOR GUIDE

• Fits any door up to 1-3/4" thick. • Adjustable nylon guides. • Mounting screws included.

48772 Floor Mounted Door Guide, Pk/1 #20935 24



JR PRODUCTS SLIDING DOOR HANGER PLATE

Used most commonly on pocket style and sliding doors. The unit is mounted to the top of this style of door to provide a smooth operation.

45199 Hanger Plate, Packaged, with mounting screws #20555 36



One size fits all.



RV DESIGNER SLIDING DOOR HANGER


40453 Sliding Door Hanger #H529 1

HUSKY Hasp & Latch Lock

Do you have valuable product in your trailer that you want to protect? Is your current trailer lock vulnerable to being cut-off? The Husky Trailer Hasp & Latch Lock is designed to provide the maximum security for trailer hasp & latch systems. Its locking mechanism is enclosed within the lock housing to eliminate the opportunity for the lock to be cut off the trailer. The lock is manufactured with solid, high strength steel construction and is guaranteed to be bolt cutter proof. The Husky Trailer Hasp & Latch Lock fits most hasp & latch systems and is corrosion resistant. The lock comes either as a single lock or keyed alike. Corrosion resistant design. Limited lifetime warranty.



Description	Part #	
Hasp & Latch Lock, Keyed Differently	31312	
Hasp & Latch Lock, Keyed Alike	31416	



with 1-1/4
bumper

KWIKKEE HOOK AND KEEPER

"T" Holder (Hook & Keeper), White:


41362 4" #906451002 24

41410 6" #906461002 24

NEW! "T" Style Door Holder
with 1-1/4" Bumper, White:

45263 4" #906456002 24

45334 6" #906466002 24



RV DESIGNER ENTRY DOOR HOLDERS

The Stainless Steel version is spring loaded for self closing.

90 DEGREE

41795 Stainless #E277 36


40444 White Plastic #E250 1

41801 Zinc #E273 36

45 DEGREE

41797 Stainless #E275 36

41808 Zinc #E271 36



RV DESIGNER ENTRY DOOR HOLDERS

ENTRY DOOR HOLDER - PLASTIC CLIP

Plastic clip type door holder, 2" x 3",
Screws included, Pk/1.

46824 Colonial White #E243 1

46823 White #E241 1

Clip only, 2" x 1", Screws included, Pk/2:

65411 Colonial White #E244 1

65409 White #E242 1

5-1/2" DOOR HOLDER WITH PLASTIC CLIP

5-1/2" Entry Door Holder
with Plastic Clip, Clamshell:

48293 White #E247 36

ENTRY DOOR HOLDER - METAL/PLASTIC

Metal with plastic clip, Clamshell:

48279 3" Door Holder #E265 12


48280 4" Door Holder #E267 12

ENTRY DOOR HOLDER WITH BUMPER

Entry Door Holder, with Bumper, Clamshell:

48281 2-1/2" #E261 12

48282 3-1/2" #E263 12



JR PRODUCTS PIVOTING DOOR HOLDER

Built of durable zinc plated steel for years of use. The polymer plastic receiver can be adjusted to the amount of holding strength needed. The arm is designed to pivot in order to fold it out of the way when not in use. Includes mounting screws.

Pivoting Door Holder w/Receiver, Packaged:

47838 3-1/2" Holder #10645 36

47839 **NEW!** 5-1/2" Holder #10655 18

Replacement Receiver only:

45088 Replacement Receiver, Packaged
#10635 24



RV DESIGNER ENTRY DOOR HOLDER

Used on many Fleetwood RVs. 1-3/4" x 3-3/4".
Stainless steel with black rubber bumper.
Screws included, Pk/1.

46095 Entry Door Holder #E225 36

DOOR HARDWARE

HARDWARE & TOOLS

G

In Section G:	Tools	Fasteners	Window	Screen	Door Hardware	Locks	Baggage Door	Cabinet	Shelf & Table	Tie Downs	Trim/Molding	Seals	Gutter
---------------	-------	-----------	--------	--------	---------------	-------	--------------	---------	---------------	-----------	--------------	-------	--------




T-Style Door Holder with stainless steel spring for self closing:

- 40429** Stainless, 4" #E224 36
- 40434** Stainless, 6" #E226 12

T-style Door Holder:

- 40409** Zinc, 4" #E217 36
- 40412** Zinc, 6" #E218 12



PLASTIC

Plastic T Type door holder 1-3/4" wide. Screws included, PK/1.

- 43973** 3-1/2" L, Black #E232 12
- 46820** 3-1/2" L, Colonial White #E233 36
- 44855** 3-1/2" L, Grey #E234 36
- 46819** 3-1/2" L, White #E231 36
- 43976** 6" L, Black #E236 12
- 46822** 6" L, Colonial White #E237 12
- 44871** 6" L, Grey #E238 12
- 46821** 6" L, White #E235 12
- 40443** 10" L, White #E239 24



Guaranteed not to rust!

JR PRODUCTS STAINLESS STEEL T-STYLE DOOR HOLDER

Replaces any type of door holder. Packaged. Includes mounting screws.

- 45086** 4" SS T-Style Door Holder, PK/1 #10615 24



JR PRODUCTS 45° T-STYLE DOOR HOLDER

Often used where a water heater, awning arm, or slide-out may interfere with the door opening completely. Mounted near the hinge of the door and can be used on any type of door. All mounting screws are included.

45° T-STYLE DOOR HOLDER

Guaranteed not to rust (for stainless steel)! Holds door open at a 45° angle from the RV.

45° T-Style Door Holder, Packaged:

- 45132** Metal #11755 24
- 45133** Stainless Steel #11765 24

90° T-STYLE DOOR HOLDER

Guaranteed not to rust (for stainless steel)! Holds door open at a 90° angle from the RV.

** Will not replace plastic 90° units exactly. If replacing a plastic 90° holder, it will be necessary to relocate one side of the holder due to the length of the T-stems.*

90° T-Style Door Holder, Packaged:

- 45134** Metal #11775 18
- 45135** Stainless Steel #11785 18



JR PRODUCTS DOOR HOLDERS

PLASTIC T-STYLE DOOR HOLDER

Direct replacement for your original equipment. Constructed of durable plastic for longer life.

Plastic T-Style Door Holder, with mounting screws, Packaged:

- 40833** **NEW!** 3 1/2", Black #10324 24
- 40533** 3 1/2" Colonial White #10424 36
- 40532** 3 1/2" Polar White #10414 36
- 45083** 6", Black #10434 30
- 40535** 6" Colonial White #10454 24
- 40534** 6" Polar White #10444 24




PLASTIC T-STYLE DOOR HOLDER WITH BUMPER

Direct replacement for your original equipment. Constructed of durable plastic for longer life. Mounting screws included. Packaged.

Plastic T-Style Door Holder, with bumper and with Mounting screws, Packaged:

- 40886** 3 1/2" Polar White #10414B 24
- 40923** 6" Polar White #10444B 30



JR PRODUCTS ROOSTER CATCH

- Constructed of zinc plated steel for longer life.
- Most commonly used as a screen door latch.
- Direct replacement. • Mounting screws included. • Packaged.

- 41011** Rooster Catch #10755 24



Ultimate


**JR PRODUCTS
DOOR
HOLDERS**
ULTIMATE DOOR HOLDER

The Ultimate Door Holder is designed for a variety of uses. Made of durable plastic for a long life. Specially designed holding rod uses the T-style idea then improved it by using round ball type ends. This gives it a larger radius of fit and flexibility. Holder comes with attachment to keep rod securely in place while in use. Polar White.

Ultimate Door Holder, with mounting screws:

46920 4" #10465 32

46921 6" #10475 24

46928 10" #10482 24



47837

45087

**90° ANGLED PLASTIC
T-STYLE DOOR HOLDER**

Works great for applications where the door needs to be held open to avoid items such as awning arms or compartment doors.

90° Angled Plastic T-Style Door Holder, with mounting screws, Packaged:

45087 Black #10625 18

47837 Polar White #10605 18


**JR PRODUCTS
UNIVERSAL LATCH**

This universal bolt latch is used in many applications including TV mounts, cabinets and overhead bunks. It can be used anywhere a secure positive latch is needed and comes with both surface and solid mounting strikes. Includes mounting screws.



45215 Brass Latch #20645 24

43228 Silver Latch #20655 24


JR PRODUCTS
METAL T-STYLE DOOR HOLDER

This sturdy metal T-style door holder will replace any type of door holder. Constructed of durable steel with zinc plating for longer life that resists rust and corrosion. Comes complete with everything you need to install or replace your existing door holder.

Metal T-style Door Holder:

46918 4" #10495 36

46919 6" #10505 24

STAINLESS STEEL T-STYLE DOOR HOLDER

Guaranteed not to rust! This stainless steel T-style door holder will replace any type of door holder. Comes complete with everything you will need to replace your existing door holder.

Stainless Steel T-Style Door Holder:

46917 4" #10515 36

46916 6" #10525 24

**JR PRODUCTS
DOOR BUMPER CATCH**


With offset adapter bracket. Includes mounting screws.

43588 2½" Offset Catch #10264 18

43589 3½" Offset Catch #10274 18

**JR PRODUCTS
C-CLIP STYLE
DOOR HOLDER**


Plastic Door Holder Complete:

45875 3", Colonial White #10214 36

41248 3", Polar White #10204 36

45876 5½", Colonial White #10384 1

41249 5½", Polar White #10374 32

Replacement Socket only, CD/2:

46591 Colonial White #10394CW 1

46592 Polar White #10394PW 1



46826



46827

65413

**RV DESIGNER
ENTRY DOOR HOLDERS**

Metal plunger is held by round rubber socket. 3" wide, zinc. Screws included, Pk/1.

65413 Rubber Plug 1-1/2" Dia x 1" H
#E260 1

STRAIGHT VERSION

46825 3" Plunger #E251 48

46826 4-3/4" Plunger #E253 12

ANGLED VERSION

46827 3" Plunger #E255 48

46828 4-3/4" Plunger #E257 12



Straight

Angled

**JR PRODUCTS
PLUNGER
DOOR STOPS**

Original replacement plunger style door holder. Constructed of zinc plated steel for long life. Easily installs to any RV or trailer to hold door securely open. Packaged.

Plunger Door Stop, with mounting screws:

40230 3" Straight #10284 18

45686 4¾" Straight #10294 18

40234 3" 15° Angled #10304 18

45687 4¾" 15° Angled #10314 18

Rubber Socket Only, CD/1

46593 Socket only #10404 1


**KWIKIEE
DOOR GRIP CATCH**

Complete Catch, CD/1:

40340 3" #905491002 24

40341 4" #905492002 24

40567 Plastic Catch Only, CD/2
#905493002 24

In Section G:	Tools	Fasteners	Window	Screen	Door Hardware	Locks	Baggage Door	Cabinet	Shelf & Table	Tie Downs	Trim/Molding	Seals	Gutter
---------------	-------	-----------	--------	--------	---------------	-------	--------------	---------	---------------	-----------	--------------	-------	--------



JR PRODUCTS METAL C-CLIP STYLE DOOR HOLDERS

This door holder is designed with a strong positive catch to keep doors in place. Both made of sturdy zinc-plated steel for years of durable use. Includes mounting screws.

WITH METAL SOCKET

The metal c-clip socket works with both plastic & metal wells.

With Metal Socket, Pk/1:

47830 3" #10535 1

47832 6" #10555 1

WITH PLASTIC SOCKET

It will replace metal & plastic versions.

With Plastic Socket:

47831 3" #10545 1

47833 6" #10565 1

METAL SOCKET FOR DOOR HOLDERS

No more broken sockets! Metal C-Clip Replacement Sockets are made of sturdy zinc-plated steel for years of durable use. Replaces all plastic versions and works with both plastic and metal wells.



47836 Metal Socket, with mounting screws, Pk/2 #10595 1



JR PRODUCTS FOLD DOWN CAMPER LATCH & CATCH

Used to secure the lid of your fold down camper for travel. Made of durable steel and are either zinc plated or powder coated in a white finish.

Fold Down Camper Latch & Catch, with mounting screws, Packaged:


45100 White #10845 24

45098 Zinc Plated #10825 24

Catch Only, Pk/2:

45101 White #10855 24

45099 Zinc Plated #10835 24



48795



48797



48798



JR PRODUCTS POCKET DOOR PRIVACY LOCK

- Premium lock for pocket or slider style doors.
- Will fit any 1-3/4" door. • Mounting screws included. • Packaged.

Pocket Door Privacy Lock, Pk/1, 0.41 Lb:

48795 Antique Brass #20885 20

48797 Brass (Bright) #20895 20

48798 Chrome #20905 20



48714



48721


JR PRODUCTS SPRING LOADED HEAVY DUTY DOOR HOLDER

- Constructed of die cast aluminum.
- Mounting screws included. • Lifetime Warranty.

Spring Loaded Heavy Duty Door Holder, Pk/1:

48714 2" Spring Loaded #10335 24

48721 4" Spring Loaded #10345 18



41969

41973



RV DESIGNER EXTERIOR HARDWARE

Baggage door latch to hold door closed.

Baggage Door Latch:

41974

41969 Fleetwood Style #E525 1

41973 Monaco/Tiffin Style #E523 1

41974 Monaco/Winnnebago Style #E521 1



46097

RV DESIGNER CAMPER LID LATCH & CATCH

Used to lock folding campers in closed position. May be locked with pad lock (not included). E313 & 316 – complete assembly, 2" x 5". E317 & E318 catch portion only, 1-1/4" x 7/8".

Complete Assembly, Screws included, Pk/1:


46097 Chrome #E313 36

46234 White #E316 36

Catch Only, Screws included, Pk/1:

46099 Chrome #E317 1

46235 White #E318 1



DECKER LOCK

Laminated, all-steel bolt, self-tightening under vibration. Immediate emergency exit. Fits all doors of any thickness. Dim. of the outside plate: 2" x 4". Dim. of the inside plate: 3" x 3-3/4".

41741 Lock/Latch #DECKER LOCK 20


JR PRODUCTS LATCHES
PRIVACY LATCH - BROWN

Constructed of strong polypropylene for long-lasting use. Commonly used on sliding and folding interior doors.

45196 Privacy Latch, with mounting screws, Packaged #20505 20

PRIVACY LATCH - GOLD FINISH

Locking unit commonly found on interior doors. Available in a gold finish to match any decor.

45197 Privacy Latch, Gold Finish, with mounting screws, Packaged #20515 20


DOOR KNOB/LATCH SET - GOLD FINISH

Locking unit commonly found on interior doors. Available in a gold finish to match any decor. Includes mounting screws.

45193 Knob/Latch Set, Gold Finish, Packaged #20495 20


**JR PRODUCTS
LOCKING CAMPER DOOR LATCH**

Universal entry door latch is commonly used on fold-down campers. Constructed of die cast steel and is painted a light gray for a universal application. Includes mounting screws.

45097 Locking Camper Door Latch #10805 24


**RV DESIGNER
LATCHES**
PRIVACY LATCH

Non-locking, all plastic privacy latch often used for bath & interior doors in RV's. Fits doors 3/4" to 1-1/4" thick. Dark brown. All hardware included. Pk/1.

46174 Privacy Latch #H531 36

CAMPER OR BATH DOOR LATCH

'Screen Door' type latch often used for bath doors in RV's. Locks from inside only. Fits doors up to 1-1/4" thick. Dark brass finish. All hardware included. Pk/1.

46172 Latch #H521 36

DOOR LATCH WITH LOCK

Screen Door type latch often used on folding trailer entry doors. Locks with key. 2-1/2" x 3", grey. All hardware included, pk/1.

46096 Door Latch w/ Lock #E311 1


**KEY BLANK —
PAK/5**

Seperate key blanks,
5/Pack, for kit #40236:

-
- 40190** KS130 #16951 PK/5 1
 - 40199** KS200 #16955 PK/5 1
 - 40200** KS700, Long #16956 PK/5 1
 - 40201** KS300 #16957 PK/5 1
 - 40206** KS400 #16958 PK/5 1
 - 40214** KS100 #16959 PK/5 1
 - 40240** Square FIC #17286 PK/5 1
 - 40241** KS101 #17305 PK/5 1
 - 40242** KS201 #17310 PK/5 1
 - 40244** Brass Cut Key CH751 #17326 PK/5 1


**RV DESIGNER
HANDLE LOCKS**

3-3/4" T shaped handle, 4" square shaft. Chrome, locks with key.

46085 T Handle Lock, Pk/1 #L551 12

4" L shaped handle, 3" square shaft. Chrome, Locks with key, PK/1.

46086 L Handle Lock #L553 12

**CHROME
LOCKING "L" HANDLE**

Mounting holes 1³/₁₆" center-to-center, countersunk for #10 oval head screws (not included). 5/16" square shaft approximately 2 1/2" L. Bright chrome finish. With 2 keys.

40229 "L" Handle #L-201 BRIGHT CHROME 1

**LOCKING
"T" HANDLE**

Mounting holes 1 1/2" center-to-center, countersunk for #10 oval head screws (not included). 5/16" square shaft approximately 2 1/2" long. Bright chrome finish w/ 2 keys.

40038 Locking T-Handle #T-303 BRIGHT CHROME 1

**REPLACEMENT
KEY KIT**

The Kit consists of 60 RV Stowage and Entry Door key blanks. The kit will include the following blanks in packs of 5 each, KS100, KS110, KS130, KS150, KS180, KS200, KS300, KS400, KS700 short, KS700 long, KS800 and the F.I.C. Replacement keys can be purchased in packs of 5 each.

40236 Repl. Key Kit #17277 1



In Section G:	Tools	Fasteners	Window	Screen	Door Hardware	Locks	Baggage Door	Cabinet	Shelf & Table	Tie Downs	Trim/Molding	Seals	Gutter
---------------	-------	-----------	--------	--------	---------------	-------	--------------	---------	---------------	-----------	--------------	-------	--------



UNIVERSAL DOOR LOCKS

FEATURES:

- STAINLESS STEEL.
- PANIC PROOF.
- REKEYABLE.
- FITS DOORS 1 3/8" - 1 5/8" THICKNESS.



ENTRANCE LOCKS, 4 WAY UNIVERSAL

Entrance locks feature stainless steel finish; a panic-proof inside knob; solid steel interior; 5-pin tumbler; solid brass key cylinder and 1-piece latch housing with 1/2" latch bolt. For 1 3/8" to 1 3/4" doors. 2 3/8" or 2 3/4" backset. Units work in standard or drive-in configurations. Not available in keyed-alike. Viewpack.

4-Way Universal Entrance Lock, CD/1

- 49501** Knob x Lever #L32CS000 10
49502 Knob x Knob #L32CS010 10

REPLACEMENT STRIKE PLATE

- 45004** Strike Plate with Screws #L32PB060 1



PRIVACY LOCK FOR BATHROOM & BEDROOM DOORS

Turning button inside knob locks or unlocks the outside knob. Inside knob always free for exit. In an emergency, door can be unlocked with coin or screwdriver. Fits standard or drive-in style latches. 2-3/8" backset. Fits doors 1-3/8" to 1-3/4". Viewpack.

- 48759** Privacy Lock #L32CS100 10

PASSAGE LOCK

Passage lock for interior doors. Plain knob on both sides for interior doors where no locking is required. Turning inside or outside knob retracts latch. Fits standard or drive-in style latches. Viewpack.

- 48761** Passage Lock #L32CS200 10

DEADBOLTS & LATCHES

FEATURES:

- STAINLESS STEEL;
- FITS 2 3/8" BACKSET;
- FITS DOORS 1 3/8" - 1 5/8" THICKNESS;
- STANDARD OR DRIVE-IN STYLE LATCHES.

SINGLE CYLINDER DEADBOLT, 3 WAY UNIVERSAL

Operates with key from exterior or with turnpiece from interior to lock and unlock. Stainless steel finish. Rekeyable.

Single Cylinder Deadbolt:

- 48764** 5/8" Throw, Standard or Drive-In, 2 3/8" Backset #L32CS3008 10
48767 1" Throw, Standard or Drive-In, 2 3/8" Backset #L32CS3108 10



JR PRODUCTS 3-POINT DEADBOLT SET



Used on truck caps and compartment doors using 1/2 turn handle. • 6" 1-1/2" in closed position. • 6" in open position. • Rods can be cut to fit most applications. • Screws not included due to the variety of mounting options.

- 48782** 3-Point Deadbolt Set, Pk/1, 2 Lbs #10815 10



JR PRODUCTS CAMS




Universal application; used in conjunction with our 'T' and 'L' locking handles. Packaged.

- 45107** 2-3/4" Cam #10915 24
45108 2" Cam #10925 1



RV DESIGNER CAMS

Locking cam for use with T & L Handle Locks, Zinc, Pk/1.



- 46088** Cam - 2" #L661 12
46089 Cam - 2-3/4" #L663 12

ZINC CAM



Single point cam with screw for T and L handles.

- 45157** 2-3/4" Zinc Cam #2-3/4" CAM 1

Master Lock

MASTER SPARE TIRE LOCK

Prevent theft of spare tire and wheel. Heavy-duty lock fits bolt sizes up to 1/2" diameter. Bright chrome plated. CD/1.

- 30097** Spare Tire Lock #262DAT 24




**"TRIMARK" STYLE
FLUSH SLAM
LOCKSET**

Designed for travel trailer entrance door applications, this lockset features built-in deadbolt and provides the ultimate in security, safety and style. Safety-oriented design provides exit from inside should unit accidentally be locked. Set includes 2 brass keys and all mounting screws. Cut-out size 3-3/4" H x 2-3/4" W. Installed, visible trim edge is 4-3/8" H x 3-1/2" W. Accommodates door thickness from 1-1/4" to 1-1/2".

"Trimark" Style Flush Slam Lockset:

- 46212** Black #43610-06 10
41246 Chrome #RVL4261-00 10
46213 White #43610-09 10
48836 **NEW!** FIC Key Blank #85003-00 1


**JR PRODUCTS
DOOR HANDLES**
LOCKING T-HANDLE

Exact replacement for many truck caps, bed covers, and toolboxes. Built of sturdy die cast steel and has an automotive style lock tumbler for lasting use.

- 45104** Locking T-Handle, Chrome #10885 18
45114 Locking T-Handle, Black #10985 18


LOCKING L-HANDLE

- 45105** Locking L-Handle, Chrome #10895 18
45115 Locking L-Handle, Black #10995 18

INSIDE L-HANDLE

Used on the interior of the popular 'T' and 'L' locking handles. Provides the ability to open the doors from inside the truck cap or compartment. Fits most square-shaft operating handles.

- 45106** Inside L-Handle #10905 24


T-HANDLES

Locking T-Handles are zinc die cast material with a black powder coat (painted) finish and a 1 1/2" CC mounting length. Each handle comes with 2 keys and dust cover key plug. Handles are left hand (90CW) and right hand (90CCW) sets, keyed in pairs.

Pair Black T-Handles:

- 45154** Front Mount, 2-1/2" Shaft Length
 #T-303 BLACK SETS 1



- 45155** Blind Mount,
 3-1/4" Shaft Length
 #T-311 BLACK SETS 1

**RV DESIGNER
INSIDE
"L" HANDLES**


Inside handle for use with T & L Handle Locks. 3-3/8", chrome, Pk/1.

- 46087** Inside L Handle #L559 12

Inside "L" handle for locking handle fits all 5/16" square shanks. 37/16" L x 1 3/8" W x 1 3/16" H.

- 43050** Inside "L" Handle #I-7003 1

MASTER LOCK PADLOCK

Features a colorful, hi-tech thermoplastic shell that withstands temperature extremes and exposure to sunlight without becoming brittle or cracked. The cover also protects the lock body while preventing scratching and marring of surrounding surfaces. The quick-snap cap on the bottom protects the lock mechanism from weather, dust and dirt for long, trouble-free performance.



- 78425** Padlock with Blue Shell, Pk/ 3, Keyed Alike #312TRI 4