

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------



60126 Dispenser Keys



60126 Controls



60126 LEDs



66376



OPTIONAL STACK KIT


For easier installation in close-fitting areas.

66376 RV Stack Kit #SK02 1



60126

69545



COMPACT WASHER BY SPLENDIDE®

Super-silent, washer washes up to 15lbs and features easy-to-use controls with a digital display, adjustable water temperatures and spin speeds, automatic water level and load balance systems, 13 cycles and a 1200rpm max. spin. Special cycles: Lightly Soiled (15 min.), Jeans, Active Wear and more, help you do laundry faster and easier. Woolmark Platinum Care Certified. Options include Delay Start, Reduce Wrinkles, Extra Rinse and Super Wash. 1-Year Limited Warranty (extendable to 2-years).

Electrical: 120V, 60Hz, 4A. **Size:** 32-7/8" H x 23-1/2" W x 22-3/4" D. **Weight:** 146 lbs. **Water Use:** 7-1/2 - 16 gal.

Listings: cULus, ENERGY STAR.



- **Digital Display Control Panel.** Easier to use with time remaining, wash temperature and spin speed indicated.
- **Control Panel Lock.** Allows deactivation of control panel for safety.
- **End-of-Cycle Signal.** Chimes when the wash cycle is complete.

Other features: • **Easy to use.** Regardless of the type of fabric or degree of soil, Splendide's ARWXF129W washer's 13 wash cycles and 4 special wash options make choosing the right cycle easy. Load your laundry with ease—Splendide's TVM63X dryer features an extra-wide opening plus 3 timed drying cycles and a handy 'Auto' cycle that stops automatically when your load is dry. • **Built RV tough.** Splendide washers and dryers not only offer the space, weight and energy savings that are so important in RV's, but they're built tough to withstand the rigors of the road. Splendide washers are equipped with heavy-duty springs and shock absorbers, stainless steel drums and reinforced cases for a long travelling life. • Present stack kit SK02 (**66376**) works with this unit.

60126 Compact Washer, 120V/60Hz, White #ARWXF129W ♦ 1

120V STACKABLE DRYER BY SPLENDIDE®

Class-leading stackable dryer features super-sized, 4.0 cubic foot stainless steel drum, Easy-Clean lint filter, 3 timed cycles, Sensor Dry, bi-directional drum rotation for less wrinkling, and a Low Heat option. 13lb. capacity. 1-Year Limited Warranty (extendable to 2-years).

Electrical: 120V, 60Hz, 12A. **Size:** 32-3/4" H x 23-1/2" W x 22-3/4" D. **Weight:** 67 lbs. **Listings:** cULus.

69545 120V Stack Dryer, White #TVM63XNA ♦ 1

SPLENDIDE® XC, COMBO WASHER-DRYER



This handy appliance gets clothes clean and dry in half the space. A washer and dryer in one, it makes short work of all your dirty laundry from heavily soiled cottons to delicate silks and wools. Plus, it's 'Class A' rated for superior results. With all the features you expect at home, yet sized-right with enhanced springs and shock absorbers that make it fit for travel, the XC's extra large drum can handle 15 lb. loads and its 11-1/2" wide door opening makes loading easy. LED's illuminate as the cycles progress and detergent, bleach and softener are dispensed right when they're needed. The 'Add-an-item' option lets you open the door instantly during any cycle, and after washing, the drum spins up to 1200rpm to remove more moisture from fabrics. During the dry cycle, the dual-rotating drum helps fabrics dry even faster with less creasing. All the while, the brushless motor works quietly so you can relax while the laundry gets done.

Features 10 wash cycles, 3* timed dry cycles, low heat, extra rinse, pre wash, low spin, automatic water-level and load-balancing, self-cleaning lint filter, adjustable water temperatures and more. Max. Capacity: 15 lb. Wash/11 lb. Dry. Available in white or platinum color with a vented or ventless* drying system. Backed by an industry leading 1-Year Limited Warranty (extendable to 5-years).

Electrical: 120V, 60Hz, 13A **Size:** 33-1/8" H x 23-1/2" W x 22-5/8" D. **Weight:** 148 lbs. **Water Use:** 7.5-16 gal. **Listings:** cULus, ENERGY STAR.

Combo Washer-Dryer

67255 Vented Combo, White #WD2100XC ♦ 1
S/O Vented, Platinum #WD2100XCP

67256 Ventless* Combo, Platinum #WDC7100XC ♦ 4

* Ventless model is 22-1/4" D and uses 2.5 gallons of water/hr during the dry cycle. It has an additional Auto Dry cycle and is available in platinum color only.



67256

67255



1



2



3



4

1. XL Door Opening
2. X-Large Capacity, Stainless Steel Drum
3. Detergent Dispenser
4. Easy Controls.

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------

WHIRLPOOL® WASHER, DRYER & CLEANING ACCESSORIES



• Energy Star® Qualified
• Internal Water Heater

24" FRONT LOAD COMPACT WASHER



68766

FEATURES:

- ENERGY STAR® Qualified
- Flexible Installation - Under a Standard Countertop, Freestanding or Stacked
- Quiet Wash Sound Package
- 2.3 Cu. Ft. Stainless Steel Wash Basket
- Internal Water Heater
- 11 Cycles Including: Hand Wash, Whites, Quick Wash and Heavy Soil
- Triple Dispenser (Automatic Detergent, Bleach and Fabric Softener)
- 4 Temperature Settings
- Automatic Water Level Control
- 1,200 RPM Maximum Spin Speed
- Estimated Time Remaining Display.

ELECTRICAL REQUIREMENTS:

15 or 20 Amps. 60 Hz. 120 V.

DIMENSIONS:

33-1/2" H x 23-1/2" W x 24"D.
Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

68766 24" Washer, White #WFC7500VW ◆ 4



67412

3-CYCLE COMPACT ELECTRIC DRYER

FEATURES:

- 3.4 Cu. Ft. Capacity
- AccuDry™ Sensing System
- 3 Cycles
- 2 Temperature Settings
- Interior Lint Screen
- End-of-Cycle Signal
- Side-Swing Door.

ELECTRICAL REQUIREMENTS:

15 or 20. 120. 60. AC-only. use copper wire only. A four-wire or three-wire, single phase electrical supply required. A time-delay fuse or circuit breaker and separate circuit is recommended.

DIMENSIONS:

31" H (max) x 23-7/8" W x 21-15/16"D.
Depth with Door Open: 37-3/16".
Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

67412 3-cycle Compact Electric Dryer, White #LDR3822PQ ◆ 4

68039 Whirlpool Stack Kit for Washer 67410 and Dryer 67412 #WP-001 1

AQUA PRO WATER HEATER ANODE RODS LEAD-FREE

69717



69719

Lead-free

- 18% more magnesium for extended protection.
- Significantly extends the water heater tank life.

The single most important factor in tank life is the condition of its anode. Aqua Pro Magnesium Anode Rods will attract the elements that cause corrosion, protecting the tank from those elements. Simply replace your MPT drain plug with the Aqua Pro Anode Rod to protect your tank. For best results the anode rod should be replaced annually.

Magnesium Anode Rod for Suburban & Morflo Water Heaters, Lead-Free, 9" L, 3/4" MPT:

69716 Lead-free, CD/1 #69716 1

69717 Lead-free, Bulk #69717 1

Magnesium Anode Rod for Atwood Water Heaters, Lead-Free, 4-1/2" L, 1/2" MPT:

69718 Lead-free, CD/1 #69718 1

69719 Lead-free, Bulk #69719 1

FABRIC FRESHENER

Chosen for good housekeeping "Good Buy" Award!

FEATURES:

- Removes Odors
- Relaxes Wrinkles
- Gentle on Your Clothes & the Environment
- Cotton Performance Weight Pack
- Convenient & Easy to Use
- Collapsible & Portable
- Three Cycles for Optimal Performance
- Operates at the Touch of a Button.

ELECTRICAL REQUIREMENTS:

120. 60. Standard 2-prong Outlet Required.

DIMENSIONS:

57-1/8" H x 32-1/2"W x 12" D.
Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

67413 LS Fabric Freshener, White #LRF4001RY 1



DIAMOND REPLACEMENT HEATING ELEMENT

Replacement heating element probe for the Hott Rod 6 gallon water heater conversion kit. Use only with the official "Hott Rod".

60270 Replacement Heating Element, Pk/1 #HR6P2 6



DIAMOND HOTT ROD HEATING ELEMENT KITS

Fits onto your existing tank. High quality 304 stainless steel heating element gives years of water heating service. Includes a fully adjustable thermostat that mounts directly to the tank surface to keep water temperatures from 110° to 170°F; factory preset to 140°F. All necessary wiring and connectors, heater cord, and power cord are color coded for easy snap together electrical connections. Instructions included; installs in approximately 30 minutes with simple hand tools. **Fits Atwood:** 6 or 10 gal. RV hot water tanks with 1/2" NPT drain opening; **Suburban, American & Mor-Flo:** 6 or 10 gal. RV hot water tanks with 1/4" NPT drain opening or 11/16" hex. Carded. **Manufacturer's Lifetime Warranty.**

Hott Rod Heating Element Kits:

64555 6 Gal. Universal #HR6 6

64556 10 Gal. Universal #HR10 1

Hott Rod Power Switch Wiring Kit:

65107 Power Switch Kit #PSK1 6

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------



ATWOOD MOBILE ELECTRIC WATER HEATERS

Manufactured of highly specialized aluminum alloys. Atwood Water Heaters have a longer life and weigh much less than competitive models. (The 6 gallon model weighs 38% less than a stainless steel model and 43% less than a glass lined model; 13" H x 13" W x 15³/₄" D; cut-out size 19³/₄" D.) Featuring a corrosion-resistant exterior and a high quality 120V/1500W incaloy heating element; the electrical system is ignition protected and meets UL specifications. With heat exchanger coil.

Water Heater:

- 763429** 6 Gallon #93891 1
- 763430** 11 Gallon #93882 1

ATWOOD PILOT RELIGHTER KIT

For safety and convenience; keeps your pilot light going even after wind gusts. Fits all models of Atwood pilot gas water heaters. Uses 9-volt battery.



- 60894** Pilot Relighter Kit #93212 1

Atwood Water Heater Replacement Parts


- 69840** Mixing Valve Only for XT Series #90029 1
- 60830** Switch Package, Fits **60355** (has 4 copper prongs on back) #91959 1
- 60287** Jade Pilot Assembly, Standard #91603 1
- 65555** Gas Valve for 6 Gal. DSI #93844 1
- 63874** Spark & Sense Electrode, 2-Prong #93868 1
- 60291** Main Burner #92615 1
- 60893** Door Hardware Kit: Includes Cam Lock, Hinge Pin and Clip, Sight Glass and Window Tape #91858 1

ATWOOD 120° WATER HEATER THERMOSTAT KIT



120° temperature prevents scalding accidents. Fits same water heaters as Atwood #91447 140° thermostat. Front mount, for flush door.


- 63863** 120° Thermostat #91470 1



TEMPERATURE AND PRESSURE RELIEF VALVE


Self-closing temperature and pressure relief valves. All brass body. Stainless steel spring. Thermostat is positive, accurate and proven. A unique thermostat with special thermo-bonded protective coating to prevent accumulations of mineral deposits. Valves are preset at 150 lbs. The 1/2" valve has a 15,000 BTU rating; the 3/4" is 80,000 BTU.

- 60278** 1/2" Relief Valve #0004494 1
- 60433** 3/4" Relief Valve #0066100 1



REPLACEMENT WATER HEATER GAS CONTROLS

For use on recreational vehicles only, not for home use. For LP gas only. 11" water columns. Adjustable from 120°-160°F.




Order #	Mfr. #	Old Mfr. #	Inlet x Outlet	Shank L.	Replace Part #
60146	#110-501	RV-50A	3/8" Inv. Fl. x 3/8" FPT	15/8"	Morflo 32312; Phillips NP-S622004-02 ITT/General Control on Atwood Bowen Models: G610-B, G10-B, G10-C, GC6-A, GC10-C, GH6, G610
60149	#110-507	RV-50G	3/8" Inv. Fl. x 3/8" Inv. Fl.	13/8"	
60282	#110-508	RV-50J	3/8" FPT x 3/8" xFPT	11/2"	Atwood Bowen Models: G6A-3, GC-6A3, G610-3, GH6-3, G610-3B, GH610-3. 3/8" requires 45° fitting (Order #67550; Atwood #91347).
60288	#91602	ITT-Jade 91601	3/8" FPT x 1/4" FPT	11/4"	Atwood Bowen Models: GC-6A3, G610-3, G610-3, GH6-3, G610-3B, GH610-3
60389	#110-509	RV-50D	3/8" Inv. Fl. x 3/8" Inv. Fl.	1-3/8"	Morflo 32303, 690-0140, Phillips Mobil-Temp NP-062084-00 (without temperature control knob)
67550	#91347				45° Fitting to adapt 60282 to 3/8"



JR PRODUCTS WATER HEATER DOOR LATCH

Universal replacement; will fit all popular water heater applications.

- 45062** Water Heater Door Latch, Packaged #00225 24



RV DESIGNER WATER HEATER CAM LOCK

Metal, spring-loaded latch used to secure exterior, water heater door. Genuine OEM.

- 67257** Water Heater Cam Lock, Pk/2 #E371 1

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------



Water Heaters



The Atwood Family of Water Heaters

XT® Water Heaters

- Superheats water and utilizes a mixing valve to mix superheated hot water with cold water.
- Provides up to 50% more useable hot water.

Electronic Ignition Water Heaters

- You choose gas or electric and utilize cost savings of campground electric.
- Heats more water at a faster rate.

Pilot Water Heaters

- Most economical option.
- Pilot is manually lit upon arrival at destination and HOT water is available in 30 minutes.

On-Demand Water Heaters

- Residential hot water experience.
- Endless **HOT** water.



XT® WATER HEATERS



10 gallon water heaters provide the equivalent of 16 gallons of hot water and the six gallon yields

9 gallons. Features pre-installed winterizing by-pass kit. 10 gallon cut-out: 15-1/2"H x 16"W x 20-3/4"D. 6 gallon cut-out: 12-1/2" H x 16-1/2"W x 18"D. Durable, powder-coated access doors are included. 2 Year warranty. 1/box.

65695 GE16-EXT Gas/Elec, 10 gal.
#94026 1

The XT comes with a thermostatically-controlled mixing valve with check valves in both inlets.



69840 Mixing Valve for XT Water Heater
#90029 1

ELECTRONIC IGNITION



10 gallon output: 10,000 BTUs. 10 gallon cut-out: 15-1/2"H x 16"W x 20-3/4"D. 6 gallon output: 8,800 BTUs. 6 gallon cut-out: 12-1/2"H x 16"W x 18"D. Durable, powder-coated access doors included. 2 Year warranty. 1/box.

65631 GCH6AA-10E, Gas/Elec, 6 gal.
#96163 1

60058 GH6-8E, LP Gas, 6 gal.
#96136 1

60355 G6A8E, Gas, 6 gal.
#96121 1

60063 G10-3E, LP Gas, 10 gal.
#94191 1

65634 GC10A-4E Gas/Elec 110V, 10 gal.
#94022 1

PILOT WATER HEATERS

Includes high temperature limit switch, thermostat and pressure/temperature relief valve. 6 gallon output: 8,800 BTUs. 6 gallon cut-out: 12-1/2"H x 16-1/2"W x 18"D. 10 gallon output: 10,000 BTUs. 10 gallon cut-out: 15-1/2"H x 16"W x 20-3/4"D. Durable, powder-coated access doors included. 2 year warranty. 1/box.



60154 G6A-7 LP, 6 gal. #96110 1

62502 G10-2 LP, 10 gal. #94180 1

62499 GC6AA-8 LP & 110V, 6 gal. #96117 1

62503 GC10A-2 LP & 110V, 10 gal. #94186 1

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------

Ask us why we are better.



ON DEMAND WATER HEATERS

Provides a continuous hot water experience. 45,000 and 50,000 BTU. Cut-out (min/max): 12-1/2"-16"W x 12-1/2"-16"W x 16" min. D. An adapter plate is required for opening heights above 13" (included with 10 gal. door). Wide side flanges and adapter plate allow Atwood's On-Demand to easily fit the rough opening for most brands and sizes of RV water heaters. Access door sold separately. 2 year warranty. 1/box.



61963 50,000 BTU ODWH #90205 1

61964 Door, ODWH for 10 gal. Repl., Polar White #90260 1

61965 Door, ODWH for 6 gal. Repl., Polar White #90255 1

NEW!

WATER HEATER ACCESS DOORS

Fits Atwood water heaters. 2 year warranty. 1/box.

64442 6 gal., Polar White #91502 1

60289 6 gal., Colonial White #91514 8

64443 10 gal., Polar White #93986 1

60189 10 gal., Colonial White #93993 1



REPLACEMENT INNER WATER HEATER TANKS

Additional tanks available. Call us for the right replacement for you. 1/box.

60280 Repl. for G6A-2, G6A-3, G6A-6, & G6A-7 #91412 1

62500 Repl. for G6A-4E, G6A-6E, G6A-7E, & G6A-8E, Front Mt. T-Stat. #91641 1

62360 Repl. for GC6AA-7 #91591 1

66575 Repl. for GC6AA-10E #91059 1

65766 Repl. for GH6-4E, G6A-4E, G6A-7E & G6A-8E, Front Mt. T-Stat #91642 1

62363 Repl. for GC6AA-7E & GC6AA-8E, screw-in element #91593 1

62361 Repl. for GCH6A-7E #91592 1



WATER HEATER REPAIR PARTS

60288 Gas Control valve w/thermostat #91602 1

61508 Relief Valve 1/2" #91604 1

61557 Relief Valve 3/4" #90028 1

67550 45° Elbow, 1/4" NPT x 3/8" flair inlet #91347 1

60894 Pilot Re-Lighter Kit #93212 1

63873 Potted Circuit Board w/fuse #93865 1

65653 Potted Circuit Board w/fuse - New Style #93851 1

65630 Universal Ignition Control Kit #91504 1

60292 Drain Plug Kit - 1/2" Plastic (2) #91857 1

61332 ECO Thermostat Assy, Front Mount #91447 1

More accessories are presented in the following pages

18-20 G.P.H. QUICK RECOVERY WATER HEATERS

Atwood water heaters recover more gallons of hot water per hour and use less LP gas.



Efficient design

Atwood's innovative heater tube winds throughout the tank, creating more surface area to heat the water.



Available in 6 and 10 gallon tank sizes


No anode rod to replace - hassle free

Incalloy heating element - burn out resistant (electric models)

Adjustable air shutter for maximum performance

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------

PORCELAIN LINING AND REPLACEABLE ANODE ROD EXTEND THE LIFE OF YOUR SUBURBAN WATER HEATER TANK



THE SUBURBAN LINE OF WATER HEATERS INCLUDES...

HIGH-RECOVERY GAS OR GAS-ELECTRONIC MODELS WITH PILOT OR ELECTRONIC IGNITION.

- Steel tanks with porcelain lining.
- Anode rod protects against electrolysis.
- Pilot or electronic ignition.
- Combination gas and electric models
- Three-year limited warranty on tank.

PILOT IGNITION MODELS*

Order #	Model	Mfr. #	Gals.	BTU/h	Recovery (GPH)	Gas/Electric	Height	Width	Depth
60521	SW4P	#5067A	4	9,000	7.6/-		12-11/16"	12-11/16"	16-1/8"
65453	SW6P	#5054A	6	12,000	10.2/-		12-11/16"	12-11/16"	19-3/16"
66103	SW10P	#5059A	10	12,000	10.2/-		16-7/32"	16-7/32"	20-1/2"

COMBINATION PILOT IGNITION & ELECTRIC MODELS*

65452	SW6PE	#5055A	6	12,000	10.2/6.0		12-11/16"	12-11/16"	19-3/16"
66104	SW10PE	#5060A	10	12,000	10.2/6.0		16-7/32"	16-7/32"	20-1/2"

ELECTRONIC IGNITION MODELS*

65451	SW6D	#5057A	6	12,000	10.2/-		12-11/16"	12-11/16"	19-3/16"
66105	SW10D	#5062A	10	12,000	10.2/-		16-7/32"	16-7/32"	20-1/2"
S/O	SW12D	#5064A	12	12,000	10.2/-		16-7/32"	16-7/32"	22-1/4"
S/O	SW16D	#5072A	16	12,000	10.2/-		16-7/32"	16-7/32"	27"

COMBINATION ELECTRONIC IGNITION & ELECTRIC MODELS*

61949	SW6DE	#5058A	6	12,000	10.2/6.0		12-11/16"	12-11/16"	19-3/16"
61950	SW10DE	#5063A	10	12,000	10.2/6.0		16-7/32"	16-7/32"	20-1/2"
65524	SW12DE	#5099A	12	12,000	10.2/6.0		16-7/32"	16-7/32"	22-1/4"
S/O	SW16DE	#5073A	16	12,000	10.2/6.0		16-7/32"	16-7/32"	27"
S/O	SW16DEM**		16	12,000	10.2/6.0		16-7/32"	16-7/32"	27"

*Doors sold separately - order below. **With motor aid option

SUBURBAN WATER HEATER DOORS

Order #	Series	Description	Colonial White	Polar White
(see colors)	SW	3, 4 & 6-Gallon Radius Corner Door	65455	62125
(see colors)	SW	3 & 6-Gallon Flush Mount Door	65456	62115
(see colors)	SW	10 & 12-Gallon Flush Door	66134	62120
(see colors)	V	3, 6 & 8-Gallon Square Corner Door	#690578	
(see colors)	V	10-Gallon Square Corner Door	#697213 - No longer available	
(see colors)	V	10-Gallon Radius Corner Door	#6257ACW	62118
(see colors)	V	6-Gallon Flush Door - Colonial White	#697221 - No longer available	
#520781	SW	Kit to Install Existing V Model Radius Corner Door to SW 3, 4 & 6 Models		
(see colors)	SW	Conversion Kit to replace Atwood 6-Gallon Models - Includes Hardware + Door	-	65160


Specifications subject to change without notice.



ORDER DOOR SEPARATELY:
Radius Corner (above) or Flush Mount (below).



The Atwood Door Conversion Kit (right) is helpful when you replace an Atwood water heater with a Suburban unit. Converts the access door to accommodate Suburban's access door.



WATER HEATER ACCESSORIES

MAJOR APPLIANCES

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------



REPLACEMENT PARTS FOR SUBURBAN WATER HEATERS

- 60389** #110-504 or #110-509 Thermostat Gas Control with Fitting (Replaces #3200289) #110-509 1
- 61901** Thermostat Gas Control for use on SW3-P, SW4-P, SW6-P, SW6-PE, SW6PR, and SW6-PER after serial #962802561, and for SW10P after serial #95360121. 3/8" NPT Inlet 1/4" Loxit Outlet #161111 1
- 60411** Small Burner Assembly, Includes Burner with Target, Burner Support Bracket, Shutter with Screw & Nut, Pilot Bracket, Pilot Burner, Thermocouple & Tube with Fitting #520563 1
- 60412** Large Burner Assembly, Includes Burner with Target, Burner Support Bracket, Shutter w/Shutter Spring, Pilot Bracket, Pilot Burner, Thermocouple & Pilot Tube with Fitting #520564 1
- 60391** 690-0756 Door Latch & Hinge Assembly, Includes Door Latch Assbly, Hinge Pin Fastener, Door Hinge Pin, Screws & Nuts #520568 1
- 60433** Temperature & Pressure Relief Valve with Test Lever, Self Closing 3/4" x 3/4" #0066100 1
- 60278** Temperature & Pressure Relief Valve with Test Lever, Self Closing 1/2" x 1/2" #0004494 1
- 50216** Thermocouple 18" #H06E018S1 10

- 69733** DSI Limit Switch #231461 1
- 61319** 3200244 DSI Thermostat #160921 1
- 60410** LS 1000W 120V Flanged Bolt-In Electric Element with Gasket #520570 1
- 60374** Burner Orifice #65 #180254 1
- 60375** Burner Orifice #61 #180260 1
- 66396** 1/4" Drain Valve Petcock #2 #11663 6
- 65770** SW Series - Pilot Reignitor Kit (1999-Present; Serial # after 991801501) #520821 1
- 24460** Gas Valve For DSI Water Heaters, 3/8" NPT Inlet, 3/8" NPT Outlet, Starting with Serial #92110443 (see **62011** for older models) #161071 1
- 62345** Ignition Control Module Board 3-Try (Note: furnace applications for this board do not require a cover, but water heater applications require cover which is no longer available; if your existing cover can be used, order **62345** and use your cover; otherwise, order **60540** Module Board plus a **67288** cover for water heater applications) #520741 1
- 60540** Module Board for SW6/10 (requires **67288** cover) #520814 1
- 67288** Module Board Cover for **60540** (fits SW6D, SW10D, SW12D water htr's) #090487 1
- 64983** Switch & Light with Plate #520764 1
- 67287** Grommet for SW4P & all water heaters #070874 1
- 67289** Door Latch for Door Latch & Hinge Assembly 520568 #150079 1
- 67291** Valve Thermostat for SW6D #161109 1
- 60594** Pressure Relief Valve for SW6P, Lead-free #161230 1
- 67293** Loxit Nut for SW4P & all water heaters #171463 1
- 67294** Thermostat Switch for SW6D, SW10D, & SW12D #232282 1
- 67295** Thermostat Switch for SW6DE, SW10DE, & SW12DE #232306 1



Completed kit ready to install

DINOSAUR ELECTRONICS IGNITOR BOARD ACCESSORIES

AC/GAS ADAPTER Kit

The 4+ 6 Pin AC/Gas Adapter board controls the AC and Gas operations from the main water heater control switch. 2 diagnostic LEDs indicate the boards output functions: A Green LED indicates when the board is energizing the ignitor board for Gas operation. A Red LED indicates when board is energizing the AC Relay for 120V AC operation. Comes with: 2-tab mounting kit and the 4+6 Pin AC/Gas Adapter Board. Note: Does not include a UIB S Ignitor board needed for operation. The AC/Gas adapter kit is for Atwood®/Hydroflame® water heaters that have a circuit board that uses both a 4 and a 6 pin edge connector to control both AC and Gas operations through a single thermostat.

- 67539** AC/Gas Adapter Kit f/Atwood #AC/GAS ADAPTER KIT 1

2-TAB MOUNTING KIT

The 2-tab mounting kit allows you to mount a Dinosaur Electronic's UIB S or UIB S Post ignitor board in an Atwood®/Hydroflame® water heater without having to drill a hole to mount the board and risk drilling a hole in the water tank. It comes with an aluminum adapter plate, a clear small cover to protect the UIB S or UIB S Post ignitor board (sold separately) and mounting hardware.

- 67335** Two Tab Mounting Kit #2 TAB MOUNTING KIT 1



Replace water heater valves with sturdy, easily-installed brass replacements that last a lifetime.

Water Heater Drain Valve:

- 66396** 1/4" MPT Valve #11663 6
- 66399** 3/8" MPT Valve #11683 6
- 66395** 1/2" MPT Valve #11703 6

CAMCO WATER HEATER DRAIN PLUGS, 1/2-14NPT

Replace your water heater drain plug quickly and easily. Pack of 2.

- 61970** Water Heater Drain Plugs, 1/2", CD/2; 5.56" H x 3.63" W x 0.88" L #11630 12



In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------



66135



66136

CAMCO FLYING INSECT SCREENS FOR WATER HEATERS

Wasps, mud dauber, birds and rodents pose a serious threat to your RV water heater, furnace and stove. They can enter through vents and openings and cause serious damage by building nests that interfere with air flow. Protect your valuable investment by purchasing and installing Camco's Flying Insect Screens. These easy-to-install screens will help ensure that your vents stay free from costly invasion by unwanted pests.

FOR WATER HEATER

66135 WH 500 Fits Atwood 6-10 gal, Suburban 6 gal #42145 Ⓞ

60402 WH400 Fits Suburban 6 gal Flush Mount #42151 Ⓞ

66136 WH 600 Fits Suburban 10 gal #42146 Ⓞ

60405 WH200 Fits New Suburban 6-10 gal WH & Furn #42150 Ⓞ



60402



60405



66120



66127



66128



66129



66130

CAMCO FLYING INSECT SCREENS FOR FURNACES

Wasps, mud dauber, birds and rodents pose a serious threat to your RV water heater, furnace and stove. They can enter through vents and openings and cause serious damage by building nests that interfere with air flow. Protect your valuable investment by purchasing and installing Camco's Flying Insect Screens. These easy-to-install screens will help ensure that your vents stay free from costly invasion by unwanted pests.



FOR FURNACE

66120 FUR 100 Fits Coleman, Suburban, Sol-Aire, Hydroflame #42140 Ⓞ

66127 FUR 200 Fits Suburban, DuoTherm #42141 Ⓞ

66128 FUR 300 Fits 8500 Series Hydroflame #42142 Ⓞ

66129 FUR 400 Fits Suburban DD Series #42143 Ⓞ

66130 FUR 500 Fits Atwood Furnace #42144 Ⓞ



65641

White Rodgers



65640

WHITE-RODGERS UNIVERSAL THERMOSTATS

Reliable performance in an attractive design. **Features:** • Rugged Snap-Action contacts. • Adjustable heat anticipator. • Bi-metal thermometer. • Compatible with most 24-volt and millivolt heating & cooling systems. • Heat/Cool model includes switching subbase, and is compatible with electric heat systems. • Classic White. • Size: 3-3/4" H x 2-7/8" W x 1-1/2" D.

Universal Thermostat:

65640 Heating Only #01C20R200S1 Ⓞ

65641 Heat/Cool #01C26R300S1 Ⓞ

In addition to the replacement parts listed in this catalog section, your RV Dealer also has access to a wide variety of replacement parts for RV major appliances.


You can have your dealer order parts for: Atwood Water Heaters, Coleman-Mach Air Conditioners, Cooling Units for most RV refrigerators, Hydro Flame Furnaces, Powerhouse Generators, Norcold Refrigerators, Porta-Gaz, Suburban Furnaces, Suburban Water Heaters, and Wedgewood Ovens and Cooktops.

When you need a part for your RV's major appliances, let your RV dealer be your parts expert.

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------



60768;
Screw-in



60770;
Universal




CAMCO WATER HEATER REPLACEMENT ELEMENTS

Replace the heating element in your RV water heater with a UL recognized HWD replacement kit. Detailed instructions included.

- 60768 Screw-in element, 1500W-120V #02143 6
- 60770 Universal element, 1500W-120V #04363 3

Dinosaur Electronics

Use the new style 6 pin connector



Or use the old style Edge connector

DINOSAUR ELECTRONICS FAN 50 PLUS PINS

The FAN 50 Plus Pins is designed to replace the new Suburban® Fan Control boards and the Atwood® / HydroFlame® Fan Control boards as well as the Dinosaur Fan Control boards which have been available since 1994. This board can also be used to upgrade older furnaces to add the Fan Control feature. The basic purpose of a Fan Control Igniter Board is to shut the fan motor off if the board fails to sense a flame after the third ignition try. Thus, battery drain is reduced and the needless blowing of cold air is eliminated. The FAN 50 Plus Pins, after shutting the fan motor off, will wait for 1 hour and repeat the whole sequence again before permanent shut down. **For 12V DC Furnaces ONLY!** The "Fan Control" feature **MUST BE USED** for proper operation of this board.

- Features:**
- Jumper selectable operation.
 - Works in 12V DC furnaces*.
 - Microcontrolled.
 - 3.35" x 4.25".
 - Diagnostic LED.

*Note: Fan control boards should not be used in DuoTherm® 900 series furnaces that have the thermostat in the ground circuit.

- 66584 Igniter Board, Fan 50 Plus Pins #FAN 50 PLUS PINS 1

COMBINATION GAS VALVE

A universal gas valve that will replace these popular numbers: Traco #6006-6007, Coleman #9210 M3391, DuoTherm #09-2701-00. Controls are multiposition and can be mounted in any position (except upside down).



- 62673 Gas Valve #710-201 1

Olympian

OLYMPIAN LP GAS CONNECTORS - FOR GAS HEATERS



90° Connector Elbow with full 360° swivel. 3/8" SAE male with 3/8" male connector.

- 50577 90° 3/8" Elbow Swivel Connector #57633 24

Suburban Manufacturing Company



IGNITION CONTROL MODULES FOR SUBURBAN FURNACES


- 62345 3-Try Module Board for All 12V DC Models except NT-45M or NT-45S #520741 1
- 68455 Module Board for All 24 Volt DC Park Models #SUB 230608MC 1
- 65170 Module Board, Fan Control for SF Series furnaces after serial number 003805481 #520820 1

Use in **Furnaces:** Coleman, Duo-Therm, Hydro-Flame and Suburban
Water Heaters: Atwood, Mor-Flo and Suburban
Refrigerators: Norcold and Dometic.



Dinosaur Electronics

DINOSAUR UNIVERSAL IGNITER BOARDS



The key features of the Dinosaur boards are:

- **FUSE PROTECTION**- A replaceable fuse on the board protects the board's 12V circuits from short-circuit damage.
- **DUAL SENSE**- Flame sense works through high voltage connector and edge connector simultaneously.
- **EXTERNAL SENSE**-Connector on the board for external sense wire.
- **DIAGNOSTIC-AID LED** on board is green to show power to board, red to indicate power to gas valve.
- **VOLTAGE REGULATOR**-Cleans up the 12V supply power.

Available with spade (shown) or post high-voltage connector. Two sizes to choose from. Cover sold separately. Note: Do not use cover in furnaces. It will melt.

Universal Igniter Board without Post

- 64806 Small #UIB S 1
- 64808 Large #UIB L 1

Universal Igniter Board with Post

- 64807 Small #UIB S POST 1
- 64809 Large #UIB L POST 1

Cover only for Igniter Board:

- 64816 Small #SMALL COVER F/UIB 1
- 64817 Large #LARGE COVER F/UIB 1



DINOSAUR 24-VOLT UNIVERSAL IGNITER BOARD FOR FURNACES

Use in Duo-Therm, Hydro-Flame and Suburban. Features: • Fuse Protection—a fuse on the board protects the board's 24V circuits from short-circuit damage. • Dual Sense—flame sense works through high-voltage connector and edge connector simultaneously. • Diagnostic-aid LED on board is green to show power on board, red to indicate power to gas valve.

- 64813 Igniter Board #UIB 24VAC 1

In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------



Furnaces



The Atwood Family of Furnaces

Excaltur™ 8500 IV Series

- Adapter kit makes bottom discharge installation easy for new and replacement units.
- Flexible vertical or horizontal installation.

Excaltur™ 8900 III Series

- Efficient ducting system with 11 duct locations.
- Easy to service with all controls and crucial components accessible from the outside.

Everest Star 7900 II Series

- Great for entry level trailers, horse trailers, truck campers, and pop-ups.
- Compact size optimizes space utilization.

EXCALIBUR™ 8500 IV SERIES



LP gas and electronic ignition for greater efficiency and quieter burner and blower assembly. Turbulence in the blower housing has been minimized removing frequency spikes and increasing airflow. 12V DC furnace utilizes space with either a horizontal or vertical installation. Cut-out size: 7-1/2"H x 17"W. Also available in doorless option. Access doors and thermostat sold separately.

- 65108** 8516, 16,000 BTU, 4.4A #37639 1
- 65109** 8520, 20,000 BTU, 4.4A #37638 1
- 65110** 8525, 25,000 BTU, 5.6A #37637 1
- 65111** 8531, 30,000 BTU, 8.2A #37636 1
- 65112** 8535, 34,000 BTU, 8.3A #37635 1

EVEREST STAR 7900 II SERIES

Electronic Ignition furnaces feature an improved electric shut-off on the gas valve, a new blower assembly that increases air by 60% and electronic ignition (no standing pilot). Low amp draw of 2.9A 12V DC. Includes a vent for 0" - 3-1/2" thick walls. Vent kits for cabinet depths ranging from 20-1/2" up to 31-1/8". It can be configured for front or side discharge. Use optional cover plate to convert front discharge. Unit size: 11-1/4"H x 8-3/8"W. 1/box. Order thermostat separately.



- 64308** HF8012DF, 12,000 BTU, Front Air Discharge, without Thermostat #36551 1
- 61438** FA7916DS, 16,000 BTU, Front plus Two Side Ducts, without Thermostat #36566 1
- 61608** Replacement Burner for 79-II & 80-II #36043 1
- 65285** Board Kit, Universal Ignition DC #31501 1

EXCALIBUR™ 8900 III SERIES

Same great features as the 8500 IV series with AC option on some units. Cut-out size: 9-7/8"H x 19-1/2"W. Also available in doorless option. Access doors and thermostat sold separately. 1/box.

- S/O #36919, 8935-DCLP, 35,000 BTU, 12V DC
- S/O #36917, 8940-DCLP, 40,000 BTU, 12V DC
- S/O #36915, 8935-ACLC, 35,000 BTU, 120V AC
- S/O #36913, 8940-ACLC, 40,000 BTU, 120V AC



In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------

Ask us why we are better.



ATWOOD FURNACE PARTS

- 68565** Coil, DC 7U Valve Replacement #31000 1
- 68570** 85I Limit Switch #32927 1
- 69678** Limit Switch 85-II, 89 #35132 1
- 61618** Motor for 8525-III with Leads #HYD 37358MC 1
- 69689** DSI Electrode 85-II #36999 1
- 64611** Limit Switch 85-III #37022 1
- 68537** Fenwall DSI Board #37515 1
- 68571** White Rogers Valve 25M16-701 #38607 1
- 62116** **NEW!** Motor - 8516-8520-IV #37696 1
- 62121** **NEW!** Motor - 8525-8531-IV #37697 1
- 60281** **NEW!** Klixon Relay and Board #38676 1

MECHANICAL (HEAT ONLY) THERMOSTATS



- 66955** Brown #38452 1
- 60346** White #38453 1

DIGITAL THERMOSTAT

Atwood's digital thermostat is designed to operate all standard furnaces (except 2-stage) and most standard rooftop air conditioners on the market today. Provides 7 heating and cooling functions.




- 65218** 1H2C Digital Thermostat #38555 1

ACCESS DOORS

Available in flush or recess style doors in all standard RV colors. Fit 8500-IV, 8900 III, & XT 2-Stage.

- 62880** Excalibur Door #2, Colonial White #33754 1
- 62637** Excalibur Door #4, Snow White #33756 1



WHY ATWOOD FURNACES

Aluminized Steel Chambers are Rust Resistant

Horizontal or Vertical Installation


Rubber Gas-Line Seal for Safety

Separate Gas Combustion & Blower Area



ATWOOD HIGH EFFICIENCY FURNACES

The most widely used furnaces in the Recreational Vehicle Industry



Performance

Multiple duct locations and powerful motors provide maximum performance

Easy to service
Up front controls are easy to service without removing the furnace



Flexibility

Find the perfect fit with sizes ranging from 12,000-40,000 BTU's



In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------


DEPENDABLE GAS FURNACES FOR RECREATIONAL VEHICLE APPLICATIONS

THE SUBURBAN LINE OF RV FURNACES FEATURES MODELS WITH...
SIZES, OUTPUT AND OPTIONS TO MATCH THE REQUIREMENTS OF ALMOST ANY INSTALLATION.



- Electronic ignition
- Vent assembly included
- Ideal replacement furnaces

- Reliable performance
- Low amp draw
- Ducted or direct discharge



DUCTED FURNACES 12VDC

Order #	Model	Mfr. # (see note 3)	BTU/h Input	Height	Width	Depth	Notes
60182	NT-16SQ	#2444A	16,000	9-1/2"	9-3/8"	22-1/2"	2, 3
61077	NT-20SQ	#2450A	19,000	9-1/2"	9-3/8"	22-1/2"	2, 3
60184	NT-30SP	#2453A	30,000	12-1/2"	12"	23"	3
60185	NT-34SP	#2454A	34,000	12-1/2"	12"	23"	3
62908	NT-40	#2455A	40,000	12-1/2"	12"	23"	3
67622	SF-25Q	#2387A	25,000	7-1/2"	17"	20"	1, 2
67627	SF-30Q	#2388A	30,000	7-1/2"	17"	20"	1, 2
67628	SF-35Q	#2398A	35,000	7-1/2"	17"	20"	1, 2
62927	SF-42Q	#2399A	42,000	7-1/2"	17"	20"	1, 2

PARK MODEL FURNACES 120V AC

Order #	Model	Mfr. # (see note 3)	BTU/h Input	Height	Width	Depth	Notes
65791	P-40	#2456A	40,000	12-1/2"	12"	23"	3

DIRECT DISCHARGE FURNACES 12VDC

Order #	Model	Mfr. # (see note 3)	BTU/h Input	Height	Width	Depth	Grille Color	Notes
69255	NT-16SEQ	#2438ABK	16,000	9-1/2"	9-3/8"	21" to 27-3/4"	Black	2, 3
60181	NT-16SEQ	#2438APW	16,000	9-1/2"	9-3/8"	21" to 27-3/4"	White	2, 3
69256	NT-20SEQ	#2446ABK	19,000	9-1/2"	9-3/8"	21" to 27-3/4"	Black	2, 3
61078	NT-20SEQ	#2446APW	19,000	9-1/2"	9-3/8"	21" to 27-3/4"	White	2,3

1. Access door and wall thermostat not included - order below. 2. As part of a running change, some furnaces are having new model numbers assigned. 3. Since August 1st, 2012 the wall thermostat (Mfr#161154) is removed from the NTQ, NT & P model furnaces. Thermostat is still sold separately (#69862).

FURNACE ACCESSORIES

Order #	Mfr. #	Description	Colonial White	Polar White
(See Colors)	6258ACW	SF Series Access Door (replacements for front connected units only, i.e., model #s like "SF-20F", etc.)	63882	62119
69862	161154 **	Wall Thermostat		
68421	050715	4" Duct Collar		
61474	050733	Duct Cover		
65594	16815	4" x 25 ft. Flex Duct		


Specifications subject to change without notice.

Refer to Replacement Parts Listing (Section O) for service parts for your SUBURBAN furnace




In Section I:	Vacuum	Refrigerators & Accessories	Dishwasher	Ranges & Accessories	Washer/Dryer	Water Heaters	Furnace
---------------	--------	-----------------------------	------------	----------------------	--------------	---------------	---------

Use in **Furnaces:** Coleman, Duo-Therm, Hydro-Flame and Suburban
Water Heaters: Atwood, Mor-Flo and Suburban
Refrigerators: Norcold and Dometic.



Dinosaur Electronics

DINOSAUR UNIVERSAL IGNITER BOARDS



The key features of the Dinosaur boards are:

- **FUSE PROTECTION**- A replaceable fuse on the board protects the board's 12V circuits from short-circuit damage.
- **DUAL SENSE**- Flame sense works through high voltage connector and edge connector simultaneously.
- **EXTERNAL SENSE**-Connector on the board for external sense wire.
- **DIAGNOSTIC-AID LED** on board is green to show power to board, red to indicate power to gas valve.
- **VOLTAGE REGULATOR**-Cleans up the 12V supply power.

Available with spade (shown) or post high-voltage connector. Two sizes to choose from. Cover sold separately. Note: Do not use cover in furnaces. It will melt.

Universal Igniter Board without Post

64806 Small #UIB S 1

64808 Large #UIB L 1

Universal Igniter Board with Post

64807 Small #UIB S POST 1

64809 Large #UIB L POST 1

Cover only for Igniter Board:

64816 Small #SMALL COVER F UIB 1

64817 Large #LARGE COVER F UIB 1



Dinosaur Electronics

DINOSAUR ELECTRONICS

IMT-12P IGNITOR BOARD TESTER PACKAGE

Includes both the IMT-12P tester, and the test adapter package. **Package includes:**

- IMT-12P Ignitor board tester (64892).
- Dinosaur ignitor board testers video.
- Re-ignitor test adapter.
- Suburban® fan control board test adapter.
- Six pin header adapter.

66286 Ignitor Board Tester Package
 #IMT-12P TEST PKG 1

OLYMPIAN WAVE CATALYTIC SAFETY HEATERS



The ideal heaters for either your primary or secondary heating source, Olympian Wave Catalytic Heaters operate on low pressure L/P gas and can be wall mounted or used as portables. The built-in automatic Piezo electric spark starter will last for 20,000 starts and is self-generating. No electrical connections or battery drain. No flame, no flue or chimney, no fan or blower, no noise; just dependable, penetrating soft infrared heat.

WAVE-3 3000 BTU CATALYTIC HEATER

Operates at altitudes up to 12,000' on LP fuel. 1600-2800 BTU adjustable output. 1/8 lb./hr. fuel consumption. 3/8" SAE flare gas connection. 110 square feet of heated comfort (approx.) Piezo spark ignition. Size: 11-3/4" H x 10-1/4" W x 3-1/2" D. Weight: 6 lbs. Use configurations:

- Wall mount vertical/horizontal;
- Portable leg stands.

WAVE-6 6000 BTU CATALYTIC HEATER

The most popular size heater. The 6000 BTU will produce enough heat to warm an 18' trailer or motorhome (230 square feet, depending on outside temperatures and insulation). The unvented propane heater can be installed vertically, horizontally, or made portable with optional leg stands **62425**. The double platinum catalyst ensures long life and superior efficiency. 3-year mfr. warranty, piezo electric starter and 100% safety shut-off valve. Adjustable: 3200 - 6000 BTUs. Fuel consumption: 1/4 lb. per hour maximum. 17 1/8" H x 12 13/16" W x 4" D.

WAVE-8 8000 BTU CATALYTIC HEATER

Designed specifically for trailers or RVs. Produces enough heat to warm a 23' coach (290 square feet, depending on outside temperatures and insulation). Can be installed vertically, horizontally, or made portable with optional leg stands **62425**. The double platinum catalyst ensures long life and superior efficiency. 3-year mfr. warranty, piezo electric starter and 100% safety shut-off valve. Adjustable output: 4200 - 8000 BTUs. Weight: 14 lbs. Fuel consumption: 1/3 lb. per hour maximum. 21 1/2" H x 15" W x 4" D.

Olympian Heaters (Not for sale in Canada):

62230 3000 BTU Heater #57331 1

62231 6000 BTU Heater #57341 1

62232 8000 BTU Heater #57351 1

62425 Optional Leg Stands for Catalytic Heaters #57701 1



BROAN BIG HEAT® PORTABLE HEATER

This portable, electric heater is the perfect solution to instant heat, with a full 1500 watts and a reliable, ceramic heating element to ensure fast warm-up. It will keep you comfortable in nearly any situation—the garage, workshop or on the job.

No matter where you put it to work, it's just what you need, right when you need it.



- Rugged steel construction, durable finish with integrated carrying handle and rounded bumpers to protect surfaces.
- Instant, automatic safety shut-off if tipped over on its front or back.
- Overheat protection shuts off the heater and activates the "caution" light if excess heat is detected.
- Efficient, ceramic heating elements with full 1500 watts for fast warm-up, 1200 watt setting maintains warmth using less electricity.
- High, low, or fan only settings with quiet operation.
- Built-in thermostat to hold the comfort level you select.
- 6' cord with safety flanged plug.
- 5-7/8" x 6" x 5 1/4".
- UL approved.



60231 Big Heat® Portable Heater #6201 6