

In Section K:

Air Conditioners

Fans

Roof Ventilation


Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Flex Duct



HENG'S INDUSTRIES VORTEX FANS

HENG'S
INDUSTRIES USA, LLC

Don't just move air, create a VORTEX!

- High velocity air-fan system - over 300% more air flow movement.
- Easy, quick, and simple installation with only a phillips head screw driver.
- Attractive radius corners are standard.
- Screen allows air through while keeping insects out.
- Positive-seal weather stripping is leak resistant and water tight.
- One piece seamless frame with a deep drawn painted metal base.
- Self-centering device eliminates installation guesswork and assures perfect alignment in roof opening.

Advantages:

- Easily replaceable without compromising the rooftop seal.
- Works with Ventline, Jensen, and Elixir powered U.S. vents.
- Acrylic UV Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS) No. 205 glazing materials.
- Injection molded telescoping garnish accommodates a variety of roof thicknesses.
- Hand crank to open and close lid securely or available with power lift lid with remote switch available.
- Self-centering metal base with radius corners.
- Non-powered vents can be converted with some additional wiring.
- Vortex Fan Speed 188 CFM (188 Cubic Feet per minute).



VORTEX I FAN

Single speed, 9" blade.

69150 VORTEX I Replacement Kit;
7" H x 17" W x 17" L; 6 Lbs.
#90043-CR **g**

61353 NEW! VORTEX I Complete Vent;
7" H x 17" W x 17" L; 9 Lbs.
#71112V-C1 **10**

VORTEX II FAN

Three speed forward, two reverse, 9" blade.

61352 NEW! VORTEX II Replacement Kit;
7" H x 17" W x 17" L; 6 Lbs.
#90046-CR **10**

61354 NEW! VORTEX II Complete Vent;
7" H x 17" W x 17" L; 9 Lbs.
#71112V2-C1 **10**



61968
Black, Opaque

• 10.25" H x 19.5" W x 23.0" L • 3-yr. warranty. • EASY
INSTALLATION: No drilling needed. Installs in the existing
screw holes and all the hardware you need is included.

60294
White, Translucent

ULTRA BREEZE



Made in USA

NEW!



62222

62221

Hardware
included



FAN-TASTIC
VENT
Atwood Mobile Products, LLC

FAN-TASTIC ULTRA BREEZE™ BUG SCREEN (OPTIONAL)

For use with Fan-tastic Vent
Ultra Breeze Vent Cover

Step 1: With the grill already affixed to the cover (and removed from the vent/fan) slide the bug screen in from the bottom until the screen is wedged between the top of the inside of the grill and the cover.

Step 2: Pivot the screen towards the grill and press until the four clips snap into the grill openings.

- 3-yr. warranty. • Packaged; Bag with header. • 17"L x 9.25"W x 1.5"D; 1.4 Lbs.

Bug Screen (Optional):

62222 Black, for Coast#61968 or 61969
#U1550BL **1**

62221 White, for Coast#60294
#U1550WH **1**

FAN-TASTIC ULTRA BREEZE™ VENT COVERS

The Ultra Breeze Vent Cover from Fan-Tastic Vent has revolutionized the design of vent protection devices. Not only does it allow you to keep your vents open in the rain but the exclusive patent-pending airflow technology allows for up to 75% more airflow than competing products. The Ultra Breeze has been field tested to provide superior protection for your vents while allowing between 95-100% airflow - the highest of any vent cover on the market! Fits over most 14" x 14" roof vents and high-powered ventilators, including all Fan-Tastic Vents. Hardware included. Made in the USA.

Made of HDPE (High Density Polyethylene with UV Protection).

61968 Ultra Breeze Vent Cover, Black, Opaque #U1500BL **10**

60294 Ultra Breeze Vent Cover, White, Translucent #UB1500WH **10**

Made of CAB (Cellulose Acetate Butyrate) - the smoke version is transparent and allows the most light penetration of any of the Ultra Breeze covers.

61969 Ultra Breeze Vent Cover, Smoke, Transparent #U1500SM **10**

In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------



FAN-TASTIC VENT MODEL 8000 CREATE-A-BREEZE

Three fan blade speeds (low, medium, high), and a manual dome lifting knob. Model 8000 C-A-B by Fan-Tastic Vent is an entry level best-in-class fan that is great for bathrooms or any 14" x 14" opening in your RV.

1 year limited warranty (all parts).



Technical Information:

- Durable, proven longevity.
- Quiet, 12-volt ceiling vent with 3 speeds.
- ASA Dome / 1 year warranty.
- Removable screen for easy cleaning.
- Low AMP draw insures full-time use.

Specifications:

- Rooftop weight: 8 lbs.
- Outside dimensions: 16.5" x 16.5" x 4.5".
- Performance SCFM/Amps/Decibels:
High - 920/3.00/40; Medium 653/2.29/39;
Low - 478/1.86/39.

66607 12V Create-A-Breeze Ceiling Fan
#8000 4



LASALLE BRISTOL 12V CEILING FAN

Experience the comfort, style and convenience of a ceiling fan in your recreational vehicle. This 4 blade, 42" designer hugger, 12 volt ceiling fan features four speeds plus reverse, a mounted wall switch, and a low profile (6" off ceiling). Contemporary white design matches most decors. Individually boxed. Easy to install. Low 1.18 amp draw.

67252 Ceiling Fan with Wall Switch
#410NDC1242WWH 1



66374

FAN-TASTIC VENT WITH 12V FAN

Fan-Tastic Vent is an investment in comfort. It provides immediate air exchanges with minimum 12-volt power usage. It's one of the most used appliances in any rig. Fresh, clean, outside air can be yours without generators, air conditioners or engines operating. All models fit standard 14" x 14" opening; and are 16.5" x 16.5" x 4.5". All have removable screen for easy cleaning. Choose fan blade direction (OUT for exhaust or IN for air intake). CSA certified; UL listed.

Model 6600R with Hand Remote: Fresh air in the palm of your hand™!

No need to run wires down the wall...or bring a chair to reach the high ceiling! This air exchange system for the RV includes a hand held radio frequency remote that makes operation as simple as sitting in your easy chair and pushing a button. A convenient wall cradle lets you choose an easily accessible location, install the lightweight cradle, and operate the fan from the cradle, or remove the remote and operate from anywhere inside or outside your coach. 14 speed fan including reverse, Rain Sensor, automatic variable speed (Thermostat actuated) mode.

Model 6000RBT

Just select your speed from this 3-speed model. Features Automatic Dome Opener with built-in Rain Sensor. Flip a switch and the dome opens or closes. Or when the sensor gets wet, the dome automatically closes; opens again when sensor is dry. Built-in thermostat helps keep the interior cool.

Model 5000RBT

A manual opening, 3-speed vent with reverse and thermostat. Hand crank open the dome, pick IN or OUT and your fan blade speed, set the

FAN-TASTIC POP'N LOCK SCREEN

We are happy to introduce the new Pop 'N Lock Screens, allowing pop-in screen installation and replacement. The clip-on feature eliminates having multiple screws to install, making maintenance and cleaning a snap. The Pop 'N Lock screens are made of high-impact polystyrene and will replace all existing screens, covering up old screw holes and giving an attractive, sealed fit.

Pop'n Lock Screen, Bx/2:
67321 Off-White #K2035-80 2
67322 White #K2035-81 15



62316



inside view
of 62316

thermostat and the blades will start and stop according to the chosen temperature. Perfect for when you leave pets behind or while sleeping.

Model 4000R

A manual opening, 3-speed vent with reverse. Hand crank open the dome, choose IN or OUT and your fan speed. Fan blade is activated when dome is opened approximately 2".

Rain Sensor models have fully automatic opening and closing dome. When the rain stops, the dome re-opens.

Fan-Tastic Vent:

66374 Model 6600R 14-Speed 12V Fan with Reverse, Cradle, Thermostat, Automatic Opening Dome, Rain Sensor, Remote & Cradle #6600R-417 4WH 4

62316 Model 6000RBT 3-Speed 12V Fan with Reverse, Thermostat, Automatic Opening Dome, & Rain Sensor #6000RBT-BRIGHT WHITE 4

62467 Model 5000 RBT 3-Speed 12V Fan with Reverse & Thermostat, Manual Opening #5000RBT-BRIGHT WHITE 1

62466 Model 4000R 3-Speed 12V Fan with Reverse, Manual Opening #4000R-BRIGHT WHITE 1



Pop'N Lock fits any
Fan-Tastic Vents!

67322

The Original!

MAXAIR®

- America's first choice for RV Ventilation
- Protects your RV's interior from rain
- Constant airflow prevents heat build-up, lets musty air, smoke and cooking odors escape
- Proven, super-tough one piece design
- Mounts to all standard roof vents
- **6-year warranty**, best in the industry*



The Original mounts on most popular 14" x 14" standard roof vents, and features our exclusive Zero-Leak Mounting System that eliminates the need to drill any holes in your RV's roof surface. **Six-year Limited Warranty. 19.5" L x 18.5" W x 9" H.**

*Warranty limited to repair or replacement, see vendor's website for details.



Almond

White

Black

Smoke

- 64643 White #00-933066 10
- 64644 Smoke #00-933067 5
- 64645 Shell White (Almond) #00-933068 5
- 65772 Black #00-933069 5

MAXAIR II

More Vent Area than any Other Cover



- Twice as much vent area as our original vent cover
- Solid one-piece, sleek aerodynamic design
- Hinged hardware included for easy opening and cleaning
- **6-year warranty**, best in the industry*

Opening for Cleaning a Breeze



Stainless steel snap lock pins remove for easy access. Hinged brackets provide full access for cleaning and inspection of roof vent seal.

Now the MaxxAir II, available in four popular colors, with twice the vent area and with hinged hardware included, is an even better value. **Six-year Limited Warranty. 22.125" Length x 20.25" Wide x 9.5" Height.**

*Warranty limited to repair or replacement, see vendor's website for details.

- 67277 White #00-933072 5
- 67278 Smoke #00-933073 5
- 67279 Shell White (Almond) #00-933074 5
- 67280 Black #00-933075 5

FAN/MATE® Rain Cover for High-Powered Ceiling Fans

- Rain deflecting louvers and protective galvanized screen provide proven and superior rain protection for your RV
- Low profile design that still offers great fan performance so you can operate your fan in any weather "Rain or Shine".
- Black model 950 looks great on custom painted RV's



- Specially designed for Fantastic Fan and MaxxFan Standard models
- High-strength Polyethylene with UV inhibitors gives years of service
- Dim.: 32.5"L x 20.5"W x 9.93"H.



6 Year Limited Warranty!

Both models have protective exhaust screen and louvers and feature hinge opening mounting brackets that provide easy access for cleaning and service

- 69251 Model 950 Black #00-945004 1
- 69252 Model 850 White #00-945003 1

In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------

MAXFAN®

The RV Ventilation Solution

Standard Model



Patent Pending

Both models are available as Manual Opening or Remote Control Opening

Deluxe Model With Built-In Rain Cover!



Pat. No. 7,004,832

- Remote control models now include backup controls at ceiling - **A MaxxFan Exclusive!**
- Fan runs with lid closed to circulate air (Ceiling Fan Mode)
- Lid Available in White or Smoke
- Flush mounted, easy to clean Keypad, controls fan speed, thermostat, air intake and exhaust
- Features a powerful 10-speed fan motor
- Provides over 900 Cubic feet of air per minute to keep you cool and comfortable
- Installs into all standard 14" x 14" RV roof openings
- 2-YEAR Limited WARRANTY with LIFETIME Limited WARRANTY on lid.

NEW! Easy to Read Remote Control



Standard Models

- 69857** White Lid, Manual Opening #00-04000K 1
- 69858** Smoke Lid, Remote Opening #00-04500K 1

Deluxe Models

- 69203** White Lid, Manual Opening #00-05100K 1
- 69232** Smoke Lid, Manual Opening #00-06200K 1
- 69204** White Lid, Remote Opening #00-07000K 1
- 69233** Smoke Lid, Remote Opening #00-07500K 1

TURBO/MAXX®

All the benefits of a Vent Cover - Plus a fan!

- Features hinge opening mounting brackets that provide easy access for cleaning and service
- Control console at ceiling provides 3 speed fan motor operation with intake and exhaust functions
- Thermostat model provides automatic operation
- Large 12" diameter, 10-blade fan prevents heat build-up, odors and musty air
- 2-year Limited warranty
- Powerful 12-volt, 4-amp motor provides more than 900 CFM on highest speed



All Weather RV Ventilator Fan

MaxxAir's Turbo/Maxx® provides maximum ventilation even when it rains. Remove musty air, smoke and cooking odors while preventing heat build-up. The Model 1200T WITH THERMOSTAT allows the fan to cycle on and off when you're gone. Simply adjust the thermostat to your desired temperature. The Turbo/Maxx® attaches directly to your existing 14" x 14" standard roof vent. Both models feature a white, high density polyethylene rain cover with UV inhibitors. Two-year Limited Warranty.

- 61895** 1200T With Thermostat #00-965001 1
- 64920** 3550 No Thermostat #00-965007 1

MAXAIR® VENT CORP.



ZERO LEAK KIT.

Original Hardware Kit for re-installation of the original MaxxAir Vent Cover.

Mounts to the vent side wall to avoid drilling holes in your roof. Stainless steel and aluminum. Not to be used for Fan/Mate, Turbo/Maxx or MaxxAir II.

- 65252** Zero Leak Kit #00-225000 5

MaxxAir products are protected by U.S. Patent Nos. 7,004,832; 5,309,972; 5,897,435; D.376,007; D463,541; D495,041 and other Patents Pending. Fan-Tastic Vent™ is a registered trademark of Fantastic Vent Corp., Coleman is a registered trademark of the Coleman Co., Inc., Comfort Air is a registered trademark of SHURflo, LLC.

VENTMATE REPLACEMENT VENT LIDS

Fit 14" x 14" plastic frame vents. Sold and packaged two ways: individually in a box with graphics or bagged with a header card.



Denotes Limited Supply

61628, 63110



61630,
63111



Jensen Pre-1995
Style hinge,
plastic



61629,
63112



Jensen
1995+ Style
hinge, plastic

**REPLACEMENT LIDS FOR
PRE-1995 JENSEN STYLE VENTS**

Standard Lid for Jensen Style Vents

Color	Box/1	Bag/1
White	61628	63110
Smoke	61629	63112
Amber	61630	63111

Lifetime Warranty Lid

White	65487	
-------	-------	--



65487 Lifetime

**REPLACEMENT LIDS FOR HENG'S
& 1995+ JENSEN STYLE VENTS**

**Standard Lid for Heng's &
95+ Jensen Style Vents**

Color	Box/1	Bag/1
White	69284	69282
Smoke		69283

Lifetime Warranty Lid

White	69285	
-------	-------	--

Note when replacing Heng's smoke vent lids:
Ventmate Smoke lids will fit Heng's vents but
the colors are not an exact match.



69282, 69284



69285 Lifetime



69283



Boxed
Vent Lids



61635,
63118



65489 Lifetime



61636,
63117



Pre-95
Elixir
hinge style

Denotes Limited Supply

LIDS FOR OLD-STYLE (PRE-'95) ELIXIR VENTS

Lid for Pre-95 Elixir Vents

Color	Box/1	Bag/1
White	61634	63116
Smoke	61635	63118
Amber	61636	63117

Lifetime Warranty Lid

White	65489	
-------	-------	--

VENTMATE VENT LIDS

In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------

VENTMATE REPLACEMENT VENT LIDS

Fit 14" x 14" plastic frame vents. Sold and packaged two ways: individually in a box with graphics or bagged with a header card.




LOW PROFILE REPLACEMENT LIDS FOR VENTLINE, 1995+ ELIXIR AND HENG'S UNIVERSAL VENTS

Low profile lid. Note: for Ventline vents with a 12 volt fan, use one of the Standard Profile Replacement Lids (middle of the page) to fit over over the large fan.



61255, 63113



63115

Low Profile Lid for Ventline, 1995+ Elixir and Heng's Universal Vents

Color	Box/1	Bag/1	
White	61255	63113	
Smoke		63115	
Lifetime Warranty Lid			
White	69281		




Boxed Vent Lids

STANDARD PROFILE REPLACEMENT LIDS FOR VENTLINE, 1995+ ELIXIR AND HENG'S UNIVERSAL VENTS

Standard profile lid; fits over large fan.

Standard Profile Lid for Ventline, 1995+ Elixir and Heng's Universal Vents

Color	Box/1	Bag/1	
White	69280	69278	
Smoke		69279	
Lifetime Warranty Lid			
White	65479		



Metal hinge for Ventline & 1995+ Style Elixir, Heng's Universal



69279

Note that Standard Replacement Lids: Fit Elixir and Heng's models with 12V fan



Standard Profile



69280, 69278



65479 Lifetime

VENTMATE LIFETIME WARRANTY REPLACEMENT VENT LIDS

Never buy another vent lid! Impact resistant and UV stabilized. Works on 14" x 14" power vents with 12V fans.

Lifetime Warranty Ventlid, White:

- 65487** Fits Old (Pre-1995) Jensen-Style #65487 12
- 69285** Fits Heng's & 1995+ Jensen-Style #69285 500
- 65489** Fits Pre '95 Elixir #65489 12
- 65479** Fits Ventline/ '95+ Elixir (Fits over large fan) #65479 12
- 69281** Fits Ventline/ '95+ Elixir Low Profile #69281 500



67311
Silver67310
White

**LET'S FRESH
AIR CIRCULATE,
KEEPS WEATHER
OUT!**

67312
Champagne67313
Black67314
Smoke

VENTMATE VENT SYSTEM

- Increased Air Flow
- Aerodynamic Design
- 5 Year Warranty
- Easy Installation, Hardware Included
- Available in various colors.

Matches both White and Smoke vent lids from VentMate or CP Products for Jensen, Elixir or Ventline.

Ventmate Vent System, Each:

- 67313 Black #67313 5
67312 Champagne #67312 5
67311 Silver #67311 5
67314 Smoke #67314 5
67310 White #67310 5

**VENTMATE
INCLUDES
UNIVERSAL RUBBER
ROOF KIT #65213**



65213

VENTMATE DRILLING JIG

Make installation of Ventmate vent hoods even faster and easier with the drilling jig. Simply place the jig over the vent and drill holes using the heat-treated guides on the jig. Fits most major brands of 14" x 14" vents. The zinc chromate plating provides durable, long-lasting protection against rust.

65681 ^{LS} Drilling Jig #65681 1



VENTMATE RUBBER ROOF MOUNTING KIT

Mounts to the side of most popular 14" x 14" roof vents. Eliminates the need to remove existing vent mounting screws while also eliminating the need to drill holes in the roof. Works with all VentMate vent hoods.

65213 New Style Rubber Roof Mounting Kit, Bulk #65213 5

ROOF VENTILATION

AIR CONDITIONERS & VENTILATION

K

In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------



65560

VENTLINE
By DEXTER



VENTLINE VENTADOME 14" x 14" VENT WITH RADIUS CORNERS

Lift mechanism provides a smooth operation and eliminates chatter. The slide mechanism has more surface area contact, making the guide bar stronger and allowing better distribution of stress. 2-piece snap-out screen easily detaches for cleaning. The ceiling garnish and crank handle remain in place: no screws to lose. Easy-grip knob operator replaces the traditional L-shaped crank handle and allows for a smoother operation of the lift assembly. The knob also detaches easily, permitting faster screen removal and cleaning. The knob is interchangeable with the L-shaped crank, so you can also use it on older vents. Polypropylene dome models feature aerodynamically wedge-shaped dome that has 4X the impact strength of other polypropylene covers on the market. Metal dome models are low profile. 14-1/4" x 14-1/4" rough opening. Extra strong galvanized steel roof flanges. Telescopic garnish for easy trim out included with most.

Non-Powered Ventadome, Wedge Shape Cover, Mill Finish Flange, Birch White Screen Frame (2-Piece, Removable):

67545 Birch White (includes 2-1/8" Birch White Garnish) #V2092SP-25 1

67552 Bright White (includes 2-1/8" Polar White Garnish) #V2092SP-28 1

67551 Smoke (includes 2-1/8" Birch White Garnish) #V2092SP-27 1

Powered Ventadome with fan for circulation, Wedge Shape Cover, Mill Finish Flange, Birch White Screen Frame (2-Piece, Removable):

67553 White, 12V (includes 2-1/8" Birch White Garnish) #V2094SP-28 1

61113 White, 110-V (without garnish) #V2128-511-00 5

METAL COVER VENTADOME

Non-Powered Ventadome, Low Profile Metal Cover, Mill Finish Flange, Birch White Screen Frame (2-Piece, Removable), and 2-1/8" Birch White Garnish:

65560 Metal Cover Vent, Radius Corner #V2110SP-23 1



VENTLINE SCREEN* FOR STANDARD VENTADOMES

Makes cleaning a snap! Simply detach the screen by pinching the tabs located around the perimeter. No need to remove the ceiling garnish or the handle! This frame with removable screen replaces the old style single piece screen.

REPLACEMENT FRAME WITH REMOVABLE SCREEN

Birch White Frame w/remov. screen (2 pces):

68788 For Standard 12V Powered Roof Ventadomes, Comes with rocker switch and wires, For models V2094, V2193 and V2394 #BVC0573-31R 40

68787 For Standard Non-Power Ventadomes #BVC0573-31 40

REMOVABLE SCREEN

Removable Screen Portion only:

68801 Birch White #BVD0434-31 1

68785 Polar White #BVD0434-41 1

* Please note that the pocket of the new screen is slightly different than the old screen, and may require a different length ceiling garnish.

Birch White Plastic Ceiling Garnish for 14-1/4" x 14-1/4" Radius Corner Roof Ventadomes (NOTE: roof thickness shown is for Non-Powered and 12-Volt installation; for 110-Volt, add 1/4" to roof thickness sizes):

65565 1-1/8" Leg Length, for 7/8"- 2" roof thickness #VA0445-25 1

65566 2-1/8" Leg Length, for 1-7/8"- 3" roof thickness #VA0445-26 48

62320 3-1/8" Leg Length, for 2-7/8"- 4" roof thickness #VA0445-27 34



VENTMATE STANDARD HEIGHT REPLACEMENT LID FOR VENTLINE

Standard Height Cover, Bag/1:

69278 White #69278 5

69279 Smoke #69279 500

GARNISH MODEL#	INSTALLED WITH...	NEW STYLE 2 PIECE SCREEN (VC0573TAB) VS OLD SINGLE PIECE SCREEN (VA0444TAB)
VA0445-27	V2092	3" to 3-15/16"
		2-7/8" to 4"
VA0445-26	V2094	2" to 2-15/16"
		1-7/8" to 3"
VA0445-25	V2110	1" to 1-15/16"
		7/8" to 2"
		New Style
		Old Style

VENTADOME REPLACEMENT PARTS

69540 Fan Blade for standard unit #BVD0215-00 1

67542 Wedge Shape Replacement Dome for Ventline New Style Vent, White #BVD0449-A01 12

60759 Replacement Metal Dome #BV0534-00 20

69749 12V Replacement Motor Kit; Included in the kit is the VD0218 motor, motor lead wires, screws, instruction sheet and a drill template to retro-fit the VD0218 motor to the brackets used with the older motors (screw hole spacing is different) #BVD0218-00 1

61358 **NEW!** Operator With Crank Handle and Screw (For new style wedge shaped dome) #BVD0462-00 1

65015 Repl. Operator w/crank handle and screw #BV0115-04 W/SCREW 20

66591 Ventadome Knob Only #BVD0421-15 15

65017 Repl. Operator with extension, crank handle and screw #BV0115-02 20

64924 Fan Blade f/12-V roof Ventadome. 6-Blade CCW; fits .125 dia. round shaft with knurl; 6" dia.; White #BVC0466-00 1

46596 Vent Crank only (with bolt) #H710 1

64365 Vinyl Seal, 51" #BVD0455-01 60

66030 Push Button Switch f/Vanair Vent #BV0199-04 1



69540



66591
Operating Knob



61358
Operator with
Crank Handle

In Section K:

Air Conditioners

Fans

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Flex Duct

HONG'S
INDUSTRIES USA, LLC60750,
60751,
60752

HENG'S INDUSTRIES STANDARD MOUNT PAINTED METAL BASE VENTS

Features: • Self-Centering Device eliminates installation guesswork and assures perfect alignment in roof opening. • Attractive radius corners are standard. • Screen allows air through while keeping insects out. • Positive-seal weather-stripping is leak-resistant and water tight. • One-piece seamless frame with a deep drawn painted metal base. • Hinge: Heng's and 1995+ Jensen style without hinge pin.

Advantages: • Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS; No.205 glazing materials). • Injection molded telescoping garnish accommodates a variety of roof thicknesses. • Hand crank to open and close lid securely.

COLONIAL WHITE METAL BASE

Non-powered (Screen Frame Is Pure White)

60750 Bronze #V773401-C1G1 10

60751 Smoke #V774401-C1G1 10

60752 White #V771401-C1G1 10

With 12V Fan Only:

60749 Vent with Smoke Lid, 12V Fan, Colonial White Metal Base #V774402-C1G1 10

Replacement Late-Model Lid, no pins required, for Heng's vents shown above:

62007 ^{LS} Amber Lid #J7291BZ-CR 10

62008 ^{LS} Smoke Lid #J7291SM-CR 10

69282 White Lid, Bag/1 #69282 500

69284 White Lid, Box/1 #69284 500

Additional Replacement Parts for above vents:

61974 Deep Garnish for 14" x 14" Vents, (fits ceilings 2 1/2" - 4 1/8" thick, measures 3 3/8" from top to bottom), White #JRP1120B 40



THE VENT STICK

*High RV Ceiling Vents
Are Now Within Reach!*

No more foot stools or ladders. The VentStick makes it easy to open and close any RV vent in seconds and lets you do it with both feet firmly on the ground. The special knob installs in minutes.

66081 VentStik with 1 Knob #29070 1

66080 Knob 2-Pack with rings #29103 1

HONG'S
INDUSTRIES USA, LLC

HENG'S INDUSTRIES ESCAPE HATCH / EXIT VENTS

Features: • Fresh air ventilation: A turn of the crank provides a large vent area. Lets air through, keeps insects out. • Includes opaque white plastic lid. • Sturdy frame installs easily and is made of heavy aluminum extrusion to assure secure mounting. • Dependable operation featuring leak-resistant lid and weather-tight frame. • White garnish included.

Advantages: • Instant exit. Screen opens quickly to assure fast exit through opening. • Largest selection: 13" x 20" to 26" x 26". • A strong fine mesh screen.

ESCAPE HATCH / EXIT VENT W/WHITE LID

60255 15" x 22" Escape Hatch, with 4 pc., 2" White Metal Garnish; Cutout: 17-1/2" x 24-1/2" #58621-C2 5

61631 17" x 24" Escape Hatch, with 4 pc., 2" White Metal Garnish (RVIA); Cutout: 19-1/4" x 26-1/4" #48621-C2 1

60372 26" x 26" Escape Hatch, with 4 pc., 2" White Metal Garnish (RVIA); Cutout 25-7/8" x 25-7/8" #68631-C2 1

REPLACEMENT DOME

60272 For Old-Style 13" x 20" Vent, 15" x 22" Lid Size #90007-C1 1

60256 For 15" x 22" Vent, 18-1/2" x 25" Lid Size #90008-C1 1

61624 For 17" x 24" Vent, 19-3/4" x 26-1/2" Lid Size #90088-C1 1

The 60371 style dome has a 1-5/8" H hinge plate, and one track down the middle. Fits vents made 1995 to date. 26" x 26". Opaque.

60371 For 26" x 26" Vent, 26-1/2" x 26-1/2" Lid Size #90014-C1 1

OLD STYLE REPLACEMENT DOME

The old style dome has a 2-1/4" H hinge plate, and one track down the middle. Opaque white. 26" x 26".

60882 Old Style Replacement Lid #900140S-1 1

REPLACEMENT PARTS FOR DISCONTINUED JENSEN ASTRO-ROOF VENT

Parts for the Astro-Roof vent with instant escape release hatch. *Vent no longer available.*

Replacement Parts Only:

60174 22" x 22" Dome #J294X22WH 1

HONG'S
INDUSTRIES USA, LLCGarnish
sold
separately

HENG'S INDUSTRIES STANDARD MOUNT UNIVERSAL VENTS

Features: • Self centering metal base w/radius corners. • Interior garnish w/wider 1-1/4" flange and radius corner. • Available in standard, 12-volt, CSA and UL approved 110-volt. • Designed to withstand excessive wind and weather. • Hinge: Crimp sheet metal.

Advantages: • Universal, fits all rough openings. • Flange covers all screws holes. • One piece metal frame, deep drawn metal base. • Covers all interior stains left by previous garnishes. • Positive-Seal weather stripping is leak resistant and water tight. • Interchangeable with existing Elixir and Ventline products.



*Galvanized Base, Non-powered
(Screen Frame is Pure White):*

69633 Amber #73111-C1G1 10

69635 Flat Galvanized #75111-C1G1 10

69634 Smoke #74111-C1G1 10

69632 White #71111-C1G1 10

Replacement lids for above plus Elixir vents 1995 and newer (universal) & Ventline vents:

61345 Metal f/69635 #90114-C1 10

61334 White f/69632 #90110-CR 10

*See pages 354-355 for additional
replacement lids for vents.*

REPLACEMENT PARTS FOR ABOVE VENTS

White Garnish, 1-1/4" Wide Mounting Flange:

69636 1-1/8" Vertical Leg #90090B 10

69638 3" Vertical Leg #90092B 20

69639 4" Vertical Leg #90094B 20

69749 12V Repl. Motor Kit; Included in the kit is the VD0218 motor, motor lead wires, screws, instruction sheet and a drill template to retro-fit the VD0218 motor to the brackets used with the older motors (screw hole spacing is different) #BVD0218-00 1

65390 Screen Frame, White. Garnish telescopes inside screen frame #90106-C1 60

65484 Jensen, 1/8" D Bore, CW, CD/1 #65484 1

65012 Operator

for 14" Elixir &

Jensen Vents,

w/o Crank Handle,

6" Arm Length,

1/Bag #JRP1000R-C 5

41361 Replacement Operator, 6" Arm Length

w/Crank Handle, (same as #65012) CD/1

#814CK 10


60178 Crank Handle for replacement operator,

Metal, 3/Card #JRP2160R-C 5



ROOF VENTILATION

In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------



60100,
60101, 60102

STANDARD MOUNT PLASTIC BASE JENSEN-STYLE VENT by HENG'S INDUSTRIES

Features: • Exclusive Self-Centering Device eliminates installation guesswork, assures perfect alignment in roof opening. • Attractive radius corners are standard. • Screen allows air through, keeps bugs out. • Positive-seal weather stripping is leak-resistant and weather-tight. • Hinge: Jensen-style slotted.

Advantages: • Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS). • Hand crank opens and closes lid securely. • 14" x 14" vents with 1-1/2" (vertical leg) white garnish and white screen. • Individually boxed.

WHITE BASE, NON-POWERED

- 60101** Amber #V073101-C1G1 10
- 60102** Smoke #V074101-C1G1 10
- 60100** White #V071101-C1G1 10

WHITE BASE, WITH 12-V FAN

- 60012** 12V, White #V071102-C1G1 10



REPLACEMENT DOME FOR VENTLINE EXIT DOMES



Parts for the discontinued model #V2047 (22" x 22", pictured above) and for the discontinued model #V2052 (15 1/2" x 22 1/2").

- 60763** Replacement Dome (Lid) for V2047-01 Exit Vent, white; nominal overall flange size 24" x 24"; rough opening of 22" x 22"; #BV0586-04 1

ROOF VENT OPERATOR



Roof Vent Operator, CD/1:

- 44100** 4" Arm #794CK 10
- 44108** 5" Arm #898CK 10
- 41067** 7" Arm #807CK 10



62430 or
61450



Remote switch included in #61450 Power Lift Roof Vent

WHITE BASE, WITH 12-V FAN & LIGHT

Vent with integral 12-volt light has a translucent plastic lens and four 3-watt low-voltage lights.


- 62430** Lighted Vent, White with 12-V Fan #V071112-C1G1 10

- 69631** Replacement Lens for Jensen V071112 or V071142 #JRP1161R-C 5

WHITE BASE, 12V FAN, LIGHT & POWER LIFT

Vent with power lid-lift uses 12-volt DC motor operated by a convenient remote switch.

- 61450** Vent with White Plastic Lid, 12-V Fan and 12-V Lights for 1"-2-9/16" Roof Thickness #V071142-C1G1 10



9" X 9" "MINI ROOF VENT"



This convenient 9" x9" lightweight vent is ideal for providing fresh air in small places such as bathrooms, passageways, galleys, etc. This mini vent is weatherproof due to the quality high-impact plastic used in its construction.

- 60267** Colonial white opaque 9" roof vent with 7/8" plastic garnish, Boxed #17511-C1G 10

VENT OPERATOR KIT

1/card, with screws.



Vent Operator Kit :


- 41066** 5" Arm Length #806CK 10
- 41361** 6" Arm Length #814CK 10



69641

Saves installation time!

HENG'S INDUSTRIES CLAMP STYLE PAINTED METAL BASE VENTS



Features: • Self-Centering Device eliminates installation guesswork and assures perfect alignment in roof opening. • Exclusive four-screw inside flange mount feature for attaching base garnish to lid mount. Saves labor on installation. • Screen allows air through while keeping insects out. • Attractive radius corners are standard. • Positive-seal weather-stripping is leak-resistant and water tight. • One-piece seamless frame with a deep drawn painted metal base. • Unique integral hinge system on lid. **Advantages:** • Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS; No.205 glazing materials). • Injection molded telescoping garnish accommodates a variety of roof thicknesses. • Hand crank to open and close lid securely. • Hinge: Heng's & 1995+ Jensen style without hinge pin.

PURE WHITE BASE SCREEN FRAME

- 69640** Non-Powered, White #V971201-C1G1 10
- 69641** Vent with 12V Fan, White #V971202-C1G1 10



JR PRODUCTS METAL VENT CRANK

Replacement Metal Vent Crank will fit most applications. Made of die cast steel for long lasting use. Replacement screw included.

- 45179** Metal Vent Crank #20305 24



RV DESIGNER VENT CRANK

Fits Jensen, Elixir & Ventline vents. 2" crank with 3/4" shaft. Metal. Bolt included, Pk/1.

- 46596** Vent Crank #H710 1

In Section K:

Air Conditioners

Fans

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents


Flex Duct

VENTLINE
By DEXTER**VENTLINE
VANAIR ROOF
BLOWER**

An efficient blower that comes with a 12 VDC motor, drawing 1.5 amps. High-impact plastic dome and body needs only a 6-1/4" opening. Trim ring telescopes to adjust to roof thickness from 1-1/2" to 2-1/2". Leak-proof. Interior color is polar white; comes complete with cane-mesh screen. Easy 1-hand opening/closing for ease of operation. Blue/grey smoke covered exterior color.

65734 Roof Blower #VP-543 12**62321** Replacement cover only
#BVA0502-03 1**VENTLINE**
By DEXTER**VENTLINE
CEILING
EXHAUST FAN**

Powered ceiling or bath fan, very efficient for smaller areas. Consists of the following parts: • Cap and roof flange assembly (sold separately). • Power unit (motor, fan, and pipe assembly). Inside grille is 10" dia. Self-closing foam damper opens and closes. Dynamically balanced polypropylene blade will not bend out of shape. 8" dia. rough-in opening required

61128 7" Fan w/o Cap & Flange, 115V, 50CFM
#V2262-50 1**61121** Fan Blade only for 7" insert fans and
sidewall fans; 3 blade CW; fits .214 dia. round
shaft with knurl; 6 1/2" dia; white
#BVA0312-00 1**JENSEN VENT REPLACEMENT
PARTS by HENG'S INDUSTRIES**

Motor for 12-volt power vents, fits Elixir, Heng's, Jensen & Ventline.

67249 12-V Motor, with D Shaft
#90037-C1 5**65012** Operator for 14" Elixir & Jensen Vents, w/o
Crank Handle, 6" Arm #JRP1000R-C 5**60178** Vent Crank Handle; Metal, CD/3
#JRP2160R-C 5**VENTMATE FAN BLADES****REPLACEMENT 6 FAN BLADES**

"6" fan blades for 12-v powered roof vents and range hoods. White, impact-resistant plastic. Direction of spin is determined by looking down through the motor, at the top of the blade.

*12-V Powered Vent Fan Blade:***65483** Ventline, 1/8" Round Bore,
CCW, CD/1 #65483 1**65484** Jensen, 1/8" D Bore,
CW, CD/1 #65484 1**65485** Ventline & Pre '95 Jensen, 1/8"
D Bore, CCW, CD/1 #65485 1**65491** Current Ventline, 3/32" Round Bore,
CCW, CD/1 #65491 1*12-V Powered Range Hood Fan Blade:***65484** '95-Present Jensen, 1/8" D Bore,
CW, CD/1 #65484 1**65485** Pre '95 Jensen, 1/8" D Bore,
CCW, CD/1 #65485 1**AP PRODUCTS
EXIT WINDOW LATCH****61423** Exit Window Latch, Bag/1
#013-242 10**ADCO**
SINCE 1953**ADCO
VENT COVER**

Vent Cover insulates and blocks sunlight, moonlight or street lights from your RV's interior. Installs and removes easily in seconds using supplied Velcro. Rugged, durable vinyl with reflective silver finish on one side provides better insulation and blocks heat. 18" x 18" overall size to cover virtually any 14" x 14" roof vent. White/Silver color. 3-yr. mfr. warranty.

86045 Vent Cover #7172 1**Ventmate****Ventmate**Pull strap
for easy
removal!**VENTMATE
VENT CUSHION WITH PULL STRAP**

- Simply push the 3" thick R-4 insulated insert into any standard 14" roof vent and save energy.
- Prevents heat loss during cold nights.
- Increases A/C efficiency during hot days.
- Pull strap for easy removal.
- Inserts easily into vent.
- Great for summer or winter.
- Keeps light out.

67304 Vent Cushion with Pull Strap
#67304 8**HENG'S**
INDUSTRIES USA, LLC**HENG'S INDUSTRIES
THERMAL PANE ROOF VENT CAP**

This vent cap was designed to extend the camping season for the part time camper and is a must for full timers. The cap is one piece, has no seams or welds, with an air space between two layers. This design gives you a thermal break increasing the R-value and decreasing condensation. The cap stops condensation from forming on the inside, running down the fascia into the attic, and rotting the roof! This could save staining on the Luan board, or possibly save the cost of replacing a whole roof! Stops molding. It also keeps the heat in/out and the A/C in/out. The benefit is savings on your heat bill, and having the RV looking new longer.

68648 Thermal Pane Roof Vent Cap
#90110-C1DL 24

VENT ACCESSORIES • REFRIGERATOR VENTS

**AIR CONDITIONERS
& VENTILATION**

K

In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------



CAMCO "LIGHTS OUT" RV VENT SHADE

Self-storing, retractable, lightweight vent shade for maximum light reduction. Opens to 14-1/4" to 19". Blocks sunlight, moonlight and street light. Easy to install; mounting materials included. Solid vinyl construction. Allows for air circulation. Neutral color matches most RV interiors.

80762 Lights Out Retractable Vent Shade
#42913 6



CAMCO REFLECTIVE VENT QUICK COVER

Insulated vent cover reduces heat loss in winter and reflects sunlight and heat in summer. Easy installation and removal with hook & loop fasteners (included). Attaches to vent frame or ceiling for a quick peel-and-stick installation.

67467 Quick Cover, 14" x 14"
#45191 4



CAMCO RV DUAL VENT COVER

Block sun and prevent interior fading, while enjoying great air circulation. Easy to install: holding clips fit existing screw holes.

60096 Vent Cover, White #45651 6



Cover only;
61205

Base only;
61197

CAMCO RV REFRIGERATOR VENT COVER & BASE

Fits Dometic, Camco and newer Norcold bases. Made from UV stabilized, durable polypropylene plastic.

61197 RV Refrigerator Vent Base ONLY;
2" H x 7.38" W x 26.25" L
#42161 6

61205 RV Refrigerator Vent Cover ONLY;
3.50" H x 10.56" W x 33.44" L
#42160 6



RV DESIGNER VENT/ ACCESSORY MOUNTING KIT

Use to seal and attach vent or any accessory mounted to the outside of an RV. Includes 8' of white, 3/4" putty tape & 24 #8 screws.

65373 Vent Mounting Kit #E451 12

JR PRODUCTS VENT INSTALLATION KIT

Vent installation kits have everything you need to replace your existing vent or install a new one. Comes complete with 36 screws and 8' of putty tape. Packaged in resealable clamshell.

65051 Vent Installation Kit #04162 12

67502 Butyl Vent Installation Kit
#04182 18



Norcold
65532

Dometic
New Style



65528



65529



65598

VENTMATE REFRIGERATOR VENT LIDS

Made of high impact plastic. UV stabilized. **65528**, **65529**, **65597** and **65598** are direct replacement lids for Dometic refrigerator vents. **65532** is a direct replacement lid for Norcold refrigerator vents.

Refrigerator Vent Lid, Polar White, Fits:

65532 Norcold #65532 1

65528 Dometic N/S #65528 10

65529 Dometic O/S #65529 1

Refrigerator Vent Lid, Colonial White, Fits:

65597 Dometic N/S #65597 1

65598 Dometic O/S #65598 1




Made of durable long lasting plastic that won't fade or discolour. Perfect for replacing existing vents or to install a side vent.

67303 Horseshoe Vent, Polar White
#298-01-A-PW-A 1

In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------

VENTS FOR NORCOLD REFRIGERATORS



ROOF VENT

Low profile plastic roof vent for use with all models. Complete set includes cap and base (**order separately**). Installation cutouts 5-1/4" H x 24".

65532 Vent Cap Only, Polar White #65532 **1**

65309 Base Only #616319BWH **12**

SIDE VENTS

Plastic Side Vent. 13-3/4" H x 21-1/2" W cut-out size; 16-1/2" H x 24-1/4" W overall size:

61750 Polar White #621156PW **12**

62765 Latch only #617772 **1**

Upper Side Vent For Models 322, 422/3, 452/3, 652/3. 7-1/4" H x 20-7/8" W:

61880 Polar White #617485PW **1**

Lower Side Vent For Models 322, 422/3, 452/3, 652/3. 9-9/16" H x 19-1/8" W:

61889 Polar White #617484PW **1**



VENTLINE METAL REFRIGERATOR ROOF VENTS

CUTOUT: 5" X 18"

White prefinished metal, streamlined design cover. With bug screen. *Order cap and base separately.*

61124 Vent Cap, overall size, 10 1/2" x 18 11/16" x 2 15/16", White #V0157-03 **20**

61131 Base with screen, overall size 7 1/2" x 20 13/32" #V0504-00 **20**

CUTOUT: 5" X 20"

65690 Vent Cap, overall size, 11 9/16" x 20 3/4" x 3", White #V0432-03 **20**

61958 Base with screen, overall size 7 1/2" x 22 13/32" #V0565-00 **20**

CUTOUT: 5" X 24"

65689 Vent Cap, overall size, 11 1/2" x 24 3/4" x 3", White #V0203-03 **20**

61132 Base with screen, overall size 7 1/2" x 26 13/32" #V0523-00 **20**



RV DESIGNER LATCHES

REFRIGERATOR/ CONVERTER VENT LATCH

Latch commonly used on exterior access door for fridge vent, inverter door, etc.

43977 Fridge/Converter Vent Latch #E377 **12**



JR PRODUCTS VENT LATCH

Twist lock latch most often used in refrigerator exterior doors but can also be used for many interior converter doors.

45063 Vent Latches for Thin Panel Walls (up to .057"), Pk/2 #00235 **24**

45064 Vent Latches for Thick Panel Walls (up to .162"), Pk/2 #00245 **24**



CAMCO FLYING INSECT SCREENS

FOR REFRIGERATOR

Wasps, mud dauber, birds and rodents pose a serious threat to your RV water heater, furnace and stove. They can enter through vents and openings and cause serious damage by building nests that interfere with air flow.

Protect your valuable investment by purchasing and installing Camco's Flying Insect Screens. These easy-to-install screens will help ensure that your vents stay free from costly invasion by unwanted pests.



60393 RS500 Fits RV Refrigerator Vents Except Dometic #42148 **6**

60395 RS600 Fits Dometic RV Refrigerator Vents #42149 **6**

60279 NEW! RS700 Fits Norcold Refrigerator, 27.5", Pk/3 #42153 **6**



CAMCO FLYING INSECT SCREEN

FOR DOMETIC REFRIGERATORS WITH 8.13" VENTS

Keep out nesting insects, birds and rodents with minimal airflow restriction. Easy to install. Heavy duty stainless steel. Set of 6 - for Dometic RV Refrigerators with 8.13 inch vents.

61786 Flying Insect Screen-RS800, Dometic Refrigerators 8.13" vents, Bag/6 #42154 **12**




In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------



CAMCO FLYING INSECT SCREENS

FOR PLUMBING VENT

Wasps, mud dauber, birds and rodents pose a serious threat to your RV water heater, furnace and stove. They can enter through vents and openings and cause serious damage by building nests that interfere with air flow. Protect your valuable investment by purchasing and installing Camco's Flying Insect Screens. These easy-to-install screens will help ensure that your vents stay free from costly invasion by unwanted pests.



60388 RV Plumbing Vent #42152 6



CAMCO CYCLONE PLUMBING VENT

Use the power of the wind to draw holding tank odors out of your RV. Even a gentle breeze works with the dynamically engineered shape of the Cyclone™ to create a powerful vortex that pulls odors up and away. Attaches easily to any RV plumbing vent. Patent Pending.

69253 Sewer Vent Cover #40595 3



JR PRODUCTS ACCESS/DECK PLATE

Used by many RV Manufacturers for cord and fresh water access to your RV compartments. They are constructed of durable ABS for long life and will replace most units used in today's markets. Easily installed anywhere easy access is needed.

Access/Deck Plate, Packaged:

- 45228** 4" Black #31015 16
- 45227** 4" Polar White #31005 16
- 45230** 5" Black #31035 16
- 45229** 5" Polar White #31025 16



ULTRA-FAB PRODUCTS MINI SOLAR PLUMBING VENT

- Automatically removes RV plumbing odors and moisture.
- Silent and reliable ventilation.
- Aerodynamic for less drag co-efficiency.
- Durable powder coated finish.
- Installs easily on roof top.
- No wiring required.
- Universal design replaces most RV plumbing caps.
- Solar powered start and stop.
- 3-yr. warranty.

69847 Mini Solar Plumbing Vent #53-945001 20

SUNFORCE SOLAR VENT WITH LIGHT



Powered by sunlight. Easy installation, no wires required. Silent secure ventilation. No running costs. Helps reduce humidity. Can be mounted in polycarbonate, glass, wood, metal and more. Dim.: 9.5" L x 9.5" W x 3.5" H (24 x 24 x 8.89 cm).

14843 Solar Stainless Steel Vent #81300 6



5" METAL PLUMBING VENT



Vent pipe is 5 1/16" i.d. for 5" nominal duct size. Stands 4 1/8" above flange. For flat roof.

61125 5" Metal Vent #V2005-00 26



HENG'S PLUMBING VENT

Made of tough exterior plastic with a weather resistant finish. They feature a unique cap which can be locked on or removed with a twist of the wrist without the need of tools. These vents are made to fit pipes up to 2" in diameter with a 2-1/2" projection above the roof.

Plumbing Vent:

- 61404** Colonial White #10002-C 25
- 69642** Polar White #10001-C 25



65735



VENTLINE PLUMBING VENTS

GALVANIZED STEEL: Made of galvanized steel for 1 1/2" pipe. Removable cap.

65735 Plumbing Vent w/Cap #V2084 1

PLASTIC: Plastic vent fits pipes 1 1/2".

Plumbing Vent:

- 60026** Colonial White #V2049-03 100
- 62334** White #V2049-01 100



67231

CAMCO REPLACE-ALL PLUMBING VENT CAP ONLY

Separate cap fits up to a 2" pipe. Features spring tension attachment, which eliminates the need to replace the entire vent just because of a lost cap top. Patented.

Replace-All Plumbing Vent Cap Only:

- 67232** Beige #40134 6
- 67231** Polar White #40034 6



BRD ROTAIRE REGISTER

Rotaire register is molded from durable ABS plastic in a variety of colors. The damper mechanism can be easily opened and closed and may be completely removed for full flow. Grill rotates a full 360° to direct air flow where desired. 4" dia. mounting collar; overall 5" dia. by 2-1/4" D.

Rotaire Register:

- 65591** Beige, 4" #H810 1
- 65593** Black, 4" #H815 60
- 65592** Walnut, 4" #H805 1
- 65596** White, 4" #H820 1

In Section K:

Air Conditioners

Fans

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Flex Duct

D & W INC. PRODUCTS
**SPACEPORT OUTLET
VENT FOR DUCTED
A/C SYSTEMS**


Designed as an upgrade replacement of the popular Aireport vents used in the ceilings of most RVs. The Spaceport both opens and closes, and rotates for the ultimate in comfort control. Easy to install; just remove screws of old vent and replace with the Spaceport. 6-7/16" overall dia.; 4-5/8" hole size.


61452 Outlet Vent #8840WH 1

AIREPORT GRILLE

A louvered version of the Aireport Diffuser lets you direct the air exactly where you wish. Easily installed and efficient in operation. All Aireports are interchangeable after installation. 7" overall dia; 4-1/4" hole size. White.


61451 Aireport Grille #6840WH 1

AIREPORT DIFFUSER

The adjustable Aireport Diffuser for ducted air conditioners offers 360° air maximum comfort and efficiency, plus a unique design feature that eliminates condensation. Partially closeable. 6.5" overall dia; 4-1/4" hole size. White.


61449 Diffuser #5840WH 1

**JR PRODUCTS
CEILING VENTS**


- Replaces air ventilation registers. • Requires a 5-1/4" opening and 4 mounting screws.
- Direct OEM replacement. • Won't fade, discolor, rust, or peel. • UL 94 C-O & approved for use w/Dometic air conditioners. • Dimensions: Cut Out Dim. 5" and Outside Dim. 6-1/2".

27806 Polar White, Undampered, packaged #GRILL2-A 20

27808 Polar White, Dampered, packaged #GRILL2D-A 20

**JR PRODUCTS
THERMOVENT DUCTED HEAT VENT**

- Smooth, sleek grill hides screws for a finished look. • Vents can be rotated 360 degrees for optimum control in airflow. • Direct OEM replacement. • Won't fade, discolor, rust, or peel. • Fits 2" & 4" flex ducts. • Dampered versions are airflow adjustable. • Cut Out: 4".

2" No Damper:
60158 Polar White #HV2PW-A 20

60166 Black #HV2BK-A 20

4" No Damper:
60046 Polar White #HV4PW-A 20

60055 Black #HV4BK-A 20

60104 Tan #HV4TN-A 20

60124 Oak #HV4OAK-A 20

4" Dampered:
60143 Polar White #HV4DPW-A 20

60145 Black #HV4DBK-A 20

60150 Tan #HV4DTN-A 20

60156 Oak #HV4DOAK-A 20

**JR PRODUCTS
COOLVENT SNAP-ON CEILING VENT**

- Replaces air ventilation registers. • Hides screws for a clean look. • Direct OEM replacement. • Won't fade, discolor, rust, or peel. • Requires a 4.75" cutout. • Polar White.

CoolVent Snap-On Ceiling Vent:
60016 Collar Depth 0.250" #CG25PW-A 24

60014 Collar Depth 1.50" #CG150PW-A 12

**JR PRODUCTS
COOLVENT DELUXE
ADJUSTABLE CEILING VENT**

- Airflow is easily adjusted & directable. • Replaces air ventilation registers. • Hides screws for a clean look. • Direct OEM replacement. • Won't fade, discolor, rust, or peel. • Requires a 4.75" cutout. • Polar White.

CoolVent Deluxe Adjustable Ceiling Vent:
60009 Collar Depth 0.250" #ACG25DPW-A 24

60005 Collar Depth 1.50" #ACG150DPW-A 12

In Section K:	Air Conditioners	Fans	Roof Ventilation	Refrigerator Vents	Plumbing Vents	Registers & Grilles	Side Vents	Flex Duct
---------------	------------------	------	------------------	--------------------	----------------	---------------------	------------	-----------



AP PRODUCTS FLOOR REGISTER


Sturdy metal construction with extra-deep flange. Easy, fast installation. Narrow spaced fins and wide flange are important home owner features. Adjustable. 1" Deep.
NOTE: size shown is the hole size.

4" Wide Register (5-1/4" Outside), Brown:

- 68646** 8" L #013-626 48
- 68641** 10" L #013-628 48
- 68644** 12" L #013-630 48

4" Wide Register (5-1/4" Outside), White:

- 68647** 8" L #013-625 48
- 68643** 10" L #013-627 24
- 68645** 12" L #013-629 24



METALINE FLOOR REGISTERS AND RETURN AIR FLOOR GRILLES

Durable brown finish. Easy to open and close.

Double Shutter Register:

- 61605** 4" x 8" #12509 48
- 61604** 4" x 10" #12511 48

Return Air Grille without Dampers:

- 61199** 5³/₈" x 9¹/₄" Return, For 4" x 8" Opening #10F2509 12
- 61198** 5³/₈" x 11³/₄" Return, For 4" x 10" Opening #10F2511R 48

HENG'S EXHAUST SYSTEM

This unit consists of an attractive exterior vent cover designed to keep rain and dust out of your vehicle with an outside manual release damper. Once the outside manual release damper is unsecured, the damper automatically opens when the range hood fan is activated to allow cooking odors and smoke to be exhausted. The damper automatically closes to prohibit insects and dust from entering when the range hood is not in operation. The manual release damper must be secured before traveling. Dim.: 4.62 x 10.88". Cutout: 4" x 10.86".

Durable Standard Vent Cover with Damper:

- 66289** Bright White #J116AWH-C 60
- 62810** Almond #J116AOW-C 60



RV DESIGNER FLOOR REGISTER WITH DAMPER



- OD 12" x 3-1/2", Cut-out 10" x 2-3/8" x 1".
- Clamshell of 15" W x 7" H x 2" D. • Plastic.

Floor Register with damper, Plastic:

- 69297** White #H850 12
- 69298** Tan #H860 12



JR PRODUCTS PLASTIC REGISTER

These registers meet and exceed H.U.D. and R.V.I.A. specifications. They are made of molded thermo-plastic and will not rust. Corners are rounded so there are no sharp edges. Easy to install, easy to open and close. The color is solid throughout the register, so it cannot scratch or peel away. Overall size 11-7/8" W x 4-1/4" H; cutout size 9-7/8" W x 2-1/4" H.

Undampened Register:

- 62350** Polar Wht #288-86-A-PW-A 12
- 78842** Tan #288-86-A-TN-A 2

Dampened Register:

- 62353** Polar White #288-86-AB-PW-A 12
- 78843** Tan #288-86-AB-TN-A 2

EXTERIOR VENTS FOR VENTLINE DUCTED RANGE HOODS


Weatherproof Outside Vent features a lockable damper, heavy styrene construction and a 1-3/4" inlet flange. Rough opening is 3-3/4" x 10-1/2". Overall size 11-5/8" x 5-9/32".

Horizontal Outside Vent:

- 64357** Colonial White #V2111-11 24
- 61898** Polar White #V2111-13 24

Louvered design.

1-3/4" inlet size; cutout: 10-1/2" x 3-3/4"; overall: 12-1/8" x 5-1/4". Constructed of durable injection molded plastic.



Vent, Outside Louver:

- 61126** Colonial White #V2018-02 70
- 66630** Polar White #V2018-01 70



AP PRODUCTS FLOOR REGISTERS

2-1/4" x 10" Floor Register; 3-5/8" x 11-3/8" Overall Size. Individually wrapped.

Floor Register with damper, Plastic:

- 61953** White #013-640 24
- 61954** Brown #013-641 24



VENTLINE SIDEWALL EXHAUST VENT

Graceful styling covers total efficiency and performance, all moving parts are weather protected. Fan starts when outside cover opens, stops when closed. Fits 2" -3" wall thickness. Outside door insulated. 110-V. Cut-out size: 9.5" x 9.5", U.L. Listed; CSA approved. Complete unit consists of vent/fan plus grille.

- 65683** Complete Sidewall Vent/Fan with Grille, White Cover #V2215-21 1

REPLACEMENT PARTS

- 61121** Fan Blade for 7" insert fans and sidewall fans; 3 blade CW; fits .214 dia. round shaft with knurl; 6 1/2 dia; white #BVA0312-00 1
- 61111** Plastic Momentary Switch #BV0140-03 1

AP PRODUCTS FLEXIBLE DUCT

"Ultra 10" core with 2 ply, polyester - metalized polyester. Versatile air connector for a multitude of low to medium pressure HVAC applications. Well suited for main trunk lines, supply and return lines, connecting lines, plus runs to diffusers, room registers, and other terminal devices in spaces where insulation is not required. Great for venting and exhaust applications. Not for venting of cooking and clothes drying appliances unless approved and recommended by the appliance manufacturer. The outer layer is also metalized for aesthetics. UL Rated operating temperature: -20°F up to 180°F, -29°C up to 82°C. Clamps not included.

- 65594** Flex Duct, 4" x 25' #013-3100-M 6

