Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings | Drain Hose | Chemicals & Toilets Fresh Water Line Filters Winterizing Pumps In Section L:


FLAIR-IT FITTINGS

FLARED - CONE & NUT FITTINGS APPLICATIONS FOR HOT & COLD POTABLE WATER FITTINGS

For hot and cold potable water fittings (150 degrees at 100 psi). Squarely cut end of tubing, slide nut over tubing. Firmly press tubing onto the flare of the fitting. Slide the nut to the threads and hand tighten securely onto the fitting. Turn ¹/₄ more turn with a wrench if necessary. Do not use any

pipe dopes, sealants, teflon tape or other chemical on Flair-It connections. However, teflon tape should be used on male pipe threads when connecting to female threads. When connecting to brass, galvanized steel or CPVC, use a male Flair-It fitting instead of a female fitting. When connecting Flair-It fittings to a water heater in a mobile home, we recommend using a 1/2" flex copper connector off of the water heater. From a flex connector to polybutylene, use a Flair-It male adapter. Do not use in a closed loop system. Joints should not be made under concrete. Nuts are included.


Order #	Mfr. #	Dim. A	Dim. B	Dim. C		
		BOW FITTINGS	Dilli. D	Dilli. 0		
24594 #06802 1/2" FPT 1/2" FL						
FLAIR-IT ELBOW FITTINGS						
24593	#06815	3/8" FL	3/8" FL			
24496	#06800	1/2" FL	1/2" FL			
24498	# 00000 I/ = I =		3/4" FL			
FLAIR-IT MALE ELBOW FITTINGS						
24596	#06803	1/2" MPT Elbow	1/2" FL			
24598	#06810	3/8" MPT Elbow	1/2" FL			
FLAIR-IT				Nuts are included.		
SWIVEL E	LBOW TER	MINATION FITTIN	IGS	Faucet connections.		
24504	#06807	3/4" P	3/4" FPT Swivel			
28313	#06816	1/2" P	1/2" FPT Swivel BSP			
24601	#06817	3/8" P	1/2" FPT Swivel BSP			
	FEMALE SV					
24602	#06821	1/2" FL	1/2" FL	1/2" FPT Swivel		
	MALE TEE I					
24567	#06822	1/2" FL	1/2" FL	1/2" MPT		
	NUT WREN		4 (0)			
25411	#06390	3/8"	1/2"			
	TEE FITTING		4 (0) 51	0 (0 5		
24491	#06830	1/2" FL	1/2" FL	3/8" FL		
24492	#06820	1/2" FL	1/2" FL	1/2" FL		
24494 L3		3/4" FL	1/2" FL	3/4" FL		
24495 LS		3/4" FL	3/4" FL	3/4" FL		
24565	#06826	3/4" FL	3/4" FL	1/2" FL		
24566	#06831	3/8" FL	3/8" FL	3/8" FL		
24499		3/8" FL	1/2" FL			
24499	#06853	3/0 FL 1/2" FL	1/2 FL 1/2" FL			
24500	#06840 #06845	1/2 FL 1/2" FL	1/2 FL 3/4" FL			
24501	#06845 #06846	1/2 FL 3/4" FI	3/4 FL 3/4" FL			
24502	#06855	3/4 FL 3/8" FL	3/4 FL 3/8" FL			
		ADAPTER FITTIN				
24505	#06842	1/2" MPT	1/2" FL			
24506	#06872	3/4" MPT	3/4" FL			
24575	#06852	1/2" FL	3/8" MPT			
24577	#06867	1/2" FL	3/4" MGHT			
24579	#06870	3/8" FL	1/2" MPT			
FLAIR-IT			72 1011	Transition from		
	TRANSITIOI		1/0" Univ. Transition	copper to PB tubing.		
25962	#06343	1/2"	1/2" Univ. Transition			



In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings Drain Hose Chemicals & Toilets

FLAIR-IT FITTINGS, continued

Order #	Mfr. #	Dim. A	Dim. B	Dim. C
FLAIR-IT FE			2	J 0
24570	#06841	1/2" FL	1/2" FPT Adapter	
24571	#06847	3/4" FL	3/4" FPT Adapter	
24572	#06851	1/2" FL	3/8" FPT Adapter	
FLAIR-IT				Flair-It to faucet
SWIVEL STI	RAIGHT T	ERMINATION F	FITTINGS	connection.
24507	#06874	3/8" FL	1/2" FPT BSP Swivel	
24508	#06873	1/2" FL	1/2" FPT BSP Swivel	
24584	#06856	1/2" FL	3/4" FPT	
FLAIR-IT PLUG-CAP				Used for capping off a Flair-It fitting.
24588	#06859	3/8" FPT Cap		
24516	#06860	1/2" FPT Cap		
24517	#06861	3/4" FPT Cap		
FLAIR-IT GA	ARDEN H	OSE ADAPTER		
24585	#06866	1/2" GHP	3/4" FGH Swivel	
FLAIR-IT BALLCOCK	ADAPTE	R		Flair-It connection to water closet.
24586	#06865	1/2" FL	3/4" BCT Swivel	
24587	#06869	3/8" FL	3/4" BCT Swivel	
FLAIR-IT DRAIN OR A	ANGLE ST	OP VALVE		Flair-It connections drain and angle valve.
24515	#06884	1/2" FL	1/2" FL	
24604	#06882	3/8" FL	3/8" FL	
FLAIR-IT ANGLE STO	P VALVE			A 90° valve with flare connections both ends.
24514	#06885	1/2" FL	1/2" FL	
24605	#06883	3/8" FL	3/8" FL	
FLAIR-IT 24937 is an in-line 3-way valve; THREE-WAY BYPASS VALVES 24938 is a water heater 3-way valve.				
24937	#06910	1/2" FL	1/2" FL	1/2" FL
24938	#06912	1/2" FL	1/2" MPT	1/2" FL
FLAIR-IT STRAIGHT	STOP VAL	.VE		Flair-It connections in-line valve.
24592	#06879	3/8" FL	3/8" FL	
24512	#06880	1/2" FL	1/2" FL	
FLAIR-IT EC		10-PACKS OF I		
24942	#06435 (BAG 10)	1/2"	Saniprene Seals, 10/	Bag
	RNING B	END SUPPORT		
26119	#10500	1/2"	Turning Bend Suppor	t
		VALVE ASSEM		For refrigerator installation.
Connection to the valve and materials no overly tighter	to brass vant the tee, t specifican ned. Every	alve (1/4" x 1/8") use teflon tape Ily recommende r installation mu	I to install refrigerators ID NSF listed. To seal t or liquid teflon. Do not u ed by the mfr. Threaded ist be successfully leak	he connection between use pipe dope or other fitting must not be
	s standard	ls before use.		



 $\underline{\mathfrak{g}} = Std. \ Carton \ Qty.$

TUBING • FITTINGS & ACCESSORIES

In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings Drain Hose Chemicals & Toilets



PEX Tubing, 100 ft. Roll, White: 25927 3/8" I.D. #0650392 <u>1</u> 25928 1/2" I.D. #0650394 <u>1</u> PEX Tubing, 20 ft. Roll, White: 25931 3/8" I.D. #16158 (EA) <u>10</u> 25932 1/2" I.D. #W5820 1



CLEAR VINYL TUBING

CLEAR VINYL TUBING

Flexible, non-toxic and resistant to corrosion, this clear flexible PVC tubing has a temperature grade of -25°-135°F. 1/16" wall. Boxed.

100 ft. Tubing:

21126 %" I.D. x ½" O.D. #W01-1400 <u>2</u> **21127** ½" I.D. x %" O.D. #W01-1600 <u>6</u>


REINFORCED CLEAR PVC TUBING

Tubing has an open mesh nylon braid to withstand higher pressures. 1/8" wall.

25939 ¹/₂", 50 ft. #W01-1800 <u>6</u>

PTFE TAPE FOR WATER FITTINGS

PTFE thread sealing tape, designed for sealing water and/or steam lines, 1/2" x 260"



PLASTIC PIPE PLUG

21100 ³/₈" Plug #70TP4006 <u>1</u> **21101** ¹/₂" Plug #70TP4008 <u>100</u>



PLASTIC TUBE CLAMP

Plastic Tube Clamp:

22523 3/8" I.D.; #7652110 <u>1</u> **22524** 1/2" I.D.; #7652120 <u>1</u> **22525** 3/4" I.D.; #7652140 <u>1</u>



Plumber's Tape, Coil:: **21178** 100 ft. #76PS10 6



QEST DROP EAR ELBOWS

A x B



21379 3/4" M x 1/2" F #64QDE43TF 1



PLASTIC PIPE & TUBING CUTTER

Kwikcut cuts flexible pipe up to 11/4" I.D. and semi-rigid pipe and conduit up to 1" I.D. with surgical quality stainless steel blade.

21706 Pipe/Tube Cutter #740125A 1



QEST NUTS, RINGS & CONES

BULK INDIVIDUAL PARTS

Bulk Set (one each: nut, ring & cone per poly bag); sizes are I.D. x O.D.:

21392 1/4" x 3/8" #64QBFNCR1 1

21393 3/8" x 1/2" #64QBFNCR2 1

21394 1/2" x 3/4" #64QBFNCR3 1

20409 3/4" x 1" #64QBFNCR4 25

BAGS OF INDIVIDUAL PARTS

Cone only:

 ^{LS} Bag/1, ¾, I.D. #64QC4 <u>1</u> Bag/100, ¾, I.D. #64QC2 <u>1</u> *Ring only:* Bag/100, ¾, I.D. #64QR2 <u>1</u>

QEST
FITTING
ADAPTER


A x B

B

21391 ³/₄" M x ¹/₂" F *#64QC43TF* <u>1</u> **20404** ^{LS} 1" M x ³/₄" F *#64QC54TF* 1

QEST STREET ELBOWS

AxB



QEST ELBOWS

AxB



Without nuts, cones or rings; Bulk: **21373** ½" x ½" #64QE33T 100 **21374** ½" x 3%" #64QE32TX 25

21376 ³/₄" × ³/₄" #64QE44T <u>10</u> **21377** ³/₄" × ¹/₂" #64QE43T <u>1</u>



QEST TEES – BULK

AxBxC

Without nuts, cones or rings; Bulk: 21367 ½" ×½" ×½" #64QT333T 1 21369 LS 3/4" × 3/4" ×½" #64QT443T 1 21368 3/4" × 3/4" × 3/4" #64QT444T 1

QEST MALE COUPLING

ΑxΒ



Without nuts, cones or rings; Bulk
21382 \(\frac{1}{2} \times \times \frac{1}{2} \times \frac{4}{2} \times \frac{460}{64QC33TX} \)
21383 \(\frac{1}{2} \times \frac{3}{8} \times \frac{#64QC32T}{1} \)
21385 \(\frac{3}{4} \times \frac{3}{4} \times \frac{3}{4} \times \frac{464QC44T}{1} \)
21386 \(\frac{3}{4} \times \times \frac{3}{4} \times \frac{464QC54T}{25} \)
22140 \(1 \times \frac{3}{4} \times \frac{3}{4} \times \frac{464QC55T}{25} \)
25



QEST CHECK VALVE

20395 ¹/₂" M x ¹/₂" M #642500 <u>1</u>

QEST FEMALE COUPLING

Bulk.



Without nuts, cones or rings; sizes are A x B: 21389 ½ "F x ½"F #64QC33F 100 21390 ¾ F x ¾"F #64QC44F 1

WATER LINE FITTINGS • CHECK VALVES

In Section L:

Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain

Holding Tanks

Drain Valves & Fittings | Drain Hose | Chemicals & Toilets

QEST TEST CAP

21387 1/2 " F #64RXPC3 1 **21388** 3/4 " F #64RXPC4 1



QEST TEST PLUG

23535 1/2 " MPT #79STP3 1 **23536** 3/4 " MPT #79STP4 <u>1</u>



QEST STRAIGHT STOP VALVES



20401 1/2" F x 1/2" M #64V401 1 20402 1/2" M x 1/2" M #64V411 1

QEST ANGLE STOP VALVES



20398 ½" F x ½" M #64V301 10 20399 1/2" M x 1/2" M #64V311 10

QEST GLOBE VALVE

22149 3/4" M x 3/4" M #64V3750 <u>10</u>



LASALLE BRISTOL **BEVELED WASHERS**

Beveled rubber washer with 3/8" hole, for standard center-set connection. Beveled rubber washer with ½" hole is for center-set connection and for toilet connection.

25719 Beveled Washers, 1/2" Hole, Bag of 100 #64WA35 1





VALTERRA PIPE x BARB UNION FITTING

Pipe x Barb Union Fitting, MPT x Barb (B): 21075 3/8" MPT x 1/2" B #RF840 25

21077 ¹/₂" MPT x ³/₈" B #RF883 25 21078 1/2" MPT x 1/2" B #RF841 25

21081 ¹/₄" MPT x ³/₈" B #RF850 <u>5</u>



AQUA PRO CHECK VALVES

Direct replacement for Marshall Brass and for Hydronamic Products. Aqua Pro models are made of non-toxic, food-grade materials, have 1/2" pipe thread, and are certified to IAPMO and NSF standards.

Aqua Pro Check Valve, 1/2" MPT x 1/2" MPT: 27915 Bulk #P72915BU 1

27916 CD/1 #P27916 1

Agua Pro Check Valve, 1/2" MPT x 1/2" FPT: 27871 Bulk #P27871BU(P23402) 1 27879 CD1/ #P27879 1





ALTER



VALTERRA BARB FITTINGS

For clear vinvl tubing.

Barb x Barb Elbow Fitting:

21060 ³/₈" x ³/₈" #RF854 <u>25</u> **21061** ¹/₂" x ¹/₂" #RF844 <u>25</u>

MPT x Barb Elbow Fitting:

21065 1/4" MPT x 3/8" Barb Elbow #RF851

21066 3/8" MPT x 3/8" Barb Elbow #RF835 25

21067 3/8" MPT x 1/2" Barb Elbow #RF842

21068 LS US only 3/8" MPT x 5/8" Barb Elbow #RF877

21069 1/2" MPT x 3/8" Barb Elbow #RF882⁻

21070 1/2" MPT x 1/2" Barb Elbow #RF846

21071 LS (Canada only) 1/2" MPT x 5/8" Barb Elbow #RF881 25

Barb x Barb x Barb Tee Fitting:

21086 ³/₈" x ³/₈" x ³/₈" #RF852 <u>25</u>

21087 ¹/₂" x ¹/₂" x ¹/₂" #RF843 25

MPT x Barb Tee Fitting:

21092 1/2" MPT x 1/2" Barb x 1/2" Barb Tee #RF849

Barb x Barb Union Fitting:

21119 3/8" x 3/8" #RF855 25 21120 1/2" x 1/2" #RF845 25

21123 ¹/₂" x ³/₈" #RF885 <u>25</u>

MITERA

VALTERRA **ANTI-SIPHON VALVE**

This removable plastic anti-siphon valve is a spring-loaded check valve that stops the



back flow of water into the fresh water supply. You can simply screw it on and off when attaching the water line to the faucet.

25941 Plastic Anti Siphon Valve, Carded #A01-0141VP 30



A combination check valve and tee eliminates additional connections normally required for RV and marine hook-ups. A normal system requires 11 pieces; a Check-Tee needs only a Tee plus two hose clamps. IAPMO approved.

1/2" NPT inlet for city water connection. Inlet and outlet are barbed to accommodate 3/8" hose, or barbs may be removed for a \(^1/\d"\) NPT.

21724 Check Tee with Two Barbed Ports #6115-1 6

1/2" NPT for city water connection. Inlet is barbed to accommodate 3/8" hose, or barbs may be removed for 1/4" NPT. 1/2" NPSM outlet.

21725 Check Tee #6115A1 6

6 = Std. Carton Qty.

L

WATER FRESHENERS • WATER FILTERS

Fresh Water Line In Section L:

Water Treatment

System

Filters Winterizing Pumps Faucet & Shower | Sink & Drain | Holding Tanks | Drain Valves & Fittings | Drain Hose | Chemicals & Toilets

25294





OP PRODUCTS WATER FRESH

Keeps water tasting fresh while stored in plastic or metal. Eliminates bad taste and odors that originate in fresh water holding tanks.

41753 Water Fresh, 8-oz. #03066 <u>12</u>



THETFORD FRESH WATER TANK SANITIZER KIT

• Kills 99% of harmful bacteria - Staph, E-coli, Listeria and other micro-organisms - within 60 seconds! • Non-additive - sanitizes inside of tank and plumbing, not the water. • Free of bleach and chlorine. • Leaves no smell or taste. • EPA Registered in all 50 States! First registered sanitizer for fresh water tanks and hoses.

28380 Fresh Water Tank Sanitizer Kit #36662 <u>4</u>



This concentrated formula works fast to eliminate tastes and odors associated with anti-freeze, chlorine, plastic and metal tanks, or just about anything that leaves water stale

or musty. Chlorine-free, non-toxic and environmentally-safe. No pre-cleaning or rinsing necessary. Use in refrigerators, trash cans and coolers to stop odors. 12-oz. bottle.

28011 Drinking Water Freshener #V88459 12



EVERPURE by SHURflo

WATER TREATMENT SYSTEM

Get cleaner, clearer water anywhere on the road with Everpure by SHURflo's Water Treatment System. The recommended superchlorination/dechlorination method disinfects your RV's entire water distribution system and can protect you from waterborne bacteria, viruses, mold and algae. The exclusive Micro-Pure® filter considerably reduces the taste and odor of chlorine, dirt, rust, cysts and asbestos. Certified by NSF International. Includes a QL3-ADC filter with disposable "Quick-Change" Filter Cartridge, mounting bracket, liquid chlorine dispenser, chlorine test kit, anti-freeze diverter, all fittings (one each: 3/8" PVC threaded elbow, straight, and tube-totube connector fittings) and tubing for installation. Simpify winterizing procedures using the diverter in place of the cartridge. In springtime. flush your system with the diverter in place. Then, install a new water filter cartridge.

20613 Everpure Water Treatment System #EV925205 6

25294 Antifreeze Diverter #EV300817 1

EVERPURE by SHURflo ADC "QUICK-CHANGE" FULL-TIMER CARTRIDGE

Fits all Everpure Water Treatment Systems. Exclusive Micro-Pure® filter considerably reduces the taste and odor of chlorine, dirt, rust, cysts and asbestos for about one season. Replacement is as easy as changing a light bulb. Requires no tools. Performance certified by NSF International.

20614 ADC Bacteriostatic Cartridge #EV959206 6



SHURflo

20613

SHURflo CITY WATER ENTRY IN-LINE FILTER

SHURflo uses only the highest quality KDF media and Coconut Shell Carbon to significantly reduce bacteria, chlorine, hydrogen sulfide, water-soluble heavy metals and microorganisms, providing you crisp, clean and safe drinking water. Connects directly to Garden Hose for Point of Entry Filtration.

28337 City Water Entry In-line Filter #RV-210GH-KDF-A 12



SUPER PREMIUM REPLACEMENT IN-LINE FILTER -(Universal Adaptation)

SHURflo uses only the highest quality KDF media and Coconut Shell Carbon to significantly reduce bacteria.

chlorine, hydrogen sulfide, water-soluble heavy metals and microorganisms, providing you crisp, clean and safe drinking water. Replaces all SHURflo 6" and 10" filters, as well as all competitive brands, (1/4" FPT, 1/2" MPT, John Guest and Colder fittings included).

28339 Universal Filter Kit #94-009-50 12





WATER FILTERS

In Section L:

Fresh Water Line

Filters Winterizing Pumps Faucet & Shower Sink & Drain

Holding Tanks

Drain Valves & Fittings | Drain Hose | Chemicals & Toilets



CULLIGAN DISPOSABLE EXTERIOR RV DRINKING WATER FILTERS

MODEL RV-700/RV-800 WITH BACTERIOSTATIC MEDIA



Convenient and easy to use, model RV-800 is a disposable exterior filter for drinking and cooking water. It also filters dirt and sediment to keep your storage tank clean and clear. This filter contains KDF* Bacteriostatic* indicates that the system limits the passage or growth of bacteria that may already exist in the incoming water. It does not mean that the water leaving the system is safer than that of the water entering the system. For use with 3/4-inch flexible hose couplings in RV or Marine applications. Provides high flow rate for quick tank fill. Model RV-800 includes filter cartridge, single hose and plastic plugs. Model RV-700 includes filter cartridge only (no hose) and can be used as the replacement cartridge for the RV-800. Cartridge life of 2,000 gallons/1 season. **KDF as tested by KDF Fluid Treatment, Inc.

Model RV-800 or RV-700 NSF Independently certified to reduce:

- · Bad taste & odor
- · Aesthetic Chlorine taste & odor
- Sediment
- Bacteriostatic*

28598 RV-800 Filter with Hose #01020342 6

Replacement Cartridge:

28597 RV-700 Cartridge #01020341 6





MODEL RVF-10 CULLIGAN EXTERIOR RV DRINKING WATER FILTER

The sturdy design of model RVF-10 makes it ideal for exterior filtration of water for your RV. Enjoy better-tasting water and cleaner storage tank with this quality filter. The slim design and convenient hose fitting kit make it simple to install and easy to store. Includes hose connection kit and model D-15 replacement cartridge, with a life of 250 gallons or 3 months. See chart for other RVF-10-compatible cartridge. 5-yr limited warranty.

Models D-15 cartridge reduces:

- · Bad taste & odor
- Aesthetic Chlorine taste & odor
- Sediment

25625 RVF-10 Water Filter #01019084 6

Replacement Cartridge:

28754 D-15 Cartridge, Pk/2 #01019061 6

27970 P5 Cartridge, Pk/2 #01019128 6








MODEL US-600A CULLIGAN UNDER-SINK DRINKING WATER FILTER

Let your tap be the source for clear, clean great-tasting water wherever the road takes you. Model US-600A employs a slim design to fit into tight places for easy installation. Uses quick-connect fittings to attach to faucet. Includes filter head with built-in bracket, housing wrench, 1/4 inch plastic tubing and model D-20A drinking water cartridge. See chart for other US-600A-compatible cartridges. Model D-20A cartridge has a life of 1,000 gallons or 12 months. The US-600A has a 5-yr limited warranty.



• Bad taste & odor • Aesthetic Chlorine taste & odor







26122 US-600A Water Filter #01020691 6

NSF Certified Replacement Cartridges: 25767 D-20A Repl. Cartridge #01020696 12

25769 D-30A Repl. Cartridge #01020635 12

21494 D-10 Repl. Cartridge, Pkg/2 #01020693 6

25937 D-40A Repl. Cartridge #01020636 6















Order #	21494	25767	25769	25937	27970	28754
Culligan cartridge model:	D-10	D-20A	D-30A	D-40A	P5	D-15
Used with Culligan filter:	US-600A RVF-10	US-600A RVF-10	US-600A RVF-10	US-600A RVF-10	RVF-10	P5 D-15
NSF - certified	yes	yes	yes	yes	n/a	yes
Bad taste & odor	•	•	•	•		•
Aesthetic Chlorine taste & odor	•	•	•	•		•
Lead				•		
Sediment	•	•	•	•	•	•
Cryptosporidium & Giardia			•	•		
Mercury				•		
Lindane & Atrazine				•		
Filter life in Gallons	250	1,000	1,000	600	8,000	250



NSF is the world leader in water standards development and product certification. NSF utilizes a professional staff of third party independent engineers, chemists, toxicologists and environmental health professionals. Your health is important. Be aware of the facts. NSF International www.nsf.org

385 6 = Std. Carton Qty.

L

WATER FILTERS

In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings Drain Hose Chemicals & Toilets

RV/BOAT REPLACEMENT FILTERS

FLOW-PUR[™]

28183



#1 FILTER—Inline replacement filter with 1/2" threaded fittings. Fits many OEM applications. Reduces sediment, chlorine and unpleasant taste & odors.

28176 #1 Filter #FP10GT 12

#2 FILTER—Inline replacement filter with quick connect inserts. Fits many OEM applications. KDF media in filter to reduce bacteria growth, chlorine and unpleasant taste & odors.

28177 #2 Filter #FP10GKC 12

#3 FILTER—Inline replacement filter with 1/2" threaded fittings. Fits many OEM applications. KDF media in filter to reduce bacteria growth, chlorine and unpleasant taste & odors.

28178 #3 Filter #FP10GKT 12

#4 FILTER—Inline replacement filter with John Guest quick-connect fittings. Fits many OEM applications. KDF media in filter to reduce bacteria growth, chlorine and unpleasant taste & odors.

28276 Repl. Filter #FP10GKJ 12

FILIPLE FIL

#5 FILTER—Replacement GAC/KDF filter cartridge for Flow-Pur® ultimate system. Filter is long lasting, reduces bacteria, chlorine, taste & odor. Cartridge interchanges with other brand #5 cartridges.

28184

28182

28183 #5 Filter #GAC10N/KDF-RV 12

#7 FILTER—99% cyst reduction sediment filter cartridge with flow rate of 3 gpm. Replacement cartridge for Flow-Pur® ultimate system and fits most name brand housings.

28184 #7 Filter #FM-1A-975-RV 12

#8 FILTER—Coconut shell carbon block cartridge for Flow-Pur® interior & exterior water filter system. Filter cartridge reduces chlorine, sediment, unpleasent taste/odor & Voc's. Fits most brand housings. Flow rate 2 1/2 gpm.

28182 #8 Filter #WCBCS975RV 12



FLOW-PUR® ULTIMATE DUO EXTERIOR FILTER

Equipped with garden hose fittings to install outside of RV/Boat to water hose. Cartridges #7 & #5 are included with housing wrench. Tested to remove 99.9% cryptosporidium and giardia cysts, reduces bacteria, sediment, chlorine and unpleasant taste & odors. Flow rate 2.5 gpm.

28181 Filter, Ultimate Duo #POE12DSA1KDF 4

SINGLE EXTERIOR FILTER

Equipped with garden hose fittings to install outside of RV/Boat to water supply hose. Cartridge #8 included with housing wrench. Cartridge reduces chlorine, sediment and unpleasant taste & odors. Flow rate 2.5 gpm.

28180 Filter, Single #POE12GHGACB 12

FILTER HOUSING WRENCH

28185 Housing Wrench #WR-100 12

O-RING

28453 O-Ring, for use with 28181 & 28180 #OR-4 1



Equipped with garden hose fittings to install outside RV or boat to water hose. Filter includes flexible non-kinking hose. Flow rate 2.5 gpm.

unpleasant taste and odor reduction.

chlorine, Voc's and

28275 #12 Filter: Exterior Inline Garden Hose #FP12GKE 12

HOUSING & CARTRIDGE

FH4200WW12 -

10" replacement Filter Housing with cap and 1/2" FPT. Replaces housings installed by OEM's, usually under the counter or as POE (Point Of Entry). 100% polypropylene, rated at 125 psi and 125°F/ 52°C degrees. White only.



28213 Replacement 10" Housing w/Cap *#FH4200WW12-RV* <u>12</u>

MAXVoc-975 - Coconut shell carbon block replacement cartridge, 0.5 micron. Reduces Voc's, cysts and extended chlorine, taste and odor reduction. Fits all 10" Flow-Pur® and other brands of standard housings.

28179 Filter Cartridge 0.5 Micron #MAXVOC-975RV 12

O-RING

28453 O-Ring, for use with 28213 #OR-4 1

FLOW-PUR[®] UNDERCOUNTER FILTER KIT

Undercounter filter kit using the combination KDF and Activated Carbon media for bacteria, chlorine, Voc's and unpleasant taste and odor reductions. Kit includes filter with 1/2" threaded fittings attached, 2 quick-connect cold water line fittings,

winte-rizing by-pass hose and bracket. Easy install.

28274 Complete Under Counter Filter Kit #FP10GKTUC 12

In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain

SHURflo

Holding Tanks

Drain Valves & Fittings | Drain Hose | Chemicals & Toilets

FLOW-PUK.

FLOW-PUR® RV-PRO 10,000 PORTABLE WATER SOFTENER

Clean, Soft Water For Your RV Or Boat Wherever You Go.

Flow-Pur's RV-PRO 10,000 is the most user friendly, competitively priced RV softener on the market today! Compact and portable, this versatile softener will preserve the life of all appliances on board and stop hard water staining by removing calcium, magnesium and trace amounts of iron from the water. RV-PRO 10,000 is priced right, costs only pennies to operate and is low maintenance, leaving you more leisure time for fun and relaxation! • Built-in drain line flow restrictor provides a more effective regeneration increasing the capacity by up to 55%. • Custom designed flow valve allows regeneration without having to connect/disconnect to the system. • Full cradle base keeps tank more secure than competing open base tanks. • High flow rates up to 4 gpm with low pressure drop. • 1/3 cu. ft. high capacity premium grade resin. • Uses common table salt. • Hardness strips included. • Compact 8.5" x 20.5" profile, weighs just 26 pounds! • Uses premium upgrade resin. • Made in the USA.

20351 Portable Water Softener #RV-PR010,000 1



FLOW-PUR® PRODUCTS **ECONOMICAL EXTERIOR** WATER FILTER

Designed for the weekend or occasional camper

Granulated Activated Carbon

- Filter reduces: Chlorine
- Volatile Organic Chemicals • Taste and Odor • Sediment
- Working Pressure: 20 120 psi
- Max Flo Rate: 2.5 gpm
- Do not use where water is microbiologically unsafe or of unknown qualities.

28703 Exterior Inline Carbon Filter #FP12GE-RV <u>12</u>



SHURFLO CLASSIC SERIES STRAINERS

Clean, clear economical strainers eliminate unnecessary repairs by keeping debris and other particles out of the pump. Screws directly onto the pump head. Transparent design shows when it is time to clean the bowl. Easy disassembly, cleaning and reassembly.



Name	Order #	Mfr. #	Description	Designation		
Twist-on Water Strainer	28400	#255-313	Easy Assembly. Keeps Debris Out of Pump. • Easy to See When Strainer Needs Cleaning. •50 Mesh Stainless	Keeps Debris Out of Pump. Easy to See When Strainer Needs Cleaning.	1/2" NPSM Inlet 1/2" NPSM Outlet	
Twist-on Water Strainer	28401	#255-323			1/2" Barb Inlet 1/2" NPSM Outlet	
Swivel Nut Water Strainer	20115	#255-315			1/2" NPSM Inlet 1/2" Female Swivel Outlet	
Swivel Nut Water Strainer	20118	#255-325		1/2" Barb Inlet 1/2" Female Swivel Outlet		


For use with all model 1901, 2088, 2093, 4008 and 4900 Series pumps.


Pumpgard in-line strainer prevents dirt and other particles from entering pump intake. Just remove

one screw for in-place cleaning.

741369 1/2" BarbPort #46400-0002 1

20537 ¹/₂" MPT #46400-0004 <u>12</u>





FLAIR-IT BYPASS VALVES

For a fast, easy, economical water heater bypass antifreeze system. Valves need not be installed on the water heater and can be installed in proximity to the water heater in the line.

24937 3-W Valve, 1/2" FL x 1/2" FL x ¹/₂" FL #6910 <u>10</u> 24938 3-W Valve, 1/2" FL x 1/2" MPT x ¹/₂" FL #6912 10



WINTERIZING BYPASS HOSE

12" Winterizing bypass hose fits all inline water filters with 1/2" threaded fittings for purpose of winterizing fresh water systems with inline filters.

28781 170TF Winterizing Bypass Hose #WBPH <u>12</u>

WINTERIZING **BYPASS PLATE**

The new Flow-Pur Winterizing Bypass Plate makes winterizing vour water filtration system as easy as 1-2-3! Fits all standard 10" and 5" housings. Eliminates filling housing with antifreeze. Economical stainless steel plate will last forever. Gasket included.

28741 Winterizing Bypass Plate #FP-WP100 <u>12</u>



For removal of water from lines in RVs and mobile homes. Plastic.

41280 Blow-Out Plug #03054 1

#46200-0000 1 6 = Std. Carton Qty.

741368 LS 3/4" Barb Port

In-Line Strainer:


PAR IN-LINE


STRAINER

387

WINTERIZING ACCESSORIES

In Section L: Fresh Water Line Filters Winterizing Pumps Faucet & Shower Sink & Drain Holding Tanks Drain Valves & Fittings Drain Hose Chemicals & Toilets





Permanent by-pass kits are available in 8" (27909) and 12" (27911) sizes. They are permanently installed to allow simple tank isolation, annually.

The single valve kit (27912) is permanently installed to allow simple tank isolation, annually, using a single valve. This is for areas where access to valves may be limited.

The temporary by-pass kit (27913) completely isolates the water heater from the system, to save anti-freeze during the winterization process.



The siphon kit (27910) allows you to easily divert the pump intake from the RV tank to an anti-freeze bottle

for easy winterizing.



The blow-out plug (27898) has no valve, and is to be used for draining water lines.

lines, as well as for leak tests.



AQUA PRO WINTERIZING KITS

PERMANENT WATER HEATER BY-PASS KITS

Agua Pro Winterizing kits make preparing your RV or boat for winter storage a breeze. All components are made of the highest quality, food-grade, non-toxic materials for trouble-free winterization. Aqua Pro kits let you by-pass the water heater when winterizing water lines to save anti-freeze.

These kits feature 1/4 turn valves to quickly and easily bring water heater back "on line.

27909 8" Permanent By-Pass Kit for 6-Gal. #P27909 (P23503VP) 24

27911 12" Permanent By-Pass Kit for 10-Gal. #P27911 (P23504VP) 24

27912 12" Single Valve By-Pass Kit #P27912 (P23505VP) 24

8" TEMPORARY WATER HEATER BY-PASS KIT

27913 8" Temporary By-Pass Kit #P27913 (P23502VP) 48

WATER SYSTEM SIPHON KIT

Made of non-toxic components. Quickly diverts pump intake to anti-freeze bottle for winterizing water lines.

27910 Water Siphon Kit #P27910 (P23506VP) 48

COMPLETE BLOW-OUT PLUG

Complete blow-out plug for standard garden hose threads holds pressure to help find leaks. Aids in the removal of water from lines.

21363 Complete Blow-Out Plug #P21363 (P23508VP) 10

WATER LINE DRAINER BLOW-OUT PLUG

Water line drainer blow-out plug for standard garden hose threads does not hold pressure. Aids in the removal of water from lines.

27898 Blow-Out Plug w/o Valve #P27898 (P23500VP) 20





AQUA PRO HAND PUMP KIT

Freeze-proof your water system the quick and easy way. Pump antifreeze into lines and supply tank through the city water inlet; use pump for many other liquid transfer needs.

21364 Hand Pump Kit #P21364 12