

READING/ACCENT LIGHTS



12-VOLT AIRCRAFT-STYLE LIGHTS

Positionable light features an easy-to-use on/off switch. Single light requires two mounting screws (not included); double light requires four mounting screws (not included). Lens diameter is 1.5". Uses replacement bulb #1003.

OVAL DOUBLE LIGHT

8" L x 3.75" W, CD/1

Format	Order #	Price
Aluminum	17798	
Black	18092	
Brass	18093	

RECTANGULAR DOUBLE LIGHT

6.5" L x 2.75" W, CD/1

Format	Order #	Price
Aluminum	17796	
Black	18088	
Brass	18089	

ROUND SINGLE LIGHT

3.75" Overall Dia., CD/1

Format	Order #	Price
Aluminum	17797	
Black	18090	
Brass	18091	

SQUARE SINGLE LIGHT

3.5" L x 2.75" W, CD/1

Format	Order #	Price
Aluminum	17795	
Black	18086	
Brass	18087	



12-VOLT 10-WATT HALOGEN LIGHT

An unobtrusive light that goes under interior cabinets, over sofas, tables or sinks. Mount it in the ceiling or on the wall. Arcon's 12-volt, 10-watt Halogen Light can be recessed or surface mounted. 3" dia. overall; 1.5" lens dia. Flush mounting requires a 2⁵/₁₆" hole; or use the surface-mounting bezel (on packaged only) for a classy appearance. Lens twists on and off for easy bulb replacement; uses halogen bulb #JC10W. Without switch.

WITH BEZEL

Sold in CD/1		
Format	Order #	Price
Black	17800	
Brass	17799	
White	17801	

WITHOUT BEZEL

Sold in Bulk		
Format	Order #	Price
Black	18518	
Brass	18517	
White	18519	



12-VOLT BULLET LIGHT


Arcon's Bullet Light is the perfect companion for a late-night novel. Or maybe highlighting that trophy from the fishing trip. Available in brass or black, it features a switch (On/Off). Requires two mounting screws (not included), and uses replacement bulb #1383. 2-7/8" x 2-7/8" base size; 4.75" H.

BULLET LIGHT, CD/1

Format	Order #	Price
Black	17803	
Brass	17804	

12-VOLT HALOGEN SWIVEL RECESSED READING LIGHT

With these designer style swivel lights you can direct the light over your head a full 360° A stationary light that puts the light where you want it! Includes switch. Protrudes only 0.75" from ceiling. Dia. is: 3-5/16" (requires a 2-9/16" cutout).



HALOGEN SWIVEL RECESSED READING LIGHT

Sold in CD/1			Sold in Bulk		
Format	Order #	Price	Format	Order #	Price
Black	10655		Black	10657	
White	10654		White	10656	

Denotes Limited Supply

HALOGEN BULLET SWIVEL READING LIGHT

This designer style swivel reading light is compact and versatile. It swivels up and down 180° and rotates 150° making it great for late night reading or accenting that picture of the grandkids. With switch. Base Dia. 1-3/8" and only 4" out from the wall. 12-volt.

SWIVEL BULLET SWIVEL READING LIGHT

Sold in CD/1			Sold in Bulk		
Format	Order #	Price	Format	Order #	Price
Black	10649		Black	10653	
White	10647		White	10652	



For more information on Arcon Products, visit our website at www.arconelectrical.com.



Uses #1141 Bulb.

PROGRESSIVE DYNAMICS BULLET LIGHT

Compact, decorative, high-intensity light produces effective lighting, yet remains cool to the touch. Easy surface-mount; positive pivot action gives 90° extension from the wall and a full 180° rotation. Directional focusing: ideal for reading maps and books. 12-V, 1.44-amp, 21-CP. 5" L x 3 1/4" -4" (swiveled out) x 3 3/8" -5 3/8" (tilted out).

- 12253** White Light #PD787-26V 25
- 10616** ^{LS} Walnut Light #PD767WV 5



PROGRESSIVE DYNAMICS CONVENIENCE LIGHT

Easily mounted 12-V light automatically illuminates interior when the door opens. Perfectly suited for closets, overhead cabinets, storage areas. Uses a #563 1/2-amp 4-CP automotive bulb. 4 1/8" L x 3 1/2" W x 2" H. Ivory.


- 14015** Closet Light #PD210-213V 25



PROGRESSIVE DYNAMICS 12V DC FLUORESCENT LIGHTS (220 SERIES)

The 220 Series 12V DC Fluorescent Lights are attractive and economical, and will compliment any Recreational Vehicle or Boat. The soft graceful curves of these lights will remain in style for years to come. Each light is constructed of heat-resistant, high-impact white ABS. The translucent acrylic, shadow-free lens snaps in and out for easy cleaning. Their cool white light is easy on the eyes, yet will brighten the darkest corner. All of these lights feature an easy ON/OFF rocker switch, reverse polarity protection, translucent acrylic lens, heat-resistant white ABS frame, and all meet FCC requirements for noise and interference.

- Two fluorescent bulbs included (Size, Model):*
- 14777** Approx. 5-1/2" W x 25" L x 1-7/16" H (F15T8/CW) #PD222F15CWCV 10
 - 14775** Approx. 5-1/2" W x 18-7/8" L x 1-7/16" H (F8T5/CW) #PD222F8CWCV 10
- One fluorescent bulb included (Size, Model):*
- 14778** Approx. 3" W x 25" L x 1-7/16" H (F15T8/CW) #PD221F15CWCV 10
 - 14776** Approx. 3" W x 18-7/8" L x 1-7/16" H (F8T5/CW) #PD221F8CWCV 10



PROGRESSIVE DYNAMICS 12-VOLT INTERIOR LIGHTS (750 SERIES)

The PD750 Series of 12-volt interior lights were specifically designed to meet the needs of the RV and Marine Industries for low-cost-yet-attractive lights. Features: • Large slide switch for easy accessibility in the dark. • Lens easily removed without tools for bulb replacement. • Uses standard 1141 automotive bulbs. • PD752 has 3 position slide switch to light one or two bulbs. • Full bulb sockets assure positive electrical contact.

- 750 Series Interior Light:*
- 12377** Single #PD751WWW 40
 - 12378** Double #PD752WWW 20
- Replacement Lens for Series 750 & 760:*
- 14813** White, Each #14813 12
 - 12967** White, Pk/2 #PD305 1
 - 12976** White, Optic, Pk/2 #PD304 1
 - 13823** Translucent Prismatic Lens, Pk/2 #PD306 5

This is DYNAMIC Lighting!



Progressive Dynamics

The Source of Bright Ideas Since 1964


www.progressivedyn.com

INTERIOR LIGHTS

LIGHTS

E

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------



PROGRESSIVE DYNAMICS 12-VOLT DELUXE LIGHTS (760 SERIES)

The low silhouette styling makes these frame lights blend with any interior decor. Feature white end caps, teak trim, snap out lens, #1141 bulb, and surface mount. 5⁷/₈" W x 1³/₄" H x 5⁷/₁₆" L (Single) or 10³/₄" L (Double).

Deluxe Light:

- 10611** Single #PD761WTWW 5
- 10612** Double #PD762STWWW 5

Replacement Lens for Series 750 & 760:

- 14813** White, Each #14813 12
- 12967** White, Pk/2 #PD305 1
- 12976** White, Optic, Pk/2 #PD304 1
- 13823** Translucent Prismatic Lens, Pk/2 #PD306 5



PROGRESSIVE DYNAMICS 12-VOLT EURO-STYLE LIGHTS (770 SERIES)

These low-profile interior lights feature an ABS frame with an enlarged lens to maximize light output and an easily-found oversized light switch. Aurora lens.

- 14591** Single Light, 6⁵/₈" L x 4"W x 1⁹/₁₆" H #PD771WWW 1
- 14592** Double Light, 11¹/₂" L x 4"W x 1⁹/₁₆" H #PD772WWW 25

Replacement Lens for Series 770, White:

- 13014** Aurora, Pk/2 #PD307 1
- 13824** Skylite, Pk/2 #PD309 1
- 13825** Starbust, Pk/2 #PD310 5
- 12978** Solar, Pk/2 #PD308 1



Uses #1141 Bulb.

PROGRESSIVE DYNAMICS 12-VOLT INTERIOR LIGHTS (780 SERIES)


The PD780 Series of 12-volt interior lights are trendsetters for RVers. Clear oval center lens area provides direct light for counter tops. Slim profile for low clearance applications. Snap-out lens for quick bulb changes. Opal lens. Overall sizes: Single: 7" L x 4.5" W x 1.75" H and Double: 11.85" L x 4.5" W x 1.75" L.

780 Series Interior Light:

- 12212** Single #PD781WSBCV 1
- 12213** Double #PD782WSBCV 25

Replacement Lens for Series 780, White:

- 12979** Opal, Pk/2 #PD311 5
- 13826** Pearl, Pk/2 #PD312 5



PROGRESSIVE DYNAMICS 12-VOLT INTERIOR LIGHTS (790 SERIES)

Trendsetting 12-volt, single lens incandescent light design gracefully blends well with any ceiling surface. The slim profile is also ideal for low head clearance applications. • Large lens and patented reflector design delivers excellent illumination. • Snap-out lens design for quick bulb changes (Bulb: #1141 Automotive). • Heat-resistant, high-impact polymer frame and lens minimizes accidental damage. • Full bulb sockets for positive electrical contact.

Overall sizes: Single: 7" L x 4.5" W x 1.75" H and Double: 11.85" L x 4.5" W x 1.75" L.

790 Series Light Without Power Port:

- 12215** Single #PD791WWW 5
- 12214** Double #PD792WWW 5

Replacement Lens, White:

- 12980** Single, Pk/2 #PD315 5
- 13020** LS Double, Pk/1 #PD316 1



This is **DYNAMIC Lighting!**



Progressive Dynamics

The Source of Bright Ideas Since 1964

www.progressivedyn.com



EURO-STYLE LIGHTS

12-VOLT EURO-STYLE LIGHTS

Sleek Euro-style lights feature an easy-to-use on/off switch. Available in a single or double design with squeeze-remove white or optic lens in either colonial white or white base. Uses replacement bulb #1141.

Single Euro-style light is 8"L x 4.75"W and requires four mounting screws (not included).

SINGLE LIGHT WITH WHITE BASE

Sold in CD/1			Sold in Bulk		
Format	Order #	Price	Format	Order #	Price
Optic Lens	18122		Optic Lens	18526	
White Lens	18121		White Lens	18525	

SINGLE LIGHT WITH COLONIAL WHITE BASE

Sold in CD/1			Repl. Lens 4.5"X3.75" CD/1		
Format	Order #	Price	Format	Order #	Price
Optic Lens	18014		Optic Lens	18017	
White Lens	17925		White Lens	18016	

Double Euro-style light is 11"L x 4.75"W and requires six mounting screws (not included).

DOUBLE LIGHT WITH WHITE BASE

Sold in CD/1			Sold in Bulk		
Format	Order #	Price	Format	Order #	Price
Optic Lens	18124		Optic Lens	18528	
White Lens	18123		White Lens	18527	

DOUBLE LIGHT WITH COLONIAL WHITE BASE

Sold in CD/1			Repl. Lens 4.5"X3.75" CD/1		
Format	Order #	Price	Format	Order #	Price
Optic Lens	18015		Optic Lens	18017	
White Lens	17926		White Lens	18016	



FLEETWOOD EURO LIGHT REPLACEMENT LENS

Fits all Fleetwood-style Euro-style lights with optic lenses in units manufactured after 1995. Also fits Euro-style light sold under the Thin Lite brand. Lens: 4.5" x 3.75".

11587 Euro Light Lens, CD/1 #11587 **36**



ECONOMY LIGHTS

12-VOLT WHITE OR OPTIC LENS SINGLE OR DOUBLE ECONOMY LIGHTS

Light up an interior with these easy-to-use, functional lights. Features include a 3-position slide switch, easy-to-clean high temperature smooth snap-out plastic lens, white plastic frame and color coded wires. The double light uses a #1141 high-intensity bulb and the single light uses a #1016. Wood screws not included.

SINGLE ECONOMY LIGHT*

• Dim: 6-1/4"L x 5-1/2"W x 1-5/8"H. • Repl. bulb #1016

DOUBLE ECONOMY LIGHT

• Dim: 11-1/2"L x 5-1/2"W x 1-5/8"H. • Repl. bulb #1141

Sold in CD/1			Sold in CD/1		
Format	Order #	Price	Format	Order #	Price
Optic Lens	11824		Optic Lens	11825	
White Lens	14655		White Lens	14656	

* Single light has double element connection (bright, brighter, off).

REPLACEMENT LENSES

Lens snaps out for easy replacement on both the single and the double Economy Lights.

Sold in CD/1			Sold in Bulk		
Format	Order #	Price	Format	Order #	Price
Optic Lens	11826		Optic Lens	-	-
White Lens	18530		White Lens	14813	




For more information on Arcon Products, visit our website at www.arconelectrical.com.

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------

THE ORIGINAL THIN-LITES FLUORESCENT LIGHTING

U.L. Listed and CSA Certified, Thin-Lites are designed for high light output at low-amp draw. They offer years of reliable, virtually maintenance-free service. Energy efficient, Thin-Lites are complemented by non-yellowing diffuser lenses, baked white enamel finish, and attractive woodgrain trim. Standard fixtures have aluminum housings. They include standard AC fluorescent tubes powered by Thin-Lite's highly efficient DC electronic ballasts.

#109C AND 109S THIN-LITE



22-watt, 12-V circline, 9-1/2" dia. x 1-3/4" deep, 1.6 amps. Uses one FC8T9/CW fluorescent tube. Light output: 1000 design lumens.

10520 Round Thin-Lite #109C 6

Replacement Parts for #109C Round:

10347 Round Tube #FC8T9/CW 12

11276 LS US only Ballast #IB-109 1

11059 White Lens #D-109C 1

22-watt, 12V circline, 9-1/2" square x 1-3/4" deep, 1.6 amps. Uses one FC8T9/CW fluorescent tube. Light output 1000 design lumens.

11275 Square Thin-Lite #109S 1

Replacement Parts for #109S Square:

10347 Round Tube #FC8T9/CW 12

11276 LS US only Ballast #IB-109 1

11319 Lens #D-109S 1

#111 THIN-LITE



8-watt, 12-V light, 12-1/4" x 4-1/8" x 1" thin. 0.8 amps. Uses one F8T5/CW fluorescent tube. Light output 400 design lumens.

10528 8-Watt Thin-Lite #111 "M" 6

S/O Replacement Ballast #IB-111

S/O Replacement Lens #D-111

#112 THIN-LITE



16-watt, 12-V, 12-1/4" x 5-1/2" x 1" thin. 1.4 amps. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens.

10521 16-Watt Thin-Lite #112 "M" 20

11278 Ballast only #IB-112 1

#115 THIN-LITE



15-watt, 12V, 18" x 4" x 1-3/8" thin. 1.3 amps. Uses one F15T8/CW fluorescent tube. Light output: 825 design lumens.

10519 15-Watt Thin-Lite #115 "M" 20

S/O Replacement Ballast #IB-115

10511 LS Lens only #D-115 1

#116 THIN-LITE



30-watt, 12-V 18" x 5-5/8" x 1-3/8" thin. 2.2 amps. Uses two F15T8/CW fluorescent tubes. Light output: 1650 design lumens.

10522 30-Watt Thin-Lite #116 "M" 20

11279 Ballast only #IB-116 1

11061 Lens only #D-116 1

#125 THIN-LITE



13-watt, 12-V, 21.312" x 4-1/8" x 1" thin. 1.1 amps. Uses one F13T5/CW fluorescent tube. Light output: 850 design lumens.

10529 LS US only 13-W Thin-Lite #125 "M" 1

S/O Replacement Ballast #IB-125

S/O Replacement Lens #D-125

#126 THIN-LITE



26-watt, 12-V, 21.312" x 5-1/2" x 1" thin. 2.0 amps. Uses two F13T5/CW fluorescent tubes. Light output: 1700 design lumens.

10523 26-W Thin-Lite #126 "M" 1

S/O Replacement Ballast #IB-126



THIN-LITE LOW-PROFILE FLUORESCENT LIGHTS

Low-profile, for areas that require light but have limited mounting space. Only 2 1/4" W x 1 1/4" D, they provide area and aisle lighting; fit nicely under cabinets and around mirrors. Anodized aluminum housing, clear acrylic diffuser lens.

#171 LOW-PROFILE THIN-LITE


Low-profile anodized aluminum, 8-watt, 12V light, 17 5/8" x 2 1/4" x 1 1/8" thin. 0.9 amps. Uses on F8T5/CW fluorescent tube. Light output: 400 design lumens.

10530 8-Watt Thin-Lite #171 1

#173 LOW-PROFILE THIN-LITE

Low-profile, anodized aluminum, 13 watt, 12V light. 1.3 amps. 26 5/8" x 2 1/4" x 1 1/8" thin. Uses one F13T5/CW fluorescent tube. Light output: 820 design lumens.

10531 13-Watt Thin-Lite #173 1



THIN-LITE SURFACE MOUNT FLUORESCENT LIGHTS (ST 130 Series)

The ST 130 Series are economically priced, practical lights that feature pre-painted aluminum housings and acrylic diffuser lenses.

SUNTRAVEL MODEL 130 LIGHT

16-watt, 12V, 12" x 5-3/8" x 1-3/4", 1.4 amps. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens. "Cracked Ice" Lens.

10080 Sun Travel Light #130CI 20

14140 Repl. Lens #D-130CI 1

SUNTRAVEL MODEL 134 LIGHT

30-watt, 12V, 18" x 5-3/8" x 1-3/4", 2.2 amps. Uses two F15T8/CW fluorescent tubes. Light output: 1650 design lumens.

10081 Sun Travel Light #134CI 20

14141 Repl. Lens #D-134CI 1

SUNTRAVEL MODEL 138 LIGHT

36-watt, 12VDC, 24" x 5-3/8" x 1-3/4", 2.5 amps. Uses two F24T8CW fluorescent tubes. Light output: 2400 design lumens.

18191 36 Watt Thin-Lite #138G 1

18288 Repl. 24" Tube #F20T12CW 10



THIN-LITE INCANDESCENT LIGHTS

The single model is 18 watt, 12 VDC - 1.44 amps and measures 8-1/8" x 5" x 1-1/2". The dual model is 18 watt, 12 VDC - 2.88 amps, 11-1/8" x 5" x 1-1/2".

10413 Single Light #311 DIST 20


10414 Dual Light #312 DIST 20

Replacement Parts:

16777 #1141 Bulb, CD/2 #16777 1500

16776 #1141 Bulb, BX/10 #16776 500

14946 Replacement Diffuser Lens Only for Model 311/312 #D-311 1



THIN-LITE RECESSED FLUORESCENT LIGHTS

Thin-Lite® recessed lights provide efficient lighting for elegant interiors. They are easy to install in ceilings and under cabinets. They provide the "custom made" look in anodized aluminum housing. Injection-molded acrylic diffuser lenses add the finishing touch.

#712XL THIN-LITE WITH ALUMINUM FINISH


16 watt 12VDC light. Suggested mounting opening: 14.25" x 5.313" x 1.25". Overall: 14.75" x 6.375" x 2". 1.4 amps. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens.

13966 16-Watt Lite #712XL DIST 1

#716XL THIN-LITE WITH ALUMINUM FINISH

30 watt 12VDC light. Suggested mounting opening: 20.125" x 5.313" x 1.25". Overall: 20.625" x 6.625" x 2". 2.2 amps. Uses two F15T8/CW fluorescent tubes. Light output: 1650 design lumens.

13967 30-Watt Lite #716XL 10



THIN-LITE HI-TECH STYLE INTERIOR FLUORESCENT LIGHT

Thin-Lite® Hi-Tech styles were developed for both efficient and attractive lighting where maximum light is required. Anodized aluminum housings and clear acrylic diffuser lenses provide high light output on three sides. Designed for commercial and industrial vehicles, and for use in remote area housing, schools and medical facilities in conjunction with alternative sources of energy. Almond end caps standard.

#193 HI-TECH THIN-LITE

15 watt 12VDC light. 18 1/8" x 2 1/4" x 2 7/16". 1.3 amps. Uses one F15T8/CW fluorescent tube. Light output: 870 design lumens.

13969 15-Watt Thin-Lite #193 1

HOPKINS CARGO LIGHT

A super-bright LED that automatically turns on when your truck box, door or compartment is opened. Magnetic switch automatically turns the light on. Small size fits almost anywhere. Great for truck box, camper shelf, tonneau cover, toolbox or trunk.



15192 Cargo Light #CARGO-WHI 4



COMMAND LIGHTS

MEGA STAR 12 V INCANDESCENT SERIES

High intensity, surface mount, designed to maximize light output, enhance surrounding decor and fully disperse light pattern. The powerful and reliable lighting solution. Unbreakable lens. Bulb #921. White light w/polycarbonate lens and rocker switch. CSA NTRL/C Certified. Dim.: single 7-1/8" x 4-1/4" x 1-7/8"; double 12" x 4-1/4" x 1-7/8"; lens 5-1/2" x 4" x 1-1/2".

Command Mega Star Light with Switch:

12700 Single #001-801XP 12

12701 Double #001-802XP 10

12706 Lens Only #89-241 24

LOW-PROFILE 12V FLUORESCENT LIGHTING, SURFACE MOUNT

An excellent complement to our incandescent Omega Series. CSA Certified for the US and Canada. ROHS Compliant. Bulbs included.



15311 16 Watt 12 VDC Surface, uses two F8T5 Fluorescent Lamps 0.9 amps, 17" x 4-1/4" x 1-1/3" #005-394 8



OMEGA INTERIOR DOME LIGHT

Combination of elegance and high performance wrapped in a sleek package. Unbreakable polycarbonate lens. CSA Certified for the US and Canada. Patented Design. Single: 7-7/16" x 5-3/4" x 1-7/8"; Double: 11-3/16" x 5" x 1-7/8".

Omega Dome White Light w/Rocker Switch:

13346 Single #001-901XPB 12

13347 Double #001-902XPB 8

Replacement Parts:

16802 #921 Bulb, CD/2 #16802 10

16794 #921 Bulb, BX/10 #16794 120

13348 Lens Only #89-255 24



RV Designer

RV DESIGNER FAN & LIGHT, 12V

- Great for fold out bunks.
- Sold in a color box of 6" W x 10" H x 4" D. • 2 lbs.

10086 Fan / Light, 12V #M550 9



COMMAND FAN/BUNK LIGHT COMBO

High intensity reading light combined with a two-speed fan. Unique two directional mounting system accepts 3/4" or 1" tent support. Includes an 8' coil cord that will plug into a 1/4" jack, or plug it into the optional lighter adapter. Unit has a long life thermally protected motor. 12-V DC, 1.3 Amps max. CSA certified for the US and Canada. Bulb #912. 10-1/8" x 5-1/2" x 4-1/4".

12422 12-V Volt Fan & Bunk Light #001-103 40

12423 Lens, 5-1/2" x 2-13/16" x 1" #89-184 20

12698 Plastic Clamp, Pk/2 #89-216 12



PROGRESSIVE DYNAMICS BUNK LIGHT MODEL & REMOTE POWER PORT

Clip-on bunk light with built-in power cord gives illumination to dimly lit areas. Plugs into stand-alone power port or 790 Series light with integral power port. Perfect for pop-up campers, trailers, coaches ... any unit with a 12-Volt system.

12251 Bunk Light #PD793WWW 5

Replacement Parts:

16777 #1141 Bulb, CD/2 #16777 1500

16776 #1141 Bulb, BX/10 #16776 500

12980 Repl. Lens, Pk/2 #PD315 5



optronics

OPTRONICS LICENSE PLATE/UTILITY/DASH LIGHT

Snap-in license plate/utility/dash light, chrome plated. Mounts in 1-1/4" diameter hole. Replaceable bulb. Single wire design grounds through mounting hardware. Two units required for legal license illumination.

10047 License Plate/Utility/Dash Light, Each, Retail packaging #LP-11CS 12

ARCON PORCH & UTILITY LIGHTS

LIGHTS

E

In Section E: Interior Lights | Porch & Exterior Lights | Patio Lights | Flashlights | Spot & Flood Lights | Bulbs | Towing Lights | Vehicle Lights | Reflectors

PORCH/UTILITY LIGHTS



12-VOLT UNIVERSAL PORCH/UTILITY LIGHT

12-Volt surface mounted with or without switch. Sleek design in white base or an off-white base with choice of clear or amber snap in lens, with or without rocker switch. Lights are 5-3/4" x 3-1/2"; replacement lenses are 5-1/4" x 2-1/2". Uses replacement bulb #1003.

PORCH/UTILITY LIGHT, WHITE BASE

With Switch, CD/1			Without Switch, CD/1		
Format	Order #	Price	Format	Order #	Price
Amber Lens	18111		Amber Lens	18109	
Clear Lens	18104		Clear Lens	18102	



18102, White Base, Without Switch, Clear Lens



18110, Off-White Base, With Switch, Clear Lens

PORCH/UTILITY LIGHT, WHITE BASE

With Switch, Bulk			Without Switch, Bulk		
Format	Order #	Price	Format	Order #	Price
Amber Lens	-	-	Amber Lens	-	-
Clear Lens	18522		Clear Lens	18521	

Repl. Lens 5-1/4" x 2-1/2" CD/1		
Format	Order #	Price
Amber Lens	18107	
Clear Lens	18106	

PORCH/UTILITY LIGHT, OFF-WHITE BASE

With Switch, CD/1			Without Switch, CD/1		
Format	Order #	Price	Format	Order #	Price
Amber Lens	18105		Amber Lens	18103	
Clear Lens	18110		Clear Lens	18108	

12-VOLT SCARE/ PORCH LIGHT

Give yourself double the light output with this made-to-last stainless steel housed yard light with heavy-duty clear acrylic lens and 27-watt (2.1-Amp.) 32-candlepower output. A great upgrade for an existing light or for additional lighting. 8-1/2" dia. x 1-1/2" deep.

Scare Light, Clear Lens, Surface Mount (Screws not included):

- 10705** Bulk #10705 **25**
- 16193** Carded #16193 **144**

Replacement Bulb:

- 16783** #1156 Bulb, CD/2 #16783 **1500**
- 16782** #1156 Bulb, BX/10 #16782 **500**



For more information on Arcon Products, visit our website at www.arconelectrical.com.

COMMAND ELECTRONICS INC. INCANDESCENT PORCH LIGHTS



Model without Switch Illustrated
CLASSIC 12V

Elegant yet rugged design. Polar white. Bulb #912. CSA Approved.

Includes amber and clear lens. Dim.: light 5-7/8" x 3-3/8" x 2-3/16"; lens 4-13/16" x 2-1/4" x 1".

- 12715** Classic Porch Light w/Switch (Shown with Amber Lens) #007-50SAC **12**
- 12716** Amber Lens #89-100A **24**
- 12717** Clear Lens #89-100C **24**

STAR 12 VOLT

Superbly designed to accent any exterior motif. Elegant and rugged. Polar white. Bulb #922. CSA



Approved. With amber and clear lens. Dim.: light 6" x 4" x 2"; lens 3-3/4" x 3-7/8" x 1-1/2".

- 12720** Star Porch Light with/Switch (Shown with Clear Lens) #007-40SAC **10**
- 12722** Amber Lens #89-207A **12**
- 12721** Clear Lens #89-207C **12**

THIN-LITE #162 WEATHERPROOF OUTDOOR AREA LIGHT



Thin-Lite® weatherproof outdoor area lights feature anodized aluminum housings and provide superior nighttime security and area lighting.

Weatherproof outdoor area light with amber lens (will not attract flying insects). 16-watt, 12-V, 1.4 amps. 12.875" x 3.80" x 2.75" thin. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens.

- 10524** Outdoor Thin-Lite #162A **10**

PETERSON MANUFACTURING REPLACEMENT LENS ONLY

FOR DELUXE PORCH UTILITY LIGHTS



Replacement lens for #V384-385 surface mount/ utility light with a colonial white base. Lens snaps securely in place for easy bulb service.

- 70550** Amber Lens #384-15A
- 70549** Clear Lens #384-15C



OPTRONICS COURTESY/ UTILITY LIGHT



Clear, flush-mount courtesy/utility light with polished, chrome-plated housing. Features snap-on, replaceable lens and easy to change replaceable bulb. Retail packaging.

- 10064** Courtesy/Utility Light #UL-71CS **12**

Replacement Bulb:

- 16800** #194 Bulb, CD/2 #16800 **10**
- 16762** #194 Bulb, BX/10 #16762 **400**



RV DESIGNER KLIPPY KLIPS



Hang lights, flags, banners & more from your RV awning. Klippy Klips swivel & pivot for easy mounting and can stay attached to lights permanently for easy storage. High impact plastic and stainless steel for long life.

- 46833** Klippy Klip, Pk/10 #M111 **12**

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------



JR PRODUCTS SNAPS

UTILITY FASTENERS

The double-quick answer to attaching patio lights, side curtains, poly film, canvas, etc. to awnings, canopies, tents, dividers, etc.

40337 Double Snaps , CD/4 #05044 1

ATTACH-A-SNAP

The simple, no-work answer to attaching side curtains, poly film, canvas, etc., to awnings, tents, tent dividers, privacy curtains, and more.

80936 Attach-A-Snap, CD/10 #05034 1

CAMCO PARTY LIGHT SETS*

Eight-foot strand contains ten lights. Set includes two spare bulbs and a spare fuse. UL Approved for indoor and outdoor use. 120 V with overload protection.



Party Light Set, 8' and 10 lights (Not available in Canada):

- 16931** Patriotic Star #42656 4
- 16932** Patriotic Flags & Ribbons #42657 6
- 16933** Race-inspired Flag and Tire #42658 4
- 16934** Spirited Bottles and Mugs #42661 6



* Not CSA approved



VALTERA CLIP & STAY

NEW!

Clip and Stay combines a unique patented design with a tough thermal plastic rubber to create "Grip-Action". Hang anything up to 10 lbs and the "Grip-Action" prevents clips from sliding and bunching up! Simply insert the clips into the spare channel of your awning tube and you're ready to hang party lights, clothesline, birdfeeders, signs, flashlights and all sorts of camping gear. Pkg/10.

44024 Clip & Stay #A30-0400 12



POLYMER LIGHT STAND 4-HEAD LUMINAIRE

Add the feel and elegance of home anywhere you camp. The possibilities for outdoor lighting are limitless. Never has outside living been more enticing. The Four-Head Luminaire Light Stand with white globes stands 6' 4" high with a full-range dimmer which allows you to set your preferred level of light. Uses four common household light bulbs (up to 60 watt). Light bulbs not included.

13998 Light Stand 4-Head Luminaire #160100517 6



PRIMAL LITE™



PRIMAL LITE DESIGNER SERIES*

*Not CSA approved.

• Each Fun Light set includes a 12' string of 10 lights with 10 colorful covers. • Every set comes with 5 extra bulbs, including one that makes the set blink. • End-to-end connectors. Connect up to 3 sets. • UL listed. • Gift Boxed.

- 15670** Brass Dragonfly, 3-3/4" wide (Not available in Canada) #836603 6
- 14360** Patriotic Fabric Globes, 3" Wide (Not available in Canada) #836600 6



OP PRODUCTS AWNING ACCESSORY HANGERS

Use Awning Accessory Hangers to hang lights, plants, camping accessories and anything left to the imagination. Because they slide into the utility slot on any brand awning roller tube there is no reason to use clips that might damage the valance. Pack includes Hangers and "S" hooks.

Awning Hangers, Pk/7:
84791 Black #77041 20
84801 White #77045 20



JR PRODUCTS STAINLESS STEEL PARTY LIGHT HANGERS

Ready for party light hangers that won't break or rust? These stainless steel hangers are guaranteed to last! Hang your party lights with ease with this design. Clip has the strength to hang on in the strongest of winds. These should be the last ones you will ever need to buy.

48306 Stainless Steel Party Light Hangers, 10/Pkg #05205 6



POLYMER PATIO LIGHTS

LIGHTS

E

In Section E: Interior Lights | Porch & Exterior Lights | Patio Lights | Flashlights | Spot & Flood Lights | Bulbs | Towing Lights | Vehicle Lights | Reflectors

POLYMER 6 or 10 GLOBE STRING LIGHTS – 60 WATT BULB SIZE

Hang them around your deck, gazebo, umbrella, RV, overhang or anywhere else outside or inside for a festive appearance and plenty of warm, balanced light. Weather resistant and shatter proof polycarbonate housing; acrylic globes. UL/CSA approved for wet locations. Comes with a 20' outdoor AC cord. For use up to 60 watt (max.) light bulbs (not included). Made in USA.



13207



14774



11740



13999



11741



11739

String Lights, 6 Globe, 60 Watt Size:

- 11739** Bronze Color, Prismatic #16-32-17404 1
- 11740** Clear Color, Prismatic #16-22-17404 1
- 11741** Multi-Color, Prismatic #16-61-00523 1
- 13207** Patriotic, Prismatic #1699-00705 1
- 14774** Purple & Yellow, Prismatic #166001523 1
- 13999** White Color, Smooth #160100379 1

NEW! String Lights, 10 Globe, 60 Watt Size:

- 14000** Bronze Color, Prismatic #163200515 4
- 14001** Clear Color, Prismatic #162200515 4
- 14006** Multi-Color, Prismatic #166100515 4

NEW! Replacement Globe (Color, Finish):

- 14285** Blue Color, Prismatic #3212-51630 50
- 14255** Bronze Color, Prismatic #3203-51630 50
- 14311** Clear Color, Prismatic #3202-51630 50
- 14299** Green Color, Prismatic #3262-51630 50
- 14364** Orange Color, Prismatic #3216-51630 50
- 14346** Purple Color, Prismatic #3215-51630 50
- 14284** Red Color, Prismatic #3211-51630 50
- 14373** White Color, Prismatic (f/CDS#13207) #3201-51630 50
- 14336** White Color, Smooth (f/CDS#13999) #3201-50630 50
- 14353** Yellow Color, Prismatic #3214-51630 50

LIGHT UP YOUR LIFE... wherever you go!

INQUIRE ABOUT THE NEW COLLEGIATE LOGO LIGHT!

- Portable
- Weather Resistant
- 6-Light Set Coiled Cord extends up to 25'
- 10-Light Set Coiled Cord extends up to 50'
- 20' Straight Cord with Polarized Plug
- Shatterproof Polycarbonate Housing
- Suitable for up to 60W Maximum Bulbs (Not included)

6 or 10

Acrylic Globes Available in these colors

Clear

White

Bronze

Patriotic

Multi-Color

Lighten up with these beautiful outdoor
STRING LIGHT SETS

Polymer Products LLC

E LIGHTS

PATIO LIGHTS & ACCESSORIES

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------



PRIMAL LITE FUN LIGHTS SERIES*

Primal Lites are a decorative way to light up your RV or home. Choose from a variety of fun designs. Each light set contains a string with 10 bulbs and 10 colorful covers and includes two extra bulbs; one makes the entire strand blink. Each string is double-plugged to accommodate a maximum of three sets connected end to end. UL listed.

PRIMAL LITE™
* Not CSA approved


- Fun Lights, 10/Set (Not available in Canada):*
- 15769** Damask Shade #410801 [Ⓞ](#)
 - 15772** Stars Shade #410802 [Ⓞ](#)
 - 15785** Starburst #410805 [Ⓞ](#)
 - 15786** Ginkgo Leaf Shade #420801 [Ⓞ](#)
 - 15787** Island Silhouettes #440803 [Ⓞ](#)
 - 15788** Paradise Nights Silhouettes #440804 [Ⓞ](#)
 - 15789** Bam-Bam Bamboo #440808 [Ⓞ](#)
 - 15795** Hummingbird #450801 [Ⓞ](#)
 - 15796** Vineyard Classics #450806 [Ⓞ](#)



* Not CSA approved

PRIMAL LITE FUN LIGHTS SERIES*

- Fun Lights, 10/Set (Not available in Canada):*
- 11735** Race Cars & Flags #836514 [Ⓞ](#)
 - 12002** Rarin' To Go #836012 [Ⓞ](#)
 - 12003** Ramblin' Road #836056 [Ⓞ](#)
 - 12005** Mood Over Miami #836301 [Ⓞ](#)
 - 12367** Stars N' Stripes #836406 [Ⓞ](#)
 - 14926** Patriotic Spiral #836653 [Ⓞ](#)
 - 14927** Prairie Lantern with Tulip #836684 [Ⓞ](#)
 - 12672** Fiesta Peppers (20/String) #836071 [Ⓞ](#)



CONTACT PIGTAILS

Double contact pigtail with "in-line" guide pin, for lamps with indexing bayonet candelabra-type bases (#1157 and #1034). **Single** contact pigtail for lamps with bayonet candelabra-type bases (#67, 1073, 1156).

Contact Pigtail:


- 11316** Double Contact #413-07 [25](#)
- 11317** Single Contact #411-07 [25](#)

PRIMAL LITE™

PRIMAL LITE RV LIGHTS - C-7 LITES SERIES*

* Not CSA approved

- Great for Boats, RV's or Patio.
- Each C-7 Light set includes a string of 10 lights with fun multi-color weather resistant covers.
- End-to-end connectors.
- Connect up to 3 sets.
- UL listed.
- Each set is packaged in a multi-colored box.



- C-7 Lites, Large Size (Not available in Canada):*
- 14923** RV Lanterns, 4-1/2" tall #836797 [Ⓞ](#)
 - 12680** RV Flowers #836798 [Ⓞ](#)
 - 10951** Flag #836706 [Ⓞ](#)

BATTERIES • FLASHLIGHTS

LIGHTS

E

In Section E: Interior Lights | Porch & Exterior Lights | Patio Lights | Flashlights | Spot & Flood Lights | Bulbs | Towing Lights | Vehicle Lights | Reflectors



11039

11040

RAY-O-VAC BATTERIES

LANTERN BATTERIES- SPRING TERMINALS

- 11039 6-V Sealed in Steel #941 1
- 11040 6-V Heavy Duty #944R 6



HEAVY DUTY SUPER CELLS

Heavy Duty Super Cells:

- 11036 Size D, CD/2; #6D-2BC 6
- 11035 Size C, CD/2; #4C-2BC 6
- 11037 Size AA, CD/4; #5AA-4 6
- 11038 9-Volt, CD/1; #D1604-1 12



ALKALINE ENERGY CELLS

Alkaline Batteries:

- 11031 Size D, CD/2 #813-2 12
- 11032 Size C, CD/2 #814-2 6
- 13537 Size AA, CD/6 #815-6 12
- 15420 Size AA, CD/2 #815-2 12
- 13775 Size AAA, CD/6 #824-6 6
- 11034 9-Volt, CD/1 #A1604-1 12



RAYOVAC

ALKALINE BATTERIES TO GO!

The power of Rayovac anytime, anywhere.

95885

95886

RAY-O-VAC GO PAK™ STRIPS

• Portable; • Compact; • Reclosable.

- 95885 12pc x AAA-4, 2-3/4"Lx 2"W x 13-5/8"H #824-4GOSTR 2
- 95886 LS 12pc x AA-4, 2-3/4"Lx 2-1/4"W x 18"H #815-4GOSTR 2



RAYOVAC SPORTSMAN XTREME™ 300 LUMEN AREA LANTERN

A rugged line of high performance lights for the "Xtreme" Sportsman in everyone.

Features:

- Extraordinary 300 Lumen Lantern
- Easy find green LED blinks when lantern is off
- Run Time: 150 Hours
- 4 watts
- 3 Modes: High, Low, Strobe
- Water Resistant
- Folding Tent Hanger
- Rubberized handle
- Durable Rubber & ABS Construction
- Lifetime Warranty
- Uses 3 D size Batteries (not included).

- 14072 Sportsman Xtreme™ 300 Lumen Area Lantern #SE3DLNTP 4



ROADPRO FLASHLIGHT-LED, NO BATTERIES REQUIRED

- Never Needs Batteries! Grip Power Action!
- 1 Minute of Grip Action for 15 Minutes of Light
- This Bright LED will Last Over 50,000 Hours

Grip Power LED Flashlight:

- 14130 One of these assorted colors (Blue, Red or Yellow) with black head #RPLK-501/A 48
- 40091 LS Camouflage #RPLK501CAMO 1

RAY-O-VAC FLOATING LANTERN



- Features:**
- 6V Heavy Duty Lantern Battery.
 - Bright Krypton Beam.
 - Long range Beam.
 - Durable Construction. • Lifetime Warranty.
 - Replacement Bulb: K13-2.

- 15666 Floating Lantern #EV/BFL6V-B 6

RAYOVAC

RAY-O-VAC PRODUCTS

2-CELL PLASTIC FLASHLIGHT

2-cell carded flashlights with plastic cases. Features a slip-proof switch guard to avoid accidental turn-on. Operates on two "D" batteries (not included); PR2 bulb.

- 12610 2-Cell Flashlight #IV2D 6



REPLACEMENT KRYPTON BULBS FOR FLASHLIGHTS

Brighter and whiter! For flashlights including Ray-O-Vac, Eveready, Coleman, and Mag-Lite. Size 2C.

- 11565 Krypton Bulbs, CD/2. #K1-2 1

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------

GUIDE LIGHTS

Guide lights have high-density halogen bulbs with a 70° horizontal flood range and a 30° vertical flood range. Made from high impact ABS with UV inhibitor. Special neoprene gasket keeps the weather out. Requires a 6" x 6 3/4" cut-out. (Lights are 4 3/4" D.) 50 watt, 12 volt, 3.91 amp. Pair.



12334 Guide Lights, Polar White #GL101-18 12

GOLIGHT RADIORAY SEARCHLIGHT

GOLIGHT RADIORAY FEATURES:

- **Exclusive Cr5 Pentabeam™ Technology** combines Golight's five-sided parabolic reflector with an axial filament bulb (Philips H-9, 65 Watt) to generate an extremely bright, virtually perfect beam of light to eliminate dark spots, cast a broad spectral pattern and reach distances of up to one-half mile.
- **Remote Controlled Operation** — Wireless remotes control your spotlight up to 100' away (models 2000 and 7900), or dash-mount remote with 20' wiring harness (model 2020).
- **370° Rotation with 120° Tilt** — Completely rotates in approx. 8 seconds on fast speed, 13 seconds on slow speed.
- **400,000 Candlepower, 5.5 Amps.**
- **UV Ray and Saltwater Resistant.**
- **Weatherproof** for land and sea applications.
- **3-Year Limited Mfr. Warranty.**



79268

GOLIGHT



14745

STRIKER 3066 REMOTE CONTROLLED SEARCHLIGHT

With Wireless Dash-mount, And Hand-held Remote

The Stryker wireless searchlight features a 500,000 c.p. focused beam and a stylish, tough ASA chrome plated housing, plus Cr5 Pentabeam™ technology to generate an extremely bright, virtually perfect beam of light to eliminate dark spots, cast a broad spectral pattern and reach distances of up to one-half mile. Includes a wireless dash-mount remote, wireless hand-held remote, and a mounting system that utilizes a stainless steel mounting plate that under-locks to the light for a quick and simple installation. A 2 wire power connection to the light is all that's required for wiring. The controls feature 2-speed operation, and will turn the light on/off, and rotate the light 370° horizontally and 135° vertically. Bulb: Philips 9011. 65 watts, 5.5 amps.

- Rockguard cover included.
- Integrated 12-V DC high-torque motor.
- UV ray and saltwater resistant.
- Weatherproof for land and sea applications.
- Waterproof remote transmitters.
- RF programmable Super heterodyne receiver.
- 5 year limited warranty.

14745 Striker w/Wireless Remote, Chrome #3066 1

Radioray 12-volt DC searchlight with wireless programmable remote control:

Model 2000, permanent mount, with mounting hardware included. Size 7" x 7" x 6.5". White.

79268 RadioRay Permanent Mount #2000 6

Golight 2020 permanent mount search light with dash mounted remote:



Includes 20 ft. of wiring harness with quick disconnects, plus mounting hardware. 12 VDC. Size .

79271 Golight with Dash Mount Remote, White, 7" x 7" x 6.5" #2020 1

RAY-LINE® 135 SL REMOTE CONTROL SPOTLIGHT



Rectangular, sleek, modern design—in tough, weather-resistant, corrosion-resistant, white thermoplastic housing! Sealed beam halogen bulb gives piercing light, 320° rotation and 75° vertical sweep. Integrally molded clutch allows light to operate against limit stops without damage. Easy-fit black control panel compliments instrument panel or fits any location. Panel has on-off switch and 8-way directional switch. Includes remote control and 15 ft. cable assembly. Measures 7 7/8" high, 100,000 candle power, 12-volt DC, 50 watts, 3.6 amps. Uses bulb 18753-0178.

762089 135 SL Remote Control Spotlight #60020-0000 1



OPTRONICS BLUE-EYE BEAM® GLARE-FREE SPOTLIGHT



Patented glare-free lens penetrates fog, smoke, rain and haze. Powerful 400,000-cp beam shines for miles. Corrosion-resistant hardware will last under saltwater conditions. Weather-proof enclosed switch keeps out water and corrosion. 10' coil cord gives added mobility. 3-year warranty. Made in USA.

79131 BlueEye Spotlight #KB-4001 1



OPTRONICS NIGHTBLASTER LSR-601



- Two 3-watt Luxeon® LEDs produce 150 lumen bright white beam.
- Illuminates reflective surface at 800 yards.
- High/Low Settings: Single LED Ideal for 100-yard range, use both for longer range beam.
- 3-hour run time on a single charge (using one LED).
- Lightweight design with non-slip rubber finish.
- Sealed, water resistant floats.
- Rechargeable NiCad battery pack; 110Volt and 12Volt chargers.
- Clam with 4-color insert.

15798 Spotlight Dual 3-Watt LED #LSR-601 4


DEVCON SURE CONNECT™ BULB GREASE



Prevents corrosion on bulbs, flood lamps and other electrical connections. When that hard to reach bulb burns out, removal is a snap with Sure Connect. Just put on a light coat of bulb grease and screw it in. Use on boat trailers, taillights, head lamps, light bulbs, battery connections, marine and other electrical connections. 0.25 oz. (7 grams).


25964 Bulb Grease #002-15319 12

REPLACEMENT BULBS



BULB #53
 CP (Candle Power) 1
 Volts 12
 Watts 1.4
 Amps 0.12

Format	Order #	
CD/2	16751	
Box/10	16750	



BULB #57
 CP (Candle Power) 2
 Volts 12
 Watts 2.9
 Amps 0.24

Format	Order #	
CD/2	16753	
Box/10	16752	

ARCON MINIATURE REPLACEMENT BULBS


Arcon provides the most commonly used miniature bulb types found in RV, marine, automotive and other applications. Some bulbs are also available boxed. Boxes include 10 bulbs. Refer to the bulb number when ordering.

Arcon offers a complete selection of bulbs for RV, Marine, and other popular applications.



BULB #67
 CP (Candle Power) 4
 Volts 12
 Watts 7.1
 Amps 0.59

Format	Order #	
CD/2	16755	
Box/10	16754	




BULB #68
 CP (Candle Power) 4
 Volts 12
 Watts 7.1
 Amps 0.59

Format	Order #	
CD/2	16756	
Box/10	-	-

BULB CONVERSION CHART

Amps	=	Volts	÷	Ohms
	=	Watts	÷	Ohms
	=	Sq Rt of Watts	÷	Ohms
Ohms	=	Volts	÷	Amps
	=	Volts ²	÷	Watts
	=	Watts	÷	Amps ²
Volts	=	Amps	x	Ohms
	=	Watts	÷	Amps
	=	Sq Rt of Watts	x	Ohms
Watts	=	Volts	x	Amps
	=	Amps ²	x	Ohms
	=	Volts ²	÷	Ohms

For more information on Arcon Products, visit our website at www.arconelectrical.com.



BULB #71
 CP (Candle Power) -
 Volts 12
 Watts 10
 Amps 0.80

Format	Order #	
CD/2	11971	
Box/10	-	-



BULB #89
 CP (Candle Power) 6
 Volts 12
 Watts 7
 Amps 0.58

Format	Order #	
CD/2	16757	
Box/10	-	-



BULB #90
 CP (Candle Power) 6
 Volts 12
 Watts 7
 Amps 0.58

Format	Order #	
CD/2	16759	
Box/10	-	-



BULB #93
 CP (Candle Power) 15
 Volts 12
 Watts 12.5
 Amps 1.04

Format	Order #	
CD/2	16760	
Box/10	15752	



REPLACEMENT BULBS



BULB #94
 CP (Candle Power) 15
 Volts 12
 Watts 12.5
 Amps 1.04

Format	Order #	
CD/2	16761	
Box/10	-	-



BULB #193
 CP (Candle Power) 2
 Volts 14
 Watts 4.62
 Amps 0.33

Format	Order #	
CD/2	15753	
Box/10	-	-



BULB #194
 CP (Candle Power) 2
 Volts 12
 Watts 3.2
 Amps 0.27

Format	Order #	
CD/2	16800	
Box/10	16762	



BULB #211
 CP (Candle Power) -
 Volts 12
 Watts 8.2
 Amps 0.68

Format	Order #	
CD/2	16763	
Box/10	-	-



BULB #211-2
 CP (Candle Power) 12
 Volts 12
 Watts 8.2
 Amps 0.68

Format	Order #	
CD/2	16764	
Box/10	-	-



BULB #212-2
 CP (Candle Power) 6
 Volts 12
 Watts 6.8
 Amps 0.57

Format	Order #	
CD/2	16793	
Box/10	-	-

BULB CONVERSION CHART

Amps	=	Volts	÷	Ohms
	=	Watts	÷	Ohms
	=	Sq Rt	of	Watts ÷ Ohms
Ohms	=	Volts	÷	Amps
	=	Volts ²	÷	Watts
	=	Watts	÷	Amps ²
Volts	=	Amps	x	Ohms
	=	Watts	÷	Amps
	=	Sq Rt	of	Watts x Ohms
Watts	=	Volts	x	Amps
	=	Amps ²	x	Ohms
	=	Volts ²	÷	Ohms

For more information on Arcon Products, visit our website at www.arconelectrical.com.



BULB #906
 CP (Candle Power) 6
 Volts 12
 Watts 8.3
 Amps 0.69

Format	Order #	
CD/2	16765	
Box/10	15754	



BULB #912
 CP (Candle Power) 12
 Volts 12
 Watts 12
 Amps 1

Format	Order #	
CD/2	16801	
Box/10	15755	



BULB #921
 CP (Candle Power) 21
 Volts 12
 Watts 16.8
 Amps 1.4

Format	Order #	
CD/2	16802	
Box/10	16794	



BULB #922
 CP (Candle Power) 15
 Volts 12
 Watts 11.8
 Amps 0.98

Format	Order #	
CD/2	16795	
Box/10	-	-

ARCON REPLACEMENT BULBS

LIGHTS

E

In Section E: Interior Lights | Porch & Exterior Lights | Patio Lights | Flashlights | Spot & Flood Lights | Bulbs | Towing Lights | Vehicle Lights | Reflectors

REPLACEMENT BULBS



BULB #1003
 CP (Candle Power) 15
 Volts 12
 Watts 11.3
 Amps 0.94

Format	Order #	
CD/2	16768	
Box/10	16766	



BULB #1004
 CP (Candle Power) 15
 Volts 12
 Watts 11.3
 Amps 0.94

Format	Order #	
CD/2	16769	
Box/10	-	-



BULB #1016
 CP (Candle Power) 21
 Volts 12
 Watts 16.1
 Amps 1.34

Format	Order #	
CD/2	16770	
Box/10	-	-



BULB #1034
 CP (Candle Power) 32
 Volts 12
 Watts 21.6
 Amps 1.8

Format	Order #	
CD/2	16771	
Box/10	-	-



BULB #1073
 CP (Candle Power) 32
 Volts 12
 Watts 21.6
 Amps 1.8

Format	Order #	
CD/2	16772	
Box/10	-	-



BULB #1076
 CP (Candle Power) 32
 Volts 12
 Watts 21.6
 Amps 1.8

Format	Order #	
CD/2	16774	
Box/10	16773	



BULB #1139-IF
 CP (Candle Power) 15
 Volts 12
 Watts 12.5
 Amps 1.04

Format	Order #	
CD/2	16775	
Box/10	-	-



BULB #1141
 CP (Candle Power) 21
 Volts 12
 Watts 17.3
 Amps 1.44

Format	Order #	
CD/2	16777	
Box/10	16776	



BULB #1141-IF
 CP (Candle Power) 21
 Volts 12
 Watts 17.3
 Amps 1.44

Format	Order #	
CD/2	16778	
Box/10	-	-



BULB #1142
 CP (Candle Power) 21
 Volts 12
 Watts 17.3
 Amps 1.44

Format	Order #	
CD/2	16779	
Box/10	-	-



BULB #1143
 CP (Candle Power) 32
 Volts 12
 Watts 23.8
 Amps 1.98

Format	Order #	
CD/2	16780	
Box/10	-	-



BULB #1154
 CP (Candle Power) 21
 Volts 6
 Watts 15.8
 Amps 2.63

Format	Order #	
CD/2	16781	
Box/10	-	-



REPLACEMENT BULBS



BULB #1156
 CP (Candle Power) 32
 Volts 12
 Watts 25.2
 Amps 2.1

Format	Order #
CD/2	16783
Box/10	16782



BULB #1157
 CP (Candle Power) 32
 Volts 12
 Watts 25.2
 Amps 2.1

Format	Order #
CD/2	16785
Box/10	16784



BULB #1157NA
 CP (Candle Power) 24
 Volts 12
 Watts 25.2
 Amps 2.1

Format	Order #
CD/2	16786
Box/10	-




BULB #1176
 CP (Candle Power) 21
 Volts 12
 Watts 16.1
 Amps 1.34

Format	Order #
CD/2	16787
Box/10	-



BULB #1383
 CP (Candle Power) -
 Volts 12
 Watts 18.5
 Amps 1.54

Format	Order #
CD/2	16788
Box/10	15758



BULB #1414
 CP (Candle Power) 6
 Volts 12
 Watts 5.5
 Amps 0.46

Format	Order #
CD/2	16804
Box/10	-

BULB CONVERSION CHART


Amps	=	Volts	÷	Ohms
	=	Watts	÷	Ohms
	=	Sq Rt	of	Watts ÷ Ohms
Ohms	=	Volts	÷	Amps
	=	Volts ²	÷	Watts
	=	Watts	÷	Amps ²
Volts	=	Amps	x	Ohms
	=	Watts	÷	Amps
	=	Sq Rt	of	Watts x Ohms
Watts	=	Volts	x	Amps
	=	Amps ²	x	Ohms
	=	Volts ²	÷	Ohms

For more information on Arcon Products, visit our website at www.arconelectrical.com.




BULB #1651
 CP (Candle Power) 3
 Volts 6
 Watts 3.6
 Amps 0.60

Format	Order #
CD/2	16789
Box/10	-




BULB #1847
 CP (Candle Power) 0.38
 Volts 6
 Watts 0.9
 Amps 0.15

Format	Order #
CD/2	16790
Box/10	-



BULB #1895
 CP (Candle Power) 2
 Volts 12
 Watts 3.2
 Amps 0.27

Format	Order #
CD/2	16792
Box/10	16791



BULB #3156
 CP (Candle Power) 32
 Volts 12
 Watts 25.2
 Amps 2.1

Format	Order #
CD/2	16797
Box/10	-

ARCON REPLACEMENT BULBS

LIGHTS

E

In Section E: Interior Lights | Porch & Exterior Lights | Patio Lights | Flashlights | Spot & Flood Lights | Bulbs | Towing Lights | Vehicle Lights | Reflectors

REPLACEMENT BULBS



BULB #3157
 CP (Candle Power) 32
 Volts 12
 Watts 25.2
 Amps 2.1

Format	Order #	
CD/2	16798	
Box/10	-	-




BULB #J12B
 CP (Candle Power) -
 Volts 12
 Watts 13
 Amps 1.08

Format	Order #	
CD/2	16814	
Box/10	-	-



BULB #J12B-IF
 CP (Candle Power) -
 Volts 12
 Watts 13
 Amps 1.08

Format	Order #	
CD/2	16805	
Box/10	-	-



BULB #JC10W
 CP (Candle Power) -
 Volts 12
 Watts 10
 Amps 0.84

Format	Order #	
CD/2	16747	
Box/10	-	-

12-VOLT GENERAL PURPOSE BULBS

Arcon 12-Volt general purpose bulbs are available 25-Watt or 50-Watt.

- 16809** 25-Watt, CD/2 #16809 10
- 16810** 50-Watt, CD/2 #16810 10

12-VOLT APPLIANCE BULB

Arcon 12-Volt 15-Watt appliance bulb fits range hoods and ovens.

- 16808** 15-Watt, CD/2 #16808 10



ARCON EMERGENCY BULB KIT

Arcon Emergency Bulb Kit features a see-through molded plastic cover that holds and protects bulbs. Package is 8" x 7" x 1 1/4" with a cover that slides off and on. Includes 13 bulbs:

- 3 - #57 clearance bulbs
- 1 - #67 license/courtesy bulb
- 2 - #194 clearance bulbs
- 1 - #906 interior/porch bulb
- 2 - #1003 interior/porch bulbs
- 2 - #1141 taillight/interior bulbs
- 2 - #1157 taillight/interior bulbs



- 16796** Emergency Bulb Kit #16796 1200

FLUORESCENT LIGHTS

ARCON 12-VOLT FLUORESCENT LIGHTS

Available in 16-watt or 30-watt with a sleek Euro-style design. Surface mount for easy installation; feature an on/off rocker switch. Lenses are easily removed for cleaning. Available in either a 16-Watt or 30-Watt light.

12-Volt Fluorescent Lights, CD/1:

- 13812** 16-Watt is 16 7/8"L x 4 3/8"W; 1 3/8" Tall, uses two 8-Watt, 12" F8T5/CW fluorescent tubes. Draws only 1.8 total amps #13812 10
- 13813** 30-Watt is 24"L x 6 1/2"W; 1 3/4" Tall, uses two 15-Watt, 18" F15T8/CW fluorescent tubes. Draws only 3.7 total amps #13813 12

Replacement Lights:

- 16749** 8W, 12" Tubes, F8T5/CW, Pk/2 #16749 10
- 16748** 15W, 18" Tubes, F15T8/CW, Pk/2 #16748 10
- 16815** 13W, 21" Tubes, F13T5/CW, Pk/2 #16815 36

