DICOR RUBBER ROOFING PRODUCTS

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier

your rubber roofing Solutions Extend the Life of Your Rubber Roof

Our 2 part commercial grade system combines a cleaner/activator necessary for proper roof preparation with an acrylic coating to provide an excellent protective barrier for extending the life of the EPDM rubber membrane. For use on new or weathered surfaces. Requires two coats for adequate protection.



Easy Application • Quick Drying Time Superior Weatherability • UV Resistant Fire Retardant • Excellent Protective Barrier • Saves Over 25% in Labor (as compared to comparable systems)

The Rubber Roof Coating System





DICOR PRODUCTS RUBBER ROOF COATING SYSTEM

Extend the life of your rubber roof! Two part, commercial grade system combines a cleaner /activator necessary for proper roof preparation and an acrylic coating that provides an excellent protective barrier for extending the life of the EPDM rubber membrane. Saves over 25% in labor compared to similar systems. Quick drying time.

PART 1: CLEANER / ACTIVATOR

Cleans and prepares EPDM roofing for maximum adhesion of acrylic coating. Spray on and rinse off thoroughly. Coverage rate of 1 qt. per 125 sq. ft.

46891 1 Qt. Rubber Roof Cleaner/Activator #RP-CRP-Q 4

PART 2: ACRYLIC COATING

Excellent protective barrier extends the life of your rubber roof membrane. Provides superior weatherability, UV resistance. Use with Dicor Rubber Roof Cleaner/Activator for proper adhesion. Requires two coats. Coverage rate of 1 gallon per 125 sq. ft. per coat.

46892 1 Gallon White Rubber Roof Acrylic Coating *#RP-CRC-1* <u>4</u>



Make your roof look new again! Includes four gallons of Dicor White Acrylic Roof Coating, two quarts of Dicor Cleaner/Activator one 4"x50' Roll Coating Ready Cover Tape, one Metal Pan, one 9" Paint Roller, two 9" Roller Covers, one Roll 1" Masking Tape. Each kit comes with a warranty and easy to follow instructions. Contents will cover a 30 ft. unit. Individual components can be purchased separately.

85933 RV Roof Renew Kit *#RP-RRK-30* ◆ <u>1</u>



ELASTOMERIC RV ROOF COATING SYSTEM

For Use on Metal & Fiberglass RV Roofing (NOT RECOMMENDED FOR EPDM RUBBER OR TPO ROOFING)

Dicor Elastomeric RV Roof Coating protects and beautifies metal, aluminum, steel, fiberglass and previously coated RV roofs. Dicor Elastomeric RV Roof Coating is formulated with 100% Acrylic Elastomeric resins to form a rubber-like coating that will expand and contract with the roof movement. Arctic White RV Elastomeric is brilliant white to provide a superior reflectivity, thereby lowering interior temperatures. Requires two coats for adequate protection at an application rate of 1 gallon per 80 sq. ft. per coat.

Elastomeric Roof Coating: 44742 Quart #RP-MRC-Q <u>6</u> 44744 Gallon #RP-MRC-1 4



COATING READY COVER TAPE

For Use on Metal RV Roofing

Dicor Coating Ready Cover Tape is a fabric backed sealing tape for use on metal RV roofing seams prior to coating. Its aggressive grip provides immediate sealing on contact and cures completely in 24 hours. Must be followed with Elastomeric Coating.

44740 Coating Ready Cover Tape #RP-CRCT-4-1C 4

> With years of experience in the manufacture and distribution of EPDM rubber roofing for RV's, Dicor now brings you a full line of care and maintenance products made specifically for your roofing needs.

DICOR RUBBER ROOFING PRODUCTS

RV MAINTENANCE

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier



EPDM RUBBER ROOF REPAIR MEMBRANE

Repairs punctures, tears and breaks in EPDM rubber, TPO plastic, metal and fiberglass roofing. This easy to use peel and stick material is made of self-adhering EPDM rubber and conforms to most shapes and surfaces, yet remains flexible and strong.

Rubber Roof Repair Membrane: **78929** 6" x 25' Roll *#533RM-6 <u>1</u>* **78721** 12" x 25' Roll *#533RM-12 1*

DISEAL SEALING TAPE

A flexible weather resistant compound designed for sealing EPDM rubber, TPO, fiberglass, wood, plastic, steel or aluminum. Permanently seals most any leak immediately. Will not crack, peel or harden. Priced each.



DiSeal Sealing Tape, White: **44094** 4" x 50' Roll #522TPO-450-1C <u>4</u> **44099** 6" x 6" Patch #522TPO-66-1C <u>12</u> DiSeal Sealing Tape, Silver: **44091** 4" x 50' Roll #522AF-450-1C <u>4</u> **44098** 6" x 6" Patch #522AF-66-1C 12

PATCHIT ROOF REPAIR KIT

Allows for easy repair of punctures, tears, and breaks that can occur in RV and Manufactured housing roofs. The kit includes a 9" x 10" peel and stick EPDM rubber patch and a tube of lap sealant. Quite versatile by design,



it can be used to patch EPDM rubber, TPO plastic, metal and fiberglass roofing.

49328 Patchit, White #402-PR 12

BUTYL TAPE

Ideal for sealing uniquely shaped joints. Installs quickly, without gaps. Apply along unusual patterns. Because the sealant is on a continuous roll, installer can work fast and be virtually assured that there are no skips or runs in the seal. Priced each.

79233 Butyl Tape only, $\frac{1}{8}$ " x $\frac{3}{4}$ " x 30', Each *#BT-1834* <u>24</u>



RUBBER ROOF CLEANER

Formulated specifically for RV rubber roofing. This bio-degradable deep cleaning formula lifts dirt and grime, yet gentle on the surface. Simply spray on, brush with a soft bristle brush and rinse off. For best results follow with Dicor Roof Gard Roof Protectant.

46893 16 oz. Concentrated #RP-RC160C <u>12</u> Ready to Use Rubber Roof Cleaner: **46894** 32 oz. #RP-RC320S <u>8</u> **48304** 128 oz. #RP-RC-1GL <u>6</u>




ROOF-GARD RUBBER ROOF UV PROTECTANT

Helps prevent your EPDM rubber roof from fading, oxidizing, drying and cracking. caused by harsh UV rays. Mild, non-abrasive formula keeps surfaces cleaner longer with no residue or oily build-up. Contains no silicone, waxes, glycerine or petroleum distillates. Simply spread evenly with mop or cloth and let air dry. Will not harm rubber roofing.

 Roof-Gard Protectant:

 46895
 32 oz. #RP-RG320S
 <u>8</u>

 48305
 1 Gallon
 #RP-RG-1GL
 <u>6</u>



Stays Flexible

Excellent for Seams, Cracks & Tears

Ideal for Use on Roofs, Sidewalls, Holding Tanks and More

Proven Exterior Performance

Maximum Durability & UV Protection

For use on EPDM Rubber, Fiberglass, Plastic, Wood, Aluminum or Steel



<u>*e</u> = Std. Carton Qty.*</u>

DICOR RUBBER ROOFING PRODUCTS

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier





DICOR RUBBER ROOFING SYSTEM

Dicor Roofing Systems assures a watertight roof that is easy to maintain and saves energy through its heat reflecting characteristics. It is highly puncture and tear resistant, has superior tensile strength and withstands damaging UV rays. The membrane resists uneven weathering, fading or chalkiness. All Dicor Roofing Systems use the same three part installation procedure. These elements can be purchased separately or as a package in the 401CK roof installation component kit. 1/box.

BRITE-PLY™ EPDM RUBBER **ROOFING SYSTEM**

73425	8'6" x 21'	#85B40-21 ♦ <u>1</u>	
76845	8'6" x 25'	#85B40-25 ♦ <u>1</u>	
76846	8'6" x 30'	#85B40-30 ♦ <u>1</u>	
76847	8'6" x 35'	#85B40-35 ♦ <u>1</u>	
76848	8'6" x 40'	#85B40-40 ♦ <u>1</u>	
	<u>NEW!</u> 9'6" 40-21 ♦ <u>1</u>	x 21'	
		#95B40-25 ♦ <u>1</u>	
71879	9'6" x 30'	#95B40-30 ◆ <u>1</u>	
71880	9'6" x 35'	#95B40-35 ♦ <u>1</u>	
		#95B40-40 ♦ <u>1</u>	
<u>NEW!</u>	EPDM RUB	BER ROOFING—DOVE	
87623	8'6" x 21'	#85D40-21 🔶 <u>1</u>	
87624	8'6" x 25'	#85D40-25 🔶 <u>1</u>	
87625	8'6" x 30'	#85D40-30 🔶 <u>1</u>	
87626	8'6" x 35'	#85D40-35 🔶 <u>1</u>	
87627	8'6" x 40'	#85D40-40 🔶 <u>1</u>	
87628	9'6" x 21'	#95D40-21 🔶 <u>1</u>	
87629	9'6" x 25'	#95D40-25 🔶 <u>1</u>	
87630	9'6" x 30'	#95D40-30 🔶 <u>1</u>	
87631	9'6" x 35'	#95D40-35 ♦ <u>1</u>	
87632	9'6" x 40'	#95D40-40 ♦ <u>1</u>	
BRITETEK™ TPO ROOFING SYSTEM			
(may not be suitable for all applications)			
86984	8'6" x 21'	#BTF85W-21 ◆ <u>1</u>	
86985	8'6" x 25'	#BTF85W-25 🔶 <u>1</u>	
86986	8'6" x 30'	#BTF85W-30 🔶 <u>1</u>	

86985	8'6" x 25'	#BTF85W-25	◆ <u>1</u>
86986	8'6" x 30'	#BTF85W-30	◆ <u>1</u>
86987	8'6" x 35'	#BTF85W-35	◆ <u>1</u>
86988	9'6" x 25'	#BTF95W-25	◆ <u>1</u>
86989	9'6" x 30'	#BTF95W-30	◆ <u>1</u>
86990	9'6" x 35'	#BTF95W-35	◆ <u>1</u>
86991	9'6" x 40'	#BTF95W-40	♦ <u>1</u>



COMPONENT KIT Includes two gallons of water based

bonding adhesive, 150' of butyl tape used to seal around all the accessories and molding, and six 10.3 oz. tubes of lap sealant. Each kit comes with easy to

76849 Installation Kit #401-CK 1 87622 NEW! Installation Kit, Dove #401-CK-D 1

EPDM RUBBER ROOF SYSTEM LAP SEALANTS

Helps create a watertight seal along a roof's edges, around air vents, vent pipes and screw heads. Compatible with any other roofing material. Also offers excellent adhesion to aluminum, mortar, wood, vinyl, galvanized metal and concrete. It improves the ability to continuously seal and remain flexible.



Color matched, the lap sealant is UV stabilized to prevent discoloration and deterioration and will not stain or discolor any material to which it is applied. 10.3 oz. tubes.

SELF-LEVELING (FOR HORIZONTAL SURFACES)

49329	White Lap Sealant #501LSW 12
	Dove (Bright White) Lap Sealant <i>SD-12 <u>12</u></i>
	<u>NEW!</u> Ivory Lap Sealant <i>SV-1 <u>12</u></i>

LAP SEALANT, CASE/25

95651 White #502LSW-25 1

95652 Dove (Bright White) #502LSD-25 1

HAPS FREE, SELF LEVELING (NO HAZARDOUS AIR POLLUTING SOLVENTS)

46890 White Lap Sealant #505LSW-12 12

NON-SAG (FOR VERTICAL SURFACES)

40401 Non-Sag Lap Sealant, White #551LSW-1 12

EPDM RUBBER ROOF SYSTEM WATER-BASED BONDING ADHESIVE

Water Based Acrylic Bonding Adhesive is environmentally friendly and user safe. Provides



excellent coverage and is easy to apply. Application rate of 160 sq. ft. per gal. Use on moisture absorbant substrates, NOT on metal, fiberglass or membrane to membrane applications.

Water-Based Adhesive: 49330 1 Gallon #901BA-1 4

78717 5 Gallon #901BA-5 1



DYCO PRODUCTS

#20/20 RV ROOF SEAM SEALANT

Resealing your RV's seams and roof on an annual basis can prevent leaks and could prevent thousands of dollars of damage to your motor home, travel trailer, fifth wheel, or mobile home. 20/20 is a premium synthetic rubber brush on, solvent based caulk sealant used exclusively for sealing seams. Once applied 20/20 Seam Seal gradually forms a flexible water resistant elastometric seal making it ideal for seams around vents, stacks & attached structures such as carports. May be applied at freezing or above. 1 gallon will cover about 50-200 square feet of surface depending on thickness applied and smoothness of the seams. Not recommended for EPDM rubber roofs.

20/20 Seam Seal:

46878 LS Quart, Clear #20/20C-4 1

46876 Quart. White #20/20-4 6

46875 Gallon, White #20/20-1 4

#890 ROOF SHIELD & SEAL

A solvent based rubber copolymer roof coating. specially formulated to provide a tough, water resistant seal that remains flexible. Due to its solvent base it will set up in 30 to 60 minutes, eliminating the danger of a wash-off due to a sudden rain. May be applied at freezing or above. When dried, this fortified coating is resistant to dirt pick-up. Protects, beautifies & insulates, with high reflective values for cooling your roof. Not recommended for EPDM rubber roofs.

#890 RV & Mobile Home Roof Coating: 46879 Quart, White #890-4 g 46880 Gallon, White #890-1 4

ROOF REPAIR

RV MAINTENANCE

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier



RV EPDM ROOF SEALANT

· Will not harm or swell EPDM membrane. Immediately withstands

exposure to the elements.

• One-step application.

· Adheres to EPDM, metal, and other prefabricated sheet goods (NOT FOR USE ON TPO). • Will not shrink; solvent-free.

This product works best for these applications. Materials: EPDM, Sheet Metal (HVAC) and Wood. Roofing Applications: Leak Repair. Roof Projections, Roof Seams, Termination

44963 Advanced™ RVEPDM Roof Sealant #56801 <u>12</u>

Points and Scrim Edge Sealant.



ELIXIR INDUSTRIES PLAS-T-COTE[®] DELUXE RUBBER ROOF COATING

Elixir's PLAS-T-COTE® Deluxe Rubber Roof Coating is designed to meet the ever changing needs of our customers. In working with our partners, we have designed the Deluxe Rubber Roof Coating to withstand the harshest environmental elements. Protect your property and investment with Elixir's PLAS-T-COTE[®] Deluxe Rubber Roof Coating and rest in the fact that your property is covered by one of the best engineered roof coatings available.


Product Information: • Use over Rubber Roofs. • Seals Seams and Tears. • Seals Mounting Sites for Vents and Air Conditioners. • High Level of Exterior Durability. • 40% Greater Adhesion to Rubber. • U.V. Resistant. • Expands and Contracts with Roof. • Resists Cracking. • Withstands Impacts. • Non-Polluting and Non-Toxic.

Plas-T-Cote® Deluxe Rubber Roof Coating, White:

45030 Quart #16-44032 12

45031 Gallon #16-44128-4 4

Made for Rubber Roofs! ELIXIR PLAS-T-COTE® RUBBER ROOF COATING



and withstands impact. UV resistant, non-polluting and non-toxic. White. Cover up to 200 sq. ft. per gallon. Plas-T-Cote Rubber Roof Coating

40119 White, Quart #46032 12 40120 White, Gallon #46128-4 4



PLAS-T-COTE® ELASTOMERIC 100% ACRYLIC ROOF COATING

Use over asphalt roof shingles, galvanized steel, concrete wood, polyurethane foam and bitumas built up roofs (BUR's). Used as a reflective and protective coating. Has outstanding exterior durability and UV resistance. Expands and contracts with roof. Resists cracking and withstands impact. Non-polluting and non-toxic. One gallon covers up to 200 sq. ft.

Plas-T-Cote White Elastomeric Roof Coating: 49682 Quart #47032 12 49683 Gallon #47128 4 49684 5 Gallon #47640 +1

As a running change, the product will be re-branded to the new STICKNBOND!



ETERNABOND ROOF REPAIR KIT

Fixes your leak the moment it makes contact, grabbing all types of surfaces including steel, aluminum, fiberglass, polyethylene, rubber, ABS. Eternabond White is designed for maximum flexibility, durability and UV protection. It will never harden, shrink, streak, or ooze. Applies easily over old roof seams and caulking. Eternabond Aluminum is ideal for metal roofs, plastic and metal tank repair, ABS, polyethylene, fiberglass, aluminum, or any surface where tensile strength is desired and flexibility is not essential. It will never loose its adhesive quality.

Eternabond White: 46471 4" x 37' Roll #60018 3 46469 6" x 6" Patch Kit #60019 12 Eternabone Aluminum: **46468** 6" x 6" Patch Kit *#60009* 12



PLAS-T-COTE[®] FIBERED **TRAILER TOP COATING**

Coating for metal and fiberglass roofs (not suitable for rubber roofs or homes with asphalt roofing.)

Plas-T-Coat is a non-asphalt, high guality chemically engineered roof coating that contains long fibers, pigments and non-drying resins. It is a thick, white fibered or aluminum fibered colored coating with an amazing ability to conform to, and protect against all weather conditions. It has excellent acoustical and insulating qualities. Plas-T-Coat alkyd stays flexible, contracts and expands with roof seams. Covers 40 sq. ft. per gallon.

Plas-T-Cote Fibered Roof Coating, Aluminum:

40220 1-Quart Can #4	43032 <u>12</u>
-----------------------------	-----------------

40221	1-Gallon Can	#43128 <u>4</u>	!
40223	5-Gallon Can	#43640 🔺	<u>1</u>
Diag T	Coto Elbarad	Poof Conti	

Plas-T-Cote Fibered Roof Coating, White:

- **40224** 1-Quart Can #45032 12 **40225** 1-Gallon Can #45128 4
- 40227 5-Gallon Can #45640 +1



The roof repair kit allows for easy repair. Just peel and seal for an instant, permanent repair. Each emergency repair kit contains two alcohol wipes, one scrub sponge, and one 6" x 1' fully cured EPDM rubber patch.

40173 Rubber Roof Emergency Patch Kit #RR612 18

ROOF REPAIR • BRUSHES • REPAIR ITEMS

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier



QUICK ROOF™ WATERPROOF REPAIR

White Quick Roof For Rvs. Same Great Waterproofing! White Aluminum Surface!

Permanent repair for metal and fiberglass roofs. Now with a white enamel coating. Quick Roof's super-reinforced aluminum surface will instantly repair RVs, mobile homes, trucks, trailers, skylights, flashings, or anywhere recurring leaks are a problem. Just peel off the release paper, and press in place for a permanent repair. Not for EPDM roofs.

Quick Roof Waterproof Repair, White: 44991 3" x 25' #WQR325 24 44992 6" x 25' #WQR625 12

QUICK ROOF FOR RUBBER ROOFS

Quick Roof for Rubber Roofs easily repairs EPDM rubber roofs. With its self-adhesive application, Quick Roof for Rubber Roofs repairs and waterproofs tears and punctures. Just clean the repair area as directed, remove release paper,

and press Quick Roof's fully cured EPDM rubber surface in place for a permanent repair.

UICK ROOF



Quick Roof for Rubber Roofs: 41347 6" x 16' #RQR-616 12 41350 6" x 100' #RQR-6100 1 47448 6" x 24" #RQR624 24



CO-FAIR PRODUCTS INC. QUICK ROOF PATCH

> num surface. Just peel off release paper and press in place. Great for quick repair projects on metal & flat roofs, RV & Mobile Homes, Gutters & Flashings, Skylights or anywhere recurring leaks are a problem. Five puncture resistant layers lasts for years. Patches are 4" x 6" each. 5 per package.

47567 Quick Patch. White #WQR5 Patch 30



CO-FAIR PRODUCTS INC.

QUICK ROOF DOUBLE WHITE FOR EPDM RUBBER ROOFING

• New White Butyl Adhesive. • Self-Stick Surface. • Lasts for Years. • Just Peel Off Release Paper and Press in Place.

Other Features: • Self Adhesive Rubber Roof Repair. • Super strong Rubber Based Adhesive. Instantly Waterproofs Tears and Punctures. Fully Cured EPDM Rubber Surface.

Quick Roof Double White for EPDM:

44993 6" x 16' #WRQR616 12

44994 6" x 100' #WRQR6100 1



INSTANT WATERPROOF REPAIR AND RE-ROOFING

 Self-Stick Aluminum Surface.
 Super Reinforced. • Just Press in Place for a Permanent Repair. • Five Puncture Resistant Lavers. 10 Year Material Warranty.

Use Quick Roof for Hundreds of Repair Projects: • Metal & Flat Roofs.

- RV & Mobile Homes. Trucks & Trailers.
- Gutters & Flashings. Skylights.
- · Anywhere Leaks are a Problem.

Instant Waterproof Repair and Re-Roofing:

44996 3" x 25" #QR325 24

44995 6" x 25" #QR625







press-on tapes for roof repairs. Stops leaks fast. 1/8" x 2" x 42" roll.

45028 Patch Tape, White #5129 12



77675	1" Foam Brush	#000051	<u>48</u>
77677	2" Foam Brush	#000068	<u>48</u>
77678	3" Foam Brush	#000075	<u>3</u>
77679	4" Foam Brush	#000081	24

DISPOSABLE CHIP BRUSHES

Disposable paint brushes are made of chip bristle with a trim of 1-5/8".

43329	1/2" Brusl	h <i>#14002</i>	? <u>3</u>	<u>6</u>
41416	1" Brush	#14012	<u>36</u>	
41523	1-1/2" Bri	ush <i>#140</i>	22	<u>36</u>
41524	2" Brush	#14032	<u>24</u>	
43330	2-1/2" Bru	ush <i>#140</i>	42	<u>12</u>
41525	3" Brush	#14052	<u>12</u>	
43331	4" Brush	#14082	<u>12</u>	

THE FOOLER (Chip Brushes)

Don't be fooled by their low price... these brushes have double the thickness of the average chip bristle brush. They are designed for more paint pick-up, more release and less dipping. Use for epoxy, resin, roof coatings and bottom paint. Not for fine finishes.

Fooler Chip Brush: **49933** 1" #10001

4

Δ

4

4

3300	1 #10	1001	30	
9934	1-1/2"	#100	015	<u>36</u>
9935	2" #10	0002	<u>24</u>	
9936	2-1/2"	#100)25	<u>12</u>
9937	3" #10	0003	<u>12</u>	

RAPID-SET MARINE-TEX

Waterproof epoxy paste in a convenient 1:1 mix for emergency and permanent repairs. Superior bond fills cracks and voids in fiberglass, steel, aluminum, wood, cast iron and many hard plastics. Paintable: can be drilled, tapped and sanded.



Excellent for quick machinery and mechanical repairs to get back underway with minimum downtime. Secures hardware and loose fasteners. Cures in one hour at 72° F. Gray.

44324 Rapid-Set. 2-oz. (Not available in Canada) #RM320K 12

GLOVES • REPAIR ITEMS

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier

THETF

Protects hands while han-

Contains 12 medical grade vinvl gloves.

48372 Disposable Gloves #36674 24

TORSKIN

GATOR SKIN NITRILE GLOVES

Professional grade mechanics gloves.

41826 Nitrile Gloves #23029 20

• Textured surface for a better grip. • Chemical & Puncture resistant. • Lightly powdered • Latex

free. • One size fits all. 50 pack dispenser box.

THETFORD DISPOSABLE **GLOVES**

CARRAND™

EPOXY

PUTTY

Marine-Tex,

the legend-

ary high-



ARRAND

MARINE-TEX FLEXSET EPOXY ADHESIVE

Marine-Tex FlexSet is a nonsagging, non-shrinking, permanently flexible adhesive. Sandable and paintable, FlexSet resists vibration and bending failures by curing to a tough, flexible consistency that creates an air and

watertight seal between mating surfaces.

Bonds to PVC. Hypalon®. ceramic. rubber. polyurethane, glass, acrylic, steel, fiberglass, polycarbonate, wood, ABS, aluminum, Lexan® and dissimilar materials.

Bonds dissimilar materials like PVC to copper. FlexSet outperforms PVC Cement! Because of the vibration and shock resistance, FlexSet is highly recommended for PVC pipe repairs. As bonded joints shrink and expand the FlexSet moves with them. Therefore, it won't crack or break from the surface.

47532 Flex-Set. 1-oz. (Not available in Canada) #RM321K 1

Products

FIBERGLASS

REPAIR KIT

A complete, epoxy and glass

types of repairs to fiberglass

reinforced patch kit for all

housings commonly found

fixtures, shrouds and

DEVCON

WHITE/ALM

POXY RE

Bath/Tub

AP PRODUCTS



AP PRODUCTS WINDSHIELD & **HEADLIGHT REPAIR KIT**

Damaged windshields and headlights can now be permanently repaired with this professional repair kit. Contains enough material for up to 10 repairs.



Stops cracks from spreading and makes bull's-eyes and stars virtually disappear.

27303 Windshield & Headlight Repair Kit #002-90110 1

VLP VINYL REPAIR KIT


VLP fuses together without heat or patch. Easy to useiust apply and let dry. Forms a nearly invisible repair which is guaranteed to be stronger than the original vinyl. Use on seat cushions, indoor and outdoor furniture, awnings, rain wear, tarps, etc.



41298 VLP Repair Kit, Carded (Not available in Canada) #61Z09 6

COGHLAN'S SPORTSMAN'S **REPAIR KIT**

For on-the-spot repair of any vinyl, plastic or soft rubber item such as air mattresses, wading pools, boots, toys, etc. Kit contains four $11^{1}/4^{"} \times 1^{1}/4^{"}$ rubber patches; one $2^{1}/2^{"} \times 4^{"}$ rubber patch; .40 fl. oz. cement;



LIFESAFE SUPER SEAL TAPE



Emergency repairs, stops leaks, forms solid rubber wrap. Strips clean, leaves no messy adhesive or residue. Holds 100psi at 220°F. Works wet or dry, greasy or dirty. Shrinks about 3% to form an airtight, waterproof seal. Use for outdoor plumbing, automotive hoses, broken water lines, electrical cables, garden hose repair, boat and RV repair, wire bundles, extension cord connectors, sports equipment, tool grips, power tools and rope ends.

47900 Super Seal Tape, 1" x 16 ft. #RE3845ES <u>12</u>



strength repair compound designed for filling, bonding and rebuilding wood, fiberglass, ceramic, glass, metal, masonry and many plastics. Repairs leaks in fuel tanks, water tanks, piping, and shafting. Marine-Tex is manufactured to the highest standards to meet the harsh demands of the marine and industrial environments, and solve many problems for home, auto and hobby applications.

Marine-Tex is a creamy paste consistency that can be applied on vertical or horizontal surfaces, easily fills gaps, and can be shaped to rebuild damaged components. Marine-Tex can be sanded or ground to shape, tapped and drilled, and finished with most common paints and coatings.

Marine-Tex, White (Not available in Canada).

738472 2 oz. Size #RM305K 25

738228 3/4 lb. Kit #RM306K 12





1 metal rasp.



patch, sandpaper and applifixes holes and cracks up to nating the need to remove

tanks, tubs and shower stalls. Recommended for use on all types of plastic and fiberglass. Almond/White color.


25422 Tub Repair Kit #002-90216 6



25967 Fiberglass Kit #002-90230 12 **DEVCON BATH/TUB**



a mixing pouch, fiberglass cation brush. Permanently 1" dia. in 20 minutes, elimi-



RV MAINTENANCE

REPAIR ITEMS • SEALANTS

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier







WON'T PULL OFF WHEN STRETCHED!

 ${\sf TEAR-AID}^{\textcircled{B}}$ has a unique composition that stretches and recovers absorbing the force that causes ordinary products to lift.

TEAR-AID[®] is the durable, flexible, airtight, watertight, puncture-resistant, industrialstrength patch that protects against abrasion, moisture, saltwater, UV sunlight and extreme temperatures.

TEAR-AID[®] Roll Type A - For the repair of canvas, rubber & neoprene, most plastics, nylon, fiberglass, stainless steel, aluminum, polyethylene, polypropylene, polyurethane, non-oiled leather, and Sunbrella[®].

TEAR-AID[®] Roll Type B - For the repair of vinyl or vinyl coated items only.

Each TEAR-AID[®] Repair Patch Kit contains one 3" x 12" TEAR-AID[®] patch (cuts with scissors to any size), one 7/8" x 7/8" patch, one 1-3/8" x 1-3/8" patch, 12" reinforcement filament (for repairing tears at edges), two alcohol prep pads, and instructions in a high-gloss, retail-ready box.

Each TEAR-AID[®] Roll Box contains one 3" x 5' TEAR-AID[®] roll (cuts with scissors to any size, two alcohol prep pads, and illustrated instructions in retail-ready box).

Tear-Aid Pop Display: **95882** Type A, 20 Kits

#D-CASE-A-005 <u>1</u>

95880 Type B, 20 Kits #D-CASE-B-005 <u>1</u>

95881 Mixed, 10 Kits A & 10 Kits B #D-CASE-M-005 <u>1</u>

 Tear-Aid Boxed Roll:

 41216
 Type A
 #D-ROLL-A-20
 20

 41218
 Type B
 #D-ROLL-B-20
 20



COGHLAN'S SEAM SEAL

Waterproofs sewn seams in nylon or other synthetic fabrics. Ends leaky seams in tents, rain wear, jackets, backpacks. Washable, dry cleanable, colorless, clear and flexible.

42087 Seam Seal *#8040 <u>12</u>*





3M™ ADHESIVES & SEALANTS MARINE ADHESIVE/SEALANT 5200

High performance polyurethane adhesive/sealant becomes tack free in 48 hours, completely cures in 5–7 days with no shrinkage. The seal is extremely strong, retains its strength above or below the waterline. Has excellent resistance to weathering and saltwater. The tubes are ideally suited for small jobs and hard to reach areas. *(Not available in Canada).*

Adhesive/Sealant 5200, 1-oz. Tube, Carded: **16570** White #051135-05206 <u>12</u> Adhesive/Sealant 5200, 3-oz. Tube, Carded: **16569** Black #051135-05205 <u>12</u> **15748** White #051135-05203 <u>12</u> Adhesive/Sealant 5200, 1/10-Gal. Cartridge: **16056** Black #051135-06504 <u>12</u> **752849** White #051135-06500 <u>12</u>

EZ-RTV SILICONE SEALANT

Dispense 100% RTV Silicone right from the can... no caulking gun required! Project 1 Easy-RTV is a high quality silicone sealant that is the perfect choice for exterior and interior sealant jobs on the go! Will adhere to metal, glass, marble, tile, cera-mics, painted surfaces, non-oily woods, and rubber. Keep it in the tool box for quick-fix applications. Self-sealing applicator. Remove cured plug to use again and again.

46870 Silicone Sealant, 7.25 oz., Clear *#6305-12 <u>12</u>*

CLEAR



SIKAFLEX 221 & 291

HIGH-STRENGTH SEALANT

• Elastic bounding for toughest applications.

· Out-performs silicones and acrylics.

• Fast curing; excellent adhesion; non-corrosive; paintable; absorbs large joint movement; resists static electricity. • Polyurethane-based; approved for potable water. • Odourless and will not stain. • Strong adhesion on metal painted surfaces, aluminum, wood, fiberglass and plastic surfaces. 310 ml., Case/12.

Sikaflex 221:

 48683
 White
 #221-521
 12

 48684
 Black
 #221-523
 12

 Sikaflex
 291
 For Marine Uses:

 45159
 White
 #291-521
 1

 45160
 Black
 #291-523
 1

RTV SILICONE SEALANT

100% RTV SILI-CONE SEALANT is a high quality sealant that is the perfect choice for exterior and interior sealing and caulking. It bonds to metal. glass, marble, tile, ceramics, porcelain, painted surfaces. non-oily woods, plastic, and rubber. Use it for all your sealing needs. It is a great adhesive for bonding surfaces



together. Conventional paint will not adhere. Paint first, then seal. 10.3 oz. cartridges.

Silicone Sealant, Cartridge: 49713 Almond #11109-12 <u>12</u> 49711 Aluminum #11101-12 <u>12</u> 49712 Black #11102-12 <u>12</u> 49709 Clear #11105-12 <u>12</u> 40215 Colonial White #11112-12 <u>12</u> 49710 White #11107-12 12

SEALANTS

RV MAINTENANCE

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier

BoatLIFE

LIFE INDUSTRIES LIFE-SEAL[®] SEALANT

A unique combination of marine silicone and polyurethane formulated especially for fiberglass. Offers fast-curing, low-odor, highadhesion, non-sagging, non-corrosive, non-yellowing formula. Provides a durable, permanent, watertight seal for joints subject to structural movement. For above and below the waterline. Adheres tenaciously to metal, glass, wood, Lexan, ABS and other materials.

2.8-Fl. oz. Tube (US only): 15927 Black #1162-C 1 757233 Clear #1160-C 12 757234 White #1161-C 12 10.6-oz. Cartridge (US only): 757235 Clear #1169-C 12 757236 White #1170-C 12

LIFE-CALK[®] SEALANT

A long lasting, permanently flexible marine polysulfide sealant which can be sanded, painted and used above and below the waterline. Tack-free in 1 to 3 days dependent

on quantity and conditions. Provides excellent resistance to teak oils, gasoline and diesel fuel. Will bond to fiberglass, wood, metal, glass and itself. Cures to a firm flexible rubber seal with excellent waterproofing

and adhesion gualities. Use underwater for emergency repairs. Do not use on Lexan or ABS.

2.8-oz. Tube (US only): 738474 Black #1031-C 12 738475 White #1030-C 12 10.6-oz. Cartridge (US only): 740033 Black #1034-C 1 740032 White #1033-C 12

SILICONE **RUBBER SEALANT**

An all-purpose, non-corro-

sive. low-odor marine sili-

cone sealant. Tack-free in 30

minutes or less. Fully cured

in 24 hours. For above the

waterline sealant applications.

Will not shrink, crack, dry out or yellow. Superior flexibility and adhesion to fiberglass, plastic, metal and wood. Retains hardness, flexibility and tensile strength even after years of exposure. Not sandable or paintable.

2.8-oz. Tube (US only): 77699 Black #1142-C 1 754823 Clear #1140-C 12 754824 White #1141-C 12 10.6-oz. Cartridge (US only): 754826 Clear #1150-C 12 754827 White #1151-C 12



HET STARTED

star brite **STAR BRITE**


silicone

SILICONE SEALANT

Unaffected by sunlight, weathering, most chemicals, solvents. Will not shrink or sag. Stays flexi-

ble from -70° to 480° F. Use above and below waterline. Easy-to-use applicator. Free applicator gun with each tube.

Silicone Sealant, Tube, 3-oz.: 755701 Black #082103 12 755700 Clear #082102 12 755699 White #082101 12 Silicone Sealant, 10.2 oz. Cartridge: 755118 Clear #082122 12 755117 White #082121 12



A liquid rubber sealer that holds a tight seal under the toughest road vibrations and weather conditions. Fills in and holds in hard to seal cracks and leaks. Stays pliable. Resistant to oil, water, chemicals.

Parbond Sealer, 5-oz. Tube 44010 Aluminum #SC0272124 24 41979 Clear #SC02732450 24 41610 White #SC0271770 24

PARLASTIC SEALANT

Seals joints up to 1/2". Works well on glass and silicone-treated metal. Can be compressed or stretched as a sealant or adhesive; non-sag, durable, rubbery; dries quickly.

Parlastic Sealant, 10 oz. 48653 Aluminum #5900 5 41976 LS Clear

#SC02771125 25





Bonds fiberglass, plastic, wood, glass and metal.



DYCO C-10 FLOW SEAL CAULK

A self-leveling caulk made with Dupont Hypa-Ion[®] Rubber specifically for the RV/mobile home industry. An extremely weather resistant caulk (may be applied at-30° to 150°) that will not crack or surface harden. It is paintable, mildew resistant and dries fast. Great for horizontal applications such as roofs on RV's, mobile homes, vents, seams, etc. Not for EPDM rubber roofs.

Flow Seal Caulk, 11 oz. Tube 49488 Grey Caulk #C10-GREY 10 49489 Ivory Caulk #C10-IVORY 10 49487 White Caulk #C10-WHT 40

HI-TEC POLYURETHANE SEALANT PROJECT 1



A high performance, one part, all purpose sealant which forms a tough waterproof seal for outdoor applications. It is paintable and is an excellent choice for interior uses. It bonds to tile, glass, marble, ceramics, porcelain, brick, stone, concrete, other masonry surfaces, plastic, rubber, wood, painted surfaces and more.

46406 Polyurethane Sealant, 10-oz., White #4007 12



Pro Flex RV from Geocel provides excellent adhesion to virtually all RV materials, can be applied in the harshest weather conditions (even rain and sub-freezing temperatures), and can withstand significant joint movement associated with RV travel.

ProFlex RV Cartridge, 10-oz.: 28430 Almond #28809 12 28675 Black #28803 12 20234 NEW! Crystal Clear (Visalia only; California compliant) #28128 12 28426 Crystal Clear #28800 12 28429 Bright White #28827 12 28428 White #28801 12

PRO FLEX RV BRUSHABLE

Pro Flex RV Brushable from Geocel will help stop leaks, prevent rust and is mildew resistant. It offers excellent adhesion even on damp and oily surfaces and can be applied at virtually any temperature. Paintable. Quart size (946ml).

48425 Crystal Clear, Qt. #23800 6

REPAIR ACCESSORIES

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier

WEST SYSTEM **G-FLEX** EPOXY

A toughened, versatile epoxy for permanent waterproof bonding of fiberglass, ceramics, metals, plastics, damp



and difficult-to-bond woods. Contains two 4 oz. bottles of liquid epoxy (one 4 oz. resin and one 4 oz. hardener) in a plastic bag. G/flex Epoxy gives you 46 minute pot life and a long open or working time of 75 minutes at room temperature. It will reach an initial cure in 3-4 hours and a workable cure in 7-10 hours. G/flex has the ability to glue damp woods. It can be used on wet surfaces, even underwater when applied with specific techniques.

41732 G-Flex Epoxy Bottle, 2-4 oz #650-8 <u>12</u>

WEST SYSTEM **105 EPOXY RESIN**

105 Resin is the base material of the West System family of products, on which all of the West System compounds are built. The resin is a clear, pale yellow, low-viscosity liquid epoxy resin. Formulated for

use with West System hardeners, it can be cured in a wide temperature range to form a highstrength solid with excellent moisture resistance. It is designed specifically to wet out and bond with wood fiber, fiberglass, reinforcing fabrics and a variety of metals. An excellent adhesive. 105 will bridge gaps and fill voids when modified with West System fillers and can be sanded and shaped when cured. With roller applications, it has excellent thin-film characteristics to flow out and self-level without "fisheyeing." The resin cures clear so that you can achieve a natural finish when coating with varnish. It has a relatively high flash point and no strong solvent odor, making it safer to work with than polyesters. Resin viscosity is approximately 1000 cP (centipoise) at 72°F (22°C). NOT AVAILABLE IN CANADA.

Epoxy Resin 105: 44350 Quart #105-A 4 44351 .98 Gallon #105-B 4

EPISIZE™ **GLASS TAPE**

Versatile West System Episize[™] 9-oz. woven fabric tapes are ideal for reinforcing chines, hull/deck corners and

similar structural applications. When bonded with West System epoxy, they provide additional tensile strength to resist hairline crack development and abrasion.

NOT AVAILABLE IN CANADA.

44385 729, 2" W x 10' #729-10 1

ADHESIVE & FAIRING FILLERS

NOT AVAILABLE IN CANADA.

403 Microfibers. a fine fiber blend, is used as a thickening additive with resin/hardener to create a multi-purpose adhesive, especially for bonding wood. Epoxy thickened with microfibers has good gap-filling gualities while retaining excellent wetting/penetrating capability. Color: off-white.

404 High-Density filler is a thickening additive developed for maximum physical properties in hardware bonding where high-cyclic loads are anticipated. It can also be used for filleting and gap filling where maximum strength is necessary. Color: off-white.

405 Filleting Blend. This strong, wood-toned filler is good for use in glue joints and fillets on naturally finished wood. It mixes easily with epoxy and lets you create fillets that are smooth and require little sanding. Its color is a consistent brown, so 405 can be used to modify the shade of other West System fillers.

406 Colloidal Silica is a thickening additive used to control the viscosity of the epoxy and prevent epoxy runoff in vertical and overhead joints. 406 is a very strong filler that creates a smooth mixture, ideal for general bonding and filleting. It is also the most versatile filler in the West System line. Often used in combination with other fillers, it can be used to improve strength, abrasion resistance, and consistency of fairing compounds, resulting in a tougher, smoother surface. Color: off-white.



407 Low-Density filler is a blended microballoon-based filler used to make fairing putties that are easy to sand or carve. Reasonably strong on a strength-to-weight basis. Cures to a dark red/brown color.

410 Microlight™ is the ideal low-density filler for creating a light, easily-worked fairing compound especially suited for fairing large areas. Microlight mixes with greater ease than 407 Low-Density filler or microballoons and is approximately 30% easier to sand. It feathers to a fine edge and is also more economical for large fairing jobs. Not recommended under dark paint or other surfaces subject to high temperatures. Cures to a tan color.

44368 403 Microfibers. 6-oz. #403-9 1 44976 404 High-Density Filler. 15.2-oz.

#404-15 1 44371 405 Filleting Blend, 8-oz. #405 24

44372 406 Colloidal Silica, 1.9-oz. #406-2 6

- 44375 407 Low-density Filler, 4.7-oz. #407-5
- 44377 410 Microlight Filler, 2-oz. #410-2 1

APPLICATION TOOLS

NOT AVAILABLE IN CANADA.

800 Roller Covers.

Thin polyurethane foam roller covers are ideal for epoxy, paint and varnish

application. Can be cut into shorter widths to match the application area and cut into brushes for tipping off fresh coats of epoxy. Covers are 7" wide and sold in packages of two.

803 Glue Brushes. Handy, disposable, 1/2" x 6" glue application brushes with a metal handle. These brushes are useful in a wide variety of small bonding and coating applications.

805-806 Poly Mixing Pots. Cured epoxy easily pops out of these

strong, reusable plastic mixing pots.

807 Syringes. Reusable syringes that can be loaded with epoxy mixture for injecting into tight spots. Ideal for hardware bonding and plywood repairs. Holds about 0.5 fl. oz.

808 Flexible Plastic Spreader. Flexible, double-edged, reusable spreader for flow coating, fairing and filling applications, and applying fabrics. 3-1/2" x 6".



WEST

809 Notched Spreader. 4" x 4" plastic spreader with 1/8", 3/16" and 1/4" notches on 3 sides for quickly applying modified epoxy at a constant rate. Useful when laminating large panels.

810 Fillable Caulking Tubes. Great for injecting large amounts of epoxy, laying a lengthy bead of epoxy or making fillets. Suitable for refilling until epoxy cures. For use with a standard caulking gun. Holds approximately 10 fl. oz.

Application Tools (Not available in Canada):

- 44388 800 Roller Covers, Pk/2 #800-2 1 44391 803 1/2" Glue Brushes, Pk/12
- #803-12 <u>1</u>
- 44393 805 Poly Mixing Pot, 16-oz. #805
- 44394 806 Poly Mixing Pot, 32-oz. #806
- 44396 807 Syringes, Pk/2 #807-2 6
- 44397 808 Plastic Squeegees, Pk/2 #808-2
- 44399 810 Fillable Caulking Tubes, Pk/2 #810-2 12



REPAIR ACCESSORIES • LATEX • ADHESIVES

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier

and to produce a rapid cure that develops its

physical properties quickly at room tempera-

ture. When mixed with the 105 Resin in a

five-part resin to one-part hardener ratio,

the cured resin/hardener mixture yields a

Not intended for clear coating.

rigid, high-strength, moisture-resistant solid

206 Slow Hardener is a low-viscosity epoxy

curing agent for use when extended working and

cure time is needed or to provide adequate work-

ing time at higher temperatures. When combined

hardener ratio, the cured resin/hardener mixture

vields a rigid, high-strength, moisture-resistant

solid with excellent bonding and coating proper-

ties. Not intended for clear coating.

44353 Fast Hardener, "A", .44 pint

44354 Fast Hardener, "B",.86 quart

44357 Slow Hardener, "A", .44 pint

44358 Slow Hardener, "B", .86 quart

#205-A <u>4</u>

#206-A <u>4</u>

4

- 4

SYSTEM

#205-В

#206-В

with 105 Resin in a five-part resin to one-part

with excellent bonding and coating properties.

HANDY **REPAIR PACK**

NOT AVAILABLE IN CANADA.

101 Handy Repair Pack. Here is everything you need to complete small repairs



The Handy Repair Pack contains two West System 105 Resin/205 Hardener packets, and enough high-density filler to complete a variety of coating and bonding operations. Also included are an application brush, mixing stick, pipe cleaner, two cleaning pads and complete instructions. The components can be mixed in the disposable package.

101-T Six resin/hardener packets only.

Each pre-measured packet contains 16 g of 105 Resin and 3.2 g of 205 Hardener (19.2 g or 0.56 fl. oz. of mixed epoxy).

101-6 Maxi Repair Pack. The Maxi Repair Pack contains six 105 Resin/ 205 Hardener packets, a low-density filler for fairing and a high-density filler for bonding. Also included are two application brushes, one syringe, two pipe cleaners, four mixing sticks, one pair of disposable gloves, four cleaning pads, mixing cups and illustrated instructions.

44347 Handy Repair Pack #101 1

44348 Resin & Hardner, Pk/6 #101-T 1

MINI PUMP SET

300 Mini Pumps are designed for convenient and accurate metering. They mount directly on the resin and hardener containers and eliminate the mess involved with measur-



calibrated to deliver the proper working ratio with one full pump stroke of resin for each one full pump stroke of hardener. Set contains one resin pump and two hardener pumps.

NOT AVAILABLE IN CANADA.

47290 Mini Pump Set #300 1



USER MANUAL

This User Manual is the primary guide to the handling and basic techniques of epoxy use. It describes how to dispense, mix and modify West System epoxy for the basic

coating, filling and bonding techniques used in most repair and construction procedures.

NOT AVAILABLE IN CANADA.

44345 User Manual #002-950 4

205 & 206 HARDENERS

NOT AVAILABLE IN CANADA.

205 Fast Hardener is a medium-viscositv epoxy curing agent. It is used in a



PROJECT 1 SILICONIZED ACRYLIC LATEX

A single part sealant for both interior and exterior applications, to seal cracks or joints in or between wood, masonry, glass, plaster, pipes, foundations, etc., with high adhesion and a 20 year minimum life expectancy. Will not bleed or stain adjacent surfaces, including paint work.

Acrylic Latex, 10.1 oz.: 46464 White #8007-12 12



STA'-PUT II Spray Adhesive for Foam

Permanently bonds Styrofoam[™] and other polystyrene materials in 4 minutes or less. Use with Sta'-Put spray adhesive to laminate polystyrene foam to other materials. Pressure sensitive and water resistant. 13-oz. can.

47613 Sta'Put II #001-SP213ACC 12

STA'-PUT Spray Adhesive Clear

Excellent for most permanent adhesive applications. Bonds high-pressure laminate to various substrates. Suitable for industrial applications including manufactured housing, construction, RV, marine, furniture, textile, HVAC, and upholstery industries. Pressure sensitive. 15-oz. can.

47615 Sta'-Put Clear #001-SPH15ACC 12

STA'-PUT S203 All purpose Aerosol

Spray Cleaner is a biodegradable, natural solvent cleaner, degreaser and adhesive remover. It can be used on most surfaces and substrates, including painted surfaces, glass, porcelain, concrete, and is compatible with many plastics and vinyls. S203 is also effective for removal of adhesives, grease, oil stains, road tar, rubber marks, residue from decals, heel marks, graffiti, lipstick, release agents, and soap film.

STA'-PUT S203 is safer to use than most cleaners and adhesive removers and residue can be removed with water. It has exceptional cleaning/degreasing power; is non-corrosive, is biodegradable and has a pleasant citrus scent.

It is recommended that testing be performed on new substrates to determine suitability.

45032 NEW! Adhesive Remover and Degreaser, 14-oz. Can #001-S203 12



waterproof, structural gap-filling and gluing. SIX10 THICKENED

WEST

A two-part epoxy adhesive in

a convenient, self-metering

cartridge. For permanent,

EPOXY ADHESIVE

Six10[™] Thickened Epoxy Adhesive combines the strength and reliability of a two-part WEST SYSTEM® Brand Epoxy with point-andshoot convenience. The self-metering coaxial cartridge dispenses a gap-filling structural epoxy that bonds tenaciously to wood, metals, fiberglass and concrete. The tube comes with a static mixer that lets you lay down a bead of thickened epoxy with any standard caulking gun.

Six10's shear thinning properties make it "thinner" as it's worked. It can be easily tooled into a non-sagging fillet or used to wet out light to moderate reinforcing fabrics like fiberglass. The hardener provides a long open time but has fast thru-cure. Six10 stays workable in the static mixer for 42 minutes, making it practical for long or complicated assemblies.

44460 Six10 Epoxy Adhesive Cartridge (Not available in Canada) #610 6

RV MAINTENANCE

ADHESIVES• CLEANERS • TAPES

In Section F: Roof Repair Repair, Sealants, Adhesives Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier Tape



A light colored adhesive for adhering all types of rubber weather-stripping, vinyl trim headliner, side panels. 5-oz. applicator tube.

753715 Adhesive (Not available in Canada) #051135-08001 12



substrates for home and industrial applications. This economical adhesive features a costeffective 3-way adjustable valve, for low, medium and high applications. By offering an option of three lace spray patterns, the 3-way valve eliminates excess waste, providing just the right amount of adhesive.

Russell 676[™] High Performance Spray Adhesive was specially formulated to bond polyethylene to itself, concrete block, wood and many other hard-to-bond substrates. It may also be used to bond paper, cardboard, fabric, urethane foam, foil to metal, and wood to itself. Whether you need a temporary bond, or a permanent high bond strength adhesive, from industrial to home applications, "Stick 'em up!" with Russell 676[™] Spray Adhesive. It is certain to save you time, money and effort.

46292 676™ High Performance Spray Adhesive #RPI-676 12

3M[™] GENERAL PURPOSE **ADHESIVE CLEANER, 15-OZ**

Specially blended solvent for removal of light paint overspray, adhesive residue, wax, grease, tree sap, dirt, road tar, oil and bugs in aerosol form. Will not harm most thoroughly cured automotive paint, vinyls, or fabrics when properly used. Part number 08987 Aerosol has a VOC content of 738 grams per liter (6.16 lbs per gallon).

trpose 8-0898

44220 Adhesive Cleaner, 15-oz (Not available in Canada) #051135-08987 12



As a running change from Goof Off[®] Citrus to Goof Off[®] Heavy Duty Spot Remover & Degreaser!

GOOF OFF[®] HEAVY DUTY **SPOT REMOVER & DEGREASER**

Goof Off[®] Heavy Duty Spot Remover & Degreaser works like magic to guickly remove difficult mistakes, spots and messes that ordinary household cleaners can't. It works the first time due to its powerful, micro-emulsion formula. It penetrates deep into spots, stains and greasy messes to make tough cleaning easy.

• Works the first time. • No oily residue. · Biodegradable. • No harsh fumes. • Safe for hard and soft surfaces (when used as directed).

GREAT FOR: • Grease & Grime • Sticker & Adhesive Residue • Asphalt & Tar • Stains • Crayon, Pen & Marker • Gum • Caulk • Scuff Marks • Lipstick, Nail Polish & Makeup • Bugs & Tree Sap • Fresh Latex Paint and more!

44623 1-oz Pump Spray #FG701 9

INSULATING FOIL **INSULATION &** SOUND BARRIER FOR RVS!

INSUHATOR

EAU FEAU

Suppresses noise, heat, cold and moisture that can interfere with the comfort and quiet of your motorhome. An excellent lightweight, easy to install insulation for Genset compartments, engine covers/compartments and under carpets or floor mats (does not affect the fit of any component that it is installed under). 3/8" thickness is made up of a dense packing of recycled cloth material, a highly effective "Firex" fire retardant coating and a spaceage aluminized outer layer. Trim to any shape with household scissors and adhere in place with "Sticky Stuff" spray adhesive (#49897). Seal edges with "Insul-Tape" (#40592). Conforms to FMVSS safety standard 302. Coast Guard, F.A.A. approved (aircraft grade only). Install with foil side toward source of heat or noise.

4' x 6' Sheets Foil Insulation: 49896 1-Sided #3000-22 4 40592 30' Insul-Tape™ #3330 12



PROFESSIONAL STRENGTH

GOOF OFF[®] PROFESSIONAL

Goof Off® Professional Strength is the Miracle Remover[™] that cuts through the toughest spots and stains quickly. It even removes spots that would otherwise ruin



your belongings. Use it to eliminate costly messes and mistakes around the garage, workshop and home. There's no other specialty remover that works faster or better. Low VOC formula is nationally compliant.

It cleans Adhesive & Glue, Oil & Tar, and Dried Latex Paint, It also cleans: • Hand Tools • Stains on carpet, clothing, upholstery . Crayon, Pen & Marker • Graffiti & Varnish • Gum • Candle Wax Scuff Marks • Caulk • Lipstick & Makeup • Tar / Bugs / Tree Sap

FOR USE ON: Nylon, polypropylene, and wool carpets; fully cured varnished and oil-base painted surfaces, vinyl baseboard, laminated counter tops, vinyl floors, solid vinyl upholstery, all metals, glass, brick, wood, concrete, grout, vinyl tops, fiberglass, most fabrics. CAUTION: Always test on inconspicuous area first. Damages many plastics, worn vinyl floors, some automotive paints, and some carpets.

Goof Off® Professional: 44622 4.5-oz. VOC Compliant, 2.3" W x 1.4" D x 4.1" H #FG650 12 44637 16-oz. (Pint) VOC Compliant, 2.7" W x 2.7" D x 7.6"H #FG653 6

STICKY STUFF™ SPRAY ADHESIVE

Specially formulated to ensure proper bonding when installing single sided foil insulation. Even sticks to metal. One can adheres each 4' x 6' sheet of "Insulator" insulation. There are many other uses for this spray adhesive. (net wt. 10 oz.).



49897 Spray Adhesive #4000 12

BUTYL TAPE

Ideal for sealing uniquely shaped joints. Installs quickly, without gaps. Apply along unusual patterns. Because the sealant is on a continuous roll,

installer can work fast and be visually assured that there are no skips or runs in the seal.

79233 Butyl Tape only, ¹/₈" x ³/₄" x 30', Each #BT-1834 24



INSULATION • TAPES

RV MAINTENANCE

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier



BUTYL CAULKING TAPE

Butyl tapes help prevent and reduce costly water damage. Tough rubber, pressure sensitive mass, offers excellent adhesion to a variety of surfaces (no applicators required). Used to seal out: moisture, water, dust, dirt, cold and heat. Easy to use in tape form. Handy reusable storage clam shell container keeps product clean and fresh. Tape remains sticky and will continue to conform over many years, and will not dry up or crack like some other sealants. Use for RVs, boats, glazing, fasteners, doors, storm sash, mirrors, vents and skylights.

47901 Butyl Tape, 3/4" x 1/8" x 20' #RE20758 <u>6</u>



WEATHER-STRIPPING

Easy to apply, selfadhering. Protects, seals, cushions,

insulates, silences rattles and fills voids. Countless applications for vehicles and homes.

Order No.	Thick (in.)	W. (in.)	L. (ft.)	
42199	³ /16"	3/8	10	
42760	³ / ₁₆ "	1/2	10	
42762	^{3/} 16"	3/4	10	
42764	⁵ ⁄16"	3/8	10	
42765	^{5/} 16 ["]	1/2	10	
42200	^{5/} 16 ["]	3/4	10	
42768	⁷ /16 ["]	3/8	10	
42769	^{7/} 16 ["]	1/2	10	
42201	7/ ₁₆ "	3/4	10	
42770	^{7/} 16"	1	10	
42203	^{9/} 16"	1/2	10	
42772	9/16"	1	10	

Bulk 50 ft. Roll Size: 42761 3/₁₆" x 1/2" x 50ft. #80018 <u>18</u>



NON-TRIMMABLE BLACK BUTYL - 101

No. 101 Sealing Tape is a tough, black, non-hardening elastic butyl based material with

excellent sealing properties. It is a pliable, tacky sealant tape which will adhere to any type of metal, wood, concrete, glass, plastics and porous surfaces. Excellent sealant for any lap joints. It is a non-trimmable material but could be cut with a utility knife. Its adhesion increases with age after being applied, assuring a long safe and durable seal. It is ideal for sealing roof and side panels such as aluminum to aluminum, galvanized to galvanized or aluminum to galvanized metal. It has a one year shelf life. Easier to work with in cooler climates.

Non-Trimmable Butyl Tape, Black: **48091** 3/₁₆" x 3/4" x 20 ft.; #5055 20 **48092** 3/₁₆" x 1" x 20 ft.; #5050 16

PUTTY TAPE - 160

This natural colored putty tape is a heavy, flexible, non-hardening butyl material that remains pliable as packaged. It releases easily

from its silicone-treated backer. For use under moldings; around windows, doors and vents. It can be used to seal and waterproof overlapping metals and can be easily shaped and formed to seal difficult areas. One year shelf life.

 Putty Tape, Gray:

 40005
 1/8" x 3/4" x 30 ft. #5631
 <u>20</u>

 40006
 1/8" x 1" x 30 ft. #5625
 <u>16</u>

 40026
 3/16" x 1" x 20 ft. #5650
 <u>16</u>

 40203
 3/16" x 3/4" x 20 ft. #5655
 <u>20</u>

 40208
 1/4" x 3/4" x 18 ft. #5677
 <u>20</u>

ELIXIR INDUSTRIES

TRIMMABLE BUTYL TAPE - 180

This trimmable butyl is an offwhite, non-hardening elastic butyl based material. It provides excellent

sealing adhesion to any type of metal, wood, concrete, glass, plastics and porous surfaces. Can be used under moldings; around windows, doors and vents. It can be trimmed easily with any stiff, pointed non-scratching object. This butyl increases in adhesion with age, after it is applied. One year shelf life. Easier to work with in warmer climates.

 Trimmable Butyl Tape, Off-White:

 48461
 1/8" x 3/4" x 30 ft.;
 #5831
 <u>20</u>

 48462
 1/8" x 1" x 30 ft.;
 #5825
 <u>16</u>

 48463
 3/16" x 1" x 20 ft.;
 #5850
 <u>16</u>



DUCT TAPE

Strong, heavy-duty, waterproof, pressure sensitive duct tape.

 Duct Tape, 2" Wide:

 41288
 60 Yards L
 #CT600
 24

 41289
 10 Yd. L, Carded
 #CT600C
 24

MASKING TAPE

An excellent all-purpose, general industrial masking tape offering a balance of quickstick, panel adhesion and holding properties. Meets requirements of U.S. Spec. U-T-106D, type 1.

Masking Tape, 60 yd. L: **41294** ³/4" Wide #CT10175 <u>6</u> **43626** 1" Wide #CT1011 <u>36</u> **43627** 2" Wide #CT1012 <u>24</u>





Black cap tape with mylar backing has closedcell PVC foam (with adhesive on one side) is used between the truck body and cap (topper). Seals out water, weather, dust, rattles and vibrations. Also functions as an all-purpose weather-stripping.

77389 Black Cap Tape, 1-1/2" W x 30 ft. L, Bulk *#8321C01AUG <u>20</u>*

3M SCOTCH #2090 LONG-MASK MASKING TAPE



This bright blue tape

uses a synthetic adhesive system which provides U.V. stability and adhesive transfer resistance up to 7 days after application. Controlled crepe paper backing makes tape conformable and smooth for use in paint/varnish masking applications.

 Blue Masking Tape, 60 yd. Roll (Not available in Canada):

 15736
 ³/₄" Wide #051115-06817
 <u>6</u>

 15737
 1" Wide #051115-06818
 <u>36</u>

 15738
 2" Wide #051115-06820
 <u>24</u>

HIGH PERFORMANCE "SCOTCH" BOX SEALING TAPE

A strong film tape for box sealing. Split and burst resistant. Seals out dirt and dust. Transparent in color. Meets U.S. Postal regulations. 2" W x 60 ft. L Not available in Canada. 41757 Box Tape #051131-06640 36



FLOOR & CARPET MATERIAL

Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier In Section F: Roof Repair Repair, Sealants, Adhesives Tape

Recreational Valuel

Enjoy the great outdoors. We'll help protect your RV from it.

> **Surface Shields cares** about your RV and the environment. That's why we have developed affordable protective products such as Carpet Shield[®] for keeping vour RV clean.

Carpet Shield®

- has a water-based adhesive
- · keeps carpet looking new
- is transparent
- is odorless
- is environmentally friendly
- and is made in USA





SURFACE SHIELDS **CARPET SHIELD®**

Carpet Shield is a clear, self-adhering film that provides temporary protection for all types of RV carpeting. Its non-slip surface is a special blend of polyethylene which is highly resistant to tears or punctures. Carpet Shield protects against stains and tracked-in dirt.

Carpet Shield Protector: 42074 21" x 30' #CS2130 12 42054 21" x 200' #CS21200 1 42053 21" x 1000' #CS211000 1 42084 24" x 200' #CS24200L 1 42078 24" x 1000' #CS241000 1 95887 12/ Display Protector, 21" x 30' #CS2130W 1

FLOOR SHIELD™

Floor Shield is a selfadhering film offering temporary protection for hard surfaces, such as tile, marble, granite, vinyl, laminates and other surfaces.



Floor Shield for Hard Surfaces: 42095 21" x 20' #FS2120 9 42085 24" x 200' #FS24200L 1



APPLICATOR The applicator provides a fast and easy way to apply Carpet Shield and other floor protection to larger areas. Lightweight, but very durable.

42031 Applicator, 21" Roller #A21 1

PRO SHIELD

Pro Shield is the most versatile and durable mat available. Reusable, absorbs liquids, leakproof and easy to store.

Pro Shield: 43147 24" x 5' Mat #OS2460 1 43200 24" x 20' Roll #PS2420 1 42044 32" x 50' Roll #PS3250 1





GRABBER Designed for RV's and manufactured homes. the non-skid RV Dirt Grabber has 30 tabbed layers of tacky-

RV DIRT

surface film that removes dirt from footwear. Replacement mats are available.

TRAVEL SHIELD

Travel Shield is a clear film that protects RV's

against bugs, tar and road debris. It can easily

RV Dirt Grabber: 42096 9" x 23" #DGRV0923 1 42098 17" x 23" #DGRV1723 1



SHOE COVERS

Shoe Covers are an easy way to protect carpets and floors from dust, dirt, scuffs and heel marks. Non-skid, Lightweight and disposable, one size fits all.

43155 Shoe Covers, One Polybag of 10-Pair/Bag #SC3001PB 10

SCRIM SHIELD

Scrim Shield is a durable and waterproof bottom board repair tape that creates a permanent seal on RV's and manufactured homes.



42099 Scrim Shield 4" x 180' Roll #BP4180 <u>1</u>



TAPES • NON-SKID MATERIAL • LUBRICANTS

47879

47902

In Section F: Roof Repair Repair, Sealants, Adhesives Tape Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier



47902 RV Awning Repair Tape Display with 8 Packs Tape #ST6016 1



Durable in wet or dry conditions. Self-adhesive strips are easy to use. Each strip has been pre-cut to fit most manufactured RV step applications. For RV's, boats, snowmobiles, docks, utility vehicles, ramps, skateboards, steps, farm equipment, ladders.

Black Anti-Slip Grit (Size, Strip by Pack): 44237 2" x 12", 4 #RE624BLRV 12 44245 3" x 16", 1 #RE627BLRV 12 44253 6" x 21", 1 #RE629BLRV 8 Yellow/Black Safety Grit Strips:

44261 6" x 21", 1 Strip #RE630YBRV 8



ANTI-SLIP SAFETY GRIT TAPES

For safer footing on: steps, ladders, ramps, decks, docks, farm machinery, trucks, trailers, RV equipment, utility vehicles, campers lawn mowers, skateboards, playground equipment, etc.

Black Safety Grit Tape, Bulk (Self-Adhesive): **47865** 2" x 60 ft. #RE142 6 47866 4" x 60 ft. #RE160 3 **47867** 6" x 60 ft. #RE161 2

ANTI-SLIP SAFETY TAPE MERCHANDISER DISPLAY

Lets dealers display 3 bulk rolls and dispense by the foot. Contains: 1 Roll 1" x 60' Black (47864); 1 Roll 2" x 60' Black (47865) and 1 Roll 4" x 60' Black (47866).

47869 Merchandiser #MR120 1

INDOOR/OUTDOOR ANTI-SLIP SELF-ADHESIVE TAPE

Safer footing for smaller applications on: . Steps. . Ladders.

- Ramps. Decks. Docks.
- Farm machinery. Trucks.
- Trailers. RV equipment.
- Utility vehicles. Campers.
- · Lawn mowers. · Skateboards.
- Playground equipment.

47877 2" x 5 ft. #RE172 12



Improves footing on steps, ladders and trailers. Can be cut to any shape, adheres to any clean, dry surface and is durable in wet or dry conditions. Grit surface on top. Black.

Non-Slip Grip Tape. 60 ft. Roll: 49511 2" x 60 ft. #A10-2260 20 Non-Slip Grip Tape, Carded: 49698 2" x10 ft. #A10-2210VP 48

LUBEMASTER SILICONE SPRAY

100% pure silicone sprav that is odorless and safe. Lubemaster is dry lubricant and won't attract dirt and debris that can cause binding.Lubemaster has hundreds of other applications for the RV owner. 38540 Lubemaster Spray #747 <u>12</u>





CRC[®] HEAVY DUTY SILICONE

A multi-use lubricant-forms a clear protective film to waterproof and lubricate. Use on anything: rubber, leather, canvas, fasteners, snaps, zippers. Resists cold and heat-effective from 40° up to 400° F. USCG certified No. 933. 7.5 oz. aerosol.

743340 Silicone Lube #06077 12

LUBIT-8 **ALL PURPOSE OIL**

Super clean Teflon oil frees frozen door locks, car door hinges, mirrors, latches, and lubricates antennas. Lubit-8 also can be utilized as a cutting-oil for pipes and is excellent as a lubricating film between surfaces, such as window channels and sliding doors. Use anywhere; works better and lasts longer than regular oil.



42888 Lubit-8, CD/1 #002-70003 6



PROTECT-ALL SLIDE-OUT DRY LUBE

Industrial grade rust inhibitor offers longer protection, displaces moisture and resists dirt, sand, salt and road grime. New format! Now 16-oz.

45839 Slide-Out Lube (US only) #40003 40293 Slide-Out Lube (CAN only) #40003C <u>12</u>

RV MAINTENANCE

F

LUBRICANTS • FUEL STABILIZER

A BEST C

In Section F: Roof Repair Repair, Sealants, Adhesives Surface Material Automotive Paint Cleaners/Protectant Washers, Brushes Deodorizer Dehumidifier Tape





LIDE OU

RV SLIDE OUT LUBRICANT

· Lubricates slide rails and gears. · Stops squeaks and binding. • Sprays upside down. • Prevents rust. • 13-oz. aerosol.

47573 Slide Out Lubricant #32777 6

RV SLIDE OUT RUBBER SEAL CONDITIONER

• Prevents fading, cracking and deterioration. Long-lasting UV protection. conditions and shines. • No wiping required.

• 14-oz. aerosol.

47574 Seal Conditioner #32778 6



CRC® SCREWLOOSE[®]

A superfast, powerful, concentrated penetrating solvent that loosens and cleans. It instantly penetrates minute and tightly fitted crevices. Dissolves gum, rust and corrosion. Provides lubrica-ting residue that is clean and gum-free. 11 oz. size.

36% More

SADE

OTOHE

49576 Screwloose® #05330 12

SLIDE-OUT RUBBER SEAL TREATMENT

Extends the useful life of rubber seals. Produces an anti-static, water-repellent, protective film that aids in guarding against premature deterioration while producing a dry, smooth surface that reduces excessive friction and wear on slide-out seals. Compatible with all rubber seals as well as their adjacent surfaces such as fiberglass, aluminum and vinyl. New format! Now 17-oz.

46244 Seal Treatment (US only) #40015 <u>12</u> 40296 Seal Treatment (CAN only) #40015C 12



FREEZE- OFF ™ SUPER PENETRANT

CRC®

FREEZES. PENETRATES AND LOOSENS!

Upon contact, Freeze- Off immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks the rusted surface, allowing Freeze-Off to reach deeper and work more effectively than other penetrants to loosen rusted and corroded nuts, bolts, hinges, locks and more!

Constant exposure to moisture, salt air and salt water binds, erodes and destroys metal assemblies, fasteners and fittings. The highly superior penetrant formulation of Freeze-Off makes it ideal for hundreds of marine applications, including: metal hardware, tools, riggings, mast tracks, cleats, pullevs, latches, fasteners, tilt pins, trim rams, swivel mechanisms, winches, anchor chain reels, turn- buckles, terminal fittings, sacrificial zinc anode fittings, battery terminals, rod holders, fishing gear and trailer components. Not available in Canada.

40911 Freeze-Off Super Penetrant (Low VOC), 11.5 oz. #05002 <u>12</u>

CRC Jump Star ng Fluid

CRC[®] JUMP START INSTANT STARTING FLUID

A highly volatile priming fluid for starting all internal combustion engines at sub-zero temperatures. Saves starter and battery, reduces engine wear. Contains ethyl ether with upper cylinder lubricant and corrosion inhibitor. Will not clog air filter or harm catalytic converter. 11 oz. aerosol.

41681 Starting Fluid #05671 12




CRC[®] BRAKLEEN[®] NON-CHLORINATED **BRAKE PARTS CLEANER -50 STATE FORMULA**

Removes brake fluid, grease, oil, and other contaminants quickly and effectively. Cleans & degreases brake parts, linings, calipers, drums and more! Extremely Flammable.

Applications: ABS, disc, drum brake cylinders, brake drums, brake linigs, brake shoes, calipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems including: springs & wedge brakes.

44833 Brake Parts Cleaner -50 State Formula,14-oz. can #05054 12





130