# **VENTMATE VENT COVERS**

**VENTS & TRIM** 





 $\underline{e} = Std. \ Carton \ Qty.$ 



# **VENTMATE REPLACEMENT VENT LIDS**

VENTS & TRIM

Н

In Section H: Roof Ventilation Refrigerator Vents Plumbing Vents Registers & Grilles Side Vents Trim/Molding Gutter Extensions

# **VENTMATE REPLACEMENT VENT LIDS**

Fit 14" x 14" plastic frame vents. Sold and packaged two ways: individually in a box with graphics or bagged with a header card.

LOW PROFILE REPLACEMENT LIDS FOR VENTLINE, 1995+ ELIXIR AND HENG'S UNIVERSAL VENTS

Low profile lid. For Ventline vents with a 12 volt fan,use item **64961**.

# Low Profile Lid for Ventline, 1995+ Elixir and Heng's Universal Vents

| Color                 | Box/1 | Bag/1 Price |   |  |
|-----------------------|-------|-------------|---|--|
| White                 | 61255 | 63113       |   |  |
| Smoke                 | 61271 | 63115       |   |  |
| Amber                 | 61258 | 63114       |   |  |
| Lifetime Warranty Lid |       |             |   |  |
| White                 | 69281 |             | · |  |




# STANDARD PROFILE REPLACEMENT LIDS FOR VENTLINE, 1995+ ELIXIR AND HENG'S UNIVERSAL VENTS

Standard profile lid.

# Standard Profile Lid for Ventline, 1995+ Elixir and Heng's Universal Vents

| Color                                | Box/1 | Bag/1 | Price |  |  |
|--------------------------------------|-------|-------|-------|--|--|
| White                                | 69280 | 69278 |       |  |  |
| Smoke                                | 69279 |       |       |  |  |
| Lifetime Warranty Lid                |       |       |       |  |  |
| Hi-Dome style to fit over large fan. |       |       |       |  |  |
| White                                | 65479 |       |       |  |  |











65479 Lifetime



# VENTMATE LIFETIME WARRANTY REPLACEMENT VENT LIDS

Never buy another vent lid! Impact resistant and UV stabilized. Works on 14" x 14" power vents with 12V fans.

Lifetime Warranty Ventlid, White:

65487 Fits Old (Pre-1995) Jensen-Style #65487 12

69285 Fits Heng's & 1995+ Jensen-Style #69285 500

65489 Fits Pre '95 Elixir #65489 12

65479 Fits Ventline/ '95+ Elixir Hi-Dome Style to

fit over large fan #65479 12

**69281** Fits Ventline/ '95+ Elixir Low Profile #69281 500

 $\underline{e} = Std. \ Carton \ Qty.$ 

# MAXXAIR VENTS

In Section H:

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Trim/Molding

**Gutter Extensions** 

- America's first choice for RV Ventilation
- Protects your RV's interior from rain
- Constant airflow prevents heat build-up, lets musty air, smoke and cooking odors escape
- Proven, super-tough one piece design
- · Mounts to all standard roof vents



The Original mounts on most popular 14" x 14" standard roof vents, and features our exclusive Zero-Leak Mounting System that eliminates the need to drill any holes in your RV's roof surface. Six-year Limited Warranty. 19.5"L x 18.5"W x 9"H.

\*Warranty limited to repair or replacement, see vendor's website for details.



**64643** White #00-933066 10

**64644** Smoke #00-933067 5

**64645** Shell White (Almond) #00-933068 <u>10</u>

65772 Black #00-933069 10

**66566** Gray #00-933070 **5** 

Accessory - Allows vent cover to easily open for cleaning

66570 Hinged Vent Cover Bracket #00-225001 12

re Vent Area than an

- Twice as much vent area as our original vent cover
- Solid one-piece, sleek aerodynamic design
  Hinged hardware included for easy opening and cleaning

the industry\*

# Opening for Cleaning a Breeze

Stainless steel snap lock pins remove for easy access. Hinged brackets provide full access for cleaning and inspection of roof vent seal.

Now the new MaxxAir II, available in four popular colors, with twice the vent area and with hinged hardware included, is an even better value. Six-year Limited Warranty. 22.125" Length x 20.25" Wide x 9.5" Height.

\*Warranty limited to repair or replacement, see vendor's website for details.

**67277** White #00-933072 5

**67278** Smoke #00-933073 5

67279 Almond #00-933074 5

67280 Black #00-933075 5

New louvers with protective galvanized screen provide superior rain protection and the new Fan/Mate for 2011 now includes hinged opening mounting brackets to allow for cleaning and servicing of your fan. The Fan/Mate 950 includes the same features as the Model 850 but is colored BLACK to accent custom painted RVs. Fan/Mate® is designed for use with high-powered ceiling fans such as Fan-Tastic™, Comfort Air™, or Northern Breeze™. The Fan/Mate® completely encloses your



ceiling fan/vent allowing your fan/vent to open for ventilation, providing excellent rain protection for your RV interior. Both models feature a high-strength polyethylene cover with UV inhibitors, designed for years of service. Three-year Limited Warranty. 32.5" L x 20.5" x 9.93"H.

## RAIN COVER FOR HIGH-POWERED CEILING FANS



- Model 850 (White) and Model 950 (Black) feature a 20 % larger vent area for better fan performance
- Both models have protective exhaust screen and louvers
- Both models feature hinge opening mounting brackets that provide easy access for cleaning and service

**69251** Model 950 Black #00-945004

69252 Model 850 White #00-945003 1

Roof Ventilation In Section H Refrigerator Vents Plumbing Vents Registers & Grilles Side Vents Trim/Molding Gutter Extensions The RV Ventilation Solution

andard Mod



**Both models** are available as **Manual Opening or Remote Control Opening** 

- Remote control models now include controls at ceiling - A MaxxFan Exclusive!
- Fan runs with lid closed to circulate air (Ceiling Fan Mode)
- Lid Available in White or Smoke
- Flush mounted, easy to clean Keypad, controls fan speed, thermostat, air intake and exhaust
- Features a powerful 10-speed fan motor
- Provides over 900 Cubic feet of air per minute to keep you cool and comfortable
- Installs into all standard 14" x 14" RV roof openings
- 2-YEAR Limited WARRANTY with Lifetime Limited WARRANTY on Iid.

### Standard Models

**69857** White Lid, Manual Opening #00-04000K 1 **69858** Smoke Lid, Remote Opening #00-04500K 1

69203 White Lid, Manual Opening #00-05100K 1

**69204** White Lid, Remote Opening #00-07000K 1

# **Deluxe Models**

**69232** Smoke Lid, Manual Opening #00-06200K 1

# 69233 Smoke Lid, Remote Opening #00-07500K 1

# [[]; [= (0)

# All the benefits of a Yem Gover - Plus a

**NEW!** • Features hinge opening mounting brackets that provide easy access for cleaning and service

- · Control console at ceiling provides 3 speed fan motor operation with intake and exhaust functions
- Thermostat model provides automatic operation
- · Large 12" diameter, 10-blade fan prevents heat build-up, odors and musty air
- 2-year Limited warranty
- Powerful 12-volt, 4-amp motor provides more than 900 CFM on highest speed

MaxxAir's Turbo/Maxx® provides maximum ventilation even when it rains. Remove musty air, smoke and cooking odors while preventing heat build-up. The Model 1200T WITH THERMOSTAT allows the fan to cycle on and off when you're gone. Simply adjust the thermostat to your desired temperature. The Turbo/Maxx® attaches directly to your existing 14" x 14" standard roof vent. Both models feature a white, high density polyethylene rain cover with UV inhibitors. Two-year Limited Warranty.

**61895** 1200T With Thermostat #00-965001 1 **64920** 3550 No Thermostat #00-965007 1

# WINDOW/MAX

**Louvered Window Vent** 



Provides refreshing cross ventilation. Ideal ventilation for pets. Mounts to left or right hand sliders up to 33" tall. Window fully opens and closes as before.

61497 Window/Maxx #00-455000 **6** 

**ZERO LEAK KIT.** Original Hardware Kit for re-installation of the original MaxxAir Vent Cover. Mounts to the vent side wall to avoid drilling holes in your roof. Stainless steel and aluminum. Not to be used for Fan/Mate. Turbo/Maxx or MaxxAir II.

65252 Zero Leak Kit #00-225000 5

MaxxAir products are protected by U.S. Patent Nos. 7,004,832; 5,309,972; 5,672,101; 5,897,435; D.376,007; D.330,415; D.320,267; D.391,632; D463,541 S and other Patents Pending. Fan-Tastic VentTM is a registered trademark of the Coleman Co., Inc. Comfort Air is a registered trademark of SHURflo, LLC Northern Breeze is a registered trademark of Ventiline, Divn. of Philips Products, Inc.

177 <u>6</u> = Std. Carton Qty.

# ROOF VENTILATION

In Section H:

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Trim/Molding

Gutter Extensions

# FAN-TASTIC VENT

# **MODEL 8000 CREATE-A-BREEZE**

Three fan blade speeds (low, medium, high), and a manual dome lifting knob. Model 8000

C-A-B by Fan-Tastic Vent is an entry level best-in-class fan that is great for bathrooms or any 14" x 14" opening in your RV. 1 year limited warranty (all parts).



# **Technical Information:**

• Durable, proven longevity. • Quiet, 12-volt ceiling vent with 3 speeds. • ASA Dome / 1 year warranty. • Removable screen for easy cleaning. • Low AMP draw insures full-time use.

Specifications: • Rooftop weight: 8 lbs. • Outside dimensions: 16.5" x 16.5" x 4.5". • Performance SCFM/Amps/Decibels: High - 920/3.00/40; Medium 653/2.29/39; Low - 478/1.86/39.

66607 12V Create-A-Breeze Ceiling Fan #8000

# FAN-TASTIC VENT



New design!

# 12 volt

12-VOLT "ENDLESS **BREEZE" FAN** 



Endless Breeze is a high volume 12-volt fan with a 12" blade and operates at three speeds. Air movement of up to 1000-CMF (cubic feet per minute) is a major breakthrough in 12-volt portable fans. Standing only 14" H on retractable legs, and less than 3" thick, it travels and stores easily. Weights under 5 lbs. Endless Breeze can be powered by any 12-volt power source such as automobile lighter outlets or by connecting jumpers to any 12-volt battery. Maximum draw is less than 3 amps/hour. Comes with a 6' cord. Operates efficiently up to 14' from its power source.

12931 12-V Box Fan #1100WH 1

# FAN-TASTIC VEN 66374

# FAN-TASTIC VENT WITH 12V FAN

Fan-Tastic Vent is an investment in comfort. It provides immediate air exchanges with minimum 12-volt power usage. It's one of the most used appliances in any rig. Fresh, clean, outside air can be yours without generators, air conditioners or engines operating. All models fit standard 14" x 14" opening; and are 16.5" x 16.5" x 4.5". All have removable screen for easy cleaning. Choose fan blade direction (OUT for exhaust or IN for air intake). CSA certified; UL listed.

# Model 6600R with Hand Remote: Fresh air in the palm of your hand™!

No need to run wires down the wall...or bring a chair to reach the high ceiling! This air exchange system for the RV includes a hand held radio frequency remote that makes operation as simple as sitting in your easy chair and pushing a button. A convenient wall cradle lets you choose an easily accessible location, install the lightweight cradle, and operate the fan from the cradle, or remove the remote and operate from anywhere inside or outside your coach. 14 speed fan including reverse, Rain Sensor, automatic variable speed (Thermostat actuated) mode.

## Model 6000RBTA

Just select your speed from this 3-speed model. Features Automatic Dome Opener with built-in Rain Sensor. Flip a switch and the dome opens or closes. Or when the sensor gets wet, the dome automatically closes; opens again when sensor is dry. Built-in thermostat helps keep the interior cool.

# Model 5000RBT

A manual opening, 3-speed vent with reverse and thermostat. Hand crank open the dome, pick IN or OUT and your fan blade speed, set the

62316

inside view of 62316



thermostat and the blades will start and stop according to the chosen temperature. Perfect for when you leave pets behind or while sleeping.

### Model 4000R

A manual opening, 3-speed vent with reverse. Hand crank open the dome, choose IN or OUT and your fan speed. Fan blade is activated when dome is opened approximately 2".

Rain Sensor models have fully automatic opening and closing dome. When the rain stops, the dome re-opens.

Fan-Tastic Vent:

**66374** Model 6600R 14-Speed 12V Fan with Reverse, Cradle, Thermostat, Automatic Opening Dome, Rain Sensor, Remote & Cradle #6600R-417 4WH 4

62316 Model 6000RBT 3-Speed 12V Fan with Reverse, Thermostat, Automatic Opening Dome, & Rain Sensor #6000RBT-BRIGHT WHITE 4

62467 Model 5000 RBT 3-Speed 12V Fan with Reverse & Thermostat, Manual Opening #5000RBT-BRIGHT WHITE 4

62466 Model 4000R 3-Speed 12V Fan with Reverse, Manual Opening #4000R-BRIGHT WHITE 4

# **FAN-TASTIC** POP'N LOCK SCREEN

We are happy to introduce the new Pop 'N Lock Screens, allowing pop-in screen installation and replacement. The clip-on feature eliminates having multiple screws to install, making maintenance and cleaning a snap. The Pop 'N Lock screens are made of high-impact polystyrene and will replace all existing screens, covering up old screw holes and giving an attractive, sealed fit.

Pop'n Lock Screen, Bx/2: 67321 Off-White #K2035-80 2 67322 White #K2035-81 15

# FAN-TASTIC VENT







67322

**PLATINUM** 

In Section H:

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

SILVER

Side Vents

GOLD

Trim/Molding

Gutter Extensions

# **COMFORTAIR**

# **SHURflo Comfort Air Circulation Systems**

### COMFORT AIR VENTILATION SYSTEM

SHURflo's Comfort Air circulation fan lets you bring refreshing outside air into your coach while forcing out the old and stale.

- Sweeps in cool and fresh air.
- Evacuates old and stale air.
- Keeps pets cool while A/C is off.
- · Removes odors quickly.
- Remote control operation (select models).
- Low amp draw ensures constant use.
- Designed to circulate air; not blow air.
- Dome closed operation.
- Whisper quiet operation.
- Fits standard 14" x 14" openings.

# SPECIFICATIONS:

Voltage: 12VDC.Max Amps: 4 Amps.

Operating Amps: .30- 3.60 Amps.
Min Air Flow Intake: 230 CFM.
Max Air Flow Intake: 910 CFM.
Min Air Flow Exhaust: 260 CFM.
Max Air Flow Exhaust: 980 CFM.

Min DB Level: 36 DB.Max DB Level: 39 DB.Approvals: CSA, FCC.

| u bring refreshing | SERIES             | SERIES             | SERIES             |
|--------------------|--------------------|--------------------|--------------------|
| the old and stale. |                    | 8                  |                    |
|                    | Part No. 275-C0104 | Part No. 275-C1004 | Part No. 275-R1234 |
| Ceiling Control    | O                  | •                  |                    |
| Remote Control     |                    |                    | 0                  |
| Variable Speed     |                    | •                  | 0                  |
| Exhaust            |                    | •                  | 0                  |
| Intake             |                    | •                  | 0                  |
| Power Dome         |                    |                    | 0                  |
| Thermostat         |                    |                    | 0                  |
| Rain Sensor        |                    |                    | 0                  |

\* Listed part numbers include flange to fit roof thickness 3.5" - 5.25". Other sizes available upon request







The Comfort Air Silver circulation fan is ideal for the bathroom and small living quarters such as the kitchen or the bedroom. The variable speed control allows for comfort at several different settings, guaranteeing your satisfaction at any level of air-flow. This exhaust-only fan pulls the stale air and unwanted odors from your coach, which then forces new air in from an open window. If you want a gentle breeze to cool you from overhead, simply close the dome and the air driven from the exhaust mode will bounce off the dome and back into the coach, creating the effect of a ceiling fan. Whether it's hot outside and you are looking to cool down, or your heater is blowing and you want to scatter the warm air, the Comfort Air Silver is the perfect first step for your air circulation needs.

Exhaust only. • Variable speed. • White dome.
Easy removable screen. • Operational with dome closed. • Whisper quiet operation.

**66094** Comfort Air Silver Series #275-C0104 1



Comfort Air™ Gold



The Comfort Air Gold circulation fan is equipped with a variable speed control that allows for comfort at several different settings, guaranteeing your satisfaction at any level of air flow. The exhaust feature pulls the stale air and unwanted odors from your coach, which then forces new air in from an open window. If you want a gentle breeze to cool you from overhead, simply close the dome and the air driven from the exhaust mode will bounce off the dome and back into the coach, creating the effect of a ceiling fan. For a more dramatic flow of air into your coach, switch the fan to intake mode where the variable speed gives you the power to set the fan at any speed up to 950 CFM, the most on the market.

- Bi-directional airflow. Variable speed.
- Smoke tint dome. Easily removable screen.
- Dome closed operation. Whisper quiet operation.

**66093** Comfort Air Gold Series #275-C1004 <u>1</u>



Comfort Air™ Platinum Includes Remote Control



The Comfort Air Platinum circulation fan features full remote operation that allows you to control comfort levels from your fingertips. Included is a handy wall mounting bracket that gives you the option of leaving your controls on the wall, or taking it with you to the bed or living area seating. Equipped with Bi-directional operation, thermostat setting, and a rain sensor, this all-inone fan is ideal for circulating air throughout your whole coach. High ceilings are no longer a concern with this remote version, because there are no wires to run through the walls and installation is a breeze.

- Remote control operation. Variable speed.
- Bi-directional operation. Smoke tint dome.
- Easily removable screen. Thermostat controlled. Rain sensor closes dome automatically.
- Dome closed operation. Whisper quiet operation.

**66092** Comfort Air Platinum Series #275-R1234 <u>1</u>

 $\underline{\mathbf{e}} = Std. \ Carton \ Qty.$ 

# ROOF VENTILATION

In Section H:

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Trim/Molding

Gutter Extensions

### VENTLINE **VENTLINE VENTADOME 14" x 14" VENT** WITH RADIUS CORNERS



Phase I: Ventline's new aerodynamically shaped dome has 4X the impact strength of other polypropylene covers on the market. The improved lift mechanism provides a smooth operation and eliminates chatter. The slide mechanism has more surface area contact, making the guide bar stronger and allowing better distribution of stress.

Phase II: Snap-out screen easily detaches for cleaning. The ceiling garnish and crank handle remain in place no screws to lose.

Non-Powered New Style Ventadome:

67545 Birchwhite #V2092SP-25 1

67552 Bright White #V2092SP-28 1

67551 Smoke #V2092SP-27 1

Powered New Style Ventadome:

67553 White, 12V #V2094SP-28 1

69540 Fan Blade for standard unit #BVD0215-00 1

# WEDGE SHAPE R REPLACEMENT DOME FOR VENTLINE NEW STYLE VENT

67542 White #BVD0449-A01 12

# VENTLINE STANDARD HEIGHT REPLACEMENT LID FOR VENTLINE VENTS

Ventline Standard Height Cover

**64961** White #BV0554-01 10

64962 Smoke #BV0554-03 10

# **VENTADOME REPLACEMENT PARTS**

69749 NEW! 12V Repl. Motor Kit; Included in the kit is the VD0218 motor, motor lead wires, screws, instruction sheet and a drill template to retro-fit the VD0218 motor to the brackets used with the older motors (screw hole spacing is different) #BVD0218-00 1

65015 Repl. Operator w/crank handle and screw #BV0115-04 W/SCREW 20

66591 Ventadome Knob Only #BVD0421-15 15

65017 Repl. Operator with extension, crank handle and screw #BV0115-02 20

64926 12-V Motor, fits round shaft #BVC0468-01 1

64924 NEW! Fan Blade f/12-V roof Ventadome. 6-Blade CCW; fits .125 dia. round shaft with knurl; 6" dia.; White #BVC0466-00 1

46596 Vent Crank only (with bolt)

64365 Vinyl Seal, 51" #BVA0101-00 1

66030 Pressure Switch #BV0199-04 1





Operating Knob



# **VENTADOME 14" x 14" VENT** WITH RADIUS CORNERS

Non-powered Ventadome roof vents with tough plastic translucent covers provide maximum light and air capabilities. Steel constructed; easy-open operation, heavy-duty screens and superior weather seals. Rough-in opening is 14-1/4" square. Sun-resistant domes are high-impact polypropylene plastic. Molded-in color, plus a special UV ray inhibitor keeps color vibrant year after year.

61113 White, 110-V, without Garnish (Not shown) #V2128-511-00 5 65566 2-1/8" Plastic Garnish for Radius Corner Roof Vents, White #VA0445-26 <u>24</u>

# **KNOB OPERATOR**

Ventadomes now feature a knob operator, replacing the traditional L-shaped crank handle. The round knob (66591) provides an easier grip and allows for a smoother operation of the lift assembly. The knob also detaches easily, permitting faster screen removal and cleaning. The knob is interchangeable with the L-shaped crank, so you can also use it on older vents.

# **METAL COVER VENTADOME**

Non-Powered 14" x 14" Ventadome with Metal Cover, Radius Corner Screen Frame and Ceiling Garnish:

65560 Metal Cover Vent, Radius Corner #V2110SP-23 1

60759 Replacement Metal Dome #BV0534-00 20

65565 1-1/8" Plastic Garnish for Radius Corner Roof Ventadomes, White #VA0445-25 1

Garnish only

62320 31/8" Plastic Garnish for radius corner roof ventadomes, Birch White #VA0445-27

Another product improvement by Ventline that makes cleaning a snap!



# **VENTLINE SCREEN'** FOR STANDARD VENTADOMES

Simply detach the screen by pinching the tabs located around the perimeter. There is no need to remove the ceiling garnish or the handle! The new frame with removable screen replaces the old style single piece screen.

### REPL.. FRAME WITH REMOVABLE SCREEN

Birch White Frame w/remov. screen (2 pces): 68788 For Standard 12V Powered Roof Ventadomes, Comes with rocker switch and wires, For models V2094, V2193 and V2394 #BVC0573-31R 1

68787 For Standard Non-Power Ventadomes #BVC0573-31 1

# REMOVABLE SCREEN

Removable Screen Portion only: **68801** Birch White #BVD0434-31 68785 Polar White #BVD0434-41 1

• Please note that the pocket of the new screen is slightly different than the old screen. Customers may require a different length ceiling garnish.

| GARNISH<br>MODEL# | INSTALLED<br>WITH | NEW 2 PIECE SCREEN<br>(VC0573TAB) VS<br>OLD SINGLE PIECE SCREEN<br>(VA0444TAB) |  |
|-------------------|-------------------|--|--|
| VA0445-27         | V2092             | 3" to 3-15/16"<br>2-7/8" to 4"   |  |
| VA0445-26         | V2094             | 2" to 2-15/16"<br>1-7/8" to 3"   |  |
| VA0445-25         | V2110             | 1" to 1-15/16"<br>7/8" to 2"   |  |
|                   | New Style         |  |  |
|                   | Old Style         |  |  |



In Section H: Roof Ventilation Refrigerator Vents Plumbing Vents Registers & Grilles Side Vents Trim/Molding Gutter Extensions



# HENG'S INDUSTRIES STANDARD MOUNT PAINTED METAL BASE VENTS

Features: • Self-Centering Device eliminates installation guesswork and assures perfect alignment in roof opening. • Attractive radius corners are standard. • Screen allows air through while keeping insects out. • Positive-seal weather-stripping is leak-resistant and water tight. • One-piece seamless frame with a deep drawn painted metal base. • Hinge: Heng's and 1995+ Jensen style without hinge pin.

Advantages: • Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS; No.205 glazing materials).
• Injection molded telescoping garnish accomo-

# **COLONIAL WHITE METAL BASE**

dates a variety of roof thicknesses. • Hand crank

Non-powered (Screen Frame Is Pure White)

**60750** Bronze #V773401-C1G1 10

to open and close lid securely.

**60751** Smoke #V774401-C1G1 10

60752 White #V771401-C1G1 10

With 12V Fan Only:

**60749** Vent with Smoke Lid, 12V Fan, Colonial White Metal Base #V774402-C1G1 10

Replacement Late-Model Lid, no pins required, for Heng's vents shown above:

62007 Amber Lid #J7291BZ-CR 10

62008 Smoke Lid #J7291SM-CR 10

62009 White Lid #J7291WH-CR 10

Additional Replacement Parts for above vents:

**61974** Deep Garnish for 14" x 14" Vents, (fits ceilings  $2\frac{1}{2}$ " –  $4\frac{1}{8}$ " thick, measures  $3\frac{3}{8}$ " from top to bottom), White #JRP1120B 10

**61975** LS Deep Garnish for 14"  $\times$  14" Vents, (fits ceilings  $2^{1/2}$ "  $-4^{1/8}$ " thick), Off-White #JRP1121B 10



# HCNG'S®

# HENG'S INDUSTRIES ESCAPE HATCH / EXIT VENTS

Features: • Fresh air ventilation: A turn of the crank provides a large vent area. Lets air through, keeps insects out. • Includes opaque white plastic lid. • Sturdy frame installs easily and is made of heavy aluminum extrusion to assure secure mounting. • Dependable operation featuring leak-resistant lid and weather-tight frame. • White garnish included.

Advantages: • Instant exit. Screen opens quickly to assure fast exit through opening.

Largest selection: 13" x 20" to 26" x 26".
A strong fine mesh screen.

# **ESCAPE HATCH / EXIT VENT W/WHITE LID**

**60255** 15" x 20" Escape Hatch, with 4 pc., 2" White Metal Garnish; Cutout: 17-1/2" x 24-1/2" #58621-C2 5

**61631** 17" x 24" Escape Hatch, with 4 pc., 2" White Metal Garnish (RVIA); Cutout: 19-1/4" x 26-1/4" #48621-C2 <u>5</u>

**60372** 26" x 26" Escape Hatch, with 4 pc., 2" White Metal Garnish (RVIA); Cutout 25-7/8" x 25-7/8" #68631-C2 5

# REPLACEMENT DOME

**60272** For Old-Style 13" x 20" Vent, 15" x 22" Lid Size #90007-C1 1

**60256** For 15" x 22" Vent, 18-1/2" x 25" Lid Size *#90008-C1* <u>1</u>

**61624** For 17" x 24" Vent, 19-3/4" x 26-1/2" Lid Size #90088-C1 1

The 60371 style dome has a 1-5/8" H hinge plate, and one track down the middle. Fits vents made 1995 to date. 26" x 26". Opaque.

**60371** For 26" x 26" Vent, 26-1/2" x 26-1/2" Lid Size #90014-C1 1

# **OLD STYLE REPLACEMENT DOME**

The old style dome has a 2-1/4" H hinge plate, and one track down the middle. Opaque white. 26" x 26".

**60882** Old Style Replacement Lid #900140S-1 1


# REPLACEMENT PARTS FOR DISCONTINUED JENSEN ASTRO-ROOF VENT

Parts for the Astro-Roof vent with instant escape release hatch. *Vent no longer available.* 

Replacement Parts Only 60174 22" x 22" Dome #J294X22WH 1

**60099** LS 26" x 26" Dome #J294X26WH 1

# HENG'S



HENG'S INDUSTRIES STANDARD MOUNT UNIVERSAL VENTS

Features: • Self centering metal base w/radius corners.

• Interior garnish w/wider 1-1/4" flange and radius corner. • Available in standard, 12-volt, CSA and UL approved 110-volt. • Designed to withstand excessive wind and weather.

• Hinge: Crimp sheet metal.

Advantages: • Universal, fits all rough openings. • Flange covers all screws holes. • One piece metal frame, deep drawn metal base. • Covers all interior stains left by previous garnishes. • Positive-Seal weather stripping is leak resistant and water tight. • Interchangeable with existing Elixir and Ventline products.

Galvanized Base, Non-powered (Screen Frame is Pure White):

69633 Amber #73111-C1G1 10

**69635** Flat Galvanized #75111-C1G1 10

**69634** Smoke #74111-C1G1 <u>10</u>

**69632** White #71111-C1G1 <u>10</u>

Replacement lids for above plus Elixir vents 1995 and newer (universal) & Ventline vents:

61345 Metal f/69635 #90114-CR 10

61334 White f/69632 #90110-CR 10

See pages 174-175 for additional replacement lids for above vents.

# REPLACEMENT PARTS FOR ABOVE VENTS

White Garnish, 1-1/4" Wide Mounting Flange:

**69636** 1-1/8" Vertical Leg #90090B <u>10</u>

69638 3" Vertical Leg #90092B 10

69639 4" Vertical Leg #90094B 10

**60266** LS Lid, Metal, Elixir old style

series 20000 #90005-C1 1

**64926** 12-V Motor, with Round Shaft #BVC0468-01 1

**65390** Screen Frame, White. Garnish telescopes inside screen frame #90106-C1 5

**60432** Clockwise Fan Blade for 12-Volt Vent #90038-C1 <u>5</u>

65012 Operator for 14" Elixir & Jensen Vents, w/o Crank Handle, 6" Arm Length, 1/Bag #JRP1000R-C 5

**41361** Replacement Operator, 6" Arm Length w/Crank Handle, (same as #**65012**) CD/1 #814CK 10

**60178** Crank Handle for replacement operator, Metal, 3/Card #JRP2160R-C 5

 $\underline{\mathbf{g}} = Std. \ Carton \ Qty.$ 

# **ROOF VENTILATION**

In Section H:

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Trim/Molding

Gutter Extensions



# STANDARD MOUNT PLASTIC BASE JENSEN-STYLE VENT by HENG'S INDUSTRIES

Features: • Exclusive Self-Centering Device eliminates installation guesswork, assures perfect alignment in roof opening. • Attractive radius corners are standard. • Screen allows air through, keeps bugs out. • Positive-seal weather stripping is leak-resistant and weather-tight.

• Hinge: Jensen-style slotted.

Advantages: • Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS). • Hand crank opens and closes lid securely. • 14" x 14" vents with 1-1/2" (vertical leg) white garnish and white screen. • Individually boxed.

### WHITE BASE, NON-POWERED

60101 Amber #V073101-C1G1 10 60102 Smoke #V074101-C1G1 10 60100 White #V071101-C1G1 10

# WHITE BASE, WITH 12-V FAN

**60012** 12V, White #V071102-C1G1 10





62430 or

61450

Remote switch included in #61450 Power Lift Roof Vent

# WHITE BASE, WITH 12-V FAN & LIGHT

Vent with integral 12-volt light has a translucent plastic lens and four 3-watt low-voltage lights.

**62430** Lighted Vent, White with 12-V Fan *#V071112-C1G1* <u>10</u>

**69631** Replacement Lens for Jensen V071112 or V071142 *#JRP1161R-C 5* 

# WHITE BASE, 12V FAN, LIGHT & POWER LIFT

Vent with power lid-lift uses 12-volt DC motor operated by a convenient remote switch.

61450 Vent with White Plastic Lid, 12-V Fan and 12-V Lights for 1"-2-9/16" Roof Thickness #V071142-C1G1 10



# VENTINE

# REPLACEMENT PARTS FOR VENTLINE EXIT DOMES

Parts for the model #V2047 (22" x 22", pictured above) and for the discontinued model #V2052 (15  $^{1}/_{2}$ " x 22  $^{1}/_{2}$ ").

60763 Replacement Dome (Lid) for V2047-01 Exit Vent, white; nominal overall flange size 24" x 24"; rough opening of 22" x 22"; #BV0586-04 1

**60765** LS Replacement Dome (Lid) for V2052 Exit Vent, White; nominal overall flange size 17" x 24"; rough opening of 14-1/2" x 21-1/2" #BV0586-03 §

65020 Replacement Operator with Guide Roller, Crank Handle and Screw #BVA0179-00 W/SCREW 1



This convenient 9" x9" lightweight vent is ideal for providing fresh air in small places such as bathrooms, passageways, galleys, etc. This mini vent is weatherproof due to the quality high-impact plastic used in its construction.

**60267** Colonial white opaque 9" roof vent with 7/8" plastic garnish, Boxed #17511-C1G 10







# HENG'S INDUSTRIES CLAMP STYLE PAINTED METAL BASE VENTS

Features: • Self-Centering Device eliminates installation guesswork and assures perfect alignment in roof opening. • Exclusive four-screw inside flange mount feature for attaching base garnish to lid mount. Saves labor on installation. • Screen allows air through while keeping insects

- Screen allows air through while keeping insects out.
   Attractive radius corners are standard.
- Positive-seal weather-stripping is leak-resistant and water tight. One-piece seamless frame with a deep drawn painted metal base. Unique integral hinge system on lid. Advantages:
- Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS; No.205 glazing materials). Injection molded telescoping garnish accomodates a variety of roof thicknesses. Hand crank to open and close lid securely. Hinge: Heng's & 1995+ Jensen style without hinge pin.

# PURE WHITE BASE SCREEN FRAME

**69640** Non-Powered, White #V971201-C1G1 10

**69641** Vent with 12V Fan, White #V971202-C1G1 10



Н

Gutter Extensions

In Section H: Roof Ventilation Refrigerator Vents Plumbing Vents Registers & Grilles Side Vents Trim/Molding



# HENG'S INDUSTRIES VORTEX FAN REPLACEMENT KIT

... to this!

Don't just move air, create a VORTEX!

Update your old, inefficent powered vent easily without replacing the entire vent or compromising the rooftop seal. Just replace your existing screen with the Vortex upgrade kit. Make your outdated vent more powerful without buying a whole new and expensive vent.

Replacement is easy and only a Phillips screwdriver is needed. Tampering with the rooftop seal is NOT necessary. The Vortex vent works with Ventline, Jensen and Elixir powered U.S. vents. Nonpowered vents can be converted with some additional wiring.

**69150** Vortex Fan Replacement Kit #90043-CR <u>8</u>



# THE VENT STICK

# High RV Ceiling Vents Are Now Within Reach!

No more foot stools or ladders. The VentStick makes it easy to open and close any RV vent in seconds and lets you do it with both feet firmly on the ground. The special knob installs in minutes.

**66081** VentStik with One Knob #29070 1

**66080** Knob 2-Pack with Rings #29103 1



# VENTMATE FAN BLADES REPLACEMENT 6 FAN BLADES

"6" fan blades for 12-v powered roof vents and range hoods. White, impact-resistant plastic. Direction of spin is determined by looking down through the motor, at the top of the blade.

12-V Powered Vent Fan Blade:
65483 Ventline, 1/8" Round Bore,
CCW, CD/1 #65483 1
65484 Jensen, 1/8" D Bore,
CW, CD/1 #65484 1
65485 Ventline & Pre '95 Jensen, 1/8"
D Bore, CCW, CD/1 #65485 1
65491 Current Ventline, 3/32" Round Bore,
CCW, CD/1 #65491 1

*12-V Powered Range Hood Fan Blade:* **65484** '95-Present Jensen, 1/8" D Bore, CW, CD/1 #65484 <u>1</u>

**65485** Pre '95 Jensen, 1/8" D Bore, CCW, CD/1 #65485 <u>1</u>



# JENSEN VENT REPLACEMENT PARTS by HENG'S INDUSTRIES

Motor for 12-volt power vents, fits Elixir, Heng's, Jensen & Ventline.

**67249** 12-V Motor, with D Shaft #90037-C1 <u>5</u>

**65012** Operator for 14" Elixir & Jensen Vents, w/o Crank Handle, 6" Arm *#JRP1000R-C <u>5</u>* 

**60178** Vent Crank Handle; Metal, CD/3 *#JRP2160R-C* **5** 



vents. 2" crank with 3/4" shaft. Metal. Bolt included. Pk/1.

46596 Vent Crank #H710 1



# LASALLE BRISTOL 12V CEILING FAN

Experience the comfort, style and convenience of a ceiling fan in your recreational vehicle. This 4 blade, 42" designer hugger, 12 volt ceiling fan features four speeds plus reverse, a mounted wall switch, and a low profile (6" off ceiling). Contemporary white design matches most decors. Individually boxed. Easy to install. Low 1.18 amp draw.

**67252** Ceiling Fan with Wall Switch #DC1242WH 1





# RV DESIGNER VENT/ACCESSORY MOUNTING KIT

Use to seal and attach vent or any accessory mounted to the outside of an RV. Includes 8' of white, 3/4" putty tape & 24 #8 screws.

65373 Vent Mounting Kit #E451 12





JR PRODUCTS VENT INSTALLATION KIT

Vent installation kits have everything you need to replace your existing vent or install a new one. Comes complete with 36 screws and 8' of putty tape. Packaged in convenient, resealable clamshell.

**65051** Vent Installation Kit #04162 12 **67502** Butyl Vent Installation Kit #04182 18

 $\underline{e} = Std. \ Carton \ Qty.$ 

# VENT ACCESSORIES • CEILING FANS

In Section H:

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Trim/Molding

Gutter Extensions

# **ROOF VENT OPERATOR**



Roof Vent Operator, CD/1:

44100 4" Arm #794CK 10

**44108** 5" Arm #898CK <u>10</u> 41067 7" Arm #807CK 10

# **VENT OPERATOR KIT**



Vent Operator Kit: :

**41066** 5" Arm Length #806CK **41361** 6" Arm Length #814CK



**VENT COVER** Vent Cover insulates



interior. Installs and removes easily in seconds using supplied Velcro. Rugged, durable vinyl with reflective silver finish on one side provides better insulation and blocks heat. 18" x 18" overall size to cover virtually any 14" x 14" roof vent. White/Silver color. 3-yr. mfr. warranty.

86045 Vent Cover #7172 1



Block sun and prevent interior fading, while enjoying great air circulation. Easy to install: holding clips fit existing screw holes.

60096 Vent Cover, White #45651 6



# **VENTMATE VENT CUSHION** WITH PULL **STRAP**



- standard 14" roof vent and save energy. · Prevents heat loss during cold nights.
- Increases A/C efficiency during hot days.
- Pull strap for easy removal.
   Inserts easily into vent. • Great for summer or winter.
- Keeps light out.

67304 Vent Cushion with Pull Strap #67304 8



This vent cap was designed to extend the camping season for the part time camper and a must for full timers. The cap is one piece, has no seams or welds, with an air space between two layers. This design gives you a thermal break increasing the r-value and decreasing condensation. The cap stops condensation from forming on the inside, and running down the fascia into the attic, and rotting the roof! This could save staining on the Luan board, or possibly save the cost of replacing a whole roof! Stops molding and therefore helps with health issues. It also keeps the heat in/out and the A/C in/out. The benefit to the customer is savings on the heat bill, and having the recreational vehicle looking new longer.

68648 Thermal Pane Roof Vent Cap #90110-C1DL 24

# VENTLINE

# **VENTLINE** CEILING **EXHAUST FAN**

Powered ceiling or bath fan very efficient for smaller areas. Consists of the following parts: • Cap and roof flange assembly (sold separately). • Power unit (motor, fan, and pipe



61128 7" Fan w/o Cap & Flange, 115V, 100CFM #V2262-50 1

61121 Fan Blade only for 7" insert fans and sidewall fans; 3 blade CW; fits .214 dia. round shaft with knurl; 6 ½" dia; white #BVA0312-00 1

balanced polypropylene blade will not bend out of shape. 8" dia. rough-in opening required

# VENTLINE VENTLINE **VANAIR ROOF BLOWER**



VDC motor, drawing 1.5 amps. High-impact plastic dome and body needs only a 6-1/4" opening. Trim ring telescopes to adjust to roof thickness from 1-1/2" to 2-1/2". Leak-proof. Interior color is polar white; comes complete with cane-mesh screen. Easy 1-hand opening/ closing for ease of operation. Blue/grey smoke covered exterior color.

65734 Roof Blower #VP-543 12 62321 Replacement cover only #BVA0502-03 1





# **JCJ ENTERPRISES** MUD DAUBER SCREEN FOR REFRIGERATOR VENTS

Protective screen keeps out mud

daubers, wasps, mice, birds and more, without blocking air flow. Heavy stainless steel—just install and forget. Package contains 3 screens plus plastic ties to easily attach to vent door cross bar.

Mud Dauber Screen for Refrigerator Vents: 65685 For Norcold #R-300 24 **66590** For Dometic #R-600

# **CAMCO REFLECTIVE VENT QUICK COVER**



Insulated vent cover reduces heat loss in winter and reflects sunlight and heat in summer. Easy installation and removal with hook & loop fasteners (included). Attaches to vent frame or ceiling for a quick peel-and-stick installation.

67467 Quick Cover, 14" x 14" #45191 12



Trim/Molding

Side Vents

Gutter Extensions



# 62765 **VENTS FOR** NORCOLD REFRIGERATORS

Registers & Grilles

# **ROOF VENT**

Low profile plastic roof vent for use with all models. Complete set includes cap and base (order separately). Installation cutouts 5-1/4" H x 24".

65532 Vent Cap Only, Polar White #65532

Plumbing Vents

65309 Base Only #616319BWH 12

# SIDE VENTS

Plastic Side Vent. 13-3/4" H x 21-1/2" W cut-out size; 16-1/2" H x 24-1/4" W overall size:

61750 Polar White #621156PW 12

**62765** Latch only #617772 1

Upper Side Vent For Models 322, 422/3, 452/3, 652/3. 7-1/4" H x 20-7/8" W:

61880 Polar White #617485PW 1

Lower Side Vent For Models 322, 422/3, 452/3, 652/3. 9-9/16" H x 19-1/8" W:

61889 Polar White #617484PW 1

61124







61889

# **VENTMATE** REFRIGERATOR **VENT LIDS**

Made of high impact plastic. UV stabilized. 65528, 65529, 65597 and 65598 are direct replacement lids for Dometic refrigerator vents. 65532 is a direct replacement lid for Norcold refrigerator vents.

Refrigerator Vent Lid, Polar White, Fits:

65532 Norcold #65532 1

65528 Dometic N/S #65528 10

65529 Dometic O/S #65529 1

Refrigerator Vent Lid, Colonial White, Fits:

65597 Dometic N/S #65597 1

**65598** Dometic O/S #65598



# **VENTLINE METAL REFRIGERATOR ROOF VENTS**

**CUTOUT: 5" X 18"** 

White prefinished metal, streamlined design cover. With bug screen. Order cap and base separately.

**61124** Vent Cap, overall size ,  $10^{1/2}$ " x  $18^{11}/_{16}$ " x  $2^{15}/_{16}$ ", White #V0157-03 <u>20</u>

**61131** Base with screen, overall size  $7^{1}/2^{1} \times 20^{13}/32^{1}$  #V0504-00 <u>1</u>

## CUTOUT: 5" X 20"

**65690** Vent Cap, overall size, 11<sup>9</sup>/<sub>16</sub>" x 20<sup>3</sup>/<sub>4</sub>" x 3", White #V0432-03 20

61958 Base with screen, overall size 7<sup>1</sup>/<sub>2</sub>" x 22 <sup>13</sup>/<sub>32</sub>" #V0565-00 20

### CUTOUT: 5" X 24"

**65689** Vent Cap, overall size,  $11^{1}/_{2}^{"} \times 24^{3}/_{4}^{"} \times 3^{"}$ , White #V0203-03 <u>20</u>

61132 Base with screen, overall size  $7^{1/2}$ " x 26  $1^{3/32}$ " #V0523-00 1



# REFRIGERATOR/ CONVERTER VENT LATCH

Latch commonly used on exterior access door for fridge vent, inverter door, etc.

43977 Fridge/Converter Vent Latch #E377

# JR PRODUCTS HATCH INSTALLATION KIT

Installation kit with everything you need to replace or install a hatch. Includes premium butyl tape and screws for a proper seal.

Hatch Installation Kit:

65439 Small (25" butyl tape and 12 screws) #04205

65440 Large (36" butyl tape and 10 screws) #04195



185 <u>6</u> = Std. Carton Qty.

# PLUMBING VENTS • GRILLES

In Section H:

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Trim/Molding

Gutter Extensions

# H©NG'S\* HENG'S PLUMBING VENT

Made of tough exterior plastic with a weather

resistant finish. They feature a unique cap which can be locked on or removed with a twist of the wrist without the need of tools. These vents are made to fit pipes up to 2" in diameter with a 2-1/2" projection above the roof.

Plumbing Vent:

**61404** Colonial White #10002-C <u>25</u> **69642** Polar White #10001-C <u>25</u>



# LASALLE BRISTOL VENT CHEK

Vent Chek makes fixture replacement easier, solves the problem of concealing an unsightly vent pipe. Eliminates the vent stack cover at the fixture vent and the possibility of roof

leaks. Permits normal drainage and prevents "P" trap siphonage. 1-1/2" MPT. NOTE: Vent Chek does not eliminate the main vent stack.

21028 Vent Chek #74BPC67





# **CAMCO CYCLONE PLUMBING VENT**

Use the power of the wind to draw holding tank odors out of your RV. Even a gentle breeze works with the dynamically engineered shape of the Cyclone™ to create a powerful vortex that pulls odors up and away. Attaches easily to any RV plumbing vent. Patent Pending.

**69253** Sewer Vent Cover #40595 3





# JCJ ENTERPRISES MUD DAUBER SCREEN FOR PLUMBING VENTS

Keeps out wasps, mud daubers and other pests; keeps your vent clear.

**65742** Pipe Vent Mud Dauber Screen #PV-400 6



# JR PRODUCTS HORSESHOE VENT

Made of durable long lasting plastic that won't fade or discolour. Perfect for replacing existing vents or to install a side vent.

**67303** Horseshoe Vent, Polar White #298-01-A-PW-A 1

# **5" METAL PLUMBING VENT**



Vent pipe is  $5 \, ^{1}\!\!/_{16}^{\text{m}}\,$  i.d. for 5" nominal duct size. Stands  $4 \, ^{1}\!\!/_{8}^{\text{m}}\,$  above flange. For flat roof.

61125 5" Metal Vent #V2005-00 1



Separate cap fits up to a 2" pipe. Features spring tension attachment, which eliminates the need to replace the entire vent just because of a lost cap top. Patented.

Replace-All Plumbing Vent Cap Only:

**67232** Beige #40134 6

**67231** Polar White #40034



- Automatically removes RV plumbing odors and moisture. Silent and reliable ventilation.
- Aerodynamic for less drag co-efficiency.
- Durable powder coated finish. Installs easily on roof top. No wiring required. Universal design replaces most RV plumbing caps.
- Solar powered start and stop. 3-yr. warranty.

**69847** Mini Solar Plumbing Vent #53-945001 **20** 



# **VENTLINE PLUMBING VENTS**

**GALVANIZED STEEL**: Made of galvanized steel for 11/2" pipe. Removable cap.

65735 Plumbing Vent w/Cap #V2084 1

**PLASTIC**: Plastic vent fits pipes 1 ½".

Plumbing Vent:

**60026** Colonial White #V2049-03 <u>100</u> **62334** White #V2049-01 100

# D & W INC. PRODUCTS

# SPACEPORT OUTLET VENT FOR DUCTED A/C SYSTEMS



Designed as an upgrade replacement of the popular Aireport vents used in the ceilings of most RVs. The Spaceport both opens and closes, and rotates for the ultimate in comfort control. Easy to install; just

remove screws of old vent and replace with the Spaceport. 6-7/16" overall dia.; 4-5/8" hole size.

61452 Outlet Vent #8840WH 1

### AIREPORT GRILLE

A louvered version of the Aireport Diffuser lets you direct the air exactly where you wish. Easily installed and efficient in operation. All Aireports are in

tion. All Aireports are interchangeable after installation. 7" overall dia; 4-1/4" hole size. White.

61451 Aireport Grille #6840WH 1

# AIREPORT DIFFUSER

The adjustable Aireport Diffuser for ducted air



conditioners offers 360° air maximum comfort and efficiency, plus a unique design feature that eliminates condensation. Partially closeable. 6.5" overall dia; 4-1/4" hole size. White.

61449 Diffuser #5840WH 1

Refer also to page 66 for the solar vent from Sunforce Products!

# REGISTERS • FLEX DUCT • SIDE VENTS

**VENTS & TRIM** 

Н

In Section H: Roof Ventilation Refrigerator Vents Plumbing Vents Registers & Grilles Side Vents Trim/Molding Gutter Extensions



Rotaire register is molded from durable ABS plastic in a variety of colors. The damper mechanism can be easily opened and closed and may be completely removed for full flow. Grill rotates a full 360° to direct air flow where desired. 4" dia. mounting collar; overall 5" dia. by 2-1/4" D.

Rotaire Register:

65591 Beige, 4" #16511 <u>1</u>
65593 Black, 4" #16611 <u>1</u>
65592 Walnut, 4" #16411 <u>1</u>
65596 White, 4" #16711 <u>1</u>
68666 White Provent, 5" (fits 4" opening) #16812 <u>50</u>



OD 12" x 3-1/2", Cut-out 10" x 2-3/8" x 1".
Clamshell of 15" W x 7" H x 2" D. • Plastic.

Floor Register with damper, Plastic:

**69297** White #H850 <u>g</u> **69298** Tan #H860 g



Durable brown finish. Easy to open and close.

Double Shutter Register:

**61605** 4" x 8" #12509 <u>48</u>

**61604** 4" x 10" #12511 48

Return Air Grille without Dampers:

**61199** 53%" x 9 1/4" Return, For 4" x 8" Opening *#10F2509* <u>12</u> **61198** 53%" x 113/4" Return,

For 4" x 10" Opening #10F2511R 48



# AP PRODUCTS FLOOR REGISTER

Sturdy metal construction with extra-deep flange. Easy, fast installation. Narrow spaced fins and wide flange are important home owner features. Adjustable. 1" Deep. NOTE: size shown is the hole size.

4" Wide Register (5-1/4" Outside), Brown:

**68646** 8" L #013-626 <u>48</u>

**68641** 10" L #013-628 <u>48</u> **68644** 12" L #013-630 48

4" Wide Register (5-1/4" Outside), White:

**68647** 8" L #013-625 <u>48</u> **68643** 10" L #013-627 <u>24</u>

68645 12" L #013-629 <u>24</u>



# JR PROD

# JR PRODUCTS PLASTIC REGISTER

These registers meet and exceed H.U.D. and R.V.I.A. specifications. They are made of molded thermoplastic and will not rust. Corners are rounded so there are no sharp edges. Easy to install, easy to open and close. The color is solid throughout the register, so it cannot scratch or peel away. Overall size 12" x  $4\,{}^1\!\!\!/_4$ "; cutout size 10" x  $2\,{}^3\!\!\!/_8$ ".

Undampered Register

**62350** Polar Wht. #288-86-A-PW-A <u>12</u>

**78842** Tan *#288-86-A-TN-A* <u>2</u>

Dampered Register 62353 Polar Wht. #288-86-AB-PW-A 12

**78843** Tan *#288-86-AB-TN-A* <u>2</u>

HENG'S EXHAUST SYSTEM



This unit consists of an attractive exterior vent cover designed to keep rain and dust out of your vehicle with an outside manual release damper. Once the outside manual release damper is unsecured, the damper automatically opens when the range hood fan is activated to allow cooking odors and smoke to ne exhausted. The damper automatically closes to prohibit insects and dust from entering when the range hood is not in operation. The manual release damper must be secured before travelling. Dim.:4.62 x10.88". Cutout: 4" x 10.86".

Durable Standard Vent Cover with Damper: 66289 Bright White #J116AWH-C 60
62810 Almond #J116AOW-C 60



# BRD FLEXIBLE DUCT 4" x 25' flex hose:

clamps not included.

65594 Flex Duct, 4" x 25' #16815 6

EXTERIOR VENT FOR VENTLINE DUCTED RANGE HOODS



Weatherproof Outside Vent features a lockable damper, heavy styrene construction and a 1-3/4" inlet flange. Rough opening is 3-3/4" x 10-1/2". Overall size 11-5/8" x 5-9/32".

Horizontal Outside Vent:

64357 Colonial White #V2111-11 24

61898 Polar White #V2111-13 24

EXTERIOR
VENT FOR
VENTLINE
DUCTED RANGE HOODS

Louvered design. 1-3/4" inlet size; cutout: 10-1/2" x 3-3/4"; overall: 12-1/8" x 5-1/4". Constructed of durable injection molded plastic.

Vent, Outside Louver:

**61126** Colonial White #V2018-02 <u>70</u>

66630 Polar White #V2018-01 70



Graceful styling covers total efficiency and performance, all moving parts are weather protected. Fan starts when outside cover opens, stops when closed. Fits 2" -3" wall thickness. Outside door insulated. 110-V. Cut-out size: 9.5" x 9.5", U.L. Listed; CSA approved. Complete unit consists of vent/fan plus grille.

**65683** Complete Sidewall Vent/Fan with Grille, White Cover #V2215-21 1

## REPLACEMENT PARTS

**61121** Fan Blade for 7" insert fans and sidewall fans; 3 blade CW; fits .214 dia. round shaft with knurl;  $6\frac{1}{2}$  dia; white #BVA0312-00 1

61111 Pressure Switch #BV0140-03 1

 $\underline{\mathbf{g}} = Std. \ Carton \ Qty.$ 

# TRIM, INSERT & MOLDING

In Section H: Roof Ventilation Refrigerator Vents Plumbing Vents Registers & Grilles Side Vents Trim/Molding Gutter Extensions



Give your louver-type doors and windows a smooth, finished look with these plastic screw covers. Dealer packs of 10 only.

Elixir Style, Pk/10 Screw Covers, 8' L:

48308 Black #011-355-10 1

**45413** Colonial White #011-354-10 1

**45416** Polar White #011-357-10 1

Hehr Style, Pk/10 Screw Covers, 8' L:

45412 Colonial White #011-362-10 1

**45415** Polar White #011-365-10 1

Philips Style, Pk/10 Screw Covers, 8' L:

**VINYL INSERT** 

45411 Colonial White #011-358-10 1

**45414** Polar White #011-361-10 1

your trim to match the decor

25 ft. Roll, Blister Pack:

46923 Black #10015 18

46924 Colonial White #10035

**46925** Designer Beige #10045

**46922** Brown #10055

**48799** White #10025

is 3/4" wide; overall width is 1".

of your RV, or to change it! Flat interior

Rolls of

insert for

Vinyl Insert.



# RV DESIGNER INSERT TRIM

### STANDARD INSERT TRIM

Flexible vinyl trim used in aluminum channels on outside of many RVs and campers. Cut with scissors. Easy to install. 25' roll.

3/4" wide, Standard:

46105 Colonial White #E331 1

48093 White #E330 1

1" wide, Standard:

**46102** Beige #E325

**46104** Black #E329

46103 Brown #E327 1

46101 Colonial White #E323 1

46100 White #E321 1

# **HEAVY DUTY INSERT TRIM**

Heavy duty trim last longer; stays in the groove. Fits standard 1" channel. Longer "wings" grip track; thicker material holds shape.

1" wide, 25' Roll, Heavy Duty:

46967 Black #E369 1

46964 Colonial White #E363 1

46963 White #E361 1

1" wide, 100' Roll, Heavy Duty:

47563 Black #E469 12

47560 Colonial White #E463 12

47559 White #E461 12




Mill-finish aluminum drip caps divert rain and melting snow from doors and windows. Used to protect door and window openings of all types including mobile homes, RVs, horse trailers, portable toilet enclosures, etc. With formed ends and punched screw holes. Note: Measure lengths from inside the curve, as illustrated. The overall length equals Dimension "A" + 3.5".

61250 9" L Drip Cap #300900 5 61247 14" L Drip Cap #301400 5 16" L Drip Cap #301600 18" L Drip Cap #301800 19" L Drip Cap #301900 21" L Drip Cap #302100 24" L Drip Cap #302400 27" L Drip Cap #302700 30" L Drip Cap #303000 32" L Drip Cap #303200 34" L Drip Cap #303400 36" L Drip Cap #303600 40" L Drip Cap #304000 61249 42" L Drip Cap #304200 44" L Drip Cap #304400 46" L Drip Cap #304600 49 ½" L Drip Cap #304912 25 52 ½ L Drip Cap #305212 56" L Drip Cap #305600 5 59 ½" L Drip Cap #305912 5 61251 641/2" L Drip Cap #306412 25 73 ½ L Drip Cap #307312 5

# **DRIP RAIL**

Standard drip rail. (Sold only in tube of 10 pieces, 16 ft. long.)



40202 Tube/10 Drip Rail, Arctic White #CDS-40202 ◆ 1

# Vinyl Insert, 50ft. Roll, Shrink Wrapped:



47825 Black #10061 1

**47827** Colonial White #10081 1

47826 White #10071 1

Vinyl Insert, 1000 ft. Roll:



45501 Black #011-312 1

45503 Colonial White #011-313 1

45502 White #011-311 1

# **FLAT INSERT TRIM**


3/64 ---

End Caps

Flat insert trim. (Sold only in tube of 10 pieces, 20 ft. long.) Uses vinyl insert. Flat Insert Trim


> (Sold only in tube of 10 pieces, 20 ft. long): **49944** Arctic White #CDS-49944 ◆ 1 41137 Colonial White #CDS-41137 ◆ 1 **41121** Mill Finish #CDS-41121 ◆ 1 End Caps, Bag/10:

**49946** Arctic White #CDS-49946 1 **41135** Colonial White #CDS-41135 41134 Mill Finish #CDS-41134 1



Trim/Molding

Gutter Extensions



# **CORNER MOLDING**

(Sold only in tube of 10 pieces.)

# LONG LIP CORNER MOLDING

Corner Insert Trim (Sold only in tube of 10 pieces, 20 ft. long):

49943 Arctic White #CDS-49943 ◆ 1

41122 Colonial White #CDS-41122 ◆ 1

41119 Mill Finish #CDS-41119 ◆ 1

### SHORT LIP CORNER MOLDING

Standard side insert extruded trim. (Sold only in tube of 10 pieces, 16 ft. long):

49942 Arctic White #CDS-49942 ◆ 1

41625 Colonial White

#CDS-41625 ◆ <u>1</u>

41624 Mill Finish #CDS-41624 ◆ 1

# **END CAPS FOR ALL CORNER MOLDING**

Ends Caps, Bag/10:

49946 Arctic White #CDS-49946 1

**41135** Colonial White #CDS-41135 1

**41134** Mill Finish #CDS-41134 1



Insert Drip Rail, Tube/10, 16ft. L:

45051 Tube/10 Insert Drip Rail, Arctic White #CDS-45051 ◆ 1



Plumbing Vents



Registers & Grilles

Side Vents

JR PRODUCTS **EXTENDED RAIN GUTTER SPOUTS** 



These one-piece extended rain gutter spouts are the longest on the market and will keep your RV free of black streaks by directing the water away from the sidewalls. The eye pleasing design moves the water volume faster and further away than any other rain gutters spouts. Made of durable plastic with UV inhibitors for years of use. Spouts have a one-piece design so you don't have to use clip-ons. They attach to your RV under the existing aluminum track and never need to be removed.

Extended Rain Gutter Spouts:

28439 Rigid, Pk/2 #655-PW-A 1

28442 Flexible, Pk/2 #655-FLEX-PW-A <u>28</u>










# **CAMCO GUTTER EXTENSIONS**

Helps prevent black streaks from forming by directing rain water runoff away from the sides of your RV. Extenders clip onto your RV gutters.

48315 Gutter Extensions, Pk/4 #42123



# EDGE MOLDING, **DRILLED & COUNTERSUNK** FOR #8 SCREWS

# **ARCTIC WHITE**

Edge Molding, DC #8, Tube/10:

**46849** 8' #CDS-46849


46851 10' #CDS-46851 ◆ 1

46850 12' #CDS-46850 ◆ 1

# **COLONIAL WHITE**

Edge Molding, DC #8, Tube/10:

**45625** 12' #CDS-45625 ◆ 1



# **EDGE MOLDING**

Standard edge molding. Sold only in tube of 10 pieces, 16 ft. long.

41636 Tube/10 Edge Molding, Mill Finish #CDS-41636 ◆ 1

# JR PRODUCTS RV GUTTER SPOUT

Gutter spouts easily install to sidewall rain channel ends to eliminate dirty streaks from the side of your RV unit. Fits all manufacturers' rain channels including awning inserts, Jchannels.

Drip Spout, Bag/4:

**49500** Colonial White #389CW-A 1 **49781** Polar White #389PW-A 1

189 <u>6</u> = Std. Carton Qty.