



Competitive Comparison

тоуота

TUNDRA MODELS



PACKAGE Standard Package

Double Cab SR 4X2 Long Bed

PACKAGE Standard Package



PACKAGE

Standard Package

L→ SR5

L₃ SR5 TRD Sport

SR5 TRD Off Road

Double Cab SR5 L

Standard Package



PACKAGE
Standard Package
Limited TRD Off Road

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Celestial Silver Me

Army Green

Wind Chill Pearl

Midnight Black Metallic

Lunar Rock

Magnetic Grey Metallic

Supersonic Red

Blueprint

AVAILABLE INTERIOR COLOURS

Black Cloth

Black SofTex

Grey SofTex











Competitive Comparison

OPTIONAL PACKAGES

TUNDRA DOUBLE CAB SR

SR5

- · Hill-start Assist Control (HAC)
- · Heated Front Seats
- Drive Mode Select (Sport, Eco and Normal Modes)
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Active Grille Shutters
- Dual Zone Automatic Climate Control
- Trailer Brake Controller
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- 8-way Power Adjustable Driver and Passenger Seats
- P265/70R18
- · Active Front Spoiler
- · LED Fog Lamps
- Heated Leather Wrapped Steering Wheel

SR5 TRD OFF ROAD

- Hill-start Assist Control (HAC)
- · Heated Front Seats
- Drive Mode Select (Sport, Eco and Normal Modes)
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Active Grille Shutters
- TRD Front Grille
- DAC (Downhill Assist Control)
- Crawl Control (CRAWL)
- Multi-Terrain Select
- Locking Rear Differential
- TRD Off Road Shock Absorbers
- Dual Zone Automatic Climate Control
- Side Rail with Four Adjustable Tie Down Cleats
- 8-way Power Adjustable Driver and Passenger Seats
- P265/70R18
- 18" Offroad Alloy Wheels
- TRD Leather Wrapped Shift Knob
- Trailer Brake Controller
- · LED Fog Lamps
- · Intuitive Parking Assist with Auto Braking
- Blind Spot Monitoring with RCTA
- TRD Heated Steering Wheel

SR5 TRD SPORT

- · Heated Front Seats
- Drive Mode Select (Sport, Eco and Normal Modes)
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- TRD Sport Tuned Shock Absorbers
- TRD Front Grille
- · Active Grille Shutters
- · Dual Zone Automatic Climate Control
- Side Rail with Four Adjustable Tie Down Cleats
- Hill-start Assist Control (HAC)
- 8-way Power Adjustable Driver and Passenger Seats
- P265/60R20
- 20" Sport Alloy Wheels
- · Active Front Spoiler
- TRD Leather Wrapped Shift Knob
- Trailer Brake Controller
- LED Fog Lamps
- · Intuitive Parking Assist with Auto Braking
- · Blind Spot Monitoring with RCTA
- · TRD Heated Steering Wheel

TUNDRA DOUBLE CAB LIMITED

LIMITED TRD OFF ROAD

- TRD Off Road Shock Absorbers
- TRD Front Grille
- DAC (Downhill Assist Control)
- Multi-Terrain Select
- P265/70R18
- 18" Offroad Alloy Wheels
- Remove: Active Front Spoiler
- · Crawl Control (CRAWL)
- Locking Rear Differential
- Multi Terrain View Monitor
- · TRD Heated Steering Wheel







Competitive Comparison

STANDARD SPECIFICATIONS

Double Cab SR 4X2 Regular Double Cab SR 4X2 Long Bed

Double Cab SR

Double Cab SR5 L

Double Cab Limited

SAFETY & CONVENIENCE

Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	•	•	•
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•
Blind Spot Monitoring with RCTA		-	\uparrow	-	•
Intuitive Parking Assist with Auto Braking		-	↑	-	•

TOYOTA SAFETY SENSE 2.5

Automatic High Beam	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection /Braking	•	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•
Sway Warning System	•	•	•	•	•

Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•

WARNING

Tire Pressure Monitoring System with Auto Location

CONVENIENCE

Smart Key w/Push Button Start	•	•	-		-
Power Door Locks	•	•	•	•	•





Competitive Comparison

TOYOTA

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
12Volt Accessory Power Outlet	•	•	•	•	•
Smart Key w/Push Button Start + Tailgate	cont.		•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	time .		most.	Died .	•
Wireless Charging	Sint	Control	essed	gues .	•
SECURITY					
Anti-Theft Alarm System	•	•	•	•	•

INFOTAINMENT

TOVOT	A MIIII	TIMED	ΙА

TOTOTA MULTIMEDIA					
HD Radio	•	•	•	•	•
SiriusXM Audio	•	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•	•
Toyota Assistant	•	•	•	•	•
6 Speakers	•	•	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•	•	•	and a
8" Toyota Multimedia	•	•	•	•	
Bluetooth Capability	•	•	•	•	•
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	•	•	enere .
14" Toyota Multimedia	-	-	-	-	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)			-	-	•
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	_	_	-	_	•
AUDIO					
USB Input/Charging Port	•	•	•	•	•

DIMENSIONS

DIMENSIONS

Length mm (in.)	5932 (233.5)	6412 (252.4)	5932 (233.5)	6412 (252.4)	5932 (233.5)
Width mm (in.)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)
Height mm (in.)	1926 (75.8)	1926 (75.8)	1982 (78.0)	1982 (78.0)	1982 (78.0)
Wheelbase mm (in.)	3699 (145.6)	4179 (164.5)	3699 (145.6)	4179 (164.5)	3699 (145.6)
Seating Capacity	5	5	5	5	5
Ground Clearance mm (in.)	264 (10.4)	262 (10.3)	279 (11.0)	274 (10.8)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)





Competitive Comparison

TOYOTA

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	846 (33.3)	846 (33.3)	846 (33.3)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)
Gross Vehicle Weight kg (lbs.)	3191.03 (7035.0)	3249.99 (7165.0)	3295.35 (7265.0)	3345.25 (7375.0)	3315.76 (7310.0)
Towing Capacity kg (lbs.)	3760 (8289)	3760 (8289)	3760 (8289)	5030 (11089)	5035 (11100)
Payload(GVWR-curb weight) kg (lbs.)*	880 (1940)	850 (1874)	855 (1885)	820 (1808)	825 (1819)
Base Curb Weight kg (lbs.)	2310.01 (5092.7)	2400.01 (5291.1)	2440.01 (5379.3)	2525.02 (5566.7)	2490.00 (5489.5)
Fuel Capacity litres (gal.)	85 (22)	85 (22)	85 (22)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L /100km	13.1/10.1/11.8	13.1/10.1/11.8	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	22/28/24	22/28/24	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (260)	348 (260)	348 (256)	389 (290)	389 (290)
Approach Angle (Degrees)	23	23	21	21	21
Departure Angle (Degrees)	22	22	24	24	24
Cargo Bed Length		-	1982 (78.0)	2469 (97.2)	1982 (78.0)

POWERTRAIN & MECHANICAL

TRANSMISSION					
10-speed Direct Shift Automatic Transmission	•	•	•	•	•
BRAKES					
Electric Parking Brake (EPB)	•	•	•	•	•
ENGINE					
Intercooled	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•
Stop and Start Engine System (S&S)	•	•	•	•	•
SUSPENSION					
Independent Front Suspension	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•
MECHANICAL FEATURES					
Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)				•	•
TRUCK BED					
Header rail	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	-	· ·	-	-	•
Side Rail with Four Adjustable Tie Down Cleats	-		↑	-	•

INTERIOR







Explore Suild & Price	Comp	petitive Comparison			
STANDARD SPECIFICATIONS	ala Cala CD 4V2 Danie	lo.			
Standard — Not Available	ble Cab SR 4X2 Regu Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
INTERIOR MIRRORS					
Day and Night Mechanical Rear View Mirror	•	•	•	•	0000
Electrochromic Rear View Mirror w/Homelink (EC)		-	000	-	•
FLOORING					
All Season Floor Mats	•	•	•	•	•
STEERING WHEEL					
Tilt & Telescopic Steering Wheel	•	•	•	•	•
Heated Leather Wrapped Steering Wheel		Cont	↑	•	•
CLIMATE CONTROL					
Rear Seat Heater Ducts	•	•	•	•	•
Single Zone Automatic Climate Control	•	•	•	-	-
Dual Zone Automatic Climate Control		_	↑	•	•
WINDOWS					
Front Windshield Acoustic Glass	•	•	•	•	•
Electric Rear Window Defroster	•	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	•	•
Black Window Frame	•	•		man and a second	G==0
Power Sliding Rear Window	•	•	•	•	•
Power Windows with Driver Side Auto Down	-		•	•	•
INSTRUMENTATION					
4.2-in. colour TFT Multi Information Display	•	•	•	•	•
Oil Pressure Gauge	•	•	•	•	•
Voltmeter	•	•	•	•	•
INTERIOR LIGHTING					
Illuminated Entry	•	•	•	•	•
SEATS					
Fabric Seats	•	•	•	•	-
Heated Front Seats	-	Brest .	↑	•	•
8-way Power Adjustable Driver and Passenger Seats	-	_	\uparrow	•	•
2-way Power Adjustable Driver and Passenger Lumbar Support	-	West	↑	•	•
Ventilated Front Seats	-	-		Total Control	•
Driver Seat Memory System		-		0.00	•
SofTex Seats		-	0000		•
TRIM					
Silver Inside Door Handle	-	-	•	•	•







Competitive Comparison

TOYOTA

Standard — Not Available	Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
eather Wrapped Shift Knob			↑	•	•
XTERIOR					
TIRES					
P245/75R18	•	•	•		-
P265/70R18	-		↑	•	↑
265/60R20	D-10	gues .	↑	B110	•
VIPERS					
ariable Intermittent Wipers	•	•	•	•	•
Nindshield Wiper De-Icer	•	•	•	•	•
EXTERIOR MIRRORS					
ower Adjustable Heated Exterior Mirrors	•	•	•	•	•
ower Folding Mirrors	-			G==0	•
Memory Mirrors	-			G==0	•
lectrochromic Driver's Side View Mirror					•
EXTERIOR LIGHTING					
Bi-Beam LED Headlamps	•	•	•	•	•
Headlamps with Manual Level Control	•	•	•	•	•
.ED Daytime Running Lights	-	-	•	•	•
ED Fog Lamps		-	↑	•	•
EXTERIOR					
Black Mud Guards	•	•	•	•	•
active Grille Shutters			↑	•	•
active Front Spoiler			↑	•	•
WHEELS 8" Styled Steel Wheels	•	•	•		
8" Alloy Wheels	-	-	<u> </u>	•	
10" Alloy Wheels			-	-	•
MECHANICAL FEATURES					
art-Time 4WD		00	•	•	•
Hill-start Assist Control (HAC)			\uparrow	•	•
railer Brake Controller	-		\uparrow	•	•
Prive Mode Select (Sport, Eco and Normal Modes)	-		↑	-	-

OPTIONAL FEATURES

OPTIONAL FEATURES

TRD Front Grille - - \ \(\tau \)





Competitive Comparison

TOYOTA

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
DAC (Downhill Assist Control)		-	↑		↑
Crawl Control (CRAWL)	-	-	↑		↑
Multi-Terrain Select		-	↑		↑
Locking Rear Differential		-	↑	cont.	↑
TRD Off Road Shock Absorbers		-	↑	cont.	↑
18" Offroad Alloy Wheels		-	↑	cont.	↑
TRD Leather Wrapped Shift Knob		-	↑	cont.	ment .
TRD Heated Steering Wheel		-	↑	cont.	↑
TRD Sport Tuned Shock Absorbers		-	↑	cont.	ment .
20" Sport Alloy Wheels	000	-	↑	000	
Remove: Active Front Spoiler	000	-		000	↑
Multi Terrain View Monitor	0				↑





Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weight is to weigh your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Dealer are your best source for pust-odate information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





Competitive Comparison

TUNDRA MODELS



PACKAGE

Standard Package

L→ SR5

L→ SR5 TRD Sport

SR5 TRD Off Road

CrewMax SR5 L

PACKAGE

Standard Package

L→ TRD Off Road



PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Limited L

PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Platinum

PACKAGE

Standard Package

l Platinum 1794



PACKAGE

Standard Package

l Platinum 1794

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Smoked Mesquite

Blueprint

Wind Chill Pearl

Midnight Black Metallic

Army Green

Magnetic Grey Metallic

Supersonic Red

Lunar Rock

AVAILABLE INTERIOR COLOURS

Black Cloth

Black Leather

Black SofTex

Saddle Tan Leather

Grey SofTex







Competitive Comparison

OPTIONAL PACKAGES

TUNDRA CREWMAX SR

SR5

- · Hill-start Assist Control (HAC)
- · Heated Front Seats
- Drive Mode Select (Sport, Eco and Normal Modes)
- · 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Active Grille Shutters
- Dual Zone Automatic Climate Control
- Leather Wrapped Shift Knob
- 18" Alloy Wheels
- 8-way Power Adjustable Driver and Passenger Seats
- P265/70R18
- · Active Front Spoiler
- · Trailer Brake Controller
- · LED Fog Lamps
- Heated Leather Wrapped Steering Wheel

SR5 TRD OFF ROAD

- Hill-start Assist Control (HAC)
- · Heated Front Seats
- Drive Mode Select (Sport, Eco and Normal Modes)
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- TRD Front Grille
- · Active Grille Shutters
- TRD Off Road Shock Absorbers
- Dual Zone Automatic Climate Control
- Side Rail with Four Adjustable Tie Down Cleats
- 8-way Power Adjustable Driver and Passenger Seats
- DAC (Downhill Assist Control)
- Multi-Terrain Select
- P265/70R18
- 18" Offroad Alloy Wheels
- TRD Leather Wrapped Shift Knob
- Trailer Brake Controller
- · Crawl Control (CRAWL)
- · Locking Rear Differential
- · LED Fog Lamps
- · Intuitive Parking Assist with Auto Braking
- Blind Spot Monitoring with RCTA
- TRD Heated Steering Wheel

SR5 TRD SPORT

- Hill-start Assist Control (HAC)
- · Heated Front Seats
- · Drive Mode Select (Sport, Eco and Normal Modes)
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- TRD Sport Tuned Shock Absorbers
- · TRD Front Grille
- · Active Grille Shutters
- · Dual Zone Automatic Climate Control
- · Side Rail with Four Adjustable Tie Down Cleats
- 8-way Power Adjustable Driver and Passenger Seats
- P265/60R20
- 20" Sport Alloy Wheels
- · Active Front Spoiler
- TRD Leather Wrapped Shift Knob
- Trailer Brake Controller
- · LED Fog Lamps
- · Intuitive Parking Assist with Auto Braking
- · Blind Spot Monitoring with RCTA
- · TRD Heated Steering Wheel

TUNDRA CREWMAX SR5 L

TRD OFF ROAD

- TRD Front Grille
- DAC (Downhill Assist Control)
- Crawl Control (CRAWL)
- Multi-Terrain Select
- Locking Rear Differential
- TRD Off Road Shock Absorbers
- Side Rail with Four Adjustable Tie Down Cleats
- 18" Offroad Alloy Wheels
- Remove: Active Front Spoiler
- TRD Leather Wrapped Shift Knob
- · Intuitive Parking Assist with Auto Braking
- Blind Spot Monitoring with RCTA
- TRD Heated Steering Wheel

TUNDRA CREWMAX LIMITED

LIMITED TRD OFF ROAD

• TRD Off Road Shock Absorbers







Competitive Comparison

- TRD Front Grille
- Crawl Control (CRAWL)
- DAC (Downhill Assist Control)
- · Multi-Terrain Select
- P265/70R18
- 18" Offroad Alloy Wheels
- Remove: Active Front Spoiler
- · Locking Rear Differential
- · Multi Terrain View Monitor
- TRD Heated Steering Wheel

TUNDRA CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- TRD Off Road Shock Absorbers
- TRD Front Grille
- DAC (Downhill Assist Control)
- Crawl Control (CRAWL)
- · Multi-Terrain Select
- P265/70R18
- 18" Offroad Alloy Wheels
- Remove: Active Front Spoiler
- · Locking Rear Differential
- Multi Terrain View Monitor
- TRD Heated Steering Wheel







Competitive Comparison

STANDARD SPECIFICATIONS

			CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Standard	 Not Available 	个 Available						

SAFETY & CONVENIENCE

Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	•	•	-	-
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•	•
Blind Spot Monitoring with RCTA	↑	↑	•	•	•	•
Intuitive Parking Assist with Auto Braking	↑	↑	•	•	•	•
Panoramic View Monitor		-	Green Common		•	•

TOYOTA SAFETY SENSE 2.5

Automatic High Beam	•	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection/Braking	•	•	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•	•
Sway Warning System	•	•	•	•	•	•

STAR SAFETY SYSTEM

Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•	•

Tire Pressure Monitoring System with Auto Location	•	•	•	•	•	•
3 ,						

CONVENIENCE

Power Door Locks	•	•	•	•	•	•
12Volt Accessory Power Outlet	•	•	•	•	•	•
Smart Key w/Push Button Start + Tailgate	•	•	•	•	•	•





Competitive Comparison

Φ
TOYOTA

STANDARD SPECIFICATIONS						
Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Tailgate Release Bump Switch (located in driver's-side taillight)			•	•	•	•
Wireless Charging	-	-	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	-		-	-	•	•
SECURITY						
Anti-Theft Alarm System	•	•	•	•	•	•

INFOTAINMENT

TOYOTA MU	LTIMEDIA
-----------	----------

TOYOTA MULTIMEDIA						
HD Radio	•	•	•	•	•	•
SiriusXM Audio	•	•	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•	•	•
Toyota Assistant	•	•	•	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•	enere .	-	-	-
8" Toyota Multimedia	•	•	-	0.00	-	-
Bluetooth Capability	•	•	•	•	•	•
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	500	-	-	-
9 Speakers	•	•	•	•	-	-
14" Toyota Multimedia	-		•	•	•	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)	-	-	•	•	•	•
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	-	-	•	•	•	•
12 Speaker JBL Audio System	-	guest.	C-100	gues .	•	•
AUDIO						
USB Input/Charging Port	•	•	•	•	•	•

DIMENSIONS

DIMENSIONS

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2030 (79.9)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3699 (145.6)	4006 (157.7)	3701 (145.7)	4006 (157.7)
Seating Capacity	5	5	5	5	5	5
Ground Clearance mm (in.)	279 (11.0)	277 (10.9)	279 (11.0)	277 (10.9)	277 (10.9)	274 (10.8)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)





Competitive Comparison

TOYOTA

1982 (78.0)

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Rear Legroom mm (in.)	-	-	1057 (41.6)	-	-	
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3270.40 (7210.0)	3329.37 (7340.0)	3280.02 (7231.2)	3340.71 (7365.0)	3304.42 (7285.0)	3345.25 (7375.0)
Towing Capacity kg (lbs.)	3760 (8289)	4990 (11001)	5045 (11122)	4975 (10968)	5010 (11045)	4935 (10880)
Payload(GVWR-curb weight) kg (lbs.)*	825 (1819)	780 (1720)	790 (1742)	745 (1642)	755 (1664)	715 (1576)
Base Curb Weight kg (lbs.)	2445.00 (5390.3)	2550.01 (5621.8)	2490.00 (5489.5)	2595.01 (5721.0)	2550.01 (5621.8)	2630.02 (5798.2)
Fuel Capacity litres (gal.)	85 (22)	122 (32)	122 (32)	122 (32)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L/100km	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (256)	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	21	21	21	21	21	21
Departure Angle (Degrees)	24	24	24	24	24	24

1982 (78.0)

1677 (66.0)

1677 (66.0)

1982 (78.0)

1677 (66.0)

POWERTRAIN & MECHANICAL

TD	A B	10	8.41	00	210	144
TR	ΑГ	us.	IVI	153	SIC.	אנ

Cargo Bed Length

10-speed Direct Shift Automatic Transmission	•	•	•	•	•	•
BRAKES						
Electric Parking Brake (EPB)	•	•	•	•	•	•
ENGINE						
Intercooled	•	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•	•
Stop and Start Engine System (S&S)	•	•	•	•	•	•
Active Noise Control	-	-		-	•	•
SUSPENSION						
Independent Front Suspension	•	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•	•
MECHANICAL FEATURES						
Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	-	•	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	-	•	00	•	•	•
TRUCK BED						
Header rail	•	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	-	-	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	↑	↑	•	•	•	•

INTERIOR







Competitive Comparison

(P)
TOYOTA

STANDARD SPECIFICATIONS	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum
Standard — Not Available	CIEWIIAX 3K	CIEWINAX SKS L	Crewinax Limited	Crewinax Limited L	Clewinax Flaumum	Crewinax Flatinum
NTERIOR MIRRORS						
Day and Night Mechanical Rear View Mirror	•	•	-	-	-	-
lectrochromic Rear View Mirror w/Homelink (EC)	-	-	•	•	-	-
igital Display Rear View Mirror with Homelink		-	-		•	•
LOORING						
ll Season Floor Mats	•	•	•	•	•	•
TEERING WHEEL						
ilt & Telescopic Steering Wheel	•	•	•	•		-
Heated Leather Wrapped Steering Wheel	↑	•	•	•	•	•
ower Tilt & Telescopic Steering Wheel	-	0-0			•	•
LIMATE CONTROL						
lear Seat Heater Ducts	•	•	•	•	•	•
ingle Zone Automatic Climate Control	•	-		-	-	-
ual Zone Automatic Climate Control	↑	•	•	•	•	•
VINDOWS						
ront Windshield Acoustic Glass	•	•	•	•	•	•
ectric Rear Window Defroster	•	•	•	•	•	•
ear Side Window Privacy Glass	•	•	•	-	•	•
ower Windows with Driver Side Auto Down	•	•	•	•	•	•
ower Vertical Sliding Rear Window	•	•	•	•	•	•
NSTRUMENTATION						
.2-in. colour TFT Multi Information Display	•	•	•	•	-	-
il Pressure Gauge	•	•	•	•	•	•
oltmeter	•	•	•	•	•	•
ull TFT LCD Gauge Cluster		-	-	-	•	•
ead-Up Display		-		-	•	•
NTERIOR LIGHTING						
luminated Entry	•	•	•	•	•	•
mbient Lighting	c==0	0000	guno	O	•	•
EATS						
abric Seats	•	•		Cont.		-
eated Front Seats	↑	•	•	•	•	•
-way Power Adjustable Driver and Passenger Seats	↑	•	•	•		-
-way Power Adjustable Driver and Passenger Lumbar upport	↑	•	•	•	-	-
entilated Front Seats		-	•	•	•	•
priver Seat Memory System	-	-	•	•	•	•





Competitive Comparison

тоуота

Explore Sy Build & Price	Compet	itive Companson				
STANDARD SPECIFICATIONS						
Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
SofTex Seats	-	-	•	•	-	-
Heated Rear Seats		-	-		•	•
Leather Seats				g-re-	•	•
4-way Power Adjustable Driver and Passenger Lumbar Support		gues .			•	•
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat	Green Company	-		-	•	•
Ventilated Rear Seats	-		come o		•	•
TRIM						
Silver Inside Door Handle	•	•	•	•	•	•
Leather Wrapped Shift Knob	↑	•	•	•	•	•
EXTERIOR TIRES						
P245/75R18	•	-	-		-	
P265/70R18	\uparrow	•	↑	↑	-	-
P265/60R20	\uparrow	-	•	•	•	•
WIPERS						
Variable Intermittent Wipers	•	•	•	•	-	-
Windshield Wiper De-Icer	•	•	•	•	•	•
Rain Sensing Wipers		-	-	-	•	•
EXTERIOR MIRRORS						
Power Adjustable Heated Exterior Mirrors	•	•	•	•	•	•
Power Folding Mirrors	_	-	•	•	-	-
Memory Mirrors	_	-	•	•	•	•
Electrochromic Driver's Side View Mirror	_	-	•	•	•	•
Power Extendable/Folding Towing Mirrors		-	-		•	•
EXTERIOR LIGHTING						
Bi-Beam LED Headlamps	•	•	•	•	-	-
Headlamps with Manual Level Control	•	•	•	•	-	-
LED Daytime Running Lights	•	•	•	•	•	•
LED Fog Lamps	↑	•	•	•	•	•
Auto Leveling Headlamp System	-	-	0000	-	•	•
Premium Triple-Beam LED Headlamps	-	c==0	C		•	•
EXTERIOR						
Black Mud Guards	•	•	•	•	•	•
Active Grille Shutters	Λ.	•	•	•	•	•
Active Front Spoiler	Λ.	•	•	•	•	•
Panoramic Moonroof	-		•	•	•	•





Competitive Comparison

Δ	
TOYOTA	
TOTOTA	

STANDARD SPECIFICATIONS							
Standard — Not Available	CrewMax SR	CrewMax SR5 L	R5 L CrewMax Limited CrewMax Limited L		CrewMax Platinum	CrewMax Platinum L	
WHEELS							
18" Styled Steel Wheels	•	-	-		-	-	
18" Alloy Wheels	↑	•		0		0.00	
20" Alloy Wheels			•	•	•	•	
MECHANICAL FEATURES							
Part-Time 4WD	•	•	•	•	•	•	
Hill-start Assist Control (HAC)	\uparrow	•	•	•	•	•	
Trailer Brake Controller	↑	•	•	•	•	•	
Drive Mode Select (Sport, Eco and Normal Modes)	↑	-	-	-	-		

OPTIONAL FEATURES

ODTIONAL	CEATI	IDEC

TRD Front Grille	↑	↑	↑	↑	-	-
DAC (Downhill Assist Control)	↑	↑	↑	↑	-	-
Crawl Control (CRAWL)	↑	↑	↑	↑	-	-
Multi-Terrain Select	↑	↑	↑	↑	-	
Locking Rear Differential	\uparrow	↑	\uparrow	\uparrow	-	-
TRD Off Road Shock Absorbers	\uparrow	\uparrow	\uparrow	\uparrow	-	-
18" Offroad Alloy Wheels	\uparrow	\uparrow	\uparrow	\uparrow	-	-
TRD Leather Wrapped Shift Knob	\uparrow	\uparrow	-	-	-	
TRD Heated Steering Wheel	\uparrow	\uparrow	\uparrow	\uparrow	-	-
TRD Sport Tuned Shock Absorbers	\uparrow	-	-	-	-	-
20" Sport Alloy Wheels	↑		-	-	-	
Remove: Active Front Spoiler		↑	↑	↑	-	B
Multi Terrain View Monitor	-	-	↑	↑	-	





Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle substance in the test of the properties of

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Dealer are your best source for pust-odate information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





Competitive Comparison



TUNDRA MODELS



PACKAGE

Standard Package

Limited TRD Off Road

Ly TRD Pro

CrewMax Limited L

PACKAGE

Standard Package

Limited TRD Off Road



PACKAGE

Standard Package

L 1794

La Platinum with Advanced Package

1794 with Advanced Package



PACKAGE

Standard Package

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Solar Octane

Lunar Rock

Wind Chill Pearl

Midnight Black Metallic

Smoked Mesquite

Blueprint

Magnetic Grey Metallic

Supersonic Red

Army Green

AVAILABLE INTERIOR COLOURS

Black SofTex

Black Leather

Grey SofTex

Saddle Tan Leather

Cockpit Red SofTex

Black/White Semi-Aniline Leather











Competitive Comparison

OPTIONAL PACKAGES

TUNDRA HYBRID CREWMAX LIMITED

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- · Multi-Terrain Select
- DAC (Downhill Assist Control)
- Crawl Control (CRAWL)
- · Locking Rear Differential
- TRD Front Grille
- P265/70R18
- · TRD Off Road Shock Absorbers
- Xply™ Armor high-strength engine, fuel tank and transfer case undercovers
- Multi Terrain View Monitor
- TRD Heated Steering Wheel
- · Remove: Active Front Spoiler

TRD PRO

- 12 Speaker JBL Audio System
- 'TRD PRO' stamped tailgate
- · Locking Rear Differential
- · Smoked Headlamps/Foglamps
- Auto Leveling Headlamp System
- TRD Pro Front Stabilizer Bar
- TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX® Internal Bypass coil-overs and rear remote-reservoir shocks)
- Remove: Active Grille Shutters
- TRD Pro Hood Badge
- · 'TOYOTA' passenger-side dash panel badging
- DAC (Downhill Assist Control)
- · Multi-Terrain Select
- P285/65R18
- 18" TRD Pro Black Forged BBS® Wheels
- $\mathsf{Xply}^\mathsf{TM}$ Armor high-strength engine, fuel tank and transfer case undercovers
- 'Technical Camouflage' exterior accents
- Crawl Control (CRAWL)
- TRD Pro Logo / technical camo pattern inserts on front seats
- · Multi Terrain View Monitor
- Exterior Amber Marker Lights
- TRD Pro Heritage 'TOYOTA' Grille w/ LED light bar
- TRD Heated Steering Wheel

- · TRD Skid Plate
- Black Dual Exhaust w/ TRD logo
- · Remove: Active Front Spoiler

TUNDRA HYBRID CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- · Locking Rear Differential
- TRD Front Grille
- DAC (Downhill Assist Control)
- Multi-Terrain Select
- P265/70R18
- TRD Off Road Shock Absorbers
- Xply[™] Armor high-strength engine, fuel tank and transfer case undercovers
- · Crawl Control (CRAWL)
- Multi Terrain View Monitor
- TRD Heated Steering Wheel
- · Remove: Active Front Spoiler

TUNDRA HYBRID CREWMAX PLATINUM

PLATINUM WITH ADVANCED PACKAGE

- Adaptive Variable Suspension (AVS)
- Drive Mode Select (5 modes)
- Power Running Boards and Bed Step
- · Load-leveling Rear Height Control Air Suspension

1794 WITH ADVANCED PACKAGE

- Drive Mode Select (5 modes)
- Power Running Boards and Bed Step
- Load-leveling Rear Height Control Air Suspension







Competitive Comparison

STANDARD SPECIFICATIONS

● Standard → Not Available ↑ Available CrewMax Limited CrewMax Limited L CrewMax Platinum CrewMax Capstone

SAFETY & CONVENIENCE

SAFETY

Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	-	-
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•
Blind Spot Monitoring with RCTA	•	•	•	•
Intuitive Parking Assist with Auto Braking	•	•	•	•
Panoramic View Monitor	==		•	•

TOYOTA SAFETY SENSE 2.5

Automatic High Beam	•	•	•	•
Lane Tracing Assist	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection /Braking	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•
Sway Warning System	•	•	•	•

STAR SAFETY SYSTEM

•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
	•		

WARNING

Tire Pressure Monitoring System with Auto Location	•	•	•	•

CONVENIENCE

Power Door Locks	•	•	•	•
12Volt Accessory Power Outlet	•	•	•	•







Competitive Comparison

STANDARD SPECIFICATIONS

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Smart Key w/Push Button Start + Tailgate	•	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	•	•	•	•
Wireless Charging	•	•	•	•
Power Fuel Lid Release	•	•	•	•
SECURITY				
Anti-Theft Alarm System	•	•	•	•

INFOTAINMENT

TOYOTA MULTIMEDIA

TOYOTA MULTIMEDIA				
HD Radio	•	•	•	•
SiriusXM Audio	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•
Toyota Assistant	•	•	•	•
Bluetooth Capability	•	•	•	•
9 Speakers	•	•	-	-
14" Toyota Multimedia	•	•	•	•
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	•	•	•	•
12 Speaker JBL Audio System	↑	-	•	•
AUDIO				
USB Input/Charging Port	•	•	•	•

DIMENSIONS

DIMENSIONS

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	5932 (233.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3701 (145.7)	3701 (145.7)
Seating Capacity	5	5	5	5
Ground Clearance mm (in.)	282 (11.1)	279 (11.0)	279 (11.0)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	998 (39.3)	998 (39.3)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	937 (36.9)	937 (36.9)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3455.02 (7617.0)	3514.98 (7749.2)	3475.02 (7661.1)	3480.01 (7672.1)
Towing Capacity kg (lbs.)	5067 (11171)	5005 (11034)	4995 (11012)	4690 (10340)







Competitive Comparison

1677 (66.0)

тоуота

24

1677 (66.0)

STANDARD SPECIFICATIONS				
Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Payload(GVWR-curb weight) kg (lbs.)*	730 (1609)	750 (1653)	710 (1565)	675 (1488)
Base Curb Weight kg (lbs.)	2725.00 (6007.6)	2765.01 (6095.8)	2765.01 (6095.8)	2805.02 (6184.0)
Fuel Capacity litres (gal.)	122 (32)	122 (32)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L /100km	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7
Fuel Consumption - City/Highway/Combined mpg	22/27/24	22/27/24	22/27/24	22/27/24
Horsepower (kW)	437 (325)	437 (325)	437 (325)	437 (325)
Approach Angle (Degrees)	21	21	21	21

24

1982 (78.0)

1677 (66.0)

POWERTRAIN & MECHANICAL

10-speed Direct Shift Automatic Transmission

TD	Δ	NI	CI	ΛI	C	CI	N

Electric Parking Brake (EPB)

Cargo Bed Length

Departure Angle (Degrees)

BRAKES			

ENGINE

Intercooled	•	•	•	•
3.5 Litre Twin Turbo V6 Hybrid	•	•	•	•
Active Noise Control	David	0	•	•

SUSPENSION

Independent Front Suspension	•	•	•	•
5 Link Rear Suspension	•	•	•	•

MECHANICAL FEATURES

Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist		-	•	•

TRUCK BED

Header rail	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	•	•	•	•

INTERIOR

INTERIOR MIRRORS

Electrochromic Rear View Mirror w/Homelink (EC)	•	•	-	0000
Digital Display Rear View Mirror with Homelink	-	000	•	•

FLOORING





Competitive Comparison

TOYOTA

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
STEERING WHEEL				
Tilt & Telescopic Steering Wheel	•	•	-	0000
Heated Leather Wrapped Steering Wheel	•	•	•	•
Power Tilt & Telescopic Steering Wheel	Desid	-	•	•
CLIMATE CONTROL				
Rear Seat Heater Ducts	•	•	•	•
Dual Zone Automatic Climate Control	•	•	•	•
WINDOWS				
Front Windshield Acoustic Glass	•	•	•	•
Electric Rear Window Defroster	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	•
Power Windows with Driver Side Auto Down	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•
Front Side Laminated Glass	med.		-	•
INSTRUMENTATION				
	•	•	•	•
Oil Pressure Gauge Voltmeter	•	•	•	•
Full TFT LCD Gauge Cluster	•	•	•	•
Head-Up Display	gent .	-	•	•
INTERIOR LIGHTING				
Illuminated Entry	•	•	•	•
Ambient Lighting	guest.	-	•	•
SEATS				
Heated Front Seats	•	•	•	•
8-way Power Adjustable Driver and Passenger Seats	•	•		
2-way Power Adjustable Driver and Passenger Lumbar Support	•	•	-	-
Ventilated Front Seats	•	•	•	•
Driver Seat Memory System	•	•	•	•
SofTex Seats	•	•	-	mod
Heated Rear Seats	Beed	-	•	•
Leather Seats			•	
4-way Power Adjustable Driver and Passenger Lumbar Support		-	•	•
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat		-	•	•
Ventilated Rear Seats		-	•	•
Semi-Aniline Leather Seats	2000	-	-	•





Competitive Comparison



TANDADD CRECIEICATIONS				
STANDARD SPECIFICATIONS Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
7,00,000				
RIM				
eather Wrapped Shift Knob	•	•	•	•
acklit "CAPSTONE" passenger-side instrument anel badge	-	_	_	•
EXTERIOR				
TIRES				
265/70R18	↑	↑	-	
265/60R20	•	•	•	G==0
265/50R22	-	-	0-0	•
VIPERS				
'ariable Intermittent Wipers	•	•		
Vindshield Wiper De-Icer	•	•	•	•
ain Sensing Wipers	Dest.		•	•
XTERIOR MIRRORS				
ower Adjustable Heated Exterior Mirrors	•	•	•	•
ower Folding Mirrors	•	•	e	0
1emory Mirrors	•	•	•	•
lectrochromic Driver's Side View Mirror	•	•	•	•
ower Extendable/Folding Towing Mirrors		-	•	•
EXTERIOR LIGHTING				
i-Beam LED Headlamps	•	•	E	general control of the control of th
ED Daytime Running Lights	•	•	•	•
ED Fog Lamps	•	•	•	•
auto Leveling Headlamp System	↑	-	•	•
remium Triple-Beam LED Headlamps	-	-	•	•
equential LED Tail Lamps	-	-	•	•
VIERIOR				
XTERIOR Lock Mud Guards	•	•	•	•
lack Mud Guards	•	•	•	•
ctive Front Spoiler	•	•	•	•
ctive Front Spoiler anoramic Moonroof	•	•	•	•
lood Badge	•	•	•	•
ailgate Release Bump Switch	•	•	•	•
	•	•	•	•
arge Fuel Tank (122L)	<u> </u>		•	•
echnical Camouflage' exterior accents	1			

WHEELS





Competitive Comparison

3	1	٩ľ	ИL) r	١ĸ	u	2	Р	Е	u	ır	ľ	∟ŀ	١.	ш	U	'n	12	,

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
20" Alloy Wheels	•	•	•	-
22" Aluminum Alloy Wheels	Design Control of the	-	-	•
MECHANICAL FEATURES				
Part-Time 4WD	•	•	•	•
Hill-start Assist Control (HAC)	•	•	•	•
Trailer Brake Controller	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	•	•	•	•

OPTIONAL FEATURES

OPTIONAL FEATURES				
TRD Front Grille	\uparrow	\uparrow		
DAC (Downhill Assist Control)	\uparrow	\uparrow		
Crawl Control (CRAWL)	↑	\uparrow		
Multi-Terrain Select	↑	\uparrow		
Locking Rear Differential	↑	\uparrow		
TRD Off Road Shock Absorbers	↑	\uparrow		
18" Offroad Alloy Wheels	↑	\uparrow		
TRD Heated Steering Wheel	↑	\uparrow		
Remove: Active Front Spoiler	↑	^		
Multi Terrain View Monitor	↑	^		
Xply™ Armor high-strength engine, fuel tank and transfer case undercovers	\uparrow	\uparrow		_
'TRD PRO' stamped tailgate	↑	000		-
Smoked Headlamps/Foglamps	↑	000	0.00	-
TRD Pro Front Stabilizer Bar	\uparrow	man .		-
TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX® Internal Bypass coil-overs and rear remote-reservoir shocks)	↑	_	-	_
Remove: Active Grille Shutters	\uparrow	man .		-
TRD Pro Hood Badge	↑	000		-
'TOYOTA' passenger-side dash panel badging	↑	000		-
P285/65R18	\uparrow	man .		
18" TRD Pro Black Forged BBS® Wheels	\uparrow	ens.		-
TRD Pro Logo / technical camo pattern inserts on front seats	\uparrow	-		_
Exterior Amber Marker Lights	↑	Cont	Greet Control of Contr	
TRD Pro Heritage 'TOYOTA' Grille w/ LED light bar	↑			-
TRD Skid Plate	↑	Cont	Greet Control of Contr	
Black Dual Exhaust w/ TRD logo	↑	-		
Adaptive Variable Suspension (AVS)	need .	ene.	↑	
Drive Mode Select (5 modes)		000	↑	

PRODUCT SUMMARY

2023 Tundra CrewMax Cab Hybrid



Explore



Competitive Comparison

STANDARD SPECIFICATIONS

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Load-leveling Rear Height Control Air Suspension	most.		↑	gues .





Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to charge at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if apolicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by while and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle substance in the test of the properties of

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details